Annual Report of the Registrar-General for Scotland

1956

No. 102

EDINBURGH:
HER MAJESTY'S STATIONERY OFFICE
1957

TABLE OF CONTENTS

	PAGE
INTRODUCTORY LETTER	6

TEXT

INTRODUCTION	7
BIRTHS	
Sex Ratio	12
Monthly Rates	13
Fertility Rates	13
Multiple Births	14
Illegitimate Births	14
International Rates	15
MARRIAGES	
Civil Marriages	15
International Rates	16
Divorces	16
DEATHS	
Standardised Rates	18
Monthly Rates	19
International Rates	19
Age and Sex	20
Infant Mortality	20
International Rates	22
Mortality among Legitimate and Illegitimate Children	22
Neo-natal Mortality	22
Centenarians	23
LIFE TABLES	23
CAUSES OF DEATH	25
Certification	25
Principal Epidemic Diseases	26
Tuberculosis	27
Malignant Diseases	30
Diabetes	32
Anæmias	32
Other General Diseases	32
Diseases of the Nervous System	32
Diseases of the Circulatory System	32
Coronary Thrombosis	32
Diseases of the Respiratory System	33
Diseases of the Digestive System	33
Diseases of the Genito-Urinary System	33
Diseases of Pregnancy and Childbirth	33
Diseases of Skin and Cellular Tissue	34
Diseases of the Organs of Locomotion	34
Malformations	34
Diseases of Early Infancy	35
Senility	35
Violence	36
Accidents at Home and elsewhere	37
Suicide	39
Relative Frequency of Cause of Death	40
Infant Deaths	40
Death-rates standardised to Population of Great Britain	42
CENTRAL CLYDESIDE CONURBATION	
Statistical Summary	43
APPENDICES	
I. Fertility of Women	
Report on information obtained under the Population (Statistics) Act, 1938, for the year 1956	46

APPENDICES—*continued*

II. STILLBIRTHS — PAGE
Registration of Stillbirths 50

III. SOCIAL CLASS
Births, Stillbirths and Infant Deaths according to the social class of father, 1956 57

IV. MARRIAGES
Additional Statistics regarding Marriages registered during the year 1955 61

V. PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS, 1956 68

VI. ALTERATION OF BOUNDARIES
Burghs, Landward Areas, Parishes and Registration Districts... ... 69

VII. RE-REGISTRATION OF BIRTHS
Adopted Children Register—Searches and Extracts 70

VIII. INHABITED HOUSES
Inhabited houses in each area in Scotland for the year 1939 and for each year from 1952 to 1956 71

IX. WEATHER
Report on the weather in Scotland for the year ended 31st December, 1956 72

TABLES

BIRTHS, DEATHS AND MARRIAGES

1. Population, Births, Stillbirths, Deaths and Marriages in Scotland, 1855 to 1956, with Quinquennial averages 75
2. Birth, Stillbirth, Death and Marriage rates, Scotland, 1855 to 1956, with Quinquennial averages 77
3. Births, Stillbirths, Deaths and Marriages by Quarters, Scotland, 1946 to 1956 79
4. Birth, Stillbirth, Death and Marriage rates, Scotland, Counties of Cities, Large Burghs and Counties, 1956... 80
5. Birth, Stillbirth, Death and Marriage rates, Small Burghs, 1956 83
6. Birth, Stillbirth, Death and Marriage rates, Landward Areas, 1956 ... 86

GENERAL REGISTRATION SUMMARY

7. Births, Stillbirths, Deaths and Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1956 87

BIRTHS

8. Birth-rate among married and unmarried women, Scotland, Counties of Cities, Large Burghs and Counties, 1956... 88
See also Tables 7 and 63

FERTILITY OF WOMEN

9. Births by sex and legitimacy and by year of age of mother, Scotland, 1956 90
10. Births by age of mother and duration of marriage, Scotland, 1956 91
11. Fertility by age of mother, Scotland, 1956 92
12. Interval between marriage and birth of first child, Scotland, 1956 93
13. Number of previous children by age of mother, Scotland, 1956 94
14. Births by duration of marriage and number of previous children, Scotland, 1956 95
15. Deaths of married women who died childless—age-groups, Scotland, 1956 96
16. Deaths of women by duration of marriage, and number who died childless, Scotland, 1956 97
17. Deaths from selected causes and age groups of women who had been married, Scotland, 1956 98

STILLBIRTHS

PAGE

18. Number and rates of stillbirths and neo-natal deaths, Scotland, Counties of Cities, Large Burghs and Counties, 1956 99
19. Stillbirths by age of mother and number of previous children, Scotland, 1956 101
20. Multiple confinements (all births live and still) by age of mother, 1956 ... 102
21. Stillbirths by cause and age of mother, Scotland, 1956 103
22. Stillbirths by cause and order of birth, Scotland, 1956 106
23. Stillbirths by cause and month of registration, Scotland, 1956 108
23A. Stillbirths by cause and place of occurrence, Scotland, 1956 110
24. Stillbirths by cause in Public Health Districts of Scotland (Persons), 1956 111

BIRTHS, STILLBIRTHS AND INFANT DEATHS BY SOCIAL CLASS.

25. Legitimate stillbirths by cause and social classification, Scotland, 1956 ... 115
26. Deaths of legitimate children under one year from selected causes by social classification, Scotland, 1956 117
27. Stillbirths by social classification, age of mother and number of previous children, Scotland, 1956 118
28. Live births by social classification, age of mother, and number of previous children, Scotland, 1956 119

DEATHS

29. Children under one year, deaths from selected causes, Scotland, 1956 ... 120
30. Children under one year, deaths from selected causes, by month of registration, Scotland, 1956 121
31. Children under one year, births, deaths and death-rates by age periods, Scotland, Counties of Cities, Large Burghs and Counties, 1956 ... 122
32. Children under one year, deaths by selected age-groups, Scotland, 1956 ... 124
33. Ages at death, Scotland, and aggregate of Counties of Cities, Large Burghs, Counties ex Large Burghs, Small Burghs and Landward Areas, 1956 125
34. Deaths, male and female, by year of age and conjugal condition, Scotland, 1956 126
35. Deaths and death-rates from selected causes by age-groups, Scotland, 1956 128
36. Deaths and death-rates from selected causes, Scotland and aggregate of Counties of Cities, Large Burghs, Small Burghs and Landward Areas, 1956 131
37. Deaths from selected causes and in age-groups, Scotland, 1946-1956 ... 134
38. Death-rates from selected causes and in age-groups, Scotland, 1946-1956 136
39. Deaths from principal epidemic and certain other diseases, Scotland, 1855-1956 138
40. Death-rates from principal epidemic and certain other diseases, Scotland, 1855-1956 139
41. Deaths from poison and under anæsthetics, Scotland, 1956 140

Detailed International List

42. Causes of death by age-groups (males and females), Scotland, 1956 ... 142

Intermediate International List

43. Causes of death by months (Persons), Scotland, 1956 202
44A. Deaths in Scotland by sex and age-groups, 1956 206
44B. Deaths in Cities over 100,000 population (Glasgow, Edinburgh, Aberdeen, and Dundee) by sex and age-groups, 1956 214
44C. Deaths in aggregate of Large Burghs in Scotland by sex and age-groups, 1956 222
44D. Deaths in aggregate of Small Burghs in Scotland by sex and age-groups, 1956 230
44E. Deaths in aggregate of Landward Areas in Scotland by sex and age-groups, 1956 238
44F. Deaths in Central Clydeside Conurbation in Scotland by sex and age-groups, 1956... 246
45. Causes of deaths in Public Health Districts of Scotland (Persons), 1956 ... 254

Abbreviated International List

46. Causes of death by age-groups in Public Health Districts of Scotland (males and females) 1956 (including separate particulars for the insular portions of Inverness and Ross and Cromarty Counties) 266
47. Statistical Abstract Population, Births, Stillbirths, Marriages, Deaths, Causes of Death, Ages at Death, Scotland, Counties, Counties of Cities, Burghs and Landward Areas, 1956 326

DEATHS—*continued*

	PAGE		PAGE
County of Aberdeen	326	County of Lanark	350
Do. Angus	330	Do. Midlothian	352
Do. Argyll	330	Do. Moray	354
Do. Ayr	332	Do. Nairn	354
Do. Banff	334	Do. Orkney	354
Do. Berwick	336	Do. Peebles	356
Do. Bute	338	Do. Perth	356
Do. Caithness	338	Do. Renfrew	358
Do. Clackmannan	338	Do. Ross and Cromarty ...	360
Do. Dumfries	340	Do. Roxburgh	360
Do. Dunbarton	340	Do. Selkirk	362
Do. East Lothian	342	Do. Stirling	362
Do. Fife	344	Do. Sutherland	364
Do. Inverness	348	Do. West Lothian	364
Do. Kincardine	348	Do. Wigtown	366
Do. Kinross	348	Do. Zetland...	366
Do. Kirkcudbright	350		

STANDARDISED RATES

48. Death-rates standardised to population of Great Britain: Scotland: England and Wales for comparison 368

MARRIAGES

49. Method of celebration, etc., of marriages, 1855 to 1956 369
50. Ecclesiastical, Civil and Irregular Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1955 370
51. Marriages according to Church of Celebration, Scotland, Counties of Cities, Large Burghs and Counties, 1955 371
52. Conjugal Condition of Persons marrying, Scotland, Counties of Cities, Large Burghs and Counties, 1955 372
53. Ages of Men at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1955 374
54. Ages of Women at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1955 376
54A. Age and conjugal condition of men marrying in Scotland, 1955 378
54B. Age and conjugal condition of women marrying in Scotland, 1955 ... 380
55. Ages in combination of men and women at marriage, Scotland, 1955 ... 382
56. Ages in combination of bachelors and spinsters at marriage, Scotland, 1955 383
57. Ages in combination of bachelors and widows at marriage, Scotland, 1955 384
58. Ages in combination of widowers and spinsters at marriage, Scotland, 1955 385
59. Ages in combination of widowers and widows at marriage, Scotland, 1955 386
59A. Ages in combination of divorced men and of women (all conjugal conditions) at marriage, Scotland, 1955 387
59B. Ages in combination of men (all conjugal conditions) and of divorced women at marriage, Scotland, 1955 388

See also Tables 7 and 63

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

60. Parliamentary Electors on the February, 1956, Register 389
61. Local Government Electors and analysis of local elections on the February, 1956, Register 392

INHABITED HOUSES

62. Return of Inhabited Houses in Scotland, 1939 and 1952-1956 403

METEOROLOGY

63. Meteorology of Scotland for 1956; also number of births, stillbirths, deaths, deaths under one year and marriages by months, with rates 409
64. Deaths, temperature and rainfall for each week of 1956—seventeen Large Burghs 410

See also Tables I to IV, pages 412 to 419

METEOROLOGICAL TABLES FOR APPENDIX IX

I. District Values of air temperature, rainfall and sunshine, 1956 412
II. Summary table of mean values of air temperature at the principal towns, Monthly values, 1956, also generalised figures for rain for the United Kingdom 413
III. Number of hours bright sunshine, Monthly values, 1956 414
IV. Rainfall, Monthly values, 1956 416

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1956

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,
NEW REGISTER HOUSE,
EDINBURGH, 4th December, 1957.

SIR,

In compliance with the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, I beg to submit, for transmission to the Secretary of State, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1956.

I am, Sir,

Your obedient Servant,

E. A. HOGAN,
Registrar-General

THE SECRETARY,
DEPARTMENT OF HEALTH FOR SCOTLAND

INTRODUCTION

The outstanding feature of the vital statistics of Scotland in 1956 was the rise in the birth-rate. It is now appreciably above its pre-war level and a good deal higher than was thought probable a number of years ago.

The marriage-rate continues to show an increase.

The death-rate has remained constant during the last three years notwithstanding the ageing of the population year by year. Infant mortality and deaths from tuberculosis were the lowest recorded in Scotland.

Births.—95,313 births were registered in the year, an increase of 2,774 compared with the previous year. This represents a birth-rate per 1,000 of the population of 18·5, an increase of 0·5 over 1955 and of 0·7 over the average of the five years 1951-1955. The number of births and the birth-rate are the highest since 1949 when the abnormal post-war increase in the birth-rate was still continuing. On the post-war trend up till 1951 it looked as though the rate would not be more in 1956 than 17·5 instead of 18·5 as, in fact, it was. The difference between those two rates added 5,000 to the number of births in Scotland in 1956.

The increase is the more noteworthy as, apart from other factors, the effect of the continued ageing of the Scottish population is to lower the birth-rate. The proportion of the population over 45 years of age is increasing yearly.

The increase in the birth-rate is mainly due to the increasing number of marriages to which more detailed reference is made below. It is also due in part to a higher fertility-rate. The rate of births per 1,000 married women in 1956 was 137 which is the highest figure since 1949. The number declined more or less steadily from 316 births per 1,000 married women in the years 1860-1862 to a figure of 131·3 per 1,000 in 1952. So in the last few years it has made some slight recovery after a long period of decline. The rate varies a good deal from one part of the country to another. It is highest in the west and most of the crofting counties, and lowest in the east and in the border counties. Glasgow was again first among the cities with the rate of 147, followed by Dundee 138, Aberdeen 123 and Edinburgh 119.

The table on page 8 shows the birth-rates per 1,000 of the population in a number of countries in 1956 and also the increase or decrease in each country's rate over the period from 1950 to 1956 inclusive. The difference is measured from 1950 and not earlier because in 1949 and the preceding years the abnormally high rates after the second world war were still continuing. The rates are given in descending order and Canada leads by an appreciable margin. Scotland stands about the middle of the European countries.

The countries showing the greatest increases in the birth-rate over the period 1950 to 1956 are the United States of America, followed by Canada and New Zealand The age structure of the population of these countries is comparatively youthful. Scotland, with an older population, still comes fairly high in the increases registered over the period. Austria and Spain are the only other European countries where the birth-rate showed an increase.

EXPLANATORY NOTES

(1) *To save repetition, any references to an average or average rate will, unless the contrary is indicated, be intended as references to the average for the five years 1951 to 1955.*

(2) *The population is taken to be the civil population (including members of the Mercantile Marine for the time being in Scotland) and members of the armed forces stationed in Scotland. Birth, death and marriage-rates are calculated accordingly.*

(3) *Throughout the Report "year" means "calendar year" except where otherwise specified.*

International Birth-Rates, 1956, and Movement, 1950-56

	Birth-Rate 1956	Change in Birth-Rate 1950-56		Birth-Rate 1956	Change in Birth-Rate 1950-56
Canada	28·1	+1·0	Spain	20·7	+0·5
Israel	26·7	—6·3	Norway	18·7	—0·4
Yugoslavia ...	26·1	—4·2	**SCOTLAND** ...	18·5	+0·5
New Zealand ...	25·5	+0·8	France	18·3	—2·3
South Africa ...	25·4	+0·3	Italy	18·1	—1·5
U.S.A.	24·9	+1·4	Switzerland ...	17·5	—0·6
Portugal	23·6	—2·1	Denmark ...	17·3	—1·3
Australia ...	22·3	—1·0	Belgium ...	16·8	—0·1
Netherlands ...	21·2	—1·5	Austria	16·4	+0·8
Northern Ireland	21·1	—	West Germany ...	16·2	—
Eire	21·0	—0·3	England & Wales	15·7	—0·1
Finland	20·8	—3·7	Sweden ...	14·8	—1·6

Marriages.—The number of marriages registered in Scotland in 1956 was 43,971. This is higher than in any year since 1947, when marriages were abnormally high after the last war. The rate in 1956 is 8·5 per 1,000 of the population, 0·1 above that of 1955 and 0·4 above the average. It is very much higher than the rates prevailing about 50 years ago which were around 7.

The tendency continues towards marriage at earlier ages. Although females marrying at ages under 21 are three times more than males, it is the males that have shown the greatest proportional increase. In 1955, the latest years for which ages are available, the number of males marrying under 21 was two and a half times greater than it was in 1938, increasing from 1,648 in 1938 to 4,087 in 1955. The females showed an increase of about 80 per cent. rising from 7,138 in 1938 to 12,815 in 1955. Increases on a smaller scale are also found in the group 21-24. As the increase in the number of marriages at the younger ages is proportionately a good deal greater, there must naturally be a relative diminution in the numbers in higher age groups. The numbers marrying annually at the various age groups since 1938 are shown on page 67 of this report.

Deaths.—The death-rate in Scotland has been constant during the last three years at 12·0 per 1,000 of the estimated population. The improvement in the rate, which continued more or less steadily from 1875 to 1953, is now being offset by the continual ageing of the population. The rates when taken to two decimal places are 12·01 in 1956, 12·01 in 1955 and 11·98 in 1954. There is still room for improvement, as can be seen from a comparison with other countries, especially in the toll of respiratory diseases, notably bronchitis and pneumonia. It seems also that in Britain the mortality from cancer is heavier than in most of the other European countries. Sweden and the Netherlands, for example, have low general death-rates in comparison with Scotland, and it is observed that in those countries mortality from cancer and bronchitis is remarkably much lower. Although the percentage of population over 65 is lower than in England the Scottish mortality rate for the population as a whole is higher. The difference, after standardising the rates to allow for differences in the age structure of the two populations, is greatest in the group of deaths from vascular lesions and heart disease and, in a less degree, from cancer.

Infant mortality (under one year of age) again shows an improvement and the rate of 28·6 per 1,000 live births was the lowest recorded in Scotland. Neo-natal mortality (deaths within the first four weeks of life) accounted for 19·1 in every 1,000 of the births in the first year of life showing that about two-thirds of the infant deaths were in the first four weeks of life. The neo-natal rate is 0·6 below the previous year and 1·6 below the average.

Maternal mortality was the same as in 1955, involving the deaths of five mothers in every 10,000 births.

The principal cause of death continues to be heart disease and accounts for fully one-third of all deaths.

Although the number of notified cases of tuberculosis remains high the death-rate shows a further downward trend. In 1956 the rate per 100,000 of the population was 16. This is three below the rate in 1955 and 12 below the average. For pulmonary tuberculosis the rate was 14 and for non-pulmonary 2.

The expectation of life at birth on the experience of the mortality of 1956 is 66·0 years for males and 71·2 for females. This means that on average girls born now may expect 24 more years of life and boys 21 years more than children born at the beginning of the century. An international comparison can be made around the latest census period of each country. In Britain this was in 1951, and taking the years 1950-1952 or the nearest equivalent, it will be seen from the accompanying table that although the Scottish expectation of life has increased considerably it is still lower than in many of the other countries. The reason is, of course, the comparatively heavy Scottish death-rate which, as indicated earlier, though it has not moved for the past three years, still leaves room for improvement.

INTERNATIONAL COMPARISONS—EXPECTATION OF LIFE
(Years nearest to 1951)

Country	Year	Expectation of Males at Age				Expectation of Females at Age			
		0	15	45	65	0	15	45	65
Scotland ...	1950–52	64·4	53·1	25·5	11·4	68·7	56·7	29·1	13·2
England and Wales ...	1950–52	66·4	54·4	26·5	11·7	71·5	59·0	30·8	14·3
Northern Ireland ...	1950–52	65·4	54·3	26·8	12·1	68·8	57·1	29·3	13·5
Australia ...	1946–48	66·1	54·3	26·8	12·3	70·6	58·3	30·5	14·4
Canada ...	1950–52	66·3	55·4	28·1	13·3	70·8	59·2	31·1	15·0
New Zealand	1950–52	68·3	55·8	28·1	12·9	72·4	59·5	31·1	14·8
Austria ...	1949–51	61·9	53·3	26·4	12·0	67·0	57·3	29·7	13·6
France ...	1950–51	63·6	53·1	26·2	11·9	69·3	58·2	30·5	14·4
Germany, East	1952–53	65·1	55·3	27·9	12·6	69·1	58·3	30·5	13·9
West	1949–51	64·6	55·0	27·9	12·8	68·5	58·0	30·1	13·7
Netherlands ...	1950–52	70·6	58·5	30·3	14·1	72·9	60·2	31·6	14·7
Norway ...	1946–50	69·3	57·9	30·7	14·7	72·7	60·4	32·4	15·6
Sweden ...	1946–50	69·0	56·8	29·3	13·5	71·6	58·7	30·7	14·3
Switzerland ...	1948–53	66·4	54·8	27·5	12·4	70·9	58·7	30·5	14·0
U.S.A. ...	1949–51	65·5	53·6	26·6	12·7	71·0	58·5	30·6	15·0

Population.—The estimated population of Scotland at 30th June, 1956, was 5,144,600. The natural increase (excess of births over deaths) accounted for 33,700, and the estimated loss by migration was 24,700.

The age distribution is given in Table G (1) on page 20 of this report. It is estimated that 1,288,700 were under 15, 3,329,400 between 15 and 65, and 526,500 over 65. At the time of the 1951 census the figures were 1,255,037, 3,333,419 and 506,895 respectively. The following table compares the proportions at different times from 1861.

AGE DISTRIBUTION OF THE POPULATION OF SCOTLAND
1861-1956

Date	Proportion, per 1,000 of the total population, in each age-group		
	0–14	15–64	Over 65
1861 ...	361	591	49
1901 ...	334	617	48
1951 ...	246	654	99
1956 ...	250	647	102

The increase in the proportion under 15 compared with 1951 is due to the high birth-rates prevailing after the war, and each year the number of people aged 65 and over continues to increase.

The population is estimated to comprise 2,462,700 males and 2,681,900 females. From birth to age 29 the number of males is greater than that of females, but thereafter the proportion of females steadily increases.

The following Table A shows the estimated population distributed in the aggregate among the counties of cities, large burghs, small burghs and landward areas. It gives the corresponding census figures for 1931 and 1951 adjusted for boundary change.

TABLE A.—Population of Scotland in 1956

GROUPS OF DISTRICTS	Estimated Population at 30th June, 1956	Census 1951 (Resident)			Census 1931 (Resident)		
	Persons	Persons	Males	Females	Persons	Males	Females
Counties of Cities ...	1,913,500	1,927,139	902,036	1,025,103	1,892,593	889,386	1,003,207
Large Burghs	855,000	830,506	397,870	432,636	777,278	378,043	399,235
Small Burghs	848,300	831,524	387,156	444,368	748,276	347,827	400,449
Landward	1,527,800	1,567,246	747,296	759,950	1,424,833	710,267	714,566
SCOTLAND	5,144,600	5,096,415	2,434,358	2,662,057	4,842,980	2,325,523	2,517,457
Males	2,462,700						
Females	2,681,900						

Migration.—From the information available it is estimated that of the net loss of 24,700 for the year ended 30th June, 1956, about 13,000 went to other parts of the United Kingdom and 11,700 overseas. This reduces the effect of the natural increase of 33,700 to 9,000.

The loss was slightly greater than that of the previous year, but below the average of 25,100 for the preceding five years.

The receiving overseas countries were very much in line with those of previous years. Of the net estimated overseas migration of 11,700, Canada again came first with 4,700, or two-fifths of the total, followed by 3,600 to Australia, 1,500 to the United States of America and 1,000 to New Zealand.

Unlike last year, when the female migrants constituted 57 per cent. of the total, the sex ratio for the year under review has reverted to the normal experience when, as a rule, the sexes are evenly divided.

The age constitution of the migrants was in keeping with that of previous years. In the year ended 30th June, 1956, 21·8 per cent. of the migrants were under 15, 67·8 per cent. between 15 and 45, and 10·4 per cent. over 45. Thus the main weight of the migration was between the ages of 15 and 45. Of all migrants 49·4 per cent. were males and 50·6 per cent. females, whereas of those between 15 and 45, 51·1 per cent. were males and 48·9 per cent. females.

The tabulation of male migrants by occupation shows that the main groups were clerical and distributive, building and carpentry, engineering, and professional and managerial in that order. Nearly half of the females aged 15 and over were shown as housewives. The rest were mainly in the clerical and distributive trades, professional and managerial and in domestic occupations.

As this report, in common with its predecessors, deals with population changes from one mid-year to another, the foregoing paragraphs deal with the effect of migration over the year to 30th June, 1956. Turning to the calendar year to 31st December, 1956, it is estimated that in that year the net migration from Scotland was 24,600. In the calendar year 1955 the estimated figure was 22,000. The emigration in 1956 was, therefore, 2,600 more than in 1955.

Of the estimated loss of 24,600 in 1956, it is estimated that 14,200 was to countries overseas and 10,400 to other parts of the United Kingdom, mainly England.

On these estimates the net emigration to countries overseas was 4,700 more, but to the rest of the United Kingdom 2,100 less, than in 1955. Thus the heavier overseas emigration was in part offset by a smaller loss of population to England.

The increased emigration to countries overseas was due to a considerable increase in the volume of emigration to Canada. The net emigration to Canada in 1956 was estimated at 8,100, 5,300 more than the estimated loss of 2,800 in 1955. The loss in the first and second half-years of 1956 is estimated at 1,900 and 3,400 more than in the first and second half-years of 1955 respectively.

There was a further sharp increase in the last months of 1956 in applications to emigrate to Canada, but the ensuing emigration movement would, to a very large extent, not take place before 1957. Although emigration to Canada by air has much increased of late years, most emigrants still go by sea. With the St. Lawrence blocked by ice in the winter, the sea movement does not gather way before about April, as a general rule, and the applicants of late 1956 who went by sea would not usually embark before April, 1957. The final figures of the net emigration to Canada in the first half of 1957 are not yet available, but it is already plain that it will show a further marked increase over the rate of 1956.

It will be appreciated from the foregoing figures that against the increased loss to Canada there was a decrease of 600 in the loss by migration to other countries. This was mainly due to a decrease of 700 in the net emigration to Australia.

REPORT 1956

BIRTHS

Numbers.—The number of living children* whose births were registered in Scotland in 1956 was 95,313 (48,951 males and 46,362 females). This is an increase of 2,774 over 1955 and of 3,947 over the average of the five years 1951-1955.

Rates.—The birth-rate for the year was 18·53 per 1,000 population. The rate in 1955 was 18·03 and the average rate 17·84. In the counties of cities the 1956 rate was 18·8, in the large burghs 19·8, in the small burghs 17·7, and in the landward districts 17·9. (Table B (1).)

The birth-rates in 1956 in each city, large burgh and county will be found in Table 4. In the cities and large burghs the rate ranged from 26·2 in Dumbarton, 24·4 in Coatbridge and 23·1 in Port Glasgow to 16·0 in Edinburgh, 15·6 in Perth, and 15·1 in Falkirk. In the counties the rate ranged from 20·2 in Moray, 20·0 in Lanark and Midlothian, and 19·3 in Clackmannan to 13·8 in Zetland, 13·6 in Berwick and 13·4 in Bute.

TABLE B (1).—Birth-rate in Scotland and its Groups of Public Health Districts in 1956

Groups of Districts	Live Births					Birth-rate per 1,000 of Estimated Population			Illegitimate Births per 100 Live Births
	Total	Legitimate		Illegitimate		Total	Legitimate	Illegitimate	
		Males	Females	Males	Females				
Counties of Cities ...	36,052	17,613	16,676	912	851	18·84	17·92	0·92	4·89
Large Burghs	16,938	8,310	8,002	306	320	19·81	19·08	0·73	3·70
Small Burghs	15,004	7,357	7,118	283	246	17·69	17·06	0·62	3·53
Landward ...	27,319	13,578	12,590	592	559	17·88	17·13	0·75	4·21
Scotland ...	95,313	46,858	44,386	2,093	1,976	18·53	17·74	0·79	4·27

	Stillbirths			Rate per 1,000 Births (including Stillbirths)		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Counties of Cities ...	904	842	62	24·5	24·0	34·0
Large Burghs	421	400	21	24·3	23·9	32·5
Small Burghs	368	352	16	23·9	23·7	29·4
Landward ...	636	597	39	22·8	22·3	32·8
Scotland ...	2,329	2,191	138	23·9	23·4	32·8

Ratio of Male to Female Births.—There were 1,056 males to every thousand females among the children born alive in 1956. The ratio is the same in the years 1954 and 1955 and as the average for the years 1952 to 1956. The highest average of male to female births since 1855 (the beginning of registration) was in the period 1946 to 1950 when the ratio was 1,063.

* Stillbirths are dealt with in Appendix II (pages 50-56).

Monthly Birth-rates.—As will be seen from Table 63 the average monthly birth-rate was, as usual, higher in the first than in the second half of the year.

Fertility Rates.—Births and birth-rates in Scotland in 1956 in relation to women of child-bearing age are given in Table 8. They are given for Scotland as a whole and for the administrative areas in the aggregate, and also for each county and large burgh. The total number of births is shown and, separately, the numbers of legitimate and illegitimate births. The birth-rates per 1,000 women of child-bearing age are calculated in the Table in relation to all women between the ages of 15 and 45, and also in relation to married women between the ages of 16 and 45.

These rates are summarised in the following Table B (2) for three-yearly periods centred on each census from 1861 to 1951.

The number of births per 1,000 married women reached its highest figure of 319·4 in 1870-72. By 1900-02 it was down to 271·8 and by 1950-52 that figure was more than halved at 132·3. The 1950-52 rate was about 42 per cent. of the rate of 1860-62.

TABLE B (2).—Birth-rate in Scotland, per 1,000 Women aged 15-44, 1861-1951

Year	Births per 1,000 Women aged 15-44			Legitimate Births per 1,000 Married Women aged under 45		
	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62
1860-62 ...	144·6	—	100	316·0	—	100
1870-72 ...	149·4	103·3	103·3	319·4	101·1	101·1
1880-82 ...	145·8	97·6	100·8	311·5	97·5	98·6
1890-92 ...	132·5	90·9	91·6	296·4	95·2	93·8
1900-02 ...	121·9	92·0	84·3	271·8	91·7	86·0
1910-12 ...	107·3	88·0	74·2	233·2	85·8	73·8
1920-22 ...	105·1	97·9	72·7	226·7	97·2	71·7
1930-32 ...	80·1	76·2	55·4	169·0	74·5	53·5
1940-42 ...	73·0	91·1	50·5	136·9	81·0	43·3
1950-52 ...	80·3	110·0	55·5	132·3	96·6	41·9

The yearly rates from 1931-56 are given in the following Table B (3). It will be observed that the rate for all women between 15 and 45 was higher in 1956 than in 1931, whereas the rate for married women was a good deal lower. The reason for the increase in relation to all women of child-bearing age is that the proportion of married women is much increased. The marriage-rate has been going up more or less steadily for a long time, and the numbers of married persons in the population were sharply increased by exceptionally high marriage-rates after the last war.

In 1956 the birth-rate per 1,000 married women was lower by 30·9 per 1,000 married women than in 1931. In 1947 the high post-war birth-rates raised the rate to 163·9 but after that it decreased steadily till 1952, when it reached the low level of 131·3. Since then, however, there has been an upward trend, the rate of 137·4 in 1956 being 6·1 higher than the 1952 rate.

As mentioned elsewhere in this Report it would seem that this steady increase in the number of births per 1,000 married women is due to an increase in the numbers of marriages at the younger ages, mainly under 20. Statistics make it clear that fertility is highest at these younger ages.

TABLE B (3)—Crude Birth-rate and rate per 1,000 women aged 15—44 in Scotland 1931—1956

Year	Crude Birth-rate per 1,000 Population	Births per 1,000 Women aged 15-44	Legitimate births per 1,000 Married Women aged under 45	Illegitimate births per 1,000 Unmarried Women aged 15-44
1931	19·0	79·8	168·3	10·3
1932	18·6	78·4	164·3	9·9
1933	17·6	74·5	154·7	9·2
1934	18·0	76·5	156·8	9·4
1935	17·8	74·9	152·4	9·0
1936	17·9	75·1	151·4	9·1
1937	17·6	73·7	147·2	8·6
1938	17·7	74·0	146·1	8·7
1939	17·4	72·1	141·1	8·3
1940	17·1	71·4	137·0	8·3
1941	17·5	73·5	138·1	9·6
1942	17·6	74·2	135·9	10·7
1943	18·4	78·7	140·6	12·3
1944	18·5	79·9	141·5	13·1
1945	16·9	73·1	126·1	13·3
1946	20·3	89·5	158·0	12·6
1947	22·3	97·1	163·9	12·3
1948	19·7	86·6	143·9	11·5
1949	18·7	83·4	137·9	10·6
1950	18·0	81·0	133·9	9·9
1951	17·7	79·8	131·5	9·6
1952	17·7	80·1	131·3	9·1
1953	17·8	81·3	132·1	9·2
1954	18·0	83·2	134·2	9·2
1955	18·0	84·1	134·2	9·1
1956	18·5	87·5	137·4	9·6

Multiple Births.—The total number of women who gave birth to living children in 1956 was 94,113, of whom 92,923 or 98·74 per cent. gave birth to single children, 1,181 or 1·25 per cent. to twin children and 8 or 0·01 per cent. to triplets and 1 to quadruplets. These births refer only to children born alive; and single births here include multiple births in which only one child was born alive. Appendix II, which analyses the stillbirths registered in Scotland in 1956, provides further particulars regarding multiple births, live and still. (See Table 20, page 102) which includes all multiple births, live and still.

Illegitimate Births.—These numbered 4,069 or 4·27 per cent. of the total living births compared with 3,991 and 4·31 per cent in 1955. In the cities the percentage was 4·9 and in the large burghs 3·7, both rates being the same as in 1955. It was 3·5 in the small burghs and 4·2 in the landward districts. Relating these births to the estimated number of unmarried women and widows aged 15-44, the rate for Scotland was 9·6 per 1,000, that for the cities being 10·4, for the large burghs 8·9, for the small burghs 7·9 and for the landward areas 9·7. The corresponding Scottish rate for 1955 was 9·1. (Tables 1-4 and 8.)

TABLE C.—Birth-rate per 1,000 Women aged 15-44, 1956

Groups of Districts	Estimated Number of Women aged 15-44	Births	Birth-rate per 1,000 of Population		Birth-rate per 1,000 Women aged 15-44	
		Number	Rate	Relative Quantity, Scotland being = 100	Rate	Relative Quantity, Scotland being = 100
Counties of Cities ...	419,100	36,052	18·84	101·7	86·0	98·3
Large Burghs	185,500	16,938	19·81	106·9	91·3	104·3
Small Burghs	178,500	15,004	17·69	95·5	84·0	96·0
Landward ...	306,500	27,319	17·88	96·5	89·1	101·8
Scotland ..	1,089,600	95,313	18·53	100·0	87·5	100·0

International Rates.—The following Table shows birth-rates in certain other countries:—

BIRTH-RATES PER 1,000 POPULATION, 1956

Canada	28·1	Norway	18·7
Israel	26·7*	**SCOTLAND**	18·5
Yugoslavia	26·1	Japan	18·4
Union of South Africa ...	25·4†	France	18·3
United States of America	24·9	Italy	18·1
New Zealand	24·7‡	Switzerland	17·5
Australia...	22·3	Denmark	17·3
Portugal	22·3	Belgium	16·8
Netherlands	21·2	Austria	16·4
Northern Ireland ...	21·1	Western Germany ...	16·3
Eire	21·0	England & Wales ...	15·6
Finland	20·8	Sweden	14·8
Spain	20·7		

* Jewish population only † European population only ‡ Excluding Maoris

MARRIAGES

There were 43,971 marriages in Scotland in 1956. This was 772 more than in 1955. The rate per 1,000 of the population of the marriages in 1956 was 8·55 compared with a rate of 8·42 in 1955.

During 1956 the marriage-rate was highest in the months of March (14·0), April (12·2) and July (11·3), and the lowest in January (6·0), November (5·0) and May (2·7). (Table 63.)

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1956

Groups of Districts	Marriages	Marriage-rate per 1,000 of Population	
	Number	Rate	Relative Quantity, Scotland being = 100
Counties of Cities ...	19,299	10·09	118·0
Large Burghs... ...	8,227	9·62	112·5
Small Burghs... ...	7,708	9·09	106·3
Landward	8,737	5·72	66·9
SCOTLAND ...	43,971	8·55	100·0

The marriage-rate was highest in the urban and lowest in the rural areas. This is invariably the case and almost certainly overstates the true urban-rural difference in this respect because people living in rural areas often go to a town or city to be married. The parties often come from different areas, and consequently it is not possible to correct the figures of marriages according to normal residence as it is customary to do for births and deaths. (Table 4.)

Civil Marriages.—The following Table shows the number of ecclesiastical and civil marriages registered in the cities, large burghs, small burghs and landward areas in 1956.

	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
All Marriages	43,971	19,299	8,227	7,708	8,737
Solemnised by a minister of religion:—					
Preceded by Banns or Publication of Notice	35,904	14,305	6,681	6,616	8,302
Authorised by Sheriff's Licence	196	86	36	31	43
Irregular Marriages:—					
Decree of Declarator (Court of Session) ...	7	1	—	1	5
Civil Marriages:—					
Preceded by Publication of Notice ...	7,394	4,586	1,437	999	372
Authorised by Sheriff's Licence	470	321	73	61	15

Civil marriages constituted 17·9 per cent. of all marriages registered in Scotland. The percentage was 25·4 for the cities, 18·4 for the large burghs, 13·8 for the small burghs and 4·4 for landward areas. In 1955 civil marriages constituted 19·2 per cent. of all marriages (26·9 per cent. for the cities, 20·3 for the large burghs, 15·2 for the small burghs and 4·9 for landward areas.

International Rates.—The following Table shows marriage-rates in other) countries so far as these are available:—

MARRIAGE RATES PER 1,000 POPULATION, 1956

United States of America	9·4	England & Wales ...	7·9
Western Germany ...	8·9	Denmark	7·9
Spain	8·8	Belgium	7·7
Yugoslavia	8·8	Finland	7·7
SCOTLAND	8·5	Australia...	7·6
Netherlands	8·5	Italy	7·5
Israel	8·4†	Portugal	7·4
Canada	8·2	Norway	7·2
Austria	8·2	Sweden	6·9
New Zealand	8·1*	Northern Ireland ...	6·7
Japan	8·0	France	6·7
Switzerland	8·0	Eire	5·7

* Excluding Maoris † Jewish population only

Divorces.—1,891 marriages were dissolved by decrees pronounced in Scotland during the year 1956. Of these, 1,867 were decrees of divorce and 16 of nullity. Eight marriages were dissolved on a presumption of death of one of the parties.

Divorces decreased by 187 compared with 1955 and they are 380 below the average of the past five years.

Table E shows the number of decrees of divorce, nullity and dissolution of marriage on presumption of death in ten-yearly periods from 1855 to 1954, and annually from 1945 to 1956.

TABLE E.—Number of Divorces, etc., in Scotland, 1855-1956

Ten Year	Average Number of Decrees of Divorce and Nullity of Marriage	Year	Annual Number of Decrees of		
			Divorce	Nullity of Marriage	Dissolution of Marriage (Presumption of Death)
1855–64	17	1945	2208	15	4
1865–74	14	1946	2902	22	10
1875–84	60	1947	2495	18	20
1885–94	100	1948	2028	19	10
1895–1904	159	1949	2419	19	9
1905–14	222	1950	2186	10	8
1915–24	458	1951	1928	16	11
1925–34	488	1952	2702	16	19
1935–44	906	1953	2352	13	11
1945–54	2358	1954	2200	16	10
		1955	2054	19	5
		1956	1867	16	8

The following tables give further details as follows:—

(a) Marital Condition at time of marriage, 1948-1956; (b) age of wife in relation to age of husband at time of divorce, 1956; (c) age of wife in relation to age of husband at date of marriage, 1956; and (d) age of wife at time of divorce with duration of marriage, 1956. The particulars relate only to persons who were married in Scotland.

Divorce statistics of persons Married in Scotland
1948-1956

Year	Marital Condition at Time of Marriage					
	Husbands			Wives		
	Bachelors	Widowers	Divorced	Spinsters	Widows	Divorced
1948	1,675	24	15	1,686	16	12
1949	1,953	37	23	1,953	34	26
1950	1,744	45	25	1,763	30	21
1951	1,562	61	25	1,578	45	25
1952	2,196	75	36	2,208	59	40
1953	1,901	55	48	1,902	54	48
1954	1,784	63	38	1,776	64	45
1955	1,679	43	54	1,681	46	49
1956	1,524	50	47	1,524	42	55

Present age of Wife in relation to age of Husband
1956

Present Age of Wife	All Ages	Present Age of Husband								
		16—20	21—24	25—29	30—34	35—39	40—44	45—49	50—59	60 and over
16—20	28	4	20	3	—	1	—	—	—	—
21—24	144	—	47	75	20	—	1	1	—	—
25—29	384	—	15	173	146	40	8	1	—	1
30—34	365	—	1	19	187	121	25	10	2	—
35—39	249	—	—	2	23	89	102	27	6	—
40—44	216	—	—	1	3	22	96	70	23	1
45—49	119	—	—	—	2	3	21	50	42	1
50—59	101	—	—	—	—	1	3	18	64	15
60 and over	15	—	—	—	—	—	1	1	2	11
Total	1,621	4	83	273	381	277	257	178	139	29

Age of Wife at time of Marriage in relation to age of Husband
1956

Age of Wife	All Ages	Age of Husband								
		16—20	21—24	25—29	30—34	35—39	40—44	45—49	50—59	60 and over
16—20	782	245	383	128	21	4	—	1	—	—
21—24	533	59	255	161	43	9	5	—	—	1
25—29	174	7	39	73	38	10	7	—	—	—
30—34	71	2	7	16	19	10	13	1	3	—
35—39	37	—	1	4	10	12	5	3	2	—
40—44	12	—	—	2	1	4	3	1	1	—
45—49	4	—	—	—	—	—	—	—	3	1
50—59	7	—	—	1	—	—	—	—	3	3
60 and over	1	—	—	—	—	—	—	—	—	1
Total	1,621	313	685	385	132	49	33	6	12	6

Present age of Wife and duration of Marriage — 1956

Present Age of Wife	All Durations	Duration of Marriage (Years)						
		0—2	3—4	5—6	7—9	10—14	15—19	20 and over
16—20	28	17	11	—	—	—	—	—
21—24	144	19	62	54	9	—	—	—
25—29	384	5	42	125	159	53	—	—
30—34	365	2	13	26	75	214	35	—
35—39	249	—	5	13	20	69	115	27
40—44	216	1	6	1	12	27	73	96
45—49	119	—	4	2	4	10	18	81
50—59	101	1	2	1	1	9	12	75
60 and over	15	—	—	2	1	1	2	9
Total	1,621	45	145	224	281	383	255	288

DEATHS

The total number of deaths registered during the year was 61,792—an increase of 147 compared with 1955. The death-rate for the year was 12·0 per 1,000 population, and is the same as that for the years 1954 and 1955.

Standardised Death-rates

The following Table shows the crude and standardised* death-rates for Scotland for each year from 1931-56.

The standardised rate is much lower than the crude rate, and throughout the period covered by the Table has increased its comparative advantage. This is due in the main to the increasing age of the population. The standard population has a higher proportion of young persons and it is in these young age groups that the greatest improvement in mortality has taken place.

For the separate sexes the crude rate shows a reduction since 1931, being more pronounced in the case of females, who have a longer average life than males. The standardised rates show a large reduction for both sexes, especially for women.

Death-rates for Scotland per 1,000 Population

	Persons		Males		Females	
	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate
1931	13·26	12·45	13·86	13·74	12·71	11·28
1932	13·53	12·65	13·94	13·76	13·14	11·64
1933	13·20	12·22	13·79	13·50	12·66	11·04
1934	12·92	11·98	13·51	13·23	12·37	10·84
1935	13·19	11·99	13·76	13·30	12·66	10·80
1936	13·44	12·14	14·16	13·57	12·77	10·83
1937	13·85	12·33	14·59	13·82	13·17	10·98
1938	12·61	11·13	13·22	12·39	12·04	10·00
1939	12·87	11·10	13·68	12·62	12·11	9·73
1940†	14·86	12·46	16·59	14·32	13·40	10·78
1941†	14·74	12·30	16·75	14·02	13·11	10·71
1942†	13·34	10·70	15·24	12·26	11·81	9·27
1943†	13·98	10·71	15·93	12·21	12·43	9·34
1944†	13·57	10·22	15·65	11·74	11·95	8·82
1945†	13·20	9·63	15·11	11·07	11·70	8·32
1946†	13·07	9·82	14·14	11·15	12·15	8·61
1947	13·02	9·73	13·86	11·13	12·25	8·48
1948	11·96	8·79	12·64	10·03	11·34	7·68
1949	12·42	8·91	12·99	10·13	11·90	7·83
1950	12·48	8·75	13·09	10·05	11·93	7·61
1951	12·86	8·84	13·55	10·23	12·23	7·61
1952	12·03	8·22	12·86	9·64	11·26	6·96
1953	11·50	7·76	12·41	9·23	10·68	6·44
1954	11·98	7·92	12·87	9·44	11·17	6·57
1955	12·01	7·87	12·76	9·33	11·32	6·57
1956	12·01	7·73	12·85	9·28	11·24	6·34

† Civilian death-rates.

* The object of standardisation of the death-rate is to allow for variations of age and sex distribution in making comparisons of mortality between one population and another. For a fuller explanation see page 25 of the 1954 Annual Report.

The crude rates do not vary greatly between urban and rural areas, being 12·34 per 1,000 in the cities, 11·53 in the large burghs, 13·0 in the small burghs and 11·33 in the landward areas. But when the rates are standardised for difference of age and sex constitution the urban rates are appreciably higher. This is because rural populations are older, mainly due to migration from country to town. The standardised rate for the cities was 12·85, for the large burghs 12·37, for the small burghs 11·77 and for the landward area 10·99.

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1956

Groups of Districts	Deaths		Death-rate per 1,000 of Population	
	Registered Number	Corrected for Transfers	Corrected for Transfers	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1951
Counties of Cities	25,729	23,605	12·34	12·85
Large Burghs	10,448	9,861	11·53	12·37
Small Burghs	8,893	11,010	12·98	11·77
Landward	16,722	17,316	11·33	10·99
Scotland	61,792	61,792	12·01	—

In the cities and large burghs the standardised rate ranged from 14·0 in Kilmarnock, 13·7 in Glasgow and 13·6 in Hamilton, to 11·3 in Dunfermline, 11·0 in Kirkcaldy and Perth and 10·9 in Port Glasgow. In the counties it ranged from 12·6 in Bute, 12·4 in Berwick, Lanark and Wigtown, and 12·2 in Argyll, Kirkcudbright and Selkirk, to 10·0 in Inverness, 9·3 in Peebles and Sutherland, and 9·1 in Nairn. (Table 4.)

Monthly Death-rates

The highest death-rates of the year occurred in February, January and March, and the lowest in July, August and September. They ranged from 17·0 in February to 9·9 in July. (Table 63.)

International Death-rates

The following Table gives the crude death-rates for various countries, so far as available, in the year 1956. The Scottish death-rate is the fourth highest of the countries mentioned. In Scotland, however, the population is older than in most of the other countries included in the Table, and if comparisons were made on standardised death-rates the difference between Scotland and most of the other countries referred to would be narrowed.

Death-rates per 1,000 Population, 1956

Belgium	12·6	Sweden	9·6
France	12·4	United States of America	9·4
Austria	12·3	Australia...	9·1
Portugal	12·0	New Zealand	9·0*
Scotland	12·0	Finland	9·0
Eire	11·7	Denmark	8·9
England & Wales ...	11·7	Union of South Africa ...	8·8†
Yugoslavia	11·2	Norway	8·5
Western Germany ...	11·0	Canada	8·2
Northern Ireland ...	10·6	Japan	8·0
Italy	10·3	Netherlands	7·8
Switzerland	10·2	Israel	6·3‡
Spain	9·9		

* Excluding Maoris. † European population only. ‡ Jewish population only.

Age and Sex.—The death-rates by age-groups show a rapid decline from the high rates in infancy to a minimum in age-group 10-14. After that there is an increase in the rate, gradual at first but becoming more pronounced at higher ages.

Table 35 shows the death-rates for each sex in the various age-groups, and it will be observed that the male death-rate exceeds the female in each age group.

Table G (1) shows the population estimates on which these rates have been calculated. In Table G (2) there are shown death-rates by age and sex for five-yearly periods from 1911 to 1955 and for single years from 1951. (Tables 35, 37 and 38.)

Infant Mortality.—Deaths of children aged under one year numbered 2,727. When related to the 95,313 live births in 1956 the infant mortality rate is 28.6 per 1,000 live births, which is 1·8 below that for 1955 and the lowest rate ever recorded in Scotland. Up to the year 1915 the rate was never below 100, and by 1939 it had fallen to 69. In 1947 the rate was 56 but since then it has gradually declined. In 1956 the male rate was 32·6 and the female rate 24·4, compared with 33·2 and 27·4 respectively in 1955.

The monthly infant mortality rate was highest in January (33), November (32) and December (31) and lowest in August (26), July (24) and June (22). In 1955 the highest rates were recorded in January, December and March, and the lowest in August, October, June and July. (Tables 1, 2 and 63).

The rate was 30 in the Counties of Cities, 30 in the large burghs, 27 in the small burghs and 27 in the landward areas. In 1955 these rates were respectively 33, 33, 26 and 28. The landward areas, however, are by no means uniformly rural in character. In the Central Industrial Belt of Scotland* there are considerable areas which are distinctly urban although not within the boundaries of a burgh. The census of 1951† showed that no less than 67·9 per cent. of the landward population in the Central Industrial Belt was enumerated in towns or villages which, though not burghs, had a population of 1,000 or more. The corresponding percentage in the rest of the country was no higher than 7·6.

TABLE G (1).—Estimated Population of Scotland, by Age and Sex, 1956

Age	Both Sexes	Males	Females	Age	Both Sexes	Males	Females
0	91,700	46,900	44,800	50—54	332,700	159,400	173,300
1— 4	343,300	175,500	167,800	55—59	289,800	131,400	158,400
5— 9	461,100	236,200	224,900	60—64	236,600	101,900	134,700
10—14	392,600	199,800	192,900	65—69	193,200	80,600	112,600
15—19	360,800	174,200	186,500	70—74	152,400	62,500	89,900
20—24	342,500	161,800	180,700	75—79	103,400	42,100	61,300
25—29	358,800	176,800	182,000	80—84	54,700	21,600	33,100
30—34	360,600	177,500	183,100	85 & over	22,800	7,800	15,100
35—39	335,300	161,900	173,400				
40—44	355,000	171,200	183,800	All ages	5,144,600	2,462,700	2,681,900
45—49	357,300	173,800	183,600				

* The Central Industrial Belt comprises:
East Central Division: Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian, East Lothian and the City of Dundee.
West Central Division: Counties of Lanark, Dunbarton, Renfrew and Ayr.
The Counties lying to the north and west of the Central Industrial Belt are referred to as the Northern Division; those lying to the south and east of it as the Southern Division.

† Census 1951, Scotland, Volume II, Population of Towns and Larger Villages, etc., published by H.M. Stationery Office, price 4s. 0d.

TABLE G (2).—Age-group Death-rates per 1,000 of Population from 1911 to 1956

Years	Males												Females											
	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
11–15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	...	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	...
16–20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	...	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	...
21–25	109·1	15·1	2·9	1·9	3·2	4·6	6·9	12·0	26·8	61·9	144·5	280·7	82·6	13·7	2·7	1·9	3·2	4·5	6·3	10·1	21·5	49·2	118·7	252·6
26–30	103·8	11·8	2·7	1·9	3·1	4·2	7·0	11·9	25·9	62·4	143·2	303·8	79·0	10·2	2·4	1·7	2·9	4·1	5·9	10·0	20·6	48·4	118·6	271·4
31–35	96·2	9·3	2·6	1·6	2·9	3·8	6·3	11·8	24·3	59·7	140·7	289·8	74·1	8·3	2·2	1·5	2·8	3·7	5·2	9·1	19·4	47·8	117·4	260·6
36–40	90·7	6·8	2·2	1·5	2·8	3·5	6·0	12·4	25·4	60·9	147·2	349·9	69·0	6·1	1·9	1·2	2·6	3·2	4·6	8·7	18·8	47·5	116·9	282·3
41–45	82·1	4·6	1·9	1·4	3·3	4·2	6·1	11·7	24·4	54·1	129·1	290·3	62·0	4·2	1·5	1·2	3·0	3·3	4·0	7·5	16·5	41·0	101·1	261·4
46–50	56·0	2·6	1·1	0·9	1·8	2·4	3·4	10·6	24·5	54·2	117·8	258·5	42·6	2·1	0·8	0·7	1·5	3·0	3·3	6·5	15·3	41·2	98·0	237·9
51–55	38·7	1·5	0·7	0·5	1·2	1·8	3·4	9·6	25·6	57·0	130·0	272·9	30·0	1·3	0·5	0·4	0·8	1·5	2·7	6·0	14·4	39·4	104·8	240·8
951	43·5	1·8	0·9	0·5	1·3	2·1	3·6	10·4	26·4	59·0	140·0	298·4	33·2	1·6	0·6	0·5	1·2	1·9	3·0	6·3	15·6	43·5	115·6	267·9
952	41·7	1·6	0·8	0·5	1·2	1·8	3·3	9·7	25·3	56·6	131·4	270·8	32·5	1·4	0·5	0·4	1·0	1·6	2·7	6·1	14·6	40·3	102·6	234·1
953	36·6	1·5	0·8	0·6	1·2	1·8	3·5	9·1	24·9	55·6	122·6	242·4	27·6	1·3	0·5	0·4	0·8	1·4	2·6	6·0	13·5	36·9	98·4	221·8
954	36·7	1·5	0·6	0·4	1·1	1·7	3·2	9·5	26·1	56·4	129·1	274·2	28·0	1·1	0·4	0·4	0·7	1·3	2·6	6·2	14·4	37·5	103·0	233·9
955	34·9	1·4	0·6	0·5	1·0	1·6	3·3	9·5	25·2	57·2	127·5	280·5	28·5	1·0	0·5	0·4	0·6	1·3	2·4	5·6	14·1	39·1	103·8	248·1
956	34·1	1·2	0·5	0·5	1·0	1·6	3·1	9·2	25·1	59·2	129·9	265·4	25·2	1·0	0·4	0·3	0·5	1·1	2·2	5·6	13·9	38·1	103·5	252·3

The infant mortality for 1956 in landward areas was 30 per 1,000 in the Central Industrial Belt, compared with 21 per 1,000 in the rest of landward Scotland.

The following Table shows the infant mortality rates for the years 1955 and 1956 for the large burghs (including Counties of Cities) and small burghs in Scotland and also for the landward areas of the four main geographical regions.*

The rate for the large burghs is largely influenced by the rate in Glasgow which accounted for 41 per cent. of the births in the large burghs. The rates for Glasgow are therefore shown separately in the Table.

	1956	1955		1956	1955
Scotland	**29**	**30**	Regions (Landward):—		
Large burghs	30	33	Northern...	20	25
Glasgow	33	36	East Central*	28	30
Other large burghs ...	28	30	West Central*	31	30
Small burghs	27	26	Southern	24	26
Landward	27	28			

* See note * on page 20.

The rate in the large burghs fell steadily from 64 in 1947 to 32 in 1953 and 1954, and in 1956 it further decreased to 30. In Glasgow the rate fell from 67 in 1946 to 35 in 1954 and to 33 in 1956. The areas are arranged in descending order of the infant mortality rate in the following table (which groups the two central, and the north and south, regional landward areas together):—

	1956	1955		1956	1955
Glasgow	33	36	Small burghs	**27**	**26**
Landward (Central) ...	30	30	Landward (Northern and Southern)	21	25
Other large burghs ...	28	30			

In individual large burghs the rate ranged from 41 in Greenock, 40 in Arbroath and 38 in Stirling to 24 in Edinburgh, 22 in Aberdeen, Dumbarton, Perth and Falkirk and 17 in Port Glasgow. In the counties it ranged from 53 in Nairn, 39 in Zetland and 36 in Caithness to 16 in Kinross, 14 in Kincardine and Peebles, and eight in Sutherland.

* See note * on page 20.

International Rates.—The following table shows infant mortality rates in other countries in 1956 so far as these are available:—

INFANT MORTALITY PER 1,000 BIRTHS, 1956

Yugoslavia	97	France	32
Portugal	89	Northern Ireland	29
Spain	49	**Scotland**	29
Italy	48	United States of America	26
Belgium	46	Finland	25
Austria	44	England & Wales	24
Japan	40	Netherlands	19
Eire	36	Sweden	17
Israel	36*		

* Jewish population only

Mortality among Legitimate and Illegitimate Children.—Among legitimate children the infant mortality rate was 28 per 1,000 live births, being 29 in the counties of cities, 30 in the large burghs and 27 in the counties. These rates in 1955 were 30, 32, 32 and 27 respectively. Among illegitimate children the rate was 40, being 45 in the counties of cities, 43 in the large burghs and 34 in the counties. In 1955 the rates were 48 for Scotland, 49 in the counties of cities, 49 in the large burghs and 47 in the counties.

Infant Mortality.—Age at Death.—Table 31 classifies the number of deaths and the death-rates per 1,000 births by age in days, weeks and months during the first year of life. It shows that more infants died in the first day of life than in the remaining six days of the first week, and that 57 per cent. of the children who died before reaching one year of age did not survive the first week. When ages are stated in months it is found that the rate falls suddenly from 19·1 per 1,000 births at ages under 28 days to 4·2 at 1-2 months. It is 0·8 at 9-11 months.

Infant death-rates at ages under 28 days are highest in the large burghs. For the remainder of the infant deaths the rates for the cities and large burghs are also in excess of the county rate.

In Tables 29 and 30 infant deaths are classified according to selected causes of death and according to month of registration. (See also page 40.)

Neo-natal Mortality.—Deaths at ages under 28 days are shown in Tables 29 and 31. The following table shows the variations in the Infant Mortality rate since 1911 and how much of the rate has been attributable to neo-natal mortality. In the quinquennium 1911-15 the rate at ages between one month and one year was very much higher than the neo-natal rate, but from 1911 to 1941 the difference between the two rates gradually decreased. From 1942 onwards the post-natal rate has been lower than the neo-natal rate and the difference between the two rates has generally increased since 1948. In 1956 the rate for ages between 28 days and one year (9·5) was appreciably below the neo-natal rate (19·1).

Neo-natal Mortality per 1,000 Births

	Deaths under 28 days.*			Deaths between 28 days* and 1 Year		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1911-15	43·0	—	—	69·8	—	—
1916-20	40·5	—	—	58·5	—	—
1921-25	38·2	—	—	53·6	—	—
1926-30	36·5	—	—	48·9	—	—
1931-35	36·8	—	—	44·0	—	—
1936-40	36·9	35·8	54·5	38·9	37·5	58·8
1941-45	33·8	32·3	53·0	33·9	32·1	55·6
1946-50	26·1	25·3	39·8	21·2	20·2	37·0
1951-55	20·7	20·1	32·4	12·2	11·9	18·5
1947	28·5	27·5	45·8	27·3	26·1	45·9
1948	25·1	24·4	37·6	19·6	18·7	33·0
1949	23·2	22·2	40·8	18·2	17·5	30·0
1950	23·0	22·5	32·0	15·6	15·2	21·5
1951	22·3	21·8	31·6	15·1	14·7	22·2
1952	21·7	21·1	33·2	13·5	13·1	20·9
1953	19·3	18·8	30·3	11·5	11·2	17·0
1954	20·6	19·9	35·0	10·4	10·1	15·6
1955	19·7	19·2	31·8	10·6	10·4	16·3
1956	19·1	18·7	27·0	9·5	9·4	13·3

* Prior to 1950 the rates relate to under 1 month and between 1 month and 1 year.

The table also accounts for the infant deaths from 1936 according to whether the births were legitimate or illegitimate. The information is not available before 1936.

Although since 1942 the post-natal death-rate (deaths between one month and one year) for legitimate births has been lower than the neo-natal rate (deaths under one month), it was not until 1948 that the post-natal rate similarly fell in the case of illegitimate births.

The causes of death in infancy will be found in Table 29 and are discussed later. (See page 40.)

See Appendix III for Neo-natal Mortality according to Social Class.

Centenarians.—Ten deaths of reputed centenarians were registered during the year, one male and nine females. In nine cases the age was verified as being at least 100 years, the verified age being 100 years in seven cases, 101 years in one case and 102 in one case. Since 1910, when enquiries regarding such cases were begun, 642 deaths have been registered as being of centenarians, 107 of males and 535 of females. The age has been verified as being at least 100 years in 393 cases (56 males and 337 females); in 105 the evidence was rather against the claim; while in 144 cases no satisfactory evidence of age could be found. The highest numbers registered were in the years 1918 and 1950 when there were 19 deaths of centenarians. The greatest age verified was one of 109 years and 14 days, in 1936.

LIFE TABLES

The following abridged life table, based on the mortality experience of 1956, shows the further expectation of life at different stages in life. At each age point the expectation of life is the average future life a person aged x would have if the 1956 mortality rates had operated throughout the lifetime.

A table is also given showing how the expectation of life at birth has increased since 1861. The expectation of life at age 1 is also given as it affects the continued improvement in infant mortality.

It will be seen that since the period 1861-1870 the expectation of life at birth has increased by 25·7 years for males and by 27·3 years for females.

The greatest improvement has taken place since the beginning of the century. In the 30 years from 1861-1870 to 1891-1900 the improvement in males was only 4·4 years and in females 3·5 years. From 1891-1900 to 1930-32 the span had lengthened by 11·3 years for males and 12·1 years for females. Since 1930-32 it has increased further by 10·0 years and 11·7 years respectively.

In 1861-1870 if the child survived the first year of life, the expectation of life rose from 40·3 years at age 0 to 45·6 at age 1 for males and from 43·9 to 47·5 for females. Adding in the year elapsed since birth, the gain was 6·3 and 4·6 years for males and females respectively. By 1956 the improvement in child mortality had reduced these handicaps to 2·2 and 1·8 years respectively.

Abridged Life table—Scotland

1956

Age x	*Males*		*Females*	
	l_x	$\mathring{e}_x$	l_x	$\mathring{e}_x$
0	10,000	66·00	10,000	71·18
1	9,673	67·22	9,756	71·96
2	9,653	66·36	9,739	71·08
3	9,643	65·43	9,730	70·15
4	9,634	64·49	9,723	69·20
5	9,625	63·55	9,719	68·22
10	9,603	58·69	9,702	63·34
15	9,581	53·82	9,686	58·44
20	9,536	49·06	9,669	53·54
25	9,489	44·29	9,638	48·70
30	9,426	39·57	9,592	43·92
35	9,342	34·90	9,535	39·17
40	9,235	30·28	9,443	34·53
45	9,060	25·82	9,325	29·93
50	8,760	21·61	9,116	25·56
55	8,255	17·78	8,816	21·35
60	7,470	14·38	8,370	17·35
65	6,372	11·44	7,650	13·75
70	4,986	8·92	6,596	10·55
75	3,452	6·78	5,161	7·78
80	1,953	5·06	3,362	5·61
85	803	3·73	1,628	3·92

This abridged life table is constructed from the estimated population in 1956 and the total deaths registered in that year.

The column headed l_x shows the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the 1956 death records. Column $\mathring{e}_x$ is the "expectation of life", that is the average future lifetime which would be lived by a person aged exacly x, if likewise subject to these death probabilities.

Expectation of Life at Birth and Age One Year, 1861 to 1956

Scotland

Scottish Life Table	Expectation of Life at Birth		Expectation of Life at Age one year	
	Male	*Female*	*Male*	*Female*
1861-70	40·3	43·9	45·6	47·5
1871-80	41·0	43·8	46·5	48·5
1881-90	43·9	46·3	49·7	51·2
1891-1900	44·7	47·4	51·1	52·7
1910-12	50·1	53·2	55·8	57·8
1920-22	53·1	56·4	58·4	60·4
1930-32	56·0	59·5	60·7	63·1
1942-44	59·8	64·6	63·6	67·6
1950-52	64·4	68·7	66·2	69·9
1947	61·7	65·8	64·7	68·0
1948	63·5	67·5	65·8	69·0
1949	63·7	67·5	65·7	68·9
1950	64·2	68·2	66·0	69·4
1951	64·2	68·4	65·9	69·6
1952	65·1	69·6	66·7	70·8
1953	65·7	70·7	67·0	71·6
1954	65·5	70·5	66·9	71·5
1955	65·8	70·6	67·0	71·6
1956	66·0	71·2	67·2	72·0

CAUSES OF DEATH

Certification.—The number of deaths registered in Scotland in 1956 was 61,792. The cause was certified in 61,779 cases, or 99·98 per cent of the total, normally by a registered medical practitioner, but occasionally by an officer of the forces or other similarly authorised person, or by the report of a Procurator Fiscal.

The percentage of cases in which the cause of death was uncertified was 0·02 of the total. This is the same as in 1955 and is the lowest rate yet recorded. It was 0·05 in 1954, 0·1 in the years 1948-1953, 0·2 in 1945-1947 and 0·3 over the period 1936-1944. In 1881 it was as high as 10·9 per cent. but it has been reduced, broadly speaking, by half in each decade since then.

The cause of death was specified in 61,542 cases or 99·6 per cent of the total deaths registered. These figures include 747 deaths attributed to senility. In 250 cases or 0·4 per cent of the total registered deaths, the cause of death was either ill-defined or unknown. 46 deaths were ascribed to heart failure. In 13 cases no cause was specified and in 5 cases the death was described as syncope. 186 were assigned to various symptoms and ill-defined causes, including 53 from convulsions in children under 5 and 4 from unclassified uraemia.

TABLE H.—Deaths from Uncertified Causes, 1881-1956

Year	Uncertified Causes	Percentage of Uncertified to Total	Year	Uncertified Causes	Percentage of Uncertified to Total
1881–1890 ...	6,061	8·2	1949 ...	55	0·1
1891–1900 ...	3,239	4·1	1950 ...	52	0·1
1901–1910 ...	1,839	2·4	1951 ...	46	0·1
1911–1920 ...	1,239	1·7	1952 ...	36	0·1
1921–1930 ...	499	0·8	1953 ...	34	0·1
1931–1940 ...	235	0·4	1954 ...	30	0·0
1941–1950 ...	128	0·2	1955 ...	15	0·0
1941 ...	218	0·3	1956 ...	13	0·0
1942 ...	174	0·3			
1943 ...	187	0·3			
1944 ...	178	0·3			
1945 ...	144	0·2			
1946 ...	98	0·2			
1947 ...	135	0·2			
1948 ...	40	0·1			

Principal Epidemic Diseases.—This group as now classified consists of typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections and measles. For comparison with previous years deaths from influenza are also included. The total number of deaths in the group in 1956 was 319. The equivalent death-rate is 6 per 100,000 population which compares with 5 in 1955 and an average of 10 over the period 1951–55.

There were 14 deaths from whooping cough in 1956, 4 more than in the previous year. There were two deaths from diphtheria compared with none in 1955. Influenza accounted for 262 deaths in this group, much the greater part of the total, and 50 more than in 1955. The following Table J(1) shows the number of certified deaths in which influenza was mentioned not as the primary but as a contributory cause. Deaths from meningococcal infections numbered 27. This was 2 fewer than in 1955 and the lowest figure yet recorded. There were 2 deaths from typhoid fever. Measles accounted for 10 of the deaths from epidemic diseases, 10 fewer than in 1955. There was 1 death from scarlet fever and 1 from streptococcal sore throat.

TABLE J (1).—Deaths associated with Influenza but not classified as such, 1956

International abbreviated List 'B'	Cause of Death	Total	Males	Females	Ages: Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85
1	Tuberculosis of respiratory system ...	2	2	–	–	–	–	–	–	–	–	1	1	–	–	
18	Malignant neoplasms	1	1	–	–	–	–	–	–	–	–	–	–	–	1	
19	Benign and unspecified neoplasms ...	1	1	–	–	–	–	–	1	–	–	–	–	–	–	
20	Diabetes mellitus	3	1	2	–	–	–	–	1	–	–	–	–	1	1	
21	Anaemias...	1	–	1	–	–	–	–	–	–	–	–	–	1	–	
46·1	Other general diseases	4	1	3	–	–	–	–	–	–	–	2	2	–	–	
22	Vascular lesions affecting central nervous system	8	3	5	–	–	–	–	–	–	–	–	1	1	5	
46·2	Other diseases of nervous system ...	6	3	3	–	–	1	–	–	–	–	1	2	1	–	
25	Chronic rheumatic heart disease ...	3	–	3	–	–	–	–	1	–	1	–	–	–	1	
26	Arteriosclerotic and degenerative heart disease	64	28	36	–		–	–	–	–	–	5	5	24	20	
27	Other diseases of heart...	6	4	2	–	–	–	–	–	–	–	–	1	2	3	
28	Hypertension with heart disease ...	4	–	4	–	–	–	–	–	–	–	–	–	1	3	
29	Hypertension without heart disease ...	2	1	1	–	–	–	–	–	–	–	–	–	1	1	
46·3	Other circulatory disease	4	2	2	–	–	–	–	–	–	–	–	1	1	–	
31	Pneumonia (except of new born) ...	2	1	1	–	–	–	–	–	–	–	–	–	1	–	
32	Bronchitis	6	2	4	–	–	–	–	–	–	1	–	1	1	2	
46·4	Other respiratory diseases	4	4	–	–	–	–	–	–	–	–	2	1	1	–	
33	Ulcer of stomach and duodenum ...	2	1	1	–	–	–	–	–	–	–	–	–	–	2	
35	Intestinal obstruction and hernia ...	1	–	1	–	–	–	–	1	–	–	–	–	–	–	
46·6	Other digestive diseases	1	1	–	–	–	–	–	–	–	–	–	–	1	–	
46·8	Diseases of skin and organs of locomotion	3	–	3	–	–	–	–	–	–	–	–	2	–	1	
41	Congenital malformations	1	–	1	–	–	–	–	–	–	–	1	–	–	–	
	Total	129	56	73	–	–	1	–	4	–	2	12	17	37	40	

Deaths in the whole of this group of the main epidemic diseases accounted for a half per cent. of all deaths in Scotland in 1956. (Tables 35–40).

Tuberculosis.—Deaths from all forms of tuberculosis numbered 801 compared with 982 in 1955 and an average of 1,448 over the years 1951–55. The death-rate from tuberculosis was 16 per 100,000 of the population compared with 19 the previous year and an average of 28 for 1951–55. (Tables 35, 37–40).

Since 1855, when the registration of deaths began, mortality from tuberculosis has continuously decreased decade by decade, though the decline was checked temporarily in the two world wars. Since 1947, the rate has fallen from 81 to 16.

On the 1956 statistics, death-rates from tuberculosis were heaviest at ages 55–74 in males and 25–34 in females. (Table 35).

Deaths from tuberculosis were most numerous in January, February and March in that order. (Table 43.)

The rate in the cities was 21 per 100,000, in the large burghs 18, in the small burghs 10 and in the landward areas 11. In the cities and large burghs the highest rates were recorded in Port Glasgow (39), Paisley (31) and Glasgow (28), and the lowest in Aberdeen, Arbroath and Perth (10), Ayr, Dunfermline and Kilmarnock (9) and Dumfries (7). In the counties (excluding large burghs) the rates ranged from 24 in Nairn, 23 in Lanark and 21 in Inverness to 4 in Berwick, 3 in Kirkcudbright and 2 in Banff. There were no deaths from tuberculosis in the burgh of Dumbarton or in the counties of Kincardine and Peebles. (Table 4.)

Respiratory Tuberculosis.—Just over 89 per cent. of the deaths from tuberculosis in 1956 were due to the respiratory forms of the disease. They numbered 715, compared with 860 in 1955. The average over 1951–55 was 1,265. The death-rate from respiratory tuberculosis in 1956 was 14 per 100,000 (males 19, females 9) compared with 17 in 1955 (males 23, females 11). The heaviest death-rates in males in 1956 were at ages 55–74, in females at 25–34. The lowest rates in each sex were recorded at ages under 14 years. (Tables 35, 37–40).

In the ten years 1938-1948 the rate for males under 15 rose from 9 to 13 but thereafter it fell below the level of 1938 and has now fallen to a point where the numbers are too small to show a rate of as much as one per 100,000 of the population. So also in the age-groups 15-44 and 45-64 the rates rose after 1938 for a number of years. It was not until 1950 in the first group and 1952 in the second that the rate fell below that of 1938. The rate in the group 15-44 is scarcely a sixth of the pre-war rate but in the age-group 45-64 it is nearer a half. At ages over 65 the rate after 1938 increased until 1951 when it reached a rate of 77. Since then it has fallen to 54, still above the rate of 1938. Till 1949 the rate after age 65 was about half of that at ages 45-64, but it then rose in proportion to the other and from 1952 to 1955 the two rates were much the same. In 1956 the rate for the older age-group has risen above the other.

In the female population the rates are very similar to those for males in the age-groups under 15 and 15-44. In the age-group between 45 and 65, however, the rate was only 7 in 1956 compared with 42 in the corresponding age-group in the male population. So also the mortality from tuberculosis for females over the age of 65 is much lower than in the male population.

DEATH-RATES PER 100,000 FROM RESPIRATORY FORMS OF TUBERCULOSIS

Year	MALES Under 15	15-44	45-64	65+	FEMALES Under 15	15-44	45-64	65+
1938	9	74	89	46	10	75	30	25
1939	6	78	102	49	7	79	32	17
1940	6	107	107	50	9	88	33	23
1941	10	108	105	49	12	96	33	15
1942	11	103	103	42	12	98	31	22
1943	10	112	105	54	14	96	26	20
1944	11	111	103	54	14	99	25	16
1945	9	115	102	52	12	94	25	15
1946	11	94	113	61	12	105	27	19
1947	13	85	121	60	20	112	25	23
1948	13	89	124	63	13	115	23	19
1949	6	78	117	62	11	104	23	18
1950	6	54	100	73	7	78	23	19
1951	5	41	89	77	5	49	22	18
1952	4	29	69	70	4	35	17	13
1953	2	24	63	59	2	25	15	14
1954	1	19	55	54	2	22	14	16
1955	0	17	49	48	0	19	10	9
1956	0	12	42	54	0	13	7	14

Deaths from respiratory tuberculosis were most numerous in January, February and October and fewest in May, June, August and November. The range of monthly incidence was from 39 in June to 91 in January. (Table 43.)

The rate in the cities was 19 per 100,000, in the large burghs 17, in the small burghs 8 and in the landward areas 9. It was highest in the large burghs of the west being 30 in Paisley and Port Glasgow and 25 in Glasgow and Aidrie. In general the eastern counties had the lowest death-rates from respiratory tuberculosis. The rate was 3 per 100,000 in Kirkcudbright and Wigtown, and 5 in Clackmannan, Fife, Midlothian, Orkney, Selkirk and West Lothian. There were no deaths from respiratory tuberculosis in the burgh of Dumbarton or in the counties of Banff, Berwick, Kincardine, Peebles and Zetland. (Table 4.)

Non-respiratory tuberculosis.—Deaths from non-respiratory forms of tuberculosis numbered 86 compared with 122 in 1955 and an average of 184 in the five years 1951-55. The rates per 100,000 were 2 for males and 1 for females compared with 3 for males and 2 for females in 1955.

The rate for non-respiratory tuberculosis averaged more than 100 per 100,000 population until 1880, fell rapidly to 72 in 1883, and thereafter more gradually, reaching a level of 60 prior to the first world war. By 1920 the rate had fallen to less than 40, and at the outbreak of war in 1939 it was down to 16. As with respiratory tuberculosis, the decline was interrupted for a few years during and after the last war but the rate of two in 1956 is much lower than the pre-war rate of 16 per 100,000. (Tables 35, 37-40.)

The following table shows year by year the decrease since 1938. It will be seen that mortality from this cause has always been highest in the early years of life, and although the rate has fallen rapidly it is still greatest at pre-school ages.

Just over 25 per cent. of the deaths in this group are from tubercular meningitis. Over the past 10 years the general improvement in non-pulmonary deaths is shared in varying degree by deaths in most sites, but outstandingly so in meningeal, abdominal and disseminated tuberculosis.

DEATH-RATES PER 100,000 FROM NON-RESPIRATORY FORMS OF TUBERCULOSIS

	MALES				FEMALES			
	Under One year	1–4	5–9	10 and over	Under One year	1–4	5–9	10 and over
1938	73	63	26	12	78	50	24	12
1939	78	53	20	13	67	40	23	12
1940	109	77	23	14	72	62	19	14
1941	100	69	26	16	75	77	23	15
1942	92	65	27	14	88	63	21	13
1943	76	68	21	16	58	63	27	15
1944	76	57	24	16	51	62	36	14
1945	54	51	27	13	59	58	26	13
1946	57	54	29	9	54	48	27	10
1947	40	44	24	9	31	52	22	10
1948	29	34	16	7	16	29	13	7
1949	21	30	14	5	19	27	7	6
1950	11	23	6	5	14	23	6	5
1951	13	18	10	4	7	21	7	4
1952	9	12	3	3	12	13	1	4
1953	2	9	3	3	5	12	0	3
1954	2	6	3	3	–	4	1	2
1955	4	6	1	2	–	6	0	2
1956	2	3	1	2	2	4	0	1

Other Infective and Parasitic Diseases.—Deaths from syphilitic and para-syphilitic diseases numbered 88, of which 25 are attributable to aortic aneurysm and 37 to the nervous affections, including locomotor ataxia and general paralysis of the insane.

There were 9 deaths from acute poliomyelitis and polioencephalitis (22 in 1955), 38 from infectious encephalitis and 24 from infectious hepatitis.

Other deaths in this group include 15 from septicæmia and 6 from tetanus.

TABLE J (2).—Deaths from Syphilitic and Parasyphilitic Diseases, 1855-1956 (Decennial Averages, 1855-1950)

	Total	Syphilis	General Paralysis of the Insane	Locomotor Ataxia (Tabes Dorsalis)	Aneurysm of Aorta
1855–1860 ...	—	87	—	—	—
1861–1870 ...	—	157	—	—	—
1871–1880 ...	—	210	—	—	—
1881–1890 ...	—	237	—	—	—
1891–1900 ...	—	203	—	—	—
1901–1910 ...	—	218	220	70	149*
1911–1920 ...	—	202	248	76	136*
1921–1930 ...	—	141	191	71	139*
1931–1940 ...	—	88	116	56	128*
1941–1950 ...	222	57	55	28	83‡
1950 ...	170	35	33	21	81†
1951 ...	149	36	28	15	70†
1952 ...	110	31	22	12	45†
1953 ...	96	28	27	14	27†
1954 ...	109	41	27	14	27†
1955 ...	97	40	21	10	26†
1956 ...	88	33	20	10	25†

NOTE.—The symbol — indicates the number is not available.
The numbers for decennial periods are annual averages. * Aneurysm (all sites).
† Excludes dissecting aneurysm unqualified.
‡ Excludes dissecting aneurysm unqualified in the year 1950.

Malignant Neoplasms.—Deaths from this group numbered 10,754, equivalent to a death-rate of 209 per 100,000. This rate is three more than that for the previous year and nine above that for the five years 1951-55.

The death-rates per 100,000 of the population from malignant neoplasms from 1931 to 1956 are shown in the following table. In the meantime the population has aged appreciably and comparisons of crude death rates do not allow for that. The table therefore also gives rates standardised to the age structure of the population when last known, *i.e.* at the census of 1951. These standardised rates are calculated by assuming that for any age-group in the population as it was in 1951 the death-rate would be the same as for the corresponding age-group in the year from which the crude rate is compared. The object of the standardisation is, of course, to provide a common basis of comparison.

The increase in the crude rate is substantial. It was accelerated during the recent war but this was mainly attributable to the withdrawal from the population temporarily on war service of numbers of younger persons less vulnerable to diseases of this kind.

Since 1931 the crude rate has increased by 41 per cent., but the standardised rate by only 10 per cent. It is of course the standardised rate that provides the truer basis of comparison, allowing as it does for the ageing of the population.

The standardised rate for males rose from 186 in 1931 to 244 in 1956, an increase of 31 per cent. This is half the increase in the crude rate. On the other hand the standardised rate for females decreased from 182 to 170, a reduction of 7 per cent. compared with an increase of 25 per cent. in the crude rate.

As Hodgkins disease, leukæmia, aleukæmia and mycosis fungoides were omitted from the malignant neoplasms before 1950 the rates for that year are calculated on the number of deaths classified to both the 5th and 6th Revisions of the International List of Causes of Death. An allowance can, therefore, be made for the years prior to 1950.

Of the 10,754 deaths in 1956 that were classified to malignant neoplasms 5,591 were of males and 5,163 of females.

In recent Scottish statistics of mortality from cancer the principal sites in males have been trachea, bronchus and lung, stomach, intestine, rectum and prostate, and for females, breast, stomach, intestine, cervix and other parts of the uterus, with cancer of the lung much less frequent than in males. In individual sites males show the greatest relative excess for lung, larynx and buccal cavity and in less degree, for rectum, œsophagus and lymphosarcoma.

Over the years there have been decided changes in sites and sex trends, the standardised rate in females showing some improvement, in males a noteworthy increase. In separate sites, males have shown a substantial improvement in those within the buccal cavity. In the digestive system, changes are less notable but roughly similar in the sexes, the mortality from cancer of stomach and intestine being lower, that for rectum and pancreas higher, and there has been decided lowering in respect of liver and gall bladder and abdomen not otherwise specified (suggesting improvement rather in identification of the primary site in some cases). In the respiratory system, laryngeal cancer has shown little change, but for lung and bronchus there has been a decided increase in each sex but especially so in men. Breast cancer in women shows little change but there has been some decline in deaths from cancer of the uterus. There has been some increase in such sites as kidney, prostate and testis in males and bladder in both sexes, but a noteworthy fall in deaths from cancer of the skin.

Death-rate per 100,000 Population from Malignant Disease

Year	Crude	Standardised to Scotland 1951	Effect of Standardisation
1931	148	184	+36
1932	153	187	+34
1933	153	187	+34
1934	153	185	+32
1935	157	188	+31
1936	159	187	+28
1937	157	182	+25
1938	162	187	+25
1939	161	184	+23
1940	170	185	+15
1941	174	185	+11
1942	179	185	+ 6
1943	185	182	— 3
1944	186	181	— 5
1945	192	185	— 7
1946	180	180	—
1947	178	183	+ 5
1948	184	187	+ 3
1949	188	190	+ 2
1950 (5th Revision) ...	190	190	—
1950 (6th Revision) ...	196	197	+ 1
1951	192	192	—
1952	198	196	— 2
1953	198	195	— 3
1954	205	200	— 5
1955	206	200	— 6
1956	209	202	— 7

Year	MALE		FEMALE	
	Crude	Standardised	Crude	Standardised
1931	140	186	155	182
1932	145	190	160	186
1933	147	192	159	183
1934	148	191	158	181
1935	152	196	162	183
1936	155	196	163	182
1937	151	188	163	179
1938	152	189	170	185
1939	156	192	165	177
1940	175	196	165	175
1941	184	198	166	174
1942	193	201	168	172
1943	199	199	173	170
1944	205	201	171	166
1945	209	202	178	171
1946	190	201	171	162
1947	186	210	171	164
1948	190	212	178	169
1949	192	213	184	173
1950 (5th Revision) ...	197	218	183	169
1950 (6th Revision) ...	205	226	187	174
1951	201	221	184	171
1952	212	230	185	170
1953	217	235	180	164
1954	224	241	188	170
1955	222	240	191	171
1956	227	244	193	170

Diabetes.—Deaths from this cause numbered 473 (129 males and 344 females), 14 more than in 1955 and three below the average. The much heavier female rate is most in evidence at the highest age groups. (Tables 35 and 37.)

Anæmias.—Deaths from this cause numbered 245 of which 88 were of males and 157 of females. In 1955 the number was 216. The majority of deaths in the group are due to pernicious and other hyperchromic anæmias and these account for 149.

Other General Diseases.—In addition to the foregoing there were 247 deaths from asthma, an increase of 21 compared with 1955, 16 deaths from thyrotoxicosis (32 in 1955) and from other diseases of thyroid 50 (65 in 1955).

Diseases of the Nervous System.—In this group there were 10,430 deaths, of which the majority (9,680) were from vascular lesions affecting the central nervous system. Most of the latter are certified as either cerebral and subarachnoid hæmorrhages (4,411) or cerebral embolism and thrombosis (4,541). Apart from these, though much less important numerically, the main nervous diseases were paralysis agitans (173), multiple sclerosis (149), epilepsy (102) and other cerebral paralysis (56). Nonmeningococcal meningitis deaths numbered 45 compared with 48 in 1955.

The vascular lesions of the central nervous system show a heavier crude death-rate in females, but for other diseases of the central nervous system there is little sex difference.

Diseases of the circulatory system.—Deaths in this group numbered 23,703 of which 21,151 were ascribed to heart disease. The number increased steadily from 9,535 in 1931 to 16,503 in 1940. Change of classification in 1941 reduced this number slightly (about one per cent.) and in the two following years there was a substantial diminution in deaths in this group. Since then there has been an irregular increase. The change of classification between the fifth and sixth revision accounted for an increase of only ½ per cent. in deaths allocated to this group.

Of the total deaths from diseases of the heart the vast majority (18,442) are ascribed to the arteriosclerotic or degenerative categories. Of these 9,430 were arteriosclerotic heart disease (including coronary thrombosis), 8,665 other forms of myocardial degeneration and 347 chronic endocarditis not specified as rheumatic.

Coronary Thrombosis.—Mortality ascribed to this cause shows a progressive increase with age both in males and females, but at each age the rate in males exceeds that in females although the extent of this differs widely throughout the age span. At ages under 35 the number of deaths is small and the sex ratio is irregular. From ages 35 and over there is a decided divergence in the rates for the separate sexes. In the group 40-44 the male rate is more than 6½ times that of the female. After age 50 the male:female ratio declines progressively, but even in the oldest age group mortality is 1½ times as heavy as that of females.

Deaths from chronic rheumatic heart disease numbered 819 compared with 847 in 1955. Acute rheumatic fever accounted for 48 deaths, a decrease of 6 from the previous year. Deaths from acute non-rheumatic conditions of the heart were 122. Functional and other and unspecified diseases of the heart caused 486 deaths. Hypertension accounted for 1,991 of which 1,282 were associated with heart disease. General arteriosclerosis was the most important of the circulatory diseases apart from the heart, and in 1956 there were 1,312 deaths ascribed to this cause, compared with 1,238 in 1955.

Diseases of the Respiratory System.—Deaths from these causes accounted for 4,849 deaths, compared with 4,713 in 1955. Of these the principal individual causes were bronchitis (2,077), bronchopneumonia (1,324) and lobar pneumonia (391).

In 1956 deaths from pneumonia and bronchitis were slightly above the five years' average but showed an improvement as compared with 1950.

Diseases of the Digestive System.—Deaths in this group, exclusive of those from malignant disease and tuberculosis, numbered 2,069 compared with 2,076 in 1955. The principal conditions under this heading are ulcer of stomach (269) and duodenum (339) and diarrhœa between four weeks and under two years of age (100). In the latter there has been a considerable reduction of mortality over recent years. Deaths from appendicitis numbered 91 and from hernia and intestinal obstruction 403.

Diseases of Genito-urinary System.—These collectively numbered 1,328 deaths. They are 14 more than in 1955 but 22 below the average of the past five years. The principal components of the group are chronic nephritis (404) and diseases of the prostate (432). Deaths from diseases of the prostate were 28 less than in 1955.

Diseases of Pregnancy and Childbirth.—These numbered 51 and are 8 more than in 1955. They are 27 below the average of the past five years and almost a fifth of what were so registered ten years ago. The most prominent constituents are sepsis (including post abortive sepsis), hæmorrhage, and toxæmias. The total deaths represent a rate of 0·5 per 1,000 live births. (Table K (1).)

In addition to the deaths classified as due to puerperal conditions there were 19 which occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not specified as the primary cause of death. These are shown in detail in Table K (2). The number in 1956 is one more than in 1955.

TABLE K (1).—Deaths and Death-rates from Puerperal Conditions in Scotland and its Groups of Public Health Districts in 1956.

	Births (Living Children)	Still-births	Deaths from all Puerperal Conditions	Deaths from Puerperal Sepsis	Deaths from other Puerperal Conditions	Death-rate per 1,000 Live Births			Death-rate (all Puerperal conditions) per 1,000 Total Births (including Stillbirths)
						All Puerperal Conditions	Puerperal Sepsis	Other Puerperal Conditions	
Scotland ...	95,313	2,329	51	15	36	0·54	0·16	0·38	0·52
Counties of Cities ...	36,052	904	20	2	18	0·55	0·06	0·50	0·54
Large Burghs	16,938	421	10	5	5	0·59	0·30	0·30	0·58
Counties (ex Counties of Cities & Large Burghs) ...	42,323	1,004	21	8	13	0·50	0·19	0·31	0·48
Small Burghs	15,004	368	9	3	6	0·60	0·20	0·40	0·59
Landward ...	27,319	636	12	5	7	0·44	0·18	0·26	0·43

TABLE K (2).—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1956

International Abbreviated List 'B'	Cause of Death	All Ages	Ages						
			15–19	20–24	25–29	30–34	35–39	40–44	45 and over
18	Malignant neoplasms	3	—	—	1	1	—	1	—
25	Chronic rheumatic heart disease ...	6	—	4	1	1	—	—	—
26	Arteriosclerotic and degenerative heart disease	2	—	—	—	1	1	—	—
46·3	Other circulatory disease ...	1	—	—	1	—	—	—	—
31	Pneumonia	1	—	1	—	—	—	—	—
32	Bronchitis	2	—	—	—	—	2	—	—
35	Intestinal obstruction and hernia	1	—	1	—	—	—	—	—
38	Nephritis and nephrosis (chronic nephritis)	1	—	—	1	—	—	—	—
46·8	Diseases of skin and organs of locomotion	1	—	—	1	—	—	—	—
41	Congenital malformations ...	1	—	—	1	—	—	—	—
	Total ...	19	—	6	6	3	3	1	—

Diseases of Skin and Cellular Tissue.—There were 60 deaths from these causes compared with 53 in 1955 and 128 in 1945. There were over 300 deaths in this group in 1936 and 1937 and since then the general trend has been downwards. The reduction is mainly in deaths from cellulitis.

Diseases of Bones and Organs of Movement.—These too are comparatively unimportant causes of death, 260 deaths being registered during the year.

Malformations.—There were 662 deaths from these compared with 622 in 1955. Congenital malformations of the heart were the most frequent (226). These were followed by spina bifida (143), digestive system (76) and hydrocephalus (62) which accounted for most of the remaining conditions specified. The vast majority (77 per cent.) of these deaths took place in the first year of life.

Table L (1) shows these deaths distributed in age groups. Of the 662 who died from congenital malformations 508 died at ages under one year and of these 220 did not survive a week. Table L (2) shows for each of the principal causes in the group and also for certain diseases of early infancy the rate per 1,000 births in each quinquennium since 1936 and for individual years since 1952. The rate for congenital malformations was 6·95 in 1956 compared with 6·72 in 1955. A more accurate rate is obtained by limiting the deaths to those which occured in the first year of life, but this does not materially affect the trend.

Internal changes in classification of causes such as prematurity affect some of the rates in comparison of the years 1950-56 with earlier years.

TABLE L (1).—Deaths from Congenital Malformations in 1956

(International Nos. Detailed List 750—759)

Causes of Death	Persons	Males	Females	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 m'ths	3–5 months	6–8 months	9–11 months	1–4 years	5–9 years	10–14 years	15–24 years	25 years and over
Spina Bifida, Meningocele (751) ...	143	65	78	18	34	15	14	7	25	9	13	3	4	–	–	–	1
Congenital Hydrocephalus (752) ...	62	35	27	6	12	3	1	1	6	7	11	3	7	1	1	1	2
Congenital Heart Disease (754) ...	226	125	101	12	38	18	11	5	31	26	12	5	13	7	6	14	28
Other Congenital Malformations of Digestive System (756.2) ...	71	45	26	4	29	5	2	4	9	5	2	1	3	1	2	–	4
Other Congenital Defects (Residual) ...	160	75	85	48	19	9	2	3	9	5	4	2	10	4	3	3	39
Total	662	345	317	88	132	50	30	20	80	52	42	14	37	13	12	18	74

TABLE L (2).—Death-rates per 1,000 Live Births from Congenital Malformations and Diseases of Early Infancy

International Nos. Detailed List 750-776)

Causes of Death		1936–40	1941–45	1946–50	1951–55	1952	1953	1954	1955	1956
Congenital Malformations (All Ages)	750–759	6·87	7·28	6·58	6·85	6·75	6·80	7·32	6·72	6·95
Do. (Under 1 Yr.)		6·20	6·33	5·47	5·25	5·31	5·05	5·62	5·17	5·33
Hydrocephalus ...	752	0·70	0·74	0·64	0·70	0·67	0·66	0·69	0·72	0·65
Spina Bifida, Meningocele ...	751	1·89	1·93	1·38	1·54	1·68	1·40	1·73	1·64	1·50
Congenital Heart Disease	754	2·26	2·26	2·11	2·24	2·17	2·13	2·37	2·26	2·37
Congenital Pyloric Stenosis	756·0	2·02	2·34	0·48	0·11	0·12	0·11	0·11	0·05	0·05
Other Congenital Defects	Residual			1·97	2·26	2·10	2·50	2·42	2·04	2·37
Diseases of Early Infancy	760–776	30·61	27·74	20·24	17·24	18·20	16·05	16·78	16·24	15·44
Debility	773 A & B	7·09	5·22	1·93	0·74	0·84	0·55	0·67	0·45	0·30
Premature Birth ...	776	16·79	15·07	10·39	5·50	6·38	5·09	5·09	5·09	4·34
Injury at Birth ...	760–761	3·22	3·19	2·94	2·78	2·85	2·54	2·62	2·54	2·63
Asphyxia at Birth ...	762			2·99	4·58	4·56	4·66	5·07	4·99	4·99
Other Specified Causes	Residual	3·50	4·27	2·00	*3·65	*3·57	*3·20	*3·33	*3·17	*3·08
Total (All Ages)		37·48	35·02	26·83	24·09	24·95	22·85	24·10	22·96	22·39

* Includes pneumonia of newborn and diarrhœa of newborn

Diseases of Early Infancy.—Deaths from this group of causes totalled 1,472 compared with 1,503 in 1955 and there has been a fairly steady improvement in mortality from such causes during recent years. The most important individual component of this group is post-natal asphyxia and atelectasis, deaths from which numbered 476, just less than a third of the total. Prematurity unqualified, birth injury, pneumonia of newborn and hæmolytic disease are next in order of importance. Mortality ascribed to prematurity and, even more, to congenital debility has shown remarkable improvement recently. Deaths from injury at birth have shown no such favourable change. The rate per 1,000 live births for 1956 was 2·63 compared with 2·54 in 1955.

Senility.—Only 747 deaths were so attributed. In spite of the ageing of the population the numbers here have shown fairly steady diminution, and it is clearly due to transfer to other cause groups, presumably as a result of more specific certification.

Violence.—2,642 deaths from violence were registered in 1956. 2,207 were from accidents and 403 from suicide. Of the remainder, 23 were caused by homicide.

There were 696 transport accidents in 1956, 53 fewer than in 1955. The majority were motor vehicle accidents—559—a decrease of 39 from the previous year. Of the remainder, 38 were from railway accidents, 30 from road transport fatalities other than with motor vehicles, 48 in water transport accidents and 21 in air transport accidents.

The number of deaths from road transport accidents in Scotland from 1934 is set out in summary form in the following table. The figures are given by sex and by five age groupings. It will be seen that at all ages accidents have taken a much heavier toll of the male than of the female population. Mortality has been notably heavy among young children and older people.

TABLE M (1).—Deaths from Road Transport Accidents, 1934-1956

		All Ages	0-4	5-14	15-34	35-64	65 and over
MALES	1934-38 (average) ...	515	41	86	169	145	74
	1939-45 ,, ...	709	50	104	183	242	130
	1945	436	56	100	94	121	65
	1946	429	51	89	122	95	72
	1947	402	38	67	98	116	83
	1948	374	46	74	75	106	73
	1949	367	43	60	87	104	73
	1950	398	63	45	107	105	78
	1951	425	46	79	116	101	83
	1952	351	38	48	101	108	56
	1953	449	38	68	131	126	86
	1954	405	33	44	125	126	77
	1955	478	42	64	143	151	78
	1956	452	31	45	117	173	86
FEMALES	1934-38 (average) ...	162	21	37	25	42	37
	1939-45 ,, ...	188	22	43	29	50	44
	1945	135	18	33	21	33	30
	1946	163	23	35	19	39	47
	1947	162	21	40	23	36	42
	1948	164	25	37	24	28	50
	1949	150	23	32	19	40	36
	1950	134	15	32	15	33	39
	1951	141	19	33	18	30	41
	1952	133	22	14	27	35	35
	1953	153	16	35	22	37	43
	1954	158	20	28	17	46	47
	1955	158	20	30	23	41	44
	1956	137	20	21	20	37	39

Other deaths by accident are divided according as they take place in the home or elsewhere. Deaths in the home in 1956 made up as usual the greatest individual group of fatal accidents. They numbered 1,006 or 46 per cent. of the total deaths from accidents. This was 114 fewer than in 1955.

The causes of accident in the home are indicated in Table M (2) below.

TABLE M (2).—Accidents at Home, 1956

International Nos. Detailed List	Cause of Death		Total	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	Not stated
870–888	Accidental poisoning by solid and liquid substances	M.	21	—	3	—	—	—	5	3	5	3	1	1	—	—
		F.	22	—	—	—	—	1	3	1	5	6	4	2	—	—
890–895	Accidental poisoning by gases and vapours ...	M.	73	—	—	1	—	2	8	8	11	15	15	10	3	—
		F.	98	—	—	—	1	3	2	7	12	12	21	33	7	—
900–904	Accidental falls	M.	153	—	2	1	1	—	1	5	7	13	22	69	32	—
		F.	320	—	2	—	—	—	2	1	2	12	44	140	117	—
916–918	Accident caused by fire, explosion, hot substance, radiation, etc.	M.	43	1	6	3	—	—	2	3	2	7	3	10	6	—
		F.	77	3	6	4	2	—	1	2	3	7	15	26	8	—
919	Accidental injury by fire-arms	M.	4	—	—	—	—	1	1	1	—	—	1	—	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—	—
921–925	Accidental mechanical suffocation	M.	103	83	4	1	2	—	4	2	4	—	2	1	—	—
		F.	69	62	1	—	—	1	—	2	1	2	—	—	—	—
926	Lack of care of infants under 1 year of age ...	M.	2	2	—	—	—	—	—	—	—	—	—	—	—	—
		F.	1	1	—	—	—	—	—	—	—	—	—	—	—	—
929	Accidental drowning and submersion	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	2	—	1	—	—	—	—	—	—	1	—	—	—	—
912, 913, 914, 927, 932, 936, 962	Other and unspecified accidents	M.	8	1	1	—	2	—	1	—	1	—	1	—	1	—
		F.	9	—	2	—	—	—	—	—	—	1	1	4	1	—
	Total	M.	407	87	16	6	5	3	22	22	30	38	45	91	42	—
		F.	599	66	12	4	3	6	8	13	23	41	85	205	133	—

Accidental falls were the main cause, accounting for 473 deaths or 47 per cent. of the total deaths through accidents at home. These deaths from falls were much heavier among females, numbering 320 or two-thirds of the total, and they took a very much heavier toll of older persons, as is seen from the fact that 90 per cent. of the deaths were of persons aged 65 and over (males 80 per cent., females 94 per cent.). Confining the percentage to persons aged 75 and over it was 76 per cent. (66 for males and 80 for females). The percentage of deaths from falls among persons under the age of 65 was 10 (20 for males and 6 for females).

The second heaviest cause was suffocation, which caused 172 accidental deaths in 1956. No less than 145 or 84 per cent. were deaths of children under one, and 5 of the remainder were of children between one and four. 90 of the deaths of children under one were due to inhalation and ingestion of food causing obstruction or suffocation. Of the remaining 55 deaths of children under one 45 were due to suffocation in bed or cradle.

Gas poisoning was the third heaviest cause of deaths in the home. It will be seen from the table that in 1956 there were 171 deaths, 73 of males and 98 of females, from accidental gas poisoning. 89 of these deaths were among persons aged 65 and over (males 28, females 61).

Accidents caused by fire etc., were the next heaviest contributor to deaths in the home in 1956. They caused 120 deaths. Among these there were 16 children under five and 68 persons aged 65 and over.

The following Table M (3) indicates the main causes of death by accident elsewhere than at home, but excluding deaths from transport accidents. (See Table M (1) and relative text.)

TABLE M (3).—Accidents elsewhere than at Home, 1956

International Nos. Detailed List	Cause of Death		Total	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	Not.
870–888	Accidental poisoning by solid and liquid substances	M.	5	—	—	—	—	—	1	1	1	—	2	—	—	—
		F.	2	—	—	—	—	—	—	1	—	1	—	—	—	—
890–895	Accidental poisoning by gases and vapours ...	M.	3	—	—	—	—	—	1	1	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
900–904	Accidental falls	M.	116	—	1	1	2	14	10	12	20	15	18	19	4	—
		F.	43	—	1	1	—	—	—	—	—	4	8	24	5	—
910	Blow from falling object...	M.	50	—	—	—	2	3	8	12	15	9	1	—	—	—
		F.	2	—	—	2	—	—	—	—	—	—	—	—	—	—
911	Accident caused by vehicle	M.	12	—	—	—	—	4	1	1	4	2	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
912	Accident caused by machinery	M.	29	—	—	1	—	6	4	5	7	3	3	—	—	—
		F.	1	—	—	—	—	—	—	—	1	—	—	—	—	—
915	Accident caused by pressure vessel ...	M.	1	—	—	—	—	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
916–918	Accident caused by fire, explosion, hot substance, radiation, etc.	M.	13	—	—	1	2	2	1	1	—	4	—	2	—	—
		F.	4	—	—	2	—	—	—	—	—	—	2	—	—	—
919	Accidental injury by firearms	M.	8	—	—	—	—	—	3	1	2	2	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
921-925	Accidental mechanical suffocation	M.	7	1	1	—	—	—	1	1	1	2	—	—	—	—
		F.	1	1	—	—	—	—	—	—	—	—	—	—	—	—
926	Lack of care of infants under 1 year of age ...	M.	1	1	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
929	Accidental drowning and submersion (excluding water transport) ...	M.	126	—	15	14	8	12	10	8	20	18	19	2	—	—
		F.	37	—	5	—	1	3	2	4	10	5	5	2	—	—
940–959	Medical or Surgical complications and therapeutic misadventure ...	M.	2	1	—	—	—	—	—	—	1	—	—	—	—	—
		F.	1	—	1	—	—	—	—	—	—	—	—	—	—	—
913, 914, 928, 932, 933, 936, 962	Other and unspecified accidents	M.	37	—	1	2	2	11	4	5	3	6	1	2	—	—
		F.	4	—	—	—	—	1	—	—	—	1	1	1	—	—
	Total ...	M.	410	3	18	19	16	52	44	49	74	62	44	25	4	—
		F.	95	1	7	5	1	4	2	5	11	11	16	27	5	—

There were 163 deaths from drowning (excluding deaths in water transport) —the heaviest individual group. Next heaviest were accidental falls accounting for 159 deaths. 52 persons (50 males and two females) died from the impact of falling objects, 30 from accidents caused by machinery (29 males, one female); 17 (13 males and four females) died through accidents caused by fire, explosion, hot substance, radiation, etc.

Generally it will be observed from the table that, apart from deaths by drowning, deaths outside the home are comparatively few among children. On the other hand, as has been noticed, young children in the home are the main sufferers from death by suffocation. Young children in the home are also vulnerable, as the figures show, to accidents caused by fire, etc. Boys of school age are more liable to accidents outside than inside the home, but girls aged 1 to 14 years tend to suffer more from accidents at home. In earlier adult life in the age groups from 15 to 44 accidents outside the home outnumber those in the home by over three to one in the male population, but in the female population accidents at home outnumber those outside it by over two to one. Between 45 and 64 males are again more vulnerable to accidents outside the home; but by now the women are even more vulnerable than before to accidents at home. At ages 65 and over domestic accidents are markedly more frequent than accidents elsewhere, especially for females.

The following Table M (4) compares in broad age groups the death-rates of males and females from accidents at home (Table M (2)) and from accidents elsewhere (Table M (3)), excluding transport accidents. It shows for each age group the death-rate per 100,000 of the population represented by the deaths from accident in that age group in Scotland in 1956.

TABLE M (4)—Death-rate per 100,000 from Accidental Deaths (excluding Transport Accidents)

		All ages	0–4	5–14	15–44	45–64	65 and over
Accidents at Home	Male	17	46	3	5	12	83
	Female	22	37	2	2	10	136
Accidents Elsewhere	Male	17	9	8	14	24	34
	Female	4	4	1	1	3	15
Total	Male	33	56	11	19	36	117
	Female	26	40	3	3	13	151

The over-all rate is appreciably lower for males than for females as regards accidents at home; but it will be observed that it is higher in each individual age group except for ages 65 and over where the rate for females is three-fifths higher. The figures show that males are more vulnerable to accidents outside the home in the proportion of four to one. The difference is even greater in the age groups between 5 and 64.

Fatal accidents occurring in coal mines and quarries are included where appropriate in the previous tables. They are also separately accounted for by cause of death in Table N below. 50 per cent. of them were due to blows from falling objects. Accidents caused by vehicles in the mines and by machinery were the next heaviest causes. The total was 9 less than in 1955 when there were 53 fatal accidents in coal mines and quarries in Scotland.

TABLE N.—Accidents in Coal Mines and Quarries, 1956

International Nos. Detailed List	Cause of Death	Total	15–24	25–34	35–44	45–54	55–64	65–74	75 and over
902	Falls from one level to another	4	1	—	1	1	1	—	—
910	Blow from falling object ...	22	—	4	8	8	2	—	—
911	Accident caused by vehicle	10	4	1	1	2	2	—	—
912	Accident caused by machinery	5	2	—	—	2	1	—	—
914	Accident caused by electrical current	1	1	—	—	—	—	—	—
919	Accidental injury caused by firearm	2	—	1	1	—	—	—	—
	Total	44	8	6	11	13	6	—	—

Suicide.—Deaths from suicide numbered 403, 255 males and 148 females. This is equivalent to a death-rate of 8 per 100,000 and is the same as that for 1955 and two above the average of the last five years. (Tables 41 and 42.)

A full list of deaths from accidental and suicidal poisoning and under anæsthetics will be found in Table 41. (see page 140)

Relative Frequency of Cause of Death.—As in recent years the commonest causes or cause-groups of death are, in descending order, heart disease, malignant disease, vascular lesions of the central nervous system, violence, congenital causes, bronchitis, pneumonia and tuberculosis. These together account for 83 per cent. of the total deaths in 1956. (See Table O below.)

TABLE O.—Relative Frequency of Causes of Death

Causes of Death	1956		1955	
	Number	Per cent of total	Number	Per cent of total
Heart disease	21,151	34·23	20,890	33·89
Malignant neoplasms... ...	10,754	17·40	10,585	17·17
Vascular lesions of the central nervous system	9,680	15·67	9,607	15·58
Violence	2,642	4·28	2,920	4·74
Congenital malformations and diseases of early infancy ...	2,134	3·45	2,125	3·45
Bronchitis	2,077	3·36	2,086	3·38
Pneumonia (excluding pneumonia of newborn)... ...	1,916	3·10	1,828	2·97
Tuberculosis (all forms) ...	801	1·30	982	1·59
Total ...	51,155	82·79	51,023	82·77

Infant Deaths.—Table 29 contains an analysis of deaths at age-periods under one year classified according to cause of death. For all causes of death the infant death-rates and the neo-natal rates (referring to children aged under 28 days) will be found on page 23 for years and combinations of years back to 1911, but Table 29 shows for 1956 a closer analysis by age with classification according to cause of death. Of the 2,727 children who died before reaching one year of age, 853 died before they were a day old; 1,555 did not survive a week and no fewer than 1,819 or almost 67 per cent. of the total died before they were four weeks old. The changes in recent years in the number of deaths from congenital defects and from conditions associated with early infancy (debility, premature birth, etc.) have already been referred to (page 34). Compared with 1955, deaths from meningococcal infections and whooping cough each increased by three. Pneumonia (excluding newborn) decreased by 27, pneumonia of the newborn by 6 and diarrhœa (excluding newborn) by 20.

Of all deaths under one year of age the most important numerically are congenital malformations, asphyxia and atelectasis, prematurity (unqualified), birth injuries and pneumonia (excluding newborn) in that order. (Tables 29 and 42.)

Month of Registration.—Table 30 shows deaths from the same causes as are shown in Table 29 but classified according to calendar month of registration. The rates by calendar month for all infant deaths have already been referred to (page 20). These deaths were at a maximum in January and at a minimum in June. The incidence of individual causes throughout the year generally conforms to this pattern though the variation is considerable in deaths from pneumonia. (Tables 30 and 63.)

Deaths of Illegitimate Children.—These have been separately classified since 1936, and differences in rates (all causes) have already been referred to on page 22. The rate among illegitimate children is 38 per cent. above that for legitimate children—40 per 1,000 live births against 28 per 1,000 live births.

Table 31 shows for each large burgh and county the numbers of children who died in 1956 before reaching their first birthday. The duration of the lives of these children according to days, weeks or months is indicated in the headings to the table. The columns on the right-hand side of the table show the death-rates per 1,000 births in 1956. Many of the rates are of course based on small numbers and are therefore of limited value. It will be seen that the death-rate was equivalent to 28·6 per 1,000 births compared with a death-rate for the whole population of 12·0. The figures show that children in the first four weeks of life were subject to much the heaviest mortality of the groups accounted for and that the mortality was specially heavy on the first day of life and in the first week.

The neo-natal rates for Scotland as a whole have already been dealt with (see page 23) but in Table P there will be found for Scotland the death-rates for certain age groups within the first year of life for 1956 and previous years.

TABLE P.—Deaths under One Year per 1,000 Births in Scotland, 1922–1956

Year	Males						Females					
	Under 1 year	Under 7 days	*7-27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under 12 months	Under 1 year	Under 7 days	*7-27 days	*28 days and under 3 months	3 months and under 6 months	6 months and under 12 months
1922–25	103·7	42·6		16·0	16·6	28·5	80·0	32·7		11·8	12·6	23·0
1926–30	96·0	41·1		14·9	16·5	23·5	74·4	31·8		10·6	12·1	19·9
1931	93·2	27·5	12·6	13·9	15·9	23·3	69·9	21·7	9·6	9·9	10·4	18·4
1932	94·6	26·8	13·4	15·4	17·0	22·1	77·3	20·7	11·1	12·3	13·8	19·4
1933	89·3	28·8	12·0	14·8	14·2	19·5	72·4	23·3	10·9	10·0	11·4	16·7
1934	86·9	27·7	12·2	14·3	14·0	18·7	68·0	21·6	10·8	9·5	11·1	15·0
1935	86·9	28·8	14·6	13·2	13·6	16·7	66·2	20·7	12·8	9·1	10·1	13·6
1931–35	90·3	27·9	13·0	14·3	15·0	20·1	70·8	21·6	11·0	10·2	11·4	16·6
1936	92·2	28·4	14·1	15·9	15·2	18·7	71·9	21·3	11·2	10·7	13·0	15·8
1937	89·6	28·2	14·2	15·0	16·2	16·0	70·5	22·0	12·0	10·8	11·5	14·2
1938	76·6	26·6	11·4	13·4	12·2	13·0	62·1	21·9	10·0	8·9	9·1	12·1
1939	77·4	29·7	12·4	12·1	11·7	11·6	59·1	22·8	8·0	8·8	9·7	9·8
1940	90·3	29·5	13·1	15·0	15·7	17·0	65·7	21·2	10·4	10·5	11·8	11·8
1936–40	85·2	28·5	13·0	14·3	14·2	15·3	65·9	21·8	10·3	9·9	11·0	12·8
1941	93·3	29·0	16·0	17·4	17·0	14·0	71·6	22·5	12·2	12·6	10·9	13·4
1942	77·9	27·0	12·9	14·1	13·1	10·8	60·2	19·8	10·3	10·0	11·4	8·8
1943	73·0	25·3	11·8	13·3	12·3	10·3	57·0	18·7	9·8	9·1	10·0	9·4
1944	73·0	24·7	12·3	13·3	13·1	9·5	56·4	17·8	10·4	9·4	10·4	8·4
1945	64·7	23·6	9·0	12·4	11·5	8·2	47·3	17·5	6·6	8·9	8·2	6·0
1941–45	76·4	25·9	12·4	14·1	13·4	10·6	58·5	19·2	9·9	10·0	10·2	9·2
1946	60·0	25·1	8·1	10·0	9·5	7·3	47·3	19·4	7·0	7·2	7·8	5·9
1947	62·9	22·4	9·4	11·8	10·3	9·1	48·2	17·5	7·6	7·7	7·8	7·6
1948	51·3	21·6	6·9	8·9	8·1	5·8	37·7	15·5	5·9	5·9	5·8	4·6
1949	46·2	21·0	5·3	8·3	6·6	5·0	36·3	15·4	4·4	6·3	5·9	4·2
1950	43·0	21·0	4·6	6·5	6·4	4·5	33·8	16·2	4·0	5·3	4·4	3·9
1946–50	53·2	22·3	7·0	9·2	8·3	6·4	41·1	16·9	5·9	6·5	6·4	5·3
1951	42·2	20·4	4·8	6·9	6·2	3·8	32·4	15·5	3·6	5·1	4·6	3·6
1952	39·3	20·1	4·1	5·6	6·2	3·3	30·8	15·7	3·2	4·1	4·3	3·5
1953	34·7	18·9	3·5	5·3	4·4	2·6	26·6	13·5	2·5	4·3	3·6	2·7
1954	34·9	20·2	3·4	4·3	4·1	2·9	26·9	15·2	2·3	4·2	3·1	2·0
1955	33·2	19·3	2·8	4·9	3·7	2·5	27·4	14·5	2·8	3·9	3·7	2·6
1951–55	36·8	19·8	3·7	5·4	4·9	3·0	28·8	14·9	2·9	4·3	3·9	2·9
1956	32·6	19·2	3·1	4·6	3·9	1·8	24·4	13·3	2·4	3·7	2·6	2·4

*—Prior to 1950 the numbers and rates relate to 1 week and under 1 month and 1 month and under 3 months

Death-rates Standardised to Population of Great Britain in the Year of Experience.—Precise comparisons between the death-rates in England and Wales and those in Scotland cannot be made from an examination of the crude death-rates in the two countries. By agreement between the two Registrars General death-rates for Scotland and for England and Wales have been standardised by relating them to the age and sex distribution of the population of Great Britain for the year of observation.

Table 48 gives the standardised death-rates for the two countries for all causes and for certain specified diseases for the years 1952 to 1956. It will be observed that the standardised death-rate for all causes in Scotland is materially in excess of that in England and Wales. For individual causes, the relative excess is greatest in rheumatic fever, diabetes mellitis and tuberculosis. In the case of syphilis, pneumonia, hypertensive disease and influenza, however, the Scottish rate is more favourable.

CENTRAL CLYDESIDE CONURBATION

A description of the Clydeside Conurbation was given in previous Reports but for reference purposes the constitution of the areas is again given. It is as follows:—

Dunbarton County (Part of)
- Clydebank Burgh
- Kirkintilloch Burgh
- Milngavie Burgh
- New Kilpatrick District of County

Lanark County (Part of)
- Glasgow City
- Airdrie Burgh
- Coatbridge Burgh
- Hamilton Burgh
- Motherwell and Wishaw Burgh
- Rutherglen Burgh
- Lanark Fifth District of County
- Lanark Sixth District of County
- Lanark Eighth District of County
- Lanark Ninth District of County

Renfrew County (Part of)
- Barrhead Burgh
- Johnstone Burgh
- Paisley Burgh
- Renfrew Burgh
- Renfrew First District of County
- Renfrew Second District of County

The following is a summary of the births, deaths and marriages in the area of the conurbation in the calendar year 1956. The births and deaths are corrected, where necessary, to relate to the area of usual residence.

Central Clydeside Conurbation

	Registered	Corrected for Transfer	Rate per 1,000 of estimated population
Births	35,235	35,946	20·2
Deaths	20,600	21,007	11·8
Deaths under 1 year	—	1,149	32·0 per 1,000 live births
Marriages ...	16,752	—	9·4
Stillbirths ...	932	922	25·0 per 1,000 total births (including stillbirths)

The population of Central Clydeside at 30th June, 1956, is estimated at 1,777,589, more than a third of the population of Scotland. The birth-rate of 20·2 is 2·6 higher than that of the rest of Scotland whereas the death-rate of 11·8 is 0·3 less. The stillbirth-rate is 1·8 per 1,000 total births more than in the rest of Scotland.

The excess of the birth-rate over the death-rate in the conurbation area was 8·4 per 1,000 of the population against 5·5 in the remainder of Scotland. The excess of births over deaths in Scotland was 33,521, those in Central Clydeside accounting for no less than 14,939.

The infant mortality rate at 32·0 per 1,000 live births is appreciably higher than the rate of 26·6 for the rest of Scotland.

The over-all death-rate in the conurbation area is for males 1,303 per 100,000 of the population compared with 1,276 in the rest of Scotland. The female rates are 1,070 and 1,152 respectively. The accompanying table compares the rates by sex from the principal groups of causes of death. The conurbation area has a higher death-rate for males and mortality from respiratory tuberculosis is two and a half times and from bronchitis roughly twice as high as that for the rest of Scotland. On the other hand the death-rate from heart disease is lower than in the rest of Scotland.

The over-all death-rate in the female population is more favourable in the conurbation area, but mortality from respiratory tuberculosis is three times as heavy as in the rest of the country. This excess, however, is offset by lower rates in the conurbation area in heart disease, vascular lesions of the central nervous system and malignant neoplasms—due doubtless to the younger age structure of the population in the conurbation.

Certain specified causes of death in the Central Clydeside Conurbation and the Rest of Scotland with their corresponding rates per 100,000 population—1956

International Classification Intermediate List "A"		Number				Rates per 100,000 population			
		Conurbation Area		Rest of Scotland		Conurbation Area		Rest of Scotland	
		Males	Females	Males	Females	Males	Females	Males	Females
1	Tuberculosis respiratory	275	145	203	92	32	16	13	5
2–5	Tuberculosis—other forms ...	21	14	26	25	2	2	2	1
6–10	Syphilis	24	7	47	10	3	1	3	1
12, 17, 18, 21–23, 32, 88	Principal epidemic diseases	41	55	95	128	5	6	6	7
44–59	Malignant neoplasms	2,078	1,723	3,513	3,440	244	186	218	196
70	Vascular lesions of central nervous system	1,387	1,821	2,689	3,783	163	197	167	215
80–83	Heart disease ...	3,497	3,193	7,318	7,143	411	345	454	407
89–91	Pneumonia (excluding newborn)	425	361	548	582	50	39	34	33
92, 93	Bronchitis	689	308	734	346	81	33	46	20
99, 100	Ulcer of stomach and duodenum	140	57	293	118	16	6	18	7
104	Diarrhœa (excluding newborn)	53	60	83	98	6	6	5	6
108, 109	Nephritis	87	90	177	174	10	10	11	10
127–135	Congenital malformations and other diseases of early infancy	489	354	749	542	57	38	46	31
Residual of 1–137	All other natural causes	1,373	1,413	2,952	3,062	161	153	183	174
138, 139	Transport accidents ...	165	55	390	85	19	6	24	5
148	Suicide	89	44	166	104	10	5	10	6
Residual of 138–150	Other violence ...	270	204	565	505	32	22	35	29
	All causes	11,103	9,904	20,548	20,237	1,303	1,070	1,276	1,152

The rates in the conurbation area are to a large extent influenced by those of Glasgow. The following statement shows the rates for respiratory tuberculosis, other forms of tuberculosis and bronchitis separately for the conurbation area, Glasgow and the remainder of the conurbation area.

International Classification Intermediate List "A"		Rate per 100,000 of Estimated Population					
		Conurbation Area		Glasgow		Remainder of Conurbation Area	
		Males	Females	Males	Females	Males	Females
1	Tuberculosis—respiratory	32	16	34	18	29	13
2–5	Tuberculosis—other forms	2	2	3	2	2	1
92, 93	Bronchitis	81	33	91	40	65	23
89–91	Pneumonia (excluding newborn) ...	50	39	60	46	34	27
12, 17, 18, 21–23, 32, 88	Principal epidemic diseases*	5	6	4	6	6	6

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

APPENDIX I

REPORT ON INFORMATION OBTAINED FOR THE YEAR 1956 UNDER THE POPULATION (STATISTICS) ACT, 1938

This Appendix contains an analysis of the statistics obtained in respect of the year 1956.

The crude birth-rate for the year is 18·5 compared with 18·0 in 1955. If recent trends of birth and death-rates are maintained, the number of births of females in 1956 was adequate, with a little to spare, to maintain the population against a natural decline. The net reproduction rate is 1·228, which is ·055 higher than in 1955.

The crude birth-rates and the gross and net reproduction rates for each year from 1939 are as follows:—

Year	Crude Birth-rate	Gross Reproduction rate	Net Reproduction rate
1939	17·4	1·051	0·932
1940	17·1	1·042	0·896
1941	17·5	1·058	0·893
1942	17·6	1·087	0·948
1943	18·4	1·162	1·012
1944	18·5	1·183	1·041
1945	16·9	1·088	0·978
1946	20·3	1·336	1·192
1947	22·3	1·427	1·281
1948	19·7	1·265	1·158
1949	18·7	1·228	1·131
1950	18·0	1·187	1·107
1951	17·7	1·171	1·099
1952	17·7	1·180	1·114
1953	17·8	1·179	1·121
1954	18·0	1·212	1·156
1955	18·0	1·230	1·173
1956	18·5	1·279	1·228

Table 10 shows the number of births analysed by age of mother, and, so far as legitimate births are concerned, by the duaration of marriage. As usual, more children were born to mothers aged between 25 and 29 than to those in any other quinquennial age-group. The single ages which contributed the greatest number of children were 24 years, 25 years and 26 years (in that order), and when related to legitimate births the ages were 24, 26 and 25 years. At age 30 the number was much smaller. The largest number of illegitimate births was to mothers aged 19, 20 and 22 in that order. (Table 9).

It will be observed from the following table that every year since 1940 the proportion of births to mothers in the age-group 20-24 was greater, and since 1947 much greater, than in 1939, the first year in which figures are available.

Year	Total Legitimate Births	Number of Legitimate Births by quinquennial age-groups 20-34			Proportion compared with 1939		
		20–24	25–29	30–34	20–24	25–29	30–34
1939 ...	81,669	18,605	25,661	19,267	100	100	100
1940 ...	81,248	19,086	26,068	18,619	103	102	97
1941 ...	83,800	19,933	26,038	19,410	107	101	101
1942 ...	84,187	20,827	25,396	19,459	112	99	101
1943 ...	87,450	21,285	24,417	21,361	114	95	111
1944 ...	88,308	21,614	23,402	22,062	116	91	115
1945 ...	89,398	18,940	21,163	19,791	102	82	103
1946 ...	97,465	22,228	29,070	24,450	119	113	127
1947 ...	106,836	25,804	33,600	24,795	139	131	129
1948 ...	94,568	24,117	30,001	20,255	130	117	105
1949 ...	90,451	23,586	29,628	17,949	127	115	93
1950 ...	87,693	23,168	27,964	18,193	125	109	94
1951 ...	86,047	23,244	27,302	18,306	125	106	95
1952 ...	86,116	23,616	27,078	18,808	127	106	98
1953 ...	86,682	24,140	27,391	19,325	130	107	100
1954 ...	88,138	25,437	27,374	19,673	137	107	102
1955 ...	88,548	25,595	28,491	18,786	138	111	98
1956 ...	91,244	26,637	29,151	18,895	143	114	98

Table 11 shows fertility by age of mother. The fertility rates for the 18 years 1939 to 1956 are summarised below.

TABLE F (a).—Fertility Rates by Age of Mother

LEGITIMATE BIRTHS PER 1,000 MARRIED WOMEN

Year	All Ages (16–49)	16–19	20–24	25–29	30–34	35–39	40–44
1939 ...	119·8	525·7	336·6	220·0	140·5	82·7	25·8
1940 ...	115·2	448·9	322·7	213·6	131·3	77·4	25·0
1941 ...	116·4	376·6	300·8	211·1	134·9	82·6	27·7
1942 ...	114·3	354·3	290·9	208·3	133·3	82·0	26·8
1943 ...	117·9	357·8	283·4	209·6	146·9	90·6	30·2
1944 ...	118·3	340·9	284·8	210·0	153·8	92·4	31·3
1945 ...	105·2	322·7	246·9	192·9	139·1	82·4	27·6
1946 ...	131·6	385·0	290·7	264·9	180·5	98·6	28·5
1947 ...	137·5	466·4	348·8	251·5	171·3	98·5	29·7
1948 ...	120·4	458·0	320·8	213·4	145·2	84·7	26·9
1949 ...	115·2	510·0	316·8	208·6	132·9	79·1	23·8
1950 ...	111·7	478·8	312·5	202·1	133·5	74·6	22·8
1951 ...	109·6	464·3	307·1	203·5	129·6	71·6	21·2
1952 ...	109·4	456·9	302·3	206·2	128·8	71·0	20·3
1953 ...	109·8	456·7	301·8	209·4	127·8	68·6	19·6
1954 ...	111·2	451·8	310·9	208·0	128·2	68·0	19·9
1955 ...	111·2	450·9	305·2	214·6	124·9	66·8	18·7
1956 ...	113·7	454·4	308·4	215·6	129·2	68·4	18·1

ILLEGITIMATE BIRTHS PER 1,000 UNMARRIED WOMEN

Year	All Ages (15–49)	15–19	20–24	25–29	30–34	35–39	40–44
1939 ...	7·7	5·3	12·0	11·5	10·6	7·7	2·8
1940 ...	7·7	4·7	12·5	12·0	10·7	7·6	3·1
1941 ...	8·8	5·1	14·4	15·0	13·3	8·5	2·6
1942 ...	10·0	5·2	16·3	18·6	15·3	9·9	3·4
1943 ...	11·4	5·6	19·0	24·1	17·7	10·8	4·0
1944 ...	12·1	5·2	19·8	29·7	20·1	11·6	3·6
1945 ...	12·3	5·1	20·2	30·3	20·6	12·5	3·4
1946 ...	11·5	5·1	18·0	29·3	19·0	11·9	3·6
1947 ...	11·2	4·7	17·5	26·5	19·5	12·6	4·1
1948 ...	10·4	4·8	15·4	24·9	19·7	12·1	4·0
1949 ...	9·6	4·3	14·1	21·5	21·1	11·3	3·7
1950 ...	9·0	4·1	12·8	19·9	19·0	11·6	3·6
1951 ...	8·6	3·7	12·4	18·6	18·9	12·5	3·0
1952 ...	8·2	3·7	11·7	17·6	18·2	11·2	3·5
1953 ...	8·3	3·8	12·1	16·7	18·1	12·1	3·4
1954 ...	8·4	3·8	12·4	17·7	16·9	13·4	3·3
1955 ...	8·2	3·6	12·5	17·3	18·1	11·9	3·8
1956 ...	8·6	4·2	13·3	18·8	18·4	11·6	3·4

On comparing the legitimate rates for 1956 with those of 1955 it will be observed that there is an increase at all age groups with the exception of 40-44. The illegitimate fertility rates show a decrease in the age groups 35-39 and 40-44 compared with the previous year.

Table 12 shows the interval between present marriage and the birth of the first child for all first children born in 1956 according to the age of mother.

The following table gives a summary for the years 1939 to 1956 of the percentage of first births occurring within eight months of marriage.

TABLE F (b).—Percentage of First Births taking place within Eight Months of Date of Present Marriage

Year	All ages	Age of Mother Under 20	20–24	25–29	30–34
1939	28·8	70·1	40·3	17·0	10·0
1940	24·9	61·3	34·8	14·6	9·2
1941	18·5	53·6	24·2	10·4	8·5
1942	17·0	52·3	21·2	9·5	7·4
1943	14·4	49·0	17·4	7·9	6·2
1944	14·3	51·1	17·0	7·8	6·2
1945	15·2	51·1	18·5	8·3	6·5
1946	13·4	51·4	17·2	7·8	6·1
1947	15·1	50·8	18·9	9·6	7·7
1948	19·1	56·6	23·7	11·6	8·4
1949	20·4	59·8	24·3	11·3	8·7
1950	20·2	60·0	24·6	10·0	8·1
1951	19·8	60·3	23·6	9·9	9·1
1952	19·2	59·4	22·5	9·3	8·6
1953	18·6	59·9	21·7	8·8	7·0
1954	18·2	59·8	20·7	7·3	6·4
1955	17·6	56·1	19·6	7·3	7·0
1956	17·7	56·1	18·8	7·2	6·8

The percentage of first births taking place within eight months of marriage is 0·1 above that for 1955, but below the average and well below 1939. If these are added to the number of illegitimate births, the combined total is 3,567 below that for 1939; and 269 above that for last year.

In the Report for 1955 a summary of Table 13 was given for the year 1939, and 1947 to 1955 (Table F (c)). This table is now repeated for the years 1939, and 1948 to 1956.

TABLE F (c).—Number of Births by Present Husband which are First, Second, etc.

Number of previous children (including stillborn and dead)	1939	1948	1949	1950	1951	1952	1953	1954	1955	1956
0	28,976	36,492	34,177	31,843	30,834	31,468	31,641	32,313	32,738	33,681
1	19,473	26,697	25,893	25,284	24,795	24,214	24,233	24,744	24,544	26,032
2	11,757	13,717	13,474	13,804	13,952	13,758	14,073	14,146	14,309	14,615
3	7,391	7,069	6,955	6,926	7,129	7,316	7,507	7,619	7,538	7,566
4	4,771	3,872	3,838	3,770	3,725	3,871	3,990	4,165	4,166	4,093
More than 4	9,301	6,668	5,979	5,886	5,478	5,356	5,159	5,125	5,186	5,223
Not stated	—	53	135	180	134	133	79	26	67	34
TOTAL	81,669	94,568	90,451	87,693	86,047	86,116	86,682	88,138	88,548	91,244

In 1956 there was a total increase of 2,696 legitimate births compared with 1955 and first births increased by 943. The total legitimate births increased by 3·0 per cent., first births increased by 2·9 per cent., second births increased by 6·1 per cent., and third births increased by 2·1 per cent.

On examining the proportion which first births bear to the total births for the year as set out in Table F (c) it is found that the percentage was 35·5 in 1939. It was 38·6 in 1948 decreasing to 35·8 in 1951. Since then the rate has gradually increased from 36·5 in 1952 to 37·0 in 1955. The rate for 1956 however shows a slight decrease of 0·1.

Table 14 shows legitimate births by duration of present marriage and number of previous children. It also indicates the trend of family size. The following table, covering the period 1939 and 1945 to 1956 and relating to children by present husband only, gives average family size—but only for those families having a child in the year under observation. The figures shown include the birth in the particular year referred to as well as previous births. They show that the average size of family into which a child was born has been decreasing from 1939 but since 1948 the downward trend has been very slight. The figure for 1956 (2·39) is ·02 below that for 1955 and ·04 less than in 1948.

Duration of Marriage	Average number of children by present husband in family including stillborn and dead												
	1939	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
Under one year ...	1·03	1·03	1·04	1·03	1·03	1·03	1·03	1·03	1·03	1·02	1·02	1·02	1·02
1 ...	1·29	1·18	1·15	1·17	1·23	1·23	1·24	1·27	1·22	1·22	1·22	1·22	1·22
2 ...	1·77	1·60	1·55	1·56	1·69	1·71	1·73	1·71	1·69	1·66	1·67	1·68	1·69
3 ...	2·14	1·85	1·79	1·82	1·96	2·01	2·06	2·04	2·03	2·03	1·98	1·99	2·00
4 ...	2·48	2·09	1·95	2·00	2·22	2·25	2·30	2·33	2·35	2·29	2·29	2·30	2·27
5 ...	2·77	2·34	2·13	2·17	2·38	2·49	2·53	2·56	2·60	2·58	2·58	2·57	2·55
6 ...	3·17	2·71	2·39	2·39	2·54	2·65	2·76	2·78	2·83	2·88	2·85	2·86	2·84
7 ...	3·50	3·01	2·76	2·67	2·74	2·81	2·94	3·00	2·99	3·08	3·11	3·11	3·10
8 ...	3·83	3·27	3·09	3·06	3·02	3·02	3·08	3·20	3·28	3·27	3·34	3·39	3·34
9 ...	4·10	3·57	3·40	3·34	3·40	3·37	3·26	3·35	3·44	3·52	3·54	3·63	3·63
10–14 ...	5·06	4·41	4·27	4·22	4·32	4·29	4·18	4·13	4·06	4·05	4·12	4·17	4·14
15–19 ...	6·93	6·07	6·02	5·98	6·08	6·15	6·13	5·97	5·90	5·76	5·63	5·49	5·42
20–24 ...	8·94	7·84	7·94	7·93	7·93	7·78	7·91	7·90	7·81	7·74	7·59	7·40	7·28
25 and over ...	10·68	9·15	10·00	9·07	9·62	9·54	9·53	9·69	9·54	9.02	9·04	8·88	8·59
Total Present Husband...	2·79	2·59	2·46	2·37	2·43	2·42	2·45	2·45	2·44	2·43	2·42	2·41	2·39

Table 20 sets out the number of multiple confinements classified by age of mother and type of birth (live and still). It also shows as a percentage of all mothers the number of mothers who gave birth to multiple children.

Tables 15 and 16 contain statistics of women who have been married but at the time of death are stated to have had no children. The results are summarised in the following Table F (d). It will be seen that the percentage of women who die childless gradually decreased from 15·7 in 1945 to 14·7 in 1952. Since then however there has been an upward trend and the rate for 1956 was again 15·7. The number of deaths among divorced women is too small to give a reliable rate for individual years. In 1956 fully 10 per cent. of the married women who died were under 45 years of age, whereas less than one per cent. of widows died under that age.

TABLE F (d).—Percentage of Women who have been Married and who at Death are stated to have had No Children

	1939	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
Married	15·4	17·3	17·0	17·1	16·7	16·6	16·3	16·2	16·0	16·1	16·0	17·0	16·8
Widowed	13·8	14·3	14·3	14·5	14·6	14·2	14·3	14·0	13·7	14·1	14·7	14·7	14·9
Divorced	35·0	24·5	31·1	24·3	26·5	23·9	26·5	28·0	18·2	31.4	28·0	22·8	28·6
All women who had been married ...	14·6	15·7	15·6	15·7	15·6	15·3	15·2	15·0	14·7	15·0	15·2	15·6	15·7

Table 17 shows deaths from the principal causes by age-groups of women who had been married, and gives figures of those who had children and those who died childless. The purpose of the table is to see if there is any connection with certain diseases and infertility.

APPENDIX II

REGISTRATION OF STILLBIRTHS

The total number of stillbirths registered during the year 1956 was 2,329 and with 95,313 live births registered during the same period these stillbirths are equivalent to a rate of 23·9 per 1,000 total births, live and still, as compared with 42·2 in 1939, 27·1 in 1949, 24·8 in 1953, 25·3 in 1954 and 24·6 in 1955. Apart from slight increases in the rates for 1945 and 1954 there has been a continuous reduction in the rate since 1939, the first year in which stillbirths were registered in Scotland.

Stillbirths and Neo-natal Deaths.—The geographical distribution of these live and stillbirths (together with neo-natal deaths among live born infants) and the corresponding rates for stillbirths, neo-natal deaths and for the two groups combined are shown in Table 18. For local authority aggregates the highest stillbirth rate is recorded for counties of cities, the lowest for landward areas, the values for the large burghs and small burghs being intermediate. The rate for the counties of cities was 24·5 and for large burghs 24·3, the corresponding rates for the previous year being 24·6 and 24·8. The aggregate rates for 1956, showing a definite urban excess, are in this respect in line with the general experience of preceding years.

As in previous years, the rates for individual large burghs and counties show wide variations, but in some, owing to the comparatively small numbers involved, the annual rates are not very stable. Among large burghs the highest rates for the year are observed in Port Glasgow and Stirling (35), Falkirk (33) and Coatbridge, Dumbarton and Hamilton (29), the lowest in Ayr and Airdrie (17), Inverness (14) and Dumfries (11). In the counties the highest rates were in Zetland (37), Caithness and Midlothian (30) and Wigtown (29), the lowest in Kincardine and Moray (19), Banff, Clackmannan and Peebles (18) and Nairn (8). For the combined stillbirth and neo-natal rate, the lowest rates were in the burghs of Perth (34), Dumfries (32) and Airdrie (30), and in the counties of Kinross (31), Kincardine (23) and Sutherland (20). The heaviest were in the large burghs of Stirling (53), Paisley (52) and Hamilton and Greenock (49) and in the counties of Zetland (67), Wigtown (55) and Caithness (51).

In Table SB (A) will be found the stillbirth rates aggregated for the four geographical divisions of Scotland. The rate in the West Central group of counties is highest with that for the East Central division second, while the rate for the Northern district is lowest of all. (From Table 18 it will be seen that for the more comprehensive rate for stillbirths and neo-natal deaths the higher rates are for the West Central and East Central county groups in that order

TABLE SB (A).—Stillbirth Rates per 1,000 Births (Live and Still) by Divisions, 1956

Divisions*	Total	Counties of Cities and Large Burghs	Counties (excluding Counties of Cities and Large Burghs)
Northern	22·1	20·5	22·7
East Central...	23·4	23·9	22·9
West Central	24·8	25·4	23·5
Southern	22·7	11·2	24·4
SCOTLAND	23·9	24·4	23·2

* The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; while the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

and the lowest is in the Northern Division.) The stillbirth rate for large burghs is heavier than for the Counties in the East Central and West Central Divisions.

For Scotland as a whole in 1956, out of every 1,000 born alive or dead after the 28th week of pregnancy 42·5 died before or within 28 days of birth. This figure compares with 44·3 in 1953-55 and with 77·3 in 1939. The rates for individual years since the beginning of stillbirth registration are as follows:—

DEATH-RATES PER 1,000 TOTAL BIRTHS, LIVE AND STILL, 1939–1956.

Year		Still-births	Neo-natal Deaths*	Total
1939	...	42·2	35·0	77·3
1940	...	42·1	35·7	77·8
1941	...	39·6	38·4	77·9
1942	...	38·2	33·7	71·9
1943	...	35·6	31·7	67·3
1944	...	32·5	31·7	64·2
1945	...	32·8	27·6	60·4
1946	...	32·3	28·9	61·2
1947	...	30·5	27·7	58·2
1948	...	28·7	24·4	53·1
1949	...	27·1	22·5	49·7
1950	...	26·9	22·4	49·3
1951	...	26·6	21·7	48·3
1952	...	26·2	21·1	47·3
1953	...	24·8	18·8	43·6
1954	...	25·3	20·1	45·5
1955	...	24·6	19·2	43·8
1956	...	23·9	18·6	42·5

* These neo-natal rates, being based on total births, do not quite correspond with those based on live births only, which will be found elsewhere in this Report.

Both rates have declined since 1939, the stillbirth rate rather more regularly than the neo-natal rate but each is now not much more than half of the rate registered 17 years ago.

Age of Mother and Number of Previous Children.—Table 19 shows legitimate and illegitimate stillbirths classified according to age of mother, and legitimate stillbirths according to the number of children already born to the mother. For all births, legitimate and illegitimate, the rate is 23·9 per 1,000 total births, this rate being at its lowest when the mother was aged 20-24 years and rising thereafter with increasing age of the mother. These latest figures confirm the experience of earlier years that the younger the mother in general, the less risk there is of stillbirth, the exception being that the younger mothers (under 20 years) show a heavier rate than mothers of 20-24 and 25-29. For every age-group the illegitimate stillbirth rate is higher than the corresponding legitimate rate. They are based on small numbers, but exhibit a similar general trend as the legitimate rates, viz.: a fairly steady increase with increasing age of mother.

Table SB (B) has been prepared from the distribution of stillbirths by age and parity shown in Table 19 in order to contrast first births with all subsequent births at different ages of mother. This shows that with the exception of the age-group under 20 years the rate for primiparous is appreciably higher than for the multiparous births.

Among multiparous births themselves, as will be observed from Table 19, the relative frequency of stillbirths varies widely, being least in the case of a second birth and thereafter generally increasing with increase in the number of previous children born to the mother.

TABLE SB (B).—Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), 1956

Age of mother	Children of all married mothers	Primiparæ (first births)	Multiparæ (one or more previous births)
Under 20	22	22	23
20—	18	21	14
25—	21	26	19
30—	25	31	24
35—	35	42	34
40 and over	50	62	49
All Ages	23	25	23

To examine separately the influence of parity and of age of mother, Table SB (C) has been compiled. The parity groups are aggregated to obtain more stable rates. For each parity group the stillbirth rate tends to increase with increasing age of mother and when the experience of mothers of similar ages is examined, it is found that as a rule the rate increases with increasing number of previous children, an important exception being for first births in which are found higher rates than for 1-3 previous children. The stillbirth rate for first births is generally above the average rate for each maternal age group.

TABLE SB (C).—Legitimate Stillbirths per 1,000 Legitimate Births (Live and Still), (Age of Mother and Number of Previous Children), 1956

Number of previous children	Age of mother						
	All ages	—20	20—	25—	30—	35—	40 and over
None	25	22	21	26	31	42	62
1–3	20	23	14	18	22	30	37
4–6	35	—	29	26	30	39	59
7–9	47	—	—	13	39	45	63
10 and over ...	49	—	—	—	—	49	53
Total ...	23	22	18	21	25	35	50

No rate has been calculated where the number of births (live and still) is less than 50.

Illegitimate Stillbirths.—Of the 2,329 stillbirths, 138 or 5·9 per cent. were illegitimate, this being an appreciably greater proportion than among living births, 4·3 per cent. of which were illegitimate. The stillbirth rate was 32·8 per 1,000 total illegitimate births but it varied with age of mother, being 26 for young unmarried women in age groups under 20 years and the highest rates of all being in the later ages. The corresponding general rate for legitimate infants was 23·4 per 1,000 and this better experience is apparent in every age group.

The percentage of illegitimate stillbirths and live births are compared for individual years as follows:

PERCENTAGE OF ILLEGITIMATE BIRTHS TO TOTAL BIRTHS, 1939-1956

Year	Still-births	Live Births
1939	6·8	6·0
1940	7·2	6·0
1941	8·3	6·6
1942	8·8	7·2
1943	9·0	7·6
1944	10·0	7·9
1945	9·9	8·7
1946	8·2	6·7
1947	7·8	5·6
1948	7·2	5·8
1949	7·1	5·5
1950	6·8	5·2
1951	7·2	5·1
1952	6·3	4·8
1953	6·5	4·7
1954	6·1	4·5
1955	6·0	4·3
1956	5·9	4·3

Multiple Births.—In page 14 of this Report reference is made to multiple births where the children were born alive. From Table 20 it will be seen that when stillborn children are included it is found that there were 115 additional cases of the birth of twins in 96 of which one was stillborn (the others being included among the single births) and in 19 of which both were stillborn. (See page 102.)

Adding the number of stillbirths to the living births, it is found that the total number of children born was 97,642 of whom 95,313 were live born and 2,329 stillborn, the total number of confinements being 96,326. Of these confinements 95,021 resulted in a single birth, 1,295 in a twin birth, 9 in a triplet birth and one in a quadruplet birth. Of the 2,590 twin children 134 were stillborn—a rate of 52 per 1,000 twin children compared with 24 for all children and 23 for single births. The total confinements according to plurality or otherwise are summarised below.

The percentage of mothers who gave birth to two or more children was 1·35 compared with 1·37 in 1955. In Table 2 rates will be found from 1856 onwards but prior to 1939 they relate to multiple live births only and are not comparable with those for subsequent years. Since 1939 the rate has varied between 1·27 and 1·45 but does not show any general trend.

TABLE SB (D).—Multiple Births, 1956

Number of children born	Confinements	Living born Children	Stillborn Children
1 living	92,827	92,827	—
1 stillborn	2,194	—	2,194
2 living	1,180	2,360	—
1 living, 1 stillborn ...	96	96	96
2 stillborn	19	—	38
3 living	8	24	—
2 living, 1 stillborn ...	1	2	1
4 living	1	4	—
TOTAL ...	96,326	95,313	2,329

Certification.—In the great majority of the 2,329 stillbirths registered, the cause of death was certified by a medical practitioner (2,309) and in only 16 by a certified midwife. There were four cases of registration following receipt from the Procurator Fiscal of a Schedule of Result of Precognition. The percentages certified by a medical practitioner and by a midwife were 99·1 and 0·7 respectively. In 1955 the corresponding figures were 99·3 and 0·6 and in 1939 94·4 and 5·3 respectively.

Principal Causes of Stillbirth.—The causes of stillbirth, shown separately by sex of child and age of mother, are dealt with in detail in Table 21 and rates per 1,000 total births are given in Table SB (E) in summarised form. Of the 2,329 stillbirths, 503 were attributed to fœtal defects, 435 to other placental and cord conditions, 343 to ill-defined causes, 339 to antepartum hæmorrhage, 320 to difficult labour and 207 to toxæmias of pregnancy.

In group I (acute and chronic diseases of mother) only 74 cases are included, of which the chief individual components are diseases of the circulatory system (31) and diabetes (11). Deaths from toxæmia, of which 86 per cent. were eclampsia, numbered 207 compared with 173 in 1955, 234 in 1954, 218 in 1953, 199 in 1952 and 256 in 1951. Fœtal deaths attributed to difficulties at birth numbered 320, of which 93 were certified as birth injury. There were 5 deaths from birth injury associated with immaturity. Of the remainder the most frequently stated causes were malposition of fœtus (92 cases of which 15 were also stated to be immature), disproportion (54 with 23 immature) and abnormality of forces of labour (28 with two stated as immature). (The individual causes within this group are not readily comparable with those in the list in use prior to 1950.) Antepartum hæmorrhage leading to stillbirth is preponderantly accidental hæmorrhage, a little over five per cent. of this whole group being ascribed to placenta prævia. Of stillbirths ascribed to congenital defect, the most important individual defects were anencephalus (276) and hydrocephalus (126) these accounting for roughly four-fifths of the whole group. Placental and cord complications (apart from antepartum hæmorrhage) accounted for a total of 435 deaths, roughly equal numbers being found for prolapse, torsion of cord and for placental infarct. Ill-defined and unknown causes constitute 15 per cent. of stillbirths (17 per cent. in 1955), and compare favourably with the figure of 33 per cent. at the outset of registration of stillbirths in 1939.

For the principal cause groups the rates per 1,000 births by age of mother are shown in Table SB (E). For acute and chronic disease in mother, difficult labour and other defined causes the rates rise steadily with age of mother. Generally for the remaining groups, the rates in the first age group (under 20 years) are rather higher than at 20-24 years but thereafter, as in other groups, these rates also progressively increase with advance of maternal age. In the case of antepartum hæmorrhage however the rates rise steadily to age-group 35-39 and thereafter there is a decrease.

TABLE SB (E).—Stillbirths per 1,000 Births (Live and Still) by Age and Disease Groups, 1956

Age of mother	All causes	Acute and chronic disease in mother	Toxæmias	Antepartum hæmorrhage	Other placental and cord conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
Under 20	22	—	2·0	2·4	3·2	7·5	2·4	0·4	4·4
20—	19	0·5	1·8	2·7	3·0	4·6	2·6	0·9	2·8
25—	21	0·6	2·1	2·8	4·1	4·7	3·0	0·9	3·1
30—	25	0·9	1·9	4·4	5·1	5·2	3·2	1·2	3·2
35—	35	1·4	3·1	5·9	6·6	6·0	4·9	1·7	5·5
40 and over	50	3·2	3·9	5·2	11·7	7·4	8·4	2·9	7·8
All Ages	24	0·8	2·1	3·5	4·5	5·2	3·3	1·1	3·5

Sex Ratios.—The ratio of male to female stillbirths for groups of causes is given below.

	1956	1955
Acute and chronic disease in mother ...	0·95	1·78
Toxæmias	0·93	1·04
Antepartum hæmorrhage	1·37	1·59
Other placental and cord conditions ...	1·07	1·28
Fœtal defects	0·51	0·63
Difficult labour	1·32	1·50
Other defined causes...	1·68	1·26
Ill-defined or unknown causes	1·30	1·06
ALL CAUSES	1·01	1·12

For 1956 the ratio of male : female stillbirths was 1·01, the corresponding ratio for live births being 1·06. This ratio throughout the years from 1939 has fluctuated between 1·01 and 1·27, but during the same period the ratio for live births has been much more stable, varying only between 1·05 and 1·07. The excess of males is more pronounced for the cause groups, antepartum hæmorrhage and difficult labour, but for fœtal defects there is a decided female excess.

Causes of Stillbirth by Parity.—Table SB (F) shows the stillbirth rates for broad cause groups for all married women and separately among primiparous and multiparous births. The heavier general rate among primiparous births is chiefly attributable to toxæmias, fœtal defects, and difficult labour. The rates among them are more favourable than in the multiparous for antepartum hæmorrhage, other placental and cord conditions and other defined causes.

TABLE SB (F).—Stillbirth Rates per 1,000 Births (Live and Still) among Married Mothers, 1956

	All married mothers	Primiparæ	Multiparæ
Acute and chronic disease in mother	0·8	0·9	0·7
Toxæmias	2·1	3·1	1·5
Antepartum hæmorrhage	3·5	3·2	3·6
Other placental and cord conditions	4·4	4·2	4·5
Fœtal defects	5·1	5·6	4·7
Difficult labour	3·1	3·5	2·9
Other defined causes...	1·1	0·4	1·5
Ill-defined or unknown causes ...	3·4	3·8	3·2
ALL CAUSES	23·4	24·7	22·7

Illegitimate Stillbirths by Cause.—The number of illegitimate stillbirths analysed by cause is shown in the last column of Table 22. There were in all 138 stillbirths from unmarried mothers, the rate being 32·8 per 1,000 compared with 23·4 among infants of married mothers. The greatest absolute and relative excess in the rates for illegitimates are found in difficult labour, fœtal defects and ill-defined or unknown causes.

Month of Registration.—Stillbirths are classified by cause of death and month of registration in Table 23. The monthly rate for all causes fluctuates between 22 in March, May and July and 27 in February. The quarterly rates showed no marked or regular seasonal fluctuation either for all or for individual cause groups of stillbirths. (Tables 63 and SB (G).)

Stillbirths by Cause and Place of Occurrence.—Table 23A shows the stillbirths by cause subdivided by place of occurrence. Of the total 2,329 stillbirths, 1908 or 81·9 per cent. occurred in institutions. The highest proportions are, as expected, found for acute, serious illness peculiar to pregnancy such as eclampsia, and accidental hæmorrhage or general illness such as diabetes and heart disease, and anencephalus and erythroblastosis. The lower proportions of institutional stillbirths, proportions actually lower than the average for all deliveries, are found for difficult labour with malposition of fœtus, placental infarct, spina bifida, premature birth (cause not stated), debility, asphyxia and unknown causes. These figures naturally afford no information on the relative safety to the fœtus of domiciliary or institutional birth. Initial selection on such grounds as parity, general health of mother, previous obstetrical history, social factors and personal preference, together with the later, perhaps more important selection on the advent of illness during pregnancy or of obstetrical or other accidents in pregnancy and labour preclude any inferences on these lines on the basis of such data as those in Table 23A

Stillbirths by Cause and Local Authority Area.—In Table 24 the stillbirths in each local authority area in Scotland are shown subdivided according to the full list of causes in use since 1950. Live births for these areas are given in Table 18.

TABLE SB (G).—Stillbirth Rates per 1,000 Births (Live and Still), 1956

	All Causes	Acute and Chronic Disease in Mother	Toxæmias	Antepartum hæmorrhage	Other Placental and Cord Conditions	Fœtal Defects	Difficult Labour	Other Defined Causes	Ill-defined or Unknown Causes
1st Quarter	24	0·8	2·1	3·0	4·3	5·6	3·6	1·2	3·8
2nd Quarter	24	0·9	2·2	3·6	4·6	4·9	3·6	1·2	3·1
3rd Quarter	23	0·7	2·0	4·3	4·7	4·6	2·8	0·9	3·1
4th Quarter	24	0·6	2·2	3·1	4·2	5·5	3·0	1·1	4·0
Year	24	0·8	2·1	3·5	4·5	5·2	3·3	1·1	3·5

APPENDIX III

BIRTHS, STILLBIRTHS AND INFANT DEATHS ACCORDING TO SOCIAL CLASS OF FATHER, 1956

The five social classes are those into which occupations have previously been grouped in vital statistical investigations. Class I represents the professional and financially independent section of the population, Class III represents the skilled artisan and analogous workers, and Class V labourers and workers in other unskilled callings. Classes II and IV are intermediate, comprising occupations of mixed types or types not readily assignable to the class on either side.

STILLBIRTHS AND INFANT MORTALITY ACCORDING TO SOCIAL CLASS, 1956

Social Class	Numbers				Rates			
	Live Births	Still-births	Deaths		Stillbirths per 1000 Total Births (Live & Still)	Neo-Natal Deaths per 1000 Live Births	Post-Natal Deaths per 1000 Live Births	Total Infant Mortality per 1000 Live Births
			Under 28 days	28 days-11 months				
SCOTLAND								
I.	3,799	68	42	22	17·6	11·1	5·8	16·8
II.	10,568	217	144	60	20·1	13·6	5·7	19·3
III.	52,701	1,242	1,006	445	23·0	19·1	8·4	27·5
IV.	15,166	399	337	165	25·6	22·2	10·9	33·1
V.	13,079	403	290	216	29·9	22·2	16·5	38·7
TOTAL	95,313	2,329	1,819	908	23·9	19·1	9·5	28·6
COUNTIES OF CITIES								
I.	1,452	30	15	11	20·2	10·3	7·6	17·9
II.	3,220	59	45	19	18·0	14·0	5·9	19·9
III.	21,354	523	411	208	23·9	19·2	9·7	29·0
IV.	4,345	114	97	49	25·6	22·3	11·3	33·6
V.	5,681	178	129	94	30·4	22·7	16·5	39·3
TOTAL	36,052	904	697	381	24·5	19·3	10·6	29·9
LARGE BURGHS								
I.	529	13	7	2	24·0	13·2	3·8	17·0
II.	1,444	35	13	9	23·7	9·0	6·2	15·2
III.	9,979	219	197	85	21·5	19·7	8·5	28·3
IV.	2,087	74	54	25	34·2	25·9	12·0	37·9
V.	2,899	80	68	51	26·9	23·5	17·6	41·0
TOTAL	16,938	421	339	172	24·3	20·0	10·2	30·2
COUNTIES (EX CO.S OF CITIES & LARGE BURGHS)								
I.	1,818	25	20	9	13·6	11·0	5·0	16·0
II.	5,904	123	86	32	20·4	14·6	5·4	20·0
III.	21,368	500	398	152	22·9	18·6	7·1	25·7
IV.	8,734	211	186	91	23·6	21·3	10·4	31·7
V.	4,499	145	93	71	31·2	20·7	15·8	36·5
TOTAL	42,323	1,004	783	355	23·2	18·5	8·4	26·9

Numbers and rates are shown in the foregoing Table for Scotland as a whole, for cities, large burghs and for all counties (excluding cities and large burghs).

Analysis of the figures for 1956 confirms the conclusions to which that of previous years has pointed, viz: that Social class has a much more marked effect on Infant Mortality than on the incidence of stillbirths, and that it is more important in post-natal than in neo-natal deaths. These conclusions are borne out not only by the figures for Scotland as a whole but also by those for the cities, large burghs and for the counties.

Comparing the Scottish rates for 1955 with those for 1956 it is found that the Infant Mortality rate decreased from 30·4 to 28·6 and this decrease was shared by all classes and especially Class V. The post-natal mortality rate decreased from 10·6 in 1955 to 9·5 in 1956, a decrease which affected all classes except Class I. The neo-natal rate fell from 19·7 in 1955 to 19·1 in 1956, the decrease affecting classes I, II, IV and V. While such annual differences are evident, the general trend over the past ten or twelve years shows a fairly uniform rate of change in each of the five social classes for stillbirths as well as the two important sections of the infant mortality rate.

Age and Parity Distribution of Births in Different Social Classes.—Since age of mother and previous parity each have an influence on the outcome as regards stillbirth frequency and since explanation of the differences of stillbirth rates in the social classes is of importance, there are incorporated in this section detailed tables from which, inter alia, social class differences of parity and maternal age among the births each year can be observed and thus offer opportunity of assessing the influence, if any, of such differences on the crude stillbirth rates. Tables 27 and 28 show live births and stillbirths separately subdivided in this manner for each of the five social classes.

The main points of note here are the higher proportion of first births and the lower proportion of parities of higher order (five and over) in class I compared with classes IV or V and the progressive and regular change in this respect throughout the social classes from I to V. Such differences of distribution would tend to produce favourable rates in classes I and II compared with the remainder. With age of mother, the social class differences are of opposite character as regards influence on the crude stillbirth rates, in the first two classes the proportion of births to mothers in earlier age groups being smaller, in older ages correspondingly higher than in the remaining classes. This difference would, other things being equal, tend to produce heavier stillbirth rates in the upper classes. Moreover for specific previous parities, the tendency is for the average age to be higher in classes I and II than elsewhere.

With a view to illustrating the magnitude of the effects of these social class differences of age and parity constitution, there was published in the 1950 Report a table of correcting factors found by standardising the stillbirth rates in the five social classes for age of mother and parity separately and jointly. The calculations were based upon the experience over several years. It was found that the application of these correcting factors had little effect upon the comparative relationships between the social class rates and that the crude stillbirth rates did not give a distorted view of social class differences of mortality in this period.

Causes of Stillbirths in Different Social Classes.—The relative importance of the several broad cause groups of fœtal death has already been noted. In Table 25 the registered causes of stillbirths are shown (in detail in respect of legitimate stillbirths only) for each of the five social classes.

The percentage social class distribution of total legitimate births, live and still, in Scotland is as follows: Class I 4·1, Class II 11·2, Class III 55·6, Class IV 15·3 and Class V 13·8 per cent. From the figures in Table 25, the following condensed table of number and rates per 10,000 total births offers some indication of the causes to which general social class differences in the total stillbirth rates are attributable.

	No. of Stillbirths			Rate per 10,000 Births		
	I and II	III	IV and V	I and II	III	IV and V
Disease of mother ...	10	38	25	7	7	9
Toxæmias	30	113	52	21	22	19
Antepartum hæmorrhage ...	38	160	127	27	31	47
Other placental and cord conditions ...	60	226	126	42	43	46
Fœtal defects	50	270	152	35	52	56
Difficult labour ...	29	164	100	20	32	37
Other defined causes ...	16	51	36	11	10	13
Ill-defined and unknown	40	161	117	28	31	43
All causes ...	273	1,183	735	191	227	270

While the rates for the five social classes increase progressively from Class I to V it is not possible to treat individual causes or even the broader cause groups in this fashion on the basis of one year's experience. The above condensed version does show, however, to some extent in what groups the greatest differences are found. Thus relatively, the greatest divergences between the two extreme pairs of social class are in difficult labour where the rate for Class IV and V exceeds that for I and II by 85 per cent. In antepartum hæmorrhage the excess is 74 per cent. and in fœtal defects 60 per cent. These same cause groups account for the greatest part (more than half) of the absolute difference between the extremes of social class. In spite of these differences there is a general similarity in the broad pattern of causes of stillbirths in all the social classes. Fœtal defects, other placental and cord conditions, antepartum hæmorrhage and difficulty in delivery are the more important causes. Ill-defined and unkown causes are also prominent in all classes. The only cause where the rate for Classes I and II exceeds that of Classes IV and V is in toxæmias with an excess of 11 per cent.

Causes of Infant Mortality in Different Social Classes.—The causes of death in the first year of life in legitimate infants in the five social classes are shown in Table 26. For any one year the number of deaths for a given cause in individual social classes is often small (especially in classes I and II) so that several of the cause rates must be of limited value. Similar information is being published annually, so that soon a very useful body of reliable information will be built up.

The total infant mortality, as has been indicated above, is directly related to social class and, using only the three social groups as in the table below, it will be observed that the mortality of classes IV and V is 91 per cent. higher than that in I and II. The difference between the rates for causes of early infant deaths and those generally occurring at a later date in the first year of life is also clear. Thus, for the neo-natal causes as a whole and for other causes the rates per 10,000 are these:—

	I and II	III	IV and V
Neo-natal	145	205	236
Other causes	39	66	115

Relatively and absolutely the difference in infant mortality between social classes I and II and social classes IV and V is greater for the later death-rate of infancy, neo-natal causes being 63 per cent. higher in classes IV and V than in I and II, other causes being almost three times as high, and of the total absolute difference between the rate for class extremes a smaller contribution to this is made by the later causes (91 as compared with 76 per 10,000 for other causes).

For individual diseases or groups, mortality in infancy is consistently heavier in Classes IV and V, relatively least for congenital malformations, other infantile diseases and birth injury (with excess varying from 30 per cent. in the first to 70 per cent. in the last named), relatively greatest in diarrhœa, convulsions, pneumonia of newborn and bronchitis and pneumonia. The greatest contributions to the absolute difference in the total rate are made, however, by birth injury, bronchitis and pneumonia, and other infantile diseases which jointly contribute over half of the divergence of 169 per 10,000 births in the rates for all causes.

INFANT MORTALITY RATES (PER 10,000) BY CAUSE IN SOCIAL CLASS

	I and II	III	IV and V
Principal epidemic disease	2	3	3
Tuberculosis	1	0	0
Meningitis	1	1	2
Convulsions	1	5	5
Bronchitis and pneumonia	10	23	43
Other respiratory diseases	—	2	3
Diarrhœa	1	7	19
Other digestive diseases	5	5	5
Congenital malformations	44	54	57
Birth injury, etc.	50	77	85
Pneumonia of newborn	3	12	14
Diarrhœa of newborn	—	1	4
Other infantile diseases	48	61	75
Suffocation	6	12	25
Other violence	1	1	0
Other causes	9	7	11
ALL CAUSES	183	271	352

APPENDIX IV

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1955

A preliminary statement regarding marriages registered in Scotland during the year 1955 was incorporated in the Hundred and First Annual Report, but as full details were not available at the time when the report was prepared the statement was necessarily restricted. It is now supplemented by this detailed report on these marriages, which includes figures according to the kind of marriage preliminaries (Banns, Notice or Sheriff's Licence), the type of marriage, the church of celebration and the ages and conjugal condition of those marrying.

In the Hundred and First Annual Report it was stated that the number of marriages registered in Scotland in 1955 was 43,212, but after complete examination of the registers the corrected number is found to be 43,199. This is 1,225 more than the number in 1954 and is much above the average numbers registered annually prior to 1939.

During the seven years 1939-1945 the number of marriages was in the region of 319,000. In the next seven years the number had fallen to about 299,000. Even so, this is considerably higher than the 257,000 registered in the period 1932-38. In the period 1950-54 the annual number has varied within the narrow limits of 40,459 and 41,974. The number (43,199) registered in 1955 however is the highest since 1948. The greatest number of marriages ever registered in any one year in Scotland was in 1940 when the total was 53,522.

The marriages in 1955 represent a rate of 8·42 per 1,000 population as against 8·19 in 1954.

Ecclesiastical, Civil and Irregular Marriages.—Of the 43,199 marriages registered, 34,883 or 80·75 per cent. were solemnised by a minister of religion after proclamation of banns, publication of notice or Sheriff's licence, 8,302 or 19·22 per cent. were civil marriages under the Act of 1939, and 14 or 0·03 per cent. were irregular. Percentages in 1954 were 81·31, 18·68 and 0·01 respectively.

Civil marriages accounted for 26·9 per cent. of marriages in the cities, 20·3 in the large burghs and 9·8 per cent. in the counties, as against 26·3, 19·1 and 9·6 respectively in 1954. This percentage ranged in the cities and large burghs from 40·3 in Dunfermline, 33·8 in Edinburgh and 33·7 in Stirling to 8·2 in Coatbridge, 6·6 in Airdrie, and 4·6 in Port Glasgow. In Glasgow it was 23·2. In the counties it ranged from 35·6 in Dumfries, 31·4 in Kinross and 22·5 in Selkirk to 4·5 in Kincardine, 3·7 in Stirling and Sutherland and 1·5 in Nairn.

TABLE Q.—Ecclesiastical Marriages in Scotland in 1955, following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff

Church of Celebration	Number					Percentage of Total for each Church, etc.				Percentage of Total Ecclesiastical Marriages
	Total	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	
Church of Scotland	24,213	22,671	669	825	48	93·6	2·8	3·4	0·2	69·4
United Free Church	413	311	83	18	1	75·3	20·1	4·4	0·2	1·2
Free Church ...	250	122	113	15	—	48·8	45·2	6·0	—	0·7
Roman Catholic Church	6,734	439	6,125	125	45	6·5	91·0	1·9	0·7	19·3
Scottish Episcopal Church	1,017	465	469	80	3	45·7	46·7	7·9	0·3	2·9
Congregational Church	967	678	255	30	4	70·1	26·4	3·1	0·4	2·8
Baptist Church ...	400	251	128	16	5	62·8	32·0	4·0	1·2	1·1
Methodist Church ...	327	180	133	13	1	55·0	40·7	4·0	0·3	0·9
Christian Brethren...	141	35	95	10	1	24·8	67·4	7·1	0·7	0·4
Jews	71	2	67	—	2	2·8	94·4	—	2·8	0·2
All other Ecclesiastical Marriages ...	350	178	146	23	3	50·9	41·7	6·6	0·9	1·0
All Ecclesiastical Marriages... ...	34,883	25,332	8,283	1,155	113	72·6	23·8	3·3	0·3	100·0

All the 14 irregular marriages were registered on the authority of Decree of Declarator of the Court of Session.

Method of Publication.—Of the 34,883 ecclesiastical marriages (*i.e.*, those with a religious ceremony) 72·6 per cent. were solemnised after proclamation of banns, 23·8 per cent. after publication of notice, 3·3 per cent. after proclamation of banns for one party and publication of notice for the other, while 0·3 per cent. were after Sheriff's licence under the special provisions of the Act of 1939. In the cities and large burghs these four percentages were respectively 66·3, 30·0, 3·3 and 0·4 while in the counties they were 81·5, 15·0, 3·3 and 0·2.

Table Q shows the frequency of banns or of publication of notice in the case of marriages solemnised according to the forms of each of the principal churches. In the Church of Scotland proclamation of banns was the most usual preliminary (93·6 per cent. of all Church of Scotland marriages). In the United Free Church 75·3 per cent. of the marriages celebrated were preceded by banns and in the Congregational Church 70·1 per cent. On the other hand 91·0 per cent. of Roman Catholic marriages and 94·4 per cent. of Jewish marriages were preceded by publication of notice.

Of the 8,302 civil marriages registered, 7,989 were preceded by publication of notice at the office of the Registrar, while 313 were after Sheriff's licence under a provision of the Act of 1939 whereby publication of notice may be dispensed with in certain circumstances of emergency. (Tables R, 49, and 50).

Church of Celebration.—Of the 34,883 ecclesiastical marriages those according to the forms of the Church of Scotland numbered 24,213 or 69·4 per cent., those according to the forms of the Roman Catholic Church 6,734 or 19·3 per cent., of the Scottish Episcopal Church 1,017 or 2·9 per cent. and of the Congregational Church 967 or 2·8 per cent. (Tables Q and S.)

TABLE R.—Ecclesiastical, Civil and Irregular Marriages in 1955

	Number				Percentage of Total Marriages			
	Scotland	Counties of Cities	Large Burghs	Other Districts	Scotland	Counties of Cities	Large Burghs	Other Districts
:clesiastical Marriages								
hurch of Scotland ...	24,213	8,720	4,119	11,374	56·0	46·5	50·0	70·2
Jnited Free Church ...	413	124	72	217	1·0	0·7	0·9	1·3
'ree Church	250	64	54	132	0·6	0·3	0·7	0·8
Roman Catholic Church	6,734	3,291	1,521	1,922	15·6	17·5	18·5	11·9
cottish Episcopal Church	1,017	483	218	316	2·4	2·6	2·6	2·0
ongregational Church	967	472	242	253	2·2	2·5	2·9	1·6
Baptist Church ...	400	147	109	144	0·9	0·8	1·3	0·9
Iethodist Church ...	327	156	90	81	0·8	0·8	1·1	0·5
hristian Brethren ...	141	41	41	59	0·3	0·2	0·5	0·4
ews	71	55	—	16	0·2	0·3	—	0·1
ll other Ecclesiastical Marriages	350	159	98	93	0·8	0·8	1·2	0·6
rregular Marriages ...	14	1	1	12	0·0	0·0	0·0	0·1
ivil Marriages ...	8,302	5,044	1,674	1,584	19·2	26·9	20·3	9·8
Total Marriages	43,199	18,757	8,239	16,203	100·0	100·0	100·0	100·0

From Table 49 it will be seen that there has not been any marked change from year to year in the proportions of those married according to the forms of the principal churches. Compared with 1954 the percentage of marriages celebrated according to the forms of the Church of Scotland decreased by 0·7, and that of the Roman Catholic Church increased by 0·3. The percentage of marriages in the Scottish Episcopal Church was the same as the previous year. Civil marriages increased by 0·5 per cent. compared with 1954. The local distribution according to ecclesiastical forms, and the numbers and proportions of non-ecclesiastical marriages, are set out in Table 51. Church of Scotland marriages constituted 56·0 per cent. of all marriages in Scotland. The proportion was 46·5 in the cities, 50·0 in the large burghs and 70·2 in the counties. In individual large burghs the highest percentages were 69·0 in Rutherglen, 61·6 in Arbroath and 61·5 in Kilmarnock. In the counties the highest were in Nairn 95·4, Kincardine 92·1 and Angus, Berwick and Perth 83·0. Roman Catholic marriages made up 15·6 per cent. of all Scottish marriages, the percentage being 17·5 in the cities, 18·5 in the large burghs and 11·9 in the counties. In the individual cities and large burghs the highest were 40·9 in Coatbridge, 39·4 in Dumbarton and 39·3 in Port Glasgow and in the counties 26·2 in Lanark, 25·4 in Dunbarton and 23·4 in Inverness. (Table 51).

Conjugal Conditions of those Marrying.—Of the 43,199 males marrying during the year, 39,948 or 92·5 per cent. were bachelors, 1,883 or 4·4 per cent. were widowers and 1,368 or 3·2 per cent. had been divorced. Of the same number of females, 40,315 or 93·3 per cent. were spinsters, 1,358 or 3·1 per cent. were widows, and 1,526 or 3·5 per cent. had been divorced. Compared with the previous year there is a decrease in the percentage of widows, widowers and divorced women and men, and an increase in the percentage of spinsters and bachelors. The following Table shows the marriages registered during 1955 arranged according to the conjugal condition of the contracting parties:—

	Spinsters	Widows	Divorced Women	All Women
Bachelors	38,362	596	990	39,948
Widowers	1,024	602	257	1,883
Divorced men	929	160	279	1,368
All men	40,315	1,358	1,526	43,199

From the above it will be seen that of the bachelors who married during the year 96 per cent. married spinsters and 1 per cent. married widows, while

TABLE S.—Marriages in Scotland in 1955 by Denominations, etc., in Order of Frequency

1. Church of Scotland ...	24,213	16. Church of Christ	18
2. Roman Catholic Church ...	6,734	17. Elim Foursquare Gospel ...	14
3. Scottish Episcopal Church	1,017	18. Church of England	12
4. Congregational Church ...	967	19, Assemblies of God	10
5. United Free Church ...	413	20. International Bible Students' Association (Jehovah's Witnesses) ...	10
6. Baptist Church	400	21. Other Religious Forms ...	101
7. Methodist Church	327		
8. Free Church	250	All Religious Forms ...	34,883
9. Christian Brethren ...	141	Irregular Marriages ...	14
10. Jews	71	Civil Marriages	8,302
11. Salvation Army	56		
12. Free Presbyterian Church...	47	All Marriages	43,199
13. Church of the Nazarene ...	37		
14. Original Secession Church...	25		
15. Reformed Presbyterian Church	20		

of widowers 54 per cent. married spinsters and 32 per cent. married widows. Of divorced men 68 per cent. married spinsters, 12 per cent. married widows and 20 per cent. married divorced women. Some 95 per cent. of the spinsters marrying during 1955 married bachelors, of the widows 44 per cent. married bachelors and 44 per cent. married widowers, and of the divorced women who remarried 65 per cent. married bachelors, 17 per cent. married widowers and 18 per cent. married men who had also been divorced. These proportions do not differ materially from those observed in 1954. The number of cases in which both parties had been divorced rose from 42 in 1942 to 264 in 1947. The numbers fell to 254 in 1948 and to 228 in 1949 but further increased in 1950 to 267. Since then the numbers have continued to fluctuate being 211 in 1951, 307 in 1952, 241 in 1953, 277 in 1954 and 279 in 1955. (Tables 52, 54A and 54B.)

The Table following shows the civil condition of those marrying as compared with previous years. From about 1880 there was an almost continuous decline in the percentage of widowed persons of both sexes remarrying. In the case of males this decline was arrested in 1941, the trend thereafter being somewhat irregular until 1949 since when the decline has been resumed.

All Marriages		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse)
		Bachelors	Widowers	Divorced*	Spinsters	Widows	Divorced *	
1855–1860	100·0	84·3	11·2	—	90·1	5·4	—	4·5
1861–1870	100·0	87·3	11·5	—	93·6	5·2	—	1·2
1871–1880	100·0	87·8	12·0	—	93·5	6·3	—	0·2
1881–1890	100·0	88·6	11·4	—	94·2	5·8	—	0·0
1891–1900	100·0	90·1	9·9	—	94·6	5·3	—	0·0
1901–1910	100·0	91·4	8·5	—	95·0	4·9	—	0·0
1911–1920	100·0	91·7	8·3	—	93·4	6·6	—	0·0
1921–1930	100·0	92·6	7·4	—	95·2	4·8	—	0·0
1931–1940	100·0	93·4	5·9	0·7	96·3	3·0	0·7	0·0
1941–1950	100·0	91·7	5·7	2·6	93·3	4·3	2·4	0·0
1941	100·0	93·6	5·3	1·1	95·8	3·2	1·0	0·0
1942	100·0	93·6	5·3	1·1	95·4	3·5	1·1	0·0
1943	100·0	91·9	6·3	1·7	94·2	4·3	1·5	0·0
1944	100·0	91·5	6·5	2·0	93·5	4·6	1·9	0·0
1945	100·0	92·5	5·5	2·0	93·8	4·2	2·0	0·0
1946	100·0	90·7	6·1	3·1	92·1	5·3	2·7	0·0
1947	100·0	90·2	5·7	4·1	91·2	5·3	3·5	0·0
1948	100·0	90·9	5·4	3·7	92·0	4·6	3·3	0·0
1949	100·0	90·8	5·5	3·7	92·4	4·2	3·4	0·0
1950	100·0	90·8	5·3	3·9	92·4	4·1	3·6	0·0
1951	100·0	91·6	5·1	3·3	93·1	3·7	3·2	0·0
1952	100·0	91·2	5·0	3·8	92·3	3·8	3·9	0·0
1953	100·0	91·8	4·9	3·3	92·9	3·5	3·6	0·0
1954	100·0	92·0	4·7	3·3	92·6	3·6	3·8	0·0
1955	100·0	92·5	4·4	3·2	93·3	3·1	3·5	0·0

*—Previous to 1933 classified as Bachelors and Spinsters respectively.

From the decennium 1871-1880 to that of 1931-40, apart from the first war period 1911-20, the percentage of widows remarrying has shown a progressive decline. It rose again during the second war in the period 1941-50 but from 1951 onwards it again decreased. The percentage of 3·1 in 1955 is 0·5 below the rate for the previous year and is 0·1 above the 1931-40 average. The percentage of widowers remarrying has always been higher than that of widows, being approximately twice as much in the second half of last century, but the percentage has fallen so steadily that it is now only 42 per cent. higher than widows.

Marriages of divorced persons were first tabulated separately in 1933. Since then the proportion increased for each sex up to the year 1947 but where the male proportion has declined slightly that of the female has tended to rise.

The following table shows the number of divorces notified in each year since 1932 and some detail regarding marriages of divorced persons. From 1934 until 1945 the annual number of divorced men and women who remarried was roughly equal, but in the five years 1946-1950 there was a substantial excess of males. In 1951 they were again roughly equal but since then the position has been reversed and the females have exceeded the males. In the year 1955 the females exceeded the males by 158.

Year	Divorces*	Re-marriage of Divorced Persons		Divorced Persons Remarried per 100 Divorced in previous year	
		Males	Females	Males	Females
1932	488	—	—	—	—
1933	510	203	253	41·6	51·8
1934	468	240	238	47·1	46·7
1935	498	258	244	55·1	52·1
1933–35				*47·8*	*50·1*
1936	642	274	288	55·0	57·8
1937	649	346	347	53·9	54·0
1938	788	387	362	59·6	55·8
1936–38				*56·3*	*55·7*
1939	884	480	460	60·9	58·4
1940	780	513	500	58·0	56·6
1941	762	531	471	68·1	60·4
1939–41				*62·2*	*58·4*
1942	1,017	505	507	66·3	66·5
1943	1,312	660	585	64·9	57·5
1944	1,731	757	707	57·7	53·9
1942–44				*62·2*	*58·2*
1945	2,223	959	956	55·4	55·2
1946	2,924	1,442	1,217	64·9	54·7
1947	2,513	1,798	1,557	61·5	53·2
1945–47				*61·0*	*54·2*
1948	2,047	1,607	1,464	63·9	58·3
1949	2,438	1,553	1,415	75·9	69·1
1950	2,196	1,558	1,446	63·9	59·3
1948–50				*67·4*	*61·8*
1951	1,944	1,357	1,338	61·8	60·9
1952	2,718	1,549	1,611	79·7	82·9
1953	2,365	1,368	1,480	50·3	54·5
1951-53				*62·3*	*64·6*
1954	2,216	1,378	1,586	58·3	67·1
1955	2,073	1,368	1,526	61·7	68·9

* Including nullities

Ages of those Marrying.—The average age of all men marrying in 1955 was 28·0 and of all women 25·2. Among men this age was 29·7 in 1938 and 28·3 in 1954 and among women 26·7 in 1938 and 25·4 in 1954. In the cities the average was 28·4 for men and 25·6 for women, in the large burghs it was 28·0 and 25·2 and in the counties 27·6 and 24·7. (Tables 53, 54, 54A and 54B.)

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form:—

Average ages of—	Spinsters	Widows	Divorced Women	All Women
Bachelors marrying	26·1	39·7	33·6	26·5
Widowers marrying	50·3	57·5	48·8	52·4
Divorced men marrying	36·9	43·6	40·7	38·4
All men marrying	27·0	48·0	37·4	28·0

Average ages of—	Bachelors	Widowers	Divorced Men	All Men
Spinsters marrying	23·5	40·6	30·3	24·1
Widows marrying	40·2	51·8	41·1	45·5
Divorced women marrying	33·5	41·2	36·9	35·4
All women marrying	24·0	44·3	32·9	25·2

These do not show any marked differences compared with 1954. The average ages of widowers and widows increased slightly.

For all marriages the average age of the bridegrooms was 2·8 years greater than that of the brides—a figure which scarcely varies from year to year. It was 3·0 in 1943 and 1944, 2·8 in 1945, 3·0 from 1946 to 1950, 2·9 in 1951, 3·0 in 1952 and 2·9 in 1953 and 1954. In the case of bachelors and spinsters this excess was 2·6 (2·6 in 1954), of widowers and spinsters, 9·7 (9·8) and of widowers marrying widows 5·7 (5·3). In cases where either party had been divorced the average age of the bridegroom was always higher than that of the brides.

The youngest bridegrooms of the year were 23 bachelors aged 16 and 203 aged 17 who all married spinsters. The youngest brides were 346 spinsters aged 16. Of these 342 married bachelors, 1 married a widower and 3 married a divorced man. There were 1,181 brides aged 17 all spinsters of whom 1,172 married bachelors, four married widowers and five married divorced men. (Tables 55-59 B.)

The oldest man who married during the year was a widower aged 86 who married a spinster aged 74 years. The oldest bride was a widow aged 79 who married a widower aged 75 years. (Tables 55-59 B.)

In the counties of cities and large burghs the average age at marriage among males ranged from 29·4 in Perth and Rutherglen, 29·2 in Inverness and 28·7 in Edinburgh and Ayr to 27·2 in Aidrie and Dumbarton, 26·7 in Arbroath and Greenock and 26·6 in Port Glasgow. In the counties it ranged from 31·5 in Inverness, 30·2 in Selkirk and 30·1 in Argyll, Orkney and Sutherland to 26·7 in Clackmannan, 26·5 in Midlothian and 26·1 in Dumfries. Among females the average age in the counties of cities and large burghs ranged from 26·6 in Rutherglen, 26·2 in Perth and 25·9 in Edinburgh and Dumfermline to 24·5 in Aidrie, 24·2 in Greenock and Port Glasgow and 24·0 in Arbroath. In the counties the range was from 27·3 in Inverness, 26·2 in Argyll, Sutherland and Zetland, and 26·0 in Selkirk to 23·9 in Clackmannan and Midlothian, 22·8 in Dumfries and 22·3 in Ayr.

The following table shows in age groups the number of persons married in each year from 1938 to 1955. During the intervening years a considerable alteration has taken place in the age of those marrying. The number under 25

Age at Marriage, 1938-55

	Year	All Ages	Under 21	21–24	25–29	30-34	35–44	45 and over
Males	1938	38,716	1,648	9,192	14,292	7,215	4,205	2,164
	1939	46,236	2,554	11, 161	16,996	8,419	4,782	2,324
	1940	53,522	3,379	13,453	19,694	9,226	5,412	2,358
	1941	47,620	3,786	12,550	15,747	7,883	5,134	2,520
	1942	47,402	4,127	14,340	14,323	6,997	5,164	2,451
	1943	38,177	3,529	12,180	10,228	5,442	4,458	2,340
	1944	37,017	3,318	12,676	9,443	5,031	4,220	2,329
	1945	48,642	3,560	15,789	14,775	6,872	4,992	2,654
	1946	45,785	2,754	12,771	14,901	7,239	5,348	2,772
	1947	44,360	2,288	12,989	14,881	6,685	4,911	2,606
	1948	43,718	2,261	13,564	14,774	5,861	4,716	2,542
	1949	41,708	2,319	13,508	13,857	5,251	4,288	2,485
	1950	40,459	2,377	13,274	13,055	5,288	4,129	2,336
	1951	41,361	2,682	14,123	13,152	5,272	3,755	2,377
	1952	41,154	2,754	13,989	12,940	5,153	3,847	2,471
	1953	40,902	2,922	14,567	12,511	5,027	3,478	2,397
	1954	41,974	3,523	15,207	12,536	4,906	3,300	2,502
	1955	43,199	4,087	15,814	12,795	4,804	3,216	2,483
	1955 per cent. of 1938	111·6	248·0	172·0	89·5	66·6	76·5	114·7

	Year	All Ages	Under 21	21–24	25–29	30-34	35-44	45 and over
Females	1938	38,716	7,138	11,927	10,927	4,804	2,819	1,101
	1939	46,236	9,295	13,957	13,197	5,365	3,260	1,162
	1940	53,522	11,857	16,344	14,526	5,886	3,666	1,243
	1941	47,620	11,124	15,129	11,652	4,956	3,460	1,299
	1942	47,402	11,786	16,437	9,889	4,466	3,526	1,298
	1943	38,177	9,764	13,145	7,216	3,686	3,087	1,279
	1944	37,017	9,302	13,273	6,729	3,412	2,988	1,313
	1945	48,642	11,152	17,814	10,154	4,486	3,589	1,447
	1946	45,785	9,440	15,702	10,698	4,715	3,667	1,563
	1947	44,360	9,182	15,599	10,370	4,191	3,521	1,497
	1948	43,718	9,621	15,554	10,027	3,668	3,339	1,509
	1949	41,708	9,804	14,882	9,387	3,154	3,061	1,420
	1950	40,459	9,667	14,770	8,660	3,100	2,818	1,444
	1951	41,361	10,133	15,455	8,590	3,120	2,605	1,458
	1952	41,154	10,225	15,288	8,279	3,157	2,662	1,543
	1953	40,902	10,569	15,597	7,757	3,040	2,378	1,561
	1954	41,974	11,594	15,698	7,721	2,998	2,355	1,608
	1955	43,199	12,815	15,897	7,693	2,890	2,295	1,609
	1955 per cent. of 1938	111·6	179·5	133·3	70·4	60·2	81·4	146·1

has increased since 1938 by no less than 84 per cent. in the case of males and 51 per cent. in that of females. From ages 25-44 the proportion has fallen considerably but at ages 45 and over more marriages now take place, especially among females where the percentage is 46 above that of 1938. But for the excess of those marrying at 45 and over the average age would have declined still further. Compared with 1954 the males show increases in the age groups under 21, 21-24 and 25-29. The largest increase was in the 21-24 age group. The age group under 21 showed the largest increase in the number of females married. The other female groups showing increases compared with 1954 were age groups 21-24 and 45 and over.

The accompanying table shows the percentage of persons who married by age-groups for the years 1938, 1948 and 1955. This comparative table indicates that both as regards males and females there are now more marriages in the younger age groups than immediately prior to the war. In 1938 the largest percentage of males who married were in the ages 25-29 whereas today the largest percentage is in the age-group 21-24. The number of males marrying under 21 years has also greatly increased and the percentage is more than twice that of 1938. The highest percentage of females now marrying is in the age group 21-24 years. In 1938 this group also showed the highest percentage being slightly in excess of those in ages 25-29 but in 1955 the percentage in the latter group was less than half of those between 21-24. As in the case of males there is now a higher percentage of females marrying under 21 years and they constitute more than a quarter of all marriages.

PERCENTAGE MARRIED IN EACH AGE GROUP, 1938-55

	Year	All Ages	Under 21	21–24	25–29	30–34	35–44	45 and over
MALES	1938	100	4·26	23·74	36·91	18·64	10·86	5·59
	1948	100	5·17	31·03	33·79	13·41	10·79	5·81
	1955	100	9·46	36·61	29·62	11·12	7·44	5·75
FEMALES	1938	100	18·44	30·81	28·22	12·41	7·28	2·84
	1948	100	22·01	35·58	22·94	8·39	7·64	3·45
	1955	100	29·67	36·80	17·81	6·69	5·31	3·72

APPENDIX V

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

Tables 60 and 61 summarise certain electoral statistics which are related to the Register of Electors compiled under the provisions of the Representation of the People Acts and published on the 15th February 1956, with reference to the qualifying date, the 10th October, 1955.

The figures contained in Table 60 have been compiled from returns furnished by the electoral registration officers of the several areas. The table shows the total number of parliamentary electors in each parliamentary constituency in Scotland; separate figures are given for the civilian residents and service voters. There were no by-elections held on the basis of the February 1956 register.

The figures contained in Table 61 have been compiled from returns furnished by Town Clerks and County Clerks. The Table shows the numbers of local government electors in the counties, burghs, landward areas and districts (district council areas) respectively. Additional figures show to what extent seats on Councils were contested and what proportion of the electorate voted at the local elections held in 1956.

APPENDIX VI

ALTERATIONS OF BOUNDARIES OF BURGHS, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1956

Area	Nature of Alteration	Population at Census 1951					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Females
BURGHS							
Greenock...	Extension within Civil Parish of Inverkip	77,174	37,351	39,823	77,174	37,351	39,823
. LANDWARD AREAS							
Renfrew County ...	Extension of Burgh of Greenock ...	77,328	35,805	41,523	77,328	35,805	41,523
I. COUNTIES	None						
. CIVIL PARISHES	None						
REGISTRATION DISTRICTS							
04 Inverurie...	That portion of Burgh of Inverurie situated in Registration District of Kintore transferred to Registration District of Inverurie	4,940	2,322	2,618	5,472	2,574	2,898
13 Kintore		2,379	1,152	1,227	1,847	900	947
0a Abernethy and Kincardine	An area in the Registration District of Abernethy and Kincardine and an area in the Registration District of Duthil transferred to the Registration District of Rothiemurchus	1,099	552	547	1,006	496	510
6b(1) Duthil		2,049	1,010	1,039	1,414	676	738
6b(2) Rothiemurchus		223	114	109	951	504	447
31 Carmunnock	The area in the Registration District of Carmunnock affected by extension of Rutherglen Burgh in 1954 transferred to the Registration District of Rutherglen	1,316	609	707	1,298	600	698
54 Rutherglen		34,125	15,745	18,380	34,143	15,754	18,389
24 Aberfeldy	United under the name of "Aberfeldy and Dull" 324	2,054	950	1,104	—	—	—
46 Dull		220	123	97	—	—	—
24 Aberfeldy and Dull ...	See above	—	—	—	2,274	1,073	1,201
63 Laurencekirk	United under the name of "Laurencekirk and Garvoch" 263	1,935	924	1,011	—	—	—
60 Garvoch		259	140	119	—	—	—
63 Laurencekirk and Garvoch	See above	—	—	—	2,194	1,064	1,130
44 GLASGOW	Entire area re-divided into twelve Registration Districts						
(1) Provan ...	Part of Shettleston annexed. Part transferred to Springburn and Dennistoun	82,062	39,933	42,129	79,611	38,850	40,761
(2) Bridgeton ...	Parts of Shettleston, Camlachie, College and Blythswood annexed	48,368	23,783	24,585	134,982	65,589	69,393
(3) Dennistoun ...	New District. Parts of Camlachie, Provan and Townhead	—	—	—	45,599	21,303	24,296
(4) Springburn ...	Part of Provan annexed	22,882	10,715	12,167	50,880	24,279	26,601
(5) Milton ...	Parts of Possilpark, Maryhill and Townhead annexed. Part transferred to Blythswood and Kelvin	31,934	15,609	16,325	116,454	56,520	59,934
(6) Blythswood ...	Parts of College, Kelvingrove and Milton annexed. Part transferred to Bridgeton	9,126	4,778	4,348	45,652	22,644	23,008
(7) Kelvin ...	New District. Parts of Kelvingrove, Milton, Possilpark, Maryhill and Hillhead	—	—	—	98,466	45,310	53,156
(8) Partick ...	Part of Hillhead annexed	94,103	44,599	49,504	118,815	54,937	63,878
(9) Tradeston ...	Whole of Gorbals annexed	68,790	33,817	34,973	136,403	66,923	69,480
(10 Govan ...	Part of Pollok annexed	46,513	22,508	24,005	86,961	41,588	45,373
(11) Pollok ...	Part transferred to Govan	142,650	66,954	75,696	102,202	47,874	54,328
(12) Cathcart ...	None	73,742	33,054	40,688	73,742	33,054	40,688
PPRESSED DISTRICTS							
Shettleston ...	Merged in Bridgeton and Provan ...	85,020	40,881	44,139	—	—	—
Camlachie ...	Merged in Bridgeton and Dennistoun	59,912	28,491	31,421	—	—	—
Townhead ...	Merged in Dennistoun and Milton ...	30,128	14,603	15,525	—	—	—
College	Merged in Blythswood and Bridgeton	7,778	3,782	3,996	—	—	—
Kelvingrove ...	Merged in Blythswood and Kelvin ...	48,359	23,091	25,268	—	—	—
Possilpark ...	Merged in Kelvin and Milton	59,216	28,690	30,526	—	—	—
Maryhill	Merged in Kelvin and Milton	63,483	29,927	33,556	—	—	—
Hillhead	Merged in Kelvin and Partick ...	48,088	20,550	27,538	—	—	—
Gorbals	Merged in Tradeston	67,613	33,106	34,507	—	—	—
ITIRE GLASGOW GISTRATION AREA		1,089,767	518,871	570,896	1,089,767	518,871	570,896

APPENDIX VII

RE-REGISTRATION OF BIRTHS

Registration of Births, etc. (Scotland) Amendment Act, 1934

This Act, which came into force on 1st January, 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents and also of persons, the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows:—

Year	*No.*
1935	1,259
1936	1,063
1937	1,048
1938	979
1939	1,069
1940	1,191
1941	716
1942	742
1943	687
1944	737
1945	719
1946	729
1947	717
1948	648
1949	534
1950	552
1951	507
1952	507
1953	469
1954	449
1955	401
1956	511

ADOPTED CHILDREN REGISTER

The Adoption of Children (Scotland) Act, 1930, provided for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. An amending Act (Adoption of Children Act, 1949) came into force on 1st January, 1950, and the enactments relating to the adoption of children were consolidated by the Adoption Act, 1950, which came into force on 1st October, 1950. The Adopted Children Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if it is recorded in the relative entry. The original Act came into operation on 1st October, 1930, and the following table shows the number of adoptions recorded in each year:—

Year	*No.*	*Year*	*No.*
1930	3	1944	1,681
1931	347	1945	1,876
1932	492	1946	2,292
1933	437	1947	1,890
1934	602	1948	2,073
1935	683	1949	1,764
1936	704	1950	1,289
1937	820	1951	1,562
1938	812	1952	1,523
1939	1,100	1953	1,486
1940	1,424	1954	1,343
1941	1,222	1955	1,352
1942	1,563	1956	1,358
1943	1,747		

RECORDS IN GENERAL REGISTRY OFFICE

These consist in the main of duplicate copies of the registers of births, deaths and marriages maintained by the local registrars. The public are entitled to have extracts from these registers, or to make search themselves in them, on payment of the prescribed fee. The earlier census records are also accessible for search or extract; so too the pre-1855 Church of Scotland records, so far as available, of births, baptisms, proclamations of banns, etc.

The following table shows the number of searches made and extracts issued during each year since 1937:—

SEARCHES AND EXTRACTS

Year	Total Searches	Official Searches	Paid Searches	Extracts	Total Fees received		
					£	s.	d.
1937	37,107	21,338	15,769	10,929	2,184	11	5
1938	39,360	22,432	16,928	12,419	2,348	17	8
1939	40,064	24,964	15,100	13,048	2,179	11	7
1940	67,233	53,355	13,878	13,044	2,099	14	2
1941	47,275	35,090	12,185	11,656	1,861	5	6
1942	46,636	33,454	13,182	12,734	2,006	19	8
1943	43,567	30,070	13,497	12,395	2,009	3	10
1944	49,986	35,534	14,452	13,408	2,167	16	7
1945	59,405	42,460	16,945	16,430	2,543	4	6
1946	118,861	95,838	23,023	22,889	3,485	12	4
1947	89,732	65,694	24,038	23,911	3,677	18	4
1948	88,208	64,609	23,599	26,658	3,640	16	2
1949	83,516	59,727	23,789	25,063	3,592	4	1
1950	73,832	50,691	23,141	25,136	3,453	9	7
1951	103,436	77,816	25,620	28,595	3,927	18	4
1952	88,436	63,624	24,812	27,030	3,863	13	10
1953	82,710	57,876	24,834	25,902	3,811	10	10
1954	82,958	55,870	27,088	28,085	4,090	1	3
1955	60,671	32,663	28,008	27,672	4,116	8	7
1956	60,705	31,975	28,730	28,744	4,219	15	1

Among the 31,975 official searches made in 1956, 266 related to claims for family allowances, and 29,465 to claims for contributory, non-contributory and service pensions.

APPENDIX VIII

INHABITED HOUSES

Table 62 gives the numbers, as entered in the Valuation Rolls, of inhabited houses in each county of city, large burgh, small burgh and landward area in Scotland for the year 1939 and for each year from 1952 to 1956.

The table has been compiled from statements received from Town Clerks and County Clerks.

APPENDIX IX

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31st DECEMBER, 1956

Supplied by the Meteorological Office, Edinburgh

Under the heading of "Meteorological Notes" a descriptive account of the weather is given in the "Quarterly Returns" published by authority of the Registrar General, and the notes are accompanied by statistics for some of the Principal Towns.

The present report, for the year 1956, is of a general character as to text, and to it are appended tables summarizing the statistics of the various stations (pages 412-419).

General.—The outstanding features of the year are indicated in the course of the report. The most notable are:—

(a) Some severe frosts in January and February and snow falls which blocked many main roads contrasting with the mildness in the late months of the year.

(b) The prolonged dry weather from February to May followed by wet unseasonable weather in Summer and Autumn.

(c) About average amounts of rainfall and sunshine for the year as a whole (despite the good weather from February to May).

(d) A high frequency of thunder, fog, gales and Aurora.

Gales.—Winds rose to gale force at exposed places on 187 days, the highest number since 1949. The worst and most widespread gales of the year came on 17-20th January (when wind velocity rose in gusts to 95 miles per hour at Lerwick) and on 12th December with gust speeds of 110 at Benbecula, 104 at Lerwick and 101 at Tiree.

Temperature.—For the country as a whole, mean temperature over the year was about average. February was an unusually cold month and summer and autumn brought much unseasonable weather—indeed, August was the coldest one for 100 years. The last four months were generally mild. The lowest readings occurred on 2-3rd February viz., an air temperature of —2° (34 degrees of frost) at Perth on 3rd February, and a ground temperature of —3° at Braemar on 2nd February. The thermometer attained its highest, viz. 81° at Ruthwell on 11th June, and at Falkirk, Stirling and Perth on 22nd June.

In January, there were a few mild spells but more noteworthy were the snow and frost on the 7th-9th and 20th-24th. February's weather was bitterly cold, notably on the 1-3rd when night minima fell to zero or below in places. March and April were rather cold and several cold snaps came in May but, in the last week, it was pleasantly warm with readings of 75°-80° in some districts. Although temperature rose to an equally high level at times in June, the month was very changeable. It was the coolest June in Scotland for 25 years.

Little improvement occurred in July, and August's unseasonably cold weather had not been matched in Scottish records since 1856. As regards temperature, September brought a complete change to a general mildness which was to continue unbroken till the end of the year except for short frost spells around the middle of September, in the last week of November and over the Christmas period.

Rainfall.—Total precipitation in 1956 was 51·5 inches, or about one inch above the long-period average. There was extreme dryness from February to May and though less striking, also in October and November. Rainfall for the 18 months ending May was the least ever recorded in the Edinburgh area. In contrast, the total for July and August together was, in most districts, the highest on record. March and April were easily the driest months and July, August and December the wettest ones.

Total rainfall varied from 90 per cent. of average in the South-West to 140 over a small area near Inverness. In general, however, departures from average were not large.

The North and East were wet in January and the extreme South-East in February, but other parts of the country had less than average rainfall. There was little rain in March after the first week and, for the month as a whole, most coastal districts had only about one half of the average. The general dryness continued in April, notably so in Peebles-shire and the Lothians, while May also was a dry month, many areas in East Scotland having only about 10 per cent. of the usual fall. In Edinburgh, it was the driest May since 1905. Wide variations in the totals occurred in June because of the thundery nature of the month.

A change came in July, which was an exceedingly wet month. In Moray Firth district there was severe flooding, carrying away bridges in places. August too, was very wet. The heavy rains brought more flooding and almost ruined the harvest. It was the wettest August since that of 1948, the year of the Border floods. The rainy weather continued in September but some improvement came in October, and November was a really dry month. The year ended, however, with a very wet December.

As regards the rainfall of individual days, the heaviest falls in 24 hours included 3·07 inches at Glenquoich on 4th February, 4·27 and 4·89 at Glenferness on 29th and 30th July when flooding occurred in Nairnshire. Over 3 inches fell in some South-East districts causing flooding around 27th August, Glen Tanar (Deeside) had 3·23 on 3rd September and, in parts of the Highlands, nearly 3 inches fell on 24th November. Four inches fell at Strathyre on 13th December, while Glen Etive had 3·81 on 4th December. The most noteworthy fall of the year, however, was one of about 3 inches at Glenmore Lodge in an hour and three-quarters on 11th June. In this country falls of this intensity are rare and are invariably local in character.

Snowfall.—None of the snowfalls in 1956 could be classed as severe but appreciable amounts fell in January and February. Northern districts were the hardest hit, many main roads being blocked. Falls of a few inches in depth occurred in March. Snow showers were fairly widespread in the last week of October, and falls were appreciable in depth in November. The Perth-Braemar, Lecht and Cairn O'Mount roads were blocked at times. Deeside had about 3 inches on December 27th, Glenlivet about 6 inches and Glenshee Lodge about a foot.

Thunder.—There was rather more than the normal frequency of thunder. Storms occurred on 14 days in June and were widely reported on the 6th, 11th, 13th and 23rd. The outbreaks on 1st, 4th and 18th July and on 2nd-8th August were reported from many districts. Both September and December had a fairly high frequency.

Sunshine.—Totals of bright sunshine were mainly below average except in the Great Glen, along the Moray Firth coasts, in Renfrewshire and Ayrshire and also in South-East Scotland. The sunniest places were Carnoustie (1498 hours), Prestwick (1481 hours) and Arbroath (1477).

Sunshine was above average practically everywhere in January and in western districts in February. March and April on the whole were sunny months. Both Oban and Dunbar had their sunniest April since their records began. The East and South enjoyed totals above 200 hours in May but records varied considerably in June, Tiree and Benbecula being the sunniest places.

Although Stornaway reported its best July for sunshine for 30 years, the month in many other places was a rather dull one. August and September were rather cloudy, and although some improvement occurred in October, dull weather marked both November and December. With only 24 hours at Stornoway, it was this station's dullest November "on record". Paisley's December total of seven hours was its lowest in December in records going back to 1890.

Fog.—There was more than the normal occurrence of fog in 1956. A series of accidents in Glasgow were caused by dense fog on 23rd January. Widespread fog occurred on 4th and 17th February. North Scotland was blanketed by thick fog in the last week of September.

Aurora.—The Aurora Borealis was seen on 150 nights in contrast to only 96 in 1955. The months with the highest frequencies were January (22 nights), March (18) and April (19).

(*For Statistical Tables see pages* 412 *to* 419)

TABLE 1.—Population of Scotland, estimated in the middle of each year, with the Numbers of Births, Stillbirths, Deaths and Marriages registered in each year, 1855-1956

Year	Estimated Mid-Year Population	Live-Births				Still-births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Total	Twins	Triplets		Total	Males	Fem.	Under 1 Year
1855	2,978,065	93,349	47,804	45,545	7,357	—	—	—	19,680	62,004	30,626	31,378	11,691
1856	2,995,771	101,821	52,239	49,582	8,695	—	1,267	12	20,740	58,529	29,418	29,111	12,058
1857	3,012,310	103,415	53,158	50,257	8,859	—	1,300	†16	21,369	61,906	30,937	30,969	12,191
1858	3,027,665	104,018	53,694	50,324	9,354	—	1,262	17	19,655	63,539	31,652	31,887	12,622
1859	3,041,812	106,543	54,628	51,915	9,715	—	1,335	11	21,201	61,714	30,588	31,126	11,523
1860	3,054,738	105,629	54,409	51,220	9,736	—	1,247	23	21,225	68,170	33,610	34,560	13,413
55-60	*3,018,000*	*102,462*	*52,655*	*49,807*	*8,953*	—	*1,282*	*†16*	*20,645*	*62,644*	*31,139*	*31,505*	*12,250*
1861	3,069,403	107,009	54,606	52,403	9,929	—	1,249	18	20,896	62,341	30,890	31,451	11,869
1862	3,098,008	107,069	55,257	51,812	10,376	—	1,279	18	20,597	67,195	33,179	34,016	12,556
1863	3,126,879	109,341	56,226	53,115	10,948	—	1,267	6	22,234	71,481	35,631	35,850	13,125
1864	3,156,023	112,333	57,374	54,959	11,197	—	1,332	12	22,725	74,416	37,010	37,406	14,180
1865	3,185,439	113,070	58,220	54,850	11,262	—	1,364	9	23,611	70,891	35,190	35,701	14,099
61-65	*3,127,000*	*109,764*	*56,336*	*53,428*	*10,742*	—	*1,298*	*13*	*22,013*	*69,265*	*34,380*	*34,885*	*13,166*
1866	3,215,130	113,667	58,360	55,307	11,673	—	1,366	12	23,688	71,348	35,355	35,993	13,915
1867	3,245,101	114,044	58,517	55,527	11,148	—	1,365	†13	22,618	69,068	34,363	34,705	13,521
1868	3,275,353	115,514	59,222	56,292	11,354	—	1,443	15	21,855	69,416	34,662	34,754	13,600
1869	3,305,889	113,354	58,321	55,033	11,066	—	1,407	15	22,144	75,875	37,868	38,007	14,654
1870	3,336,712	115,390	58,959	56,431	11,108	—	1,384	9	23,854	74,165	36,866	37,299	14,166
66-70	*3,276,000*	*114,394*	*58,676*	*55,718*	*11,270*	—	*1,393*	*†13*	*22,832*	*71,974*	*35,823*	*36,151*	*13,971*
1871	3,368,926	116,128	60,029	56,099	11,077	—	1,299	17	24,019	74,712	36,827	37,885	15,134
1872	3,404,799	118,765	61,293	57,472	10,927	—	1,383	11	25,641	73,794	37,939	37,855	14,720
1873	3,441,057	119,700	61,467	58,233	10,925	—	1,410	15	26,748	76,946	39,037	37,909	14,950
1874	3,477,704	123,711	63,602	60,109	10,991	—	1,512	13	26,390	80,720	40,678	40,042	15,447
1875	3,514,744	123,578	63,432	60,146	10,786	—	1,477	9	25,974	81,767	40,323	41,444	16,320
71-75	*3,441,000*	*120,376*	*61,964*	*58,412*	*10,941*	—	*1,416*	*13*	*25,754*	*77,988*	*38,961*	*39,027*	*15,314*
1876	3,552,182	126,534	64,819	61,715	11,029	—	1,463	20	26,579	74,129	37,404	36,725	15,340
1877	3,590,021	126,822	65,089	61,733	10,568	—	1,429	12	25,817	73,937	37,173	36,764	14,571
1878	3,628,268	126,773	65,200	61,573	10,641	—	1,367	12	24,358	76,793	38,389	38,404	15,599
1879	3,666,923	125,730	64,346	61,384	10,727	—	1,452	20	23,519	73,347	36,296	37,051	13,571
1880	3,705,994	124,570	63,786	60,784	10,589	—	1,438	8	24,505	75,803	38,055	37,748	15,523
76-80	*3,629,000*	*126,086*	*64,648*	*61,438*	*10,711*	—	*1,439*	*14*	*24,956*	*74,801*	*37,463*	*37,338*	*14,921*
1881	3,742,564	126,171	64,720	61,451	10,484	—	1,418	13	26,094	72,325	36,097	36,228	14,198
1882	3,770,656	126,158	64,505	61,653	10,546	—	1,415	7	26,596	72,989	36,325	36,664	14,883
1883	3,798,961	124,458	63,879	60,579	10,114	—	1,370	18	26,869	76,891	38,296	38,595	14,812
1884	3,827,476	129,157	66,379	62,778	10,439	—	1,457	19	26,106	75,168	37,556	37,612	15,228
1885	3,856,207	126,100	64,543	61,557	10,680	—	1,423	14	25,304	74,607	36,932	37,675	15,200
81-85	*3,799,000*	*126,409*	*64,805*	*61,604*	*10,453*	—	*1,417*	*14*	*26,176*	*74,396*	*37,041*	*37,355*	*14,864*
1886	3,885,154	127,890	65,910	61,980	10,506	—	1,331	10	24,515	73,640	36,432	37,208	14,797
1887	3,914,318	124,418	63,842	60,576	10,380	—	1,335	18	24,876	74,546	36,805	37,741	15,202
1888	3,943,701	123,269	63,129	60,140	9,968	—	1,380	12	25,305	71,174	34,953	36,221	13,945
1889	3,973,304	122,783	63,303	59,480	9,770	—	1,423	10	26,344	73,238	36,328	36,910	14,895
1890	4,003,131	121,526	62,187	59,339	9,241	—	1,421	13	27,469	79,004	39,130	39,874	15,877
86-90	*3,944,000*	*123,977*	*63,674*	*60,303*	*9,973*	—	*1,378*	*13*	*25,702*	*74,320*	*36,729*	*37,591*	*14,943*
1891	4,036,245	125,986	64,769	61,217	9,647	—	1,372	14	27,969	83,573	41,122	42,451	16,110
1892	4,078,910	125,043	64,356	60,687	9,248	—	1,468	17	28,670	75,545	37,463	38,082	14,693
1893	4,122,029	127,110	65,010	62,100	9,467	—	1,469	10	27,145	79,670	39,585	40,085	17,286
1894	4,165,606	124,367	63,857	60,510	9,064	—	1,450	13	27,604	71,113	35,153	35,960	14,516
1895	4,209,645	126,494	64,799	61,695	9,204	—	1,342	12	28,422	81,852	40,663	41,189	16,874
91-95	*4,122,000*	*125,800*	*64,558*	*61,242*	*9,326*	—	*1,420*	*13*	*27,962*	*78,350*	*38,797*	*39,553*	*15,896*
1896	4,254,153	129,172	66,214	62,958	9,393	—	1,493	21	30,270	70,677	35,321	35,356	14,924
1897	4,299,132	128,877	65,817	63,060	9,068	—	1,375	15	31,050	79,144	39,506	39,638	17,773
1898	4,344,589	130,861	66,814	64,047	8,870	—	1,450	14	32,112	78,397	39,344	39,053	17,566
1899	4,390,530	130,733	66,778	63,955	8,486	—	1,463	15	32,978	79,593	39,903	39,690	17,132
1900	4,436,958	131,401	67,147	64,254	8,534	—	1,544	15	32,444	82,296	41,276	41,020	16,888
96-1900	*4,345,000*	*130,209*	*66,554*	*63,655*	*8,870*	—	*1,465*	*16*	*31,771*	*78,021*	*39,070*	*38,951*	*16,857*

* Live births only prior to 1939

† Including one case of quadruplets

TABLE 1—*continued*

Year	Estimated Mid-Year Population	Live-Births				Still-births	Multiple Births*		Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Total	Twins	Triplets		Total	Males	Fem.	Under 1 Year
1901	4,479,104	132,192	67,753	64,439	8,359	—	1,547	13	31,387	80,107	40,213	39,894	17,10[illegible]
1902	4,507,220	132,267	67,442	64,825	8,300	—	1,620	25	31,913	77,941	39,183	38,758	15,00[illegible]
1903	4,535,513	133,525	68,087	65,438	8,295	—	1,604	†13	32,351	76,002	38,136	37,866	15,69[illegible]
1904	4,563,985	132,603	67,794	64,809	9,010	—	1,603	18	32,271	77,981	38,851	39,130	16,32[illegible]
1905	4,592,636	131,410	66,750	64,660	9,082	—	1,619	17	31,270	74,536	37,196	37,340	15,27[illegible]
1901-05	*4,536,000*	*132,399*	*67,565*	*64,834*	*8,609*	—	*1,599*	*†17*	*31,838*	*77,313*	*38,716*	*38,597*	*15,88[illegible]*
1906	4,621,466	132,005	67,461	64,544	9,306	—	1,524	21	33,142	75,635	37,731	37,904	15,17[illegible]
1907	4,650,478	128,840	65,901	62,939	8,791	—	1,676	†14	33,298	77,296	38,240	39,056	14,14[illegible]
1908	4,679,671	131,362	66,826	64,536	9,111	—	1,675	15	31,606	77,838	38,864	38,974	15,90[illegible]
1909	4,709,048	128,669	65,725	62,944	9,370	—	1,627	12	30,108	74,632	37,094	37,538	13,85[illegible]
1910	4,738,611	124,059	63,144	60,915	9,049	—	1,541	8	30,902	72,268	36,049	36,219	13,43[illegible]
1906-10	*4,680,000*	*128,987*	*65,811*	*63,176*	*9,125*	—	*1,609*	*†14*	*31,811*	*75,534*	*37,596*	*37,938*	*14,50[illegible]*
1911	4,751,132	121,850	62,274	59,576	9,200	—	1,552	11	31,844	71,732	35,823	35,909	13,70[illegible]
1912	4,741,077	122,790	62,931	59,859	8,989	—	1,524	13	32,506	72,340	36,072	36,268	12,94[illegible]
1913	4,728,132	120,516	61,464	59,052	8,548	—	1,527	21	33,676	73,069	36,504	36,565	13,21[illegible]
1914	4,747,167	123,934	62,974	60,960	8,879	—	1,634	16	35,028	73,557	36,757	36,800	13,71[illegible]
1915	4,770,798	114,181	58,392	55,789	7,875	—	1,451	15	36,233	81,631	41,110	40,521	14,441
1911-15	*4,748,000*	*120,654*	*61,607*	*59,047*	*8,698*	—	*1,538*	*15*	*33,857*	*74,466*	*37,253*	*37,213*	*13,604*
1916	4,794,708	109,942	56,471	53,471	7,797	—	1,419	6	31,419	70,640	35,649	34,991	10,674
1917	4,810,338	97,441	50,011	47,430	7,295	—	1,274	7	30,421	69,483	35,361	34,122	10,473
1918	4,812,274	98,554	50,373	48,181	7,854	—	1,357	10	34,529	78,372	39,144	39,228	9,836
1919	4,820,077	106,268	54,771	51,497	8,424	—	1,584	†14	44,060	75,149	37,500	37,649	10,795
1920	4,864,396	136,546	69,719	66,827	10,204	—	1,822	15	46,754	68,179	34,619	33,560	12,585
1916-20	*4,820,000*	*109,750*	*56,269*	*53,481*	*8,315*	—	*1,491*	*†10*	*37,437*	*72,365*	*36,455*	*35,910*	*10,869*
1921	4,882,497	123,201	63,075	60,126	8,757	—	1,596	8	39,243	66,210	33,085	33,125	11,130
1922	4,898,000	115,085	58,826	56,259	7,881	—	1,498	11	34,375	72,905	36,244	36,661	11,664
1923	4,888,100	111,902	57,332	54,570	7,477	—	1,491	9	35,200	63,283	31,682	31,601	8,825
1924	4,862,200	106,900	54,919	51,981	7,086	—	1,400	13	32,328	70,357	35,168	35,189	10,446
1925	4,867,100	104,137	53,426	50,711	6,831	—	1,309	7	32,456	65,507	33,036	32,471	9,430
1921-25	*4,879,600*	*112,245*	*57,516*	*54,729*	*7,606*	—	*1,459*	*10*	*34,720*	*67,652*	*33,843*	*33,809*	*10,299*
1926	4,864,300	102,449	52,362	50,087	7,046	—	1,279	†12	31,244	63,780	32,021	31,759	8,514
1927	4,853,100	96,672	49,314	47,358	6,978	—	1,237	9	32,553	65,830	33,097	32,733	8,576
1928	4,847,900	96,822	49,584	47,238	7,158	—	1,201	15	32,948	65,271	32,577	32,694	8,299
1929	4,832,200	92,880	47,769	45,111	7,165	—	1,157	12	32,967	70,917	35,386	35,531	8,061
1930	4,828,000	94,549	48,069	46,480	6,950	—	1,265	9	33,315	64,285	32,448	31,837	7,852
1926-30	*4,845,100*	*96,674*	*49,419*	*47,255*	*7,059*	—	*1,228*	*†11*	*32,605*	*66,017*	*33,106*	*32,911*	*8,260*
1931	4,842,980	92,220	46,972	45,248	6,661	—	1,117	15	32,652	64,229	32,238	31,991	7,544
1932	4,883,100	91,000	46,579	44,421	6,456	—	1,106	17	33,157	66,045	32,743	33,302	7,840
1933	4,912,400	86,546	44,767	41,779	5,964	—	1,067	10	34,201	64,848	32,593	32,255	7,019
1934	4,934,300	88,836	45,414	43,422	6,119	—	1,034	15	36,934	63,741	32,093	31,648	6,901
1935	4,952,500	87,928	44,965	42,963	5,777	—	1,058	5	37,988	65,331	32,822	32,509	6,754
1931-35	*4,905,000*	*89,306*	*45,739*	*43,567*	*6,195*	—	*1,076*	*12*	*34,986*	*64,839*	*32,498*	*32,341*	*7,2[illegible]*
1936	4,966,300	88,928	45,323	43,605	5,744	—	1,047	7	37,896	66,749	33,873	32,876	7,315
1937	4,976,600	87,810	45,035	42,775	5,404	—	1,035	10	38,334	68,942	34,964	33,978	7,050
1938	4,993,100	88,627	45,447	43,180	5,449	—	1,058	3	38,716	62,953	31,806	31,147	6,163
1939	5,006,700	86,913	44,687	42,226	5,244	3,832	1,233	14	46,236	64,413	33,002	31,411	5,955
1940‡	4,841,200	86,392	44,234	42,158	5,144	3,799	1,206	5	53,522	72,775	37,649	35,126	6,766
1936-40	—	*87,734*	*44,945*	*42,789*	*5,397*	—	*1,116*	*8*	*42,941*	*67,166*	*34,259*	*32,907*	*6,650*
1941‡	4,819,400	89,748	46,104	43,644	5,948	3,698	1,207	17	47,620	72,558	37,690	34,868	7,426
1942‡	4,751,000	90,703	46,405	44,298	6,516	3,602	1,175	8	47,402	64,963	33,813	31,150	6,283
1943‡	4,661,600	94,669	48,473	46,196	7,219	3,494	1,299	16	38,177	66,733	34,326	32,407	6,174
1944‡	4,653,600	95,920	49,519	46,401	7,612	3,221	1,342	†13	37,017	64,603	33,323	31,280	6,237
1945‡	4,673,900	86,924	44,774	42,150	7,526	2,949	1,243	13	48,642	62,655	32,001	30,654	4,889
1941-45	*4,711,900*	*91,593*	*47,055*	*44,538*	*6,964*	*3,393*	*1,253*	*†13*	*43,772*	*66,302*	*34,230*	*32,072*	*6,202*
1946‡	4,900,800	104,413	53,857	50,556	6,948	3,483	1,474	20	45,785	64,605	32,717	31,888	5,621
1947	5,084,200	113,147	58,010	55,137	6,311	3,563	1,570	19	44,360	66,200	33,801	32,399	6,309
1948	5,096,900	100,344	51,858	48,486	5,776	2,966	1,360	11	43,718	60,979	30,844	30,135	4,486
1949	5,110,900	95,674	49,183	46,491	5,223	2,666	1,331	17	41,708	63,488	31,851	31,637	3,961
1950	5,126,400	92,530	47,822	44,708	4,837	2,557	1,347	16	40,459	63,996	32,191	31,805	3,569
1946-50	—	*101,222*	*52,146*	*49,076*	*5,819*	*3,047*	*1,416*	*17*	*43,206*	*63,854*	*32,281*	*31,573*	*4,789*
1951	5,114,400	90,639	46,699	43,940	4,592	2,479	1,283	18	41,361	65,778	33,116	32,662	3,391
1952	5,114,600	90,422	46,268	44,154	4,306	2,430	1,277	†14	41,154	61,510	31,401	30,109	3,181
1953	5,117,600	90,913	46,853	44,060	4,231	2,308	1,222	6	40,902	58,878	30,326	28,552	2,800
1954	5,123,300	92,315	47,414	44,901	4,177	2,401	1,310	14	41,974	61,380	31,493	29,887	2,861
1955	5,133,300	92,539	47,526	45,013	3,991	2,330	1,269	10	43,199	61,645	31,329	30,316	2,811
1951-55	*5,120,700*	*91,366*	*46,952*	*44,414*	*4,259*	*2,390*	*1,272*	*†13*	*41,721*	*61,838*	*31,533*	*30,305*	*3,009*
1956	5,144,600	95,313	48,951	46,362	4,069	2,329	1,295	†10	43,971	61,792	31,651	30,141	2,727

* Live Births only prior to 1939

† Including one case of quadruplets (two cases in 1944).

‡ Mean civilian population for year

TABLE 2.—Birth-, Stillbirth-, Death-, and Marriage-rates in Scotland, 1855-1956

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth-rate (Living Children)	Marriage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1855	31·346	6·608	20·820	21·62	20·03	10·53	7·88	1049	—	125·2	—
1856	33·988	6·923	19·537	20·65	18 50	14·45	8·54	1053	1·27	118·4	—
1857	34·331	7·094	20·551	21·61	19·58	13·78	8·58	1057	1·29	117·9	—
1858	34·356	6·492	20 986	22·02	20·05	13·37	8·99	1066	1·25	121·3	—
1859	35·026	6·969	20·288	21·20	19·40	14·74	9·12	1052	1·28	108·2	—
1860	35·578	6·948	22·316	23·21	21·50	13·26	9·22	1062	1·22	127·0	—
1855-60	*34·104*	*6·839*	*20·750*	*21·72*	*19·84*	*13·36*	*8·74*	*1057*	*1·26*	*119·6*	—
1861	34·863	6·808	20·310	21·25	19·46	14·55	9·28	1042	1·20	110·9	—
1862	34·561	6·648	21·690	22·60	20·87	12·87	9·69	1066	1·23	117·3	—
1863	34·968	7·160	22·860	24·02	21·81	12·11	10·01	1058	1·18	120·0	—
1864	35·594	7·200	23·579	24·70	22·56	12·02	9·97	1044	1·21	126·2	—
1865	35·496	7·412	22·255	23·25	21·35	13·24	9·96	1061	1·23	124·7	—
1861-65	*35·096*	*7·046*	*22·139*	*23·16*	*21·21*	*12·96*	*9·79*	*1054*	*1·21*	*119·9*	—
1866	35·354	7·367	22·191	23·13	21·34	13·16	10·27	1055	1·23	122·4	—
1867	35·063	6·970	21·284	22·26	20·40	13·78	9·78	1054	1·22	118·6	—
1868	35·267	6·673	21·193	22·22	20·25	14·07	9·83	1052	1·28	117·7	—
1869	34·288	6·698	22·951	24·04	21·96	11·34	9·76	1059	1·27	129·3	—
1870	34·582	7·149	22·227	23·17	21·37	12·36	9·63	1044	1·22	122·8	—
1866-70	*34·911*	*6·971*	*21·969*	*22·96*	*21·06*	*12·94*	*9·85*	*1053*	*1·24*	*122·1*	—
1871	34·470	7·130	22·177	22·90	21·51	12·29	9·54	1070	1·15	130·3	—
1872	34·882	7·531	22·261	23·33	21·00	12·62	9·20	1066	1·19	123·9	—
1873	34·786	7·773	22·361	23·72	21·11	12·43	9·13	1055	1·20	124·9	—
1874	35·573	7·588	23·211	24·44	22·08	12·36	8·88	1058	1·25	124·9	—
1875	35·160	7·390	23·264	23·94	22·63	11·90	8·73	1055	1·22	132·1	—
1871-75	*34·974*	*7·482*	*22·655*	*23·67*	*21·67*	*12·32*	*9·09*	*1061*	*1·20*	*127·2*	—
1876	35·621	7·482	20·869	21·96	19·86	14·75	8·72	1050	1·19	121·2	—
1877	35·326	7·191	20·595	21·57	19·69	14·73	8·33	1054	1·15	114·9	—
1878	34·940	6·713	21·165	22·02	20·37	12·78	8·39	1059	1·10	123·0	—
1879	34·288	6·414	20·002	20·58	19·47	14·29	8·53	1048	1·18	107·9	—
1880	33·613	6·612	20·454	21·33	19·64	13·16	8·50	1049	1·17	124·6	—
1876-80	*34·758*	*6·882*	*20·617*	*21·49*	*19·81*	*13·94*	*8·49*	*1052*	*1·16*	*118·3*	—
1881	33·712	6·948	19·325	20·02	18·68	14·39	8·31	1053	1·15	112·5	—
1882	33·458	7·053	19·357	19·98	18·77	14·10	8·36	1046	1·14	118·0	—
1883	32·761	7·073	20·240	20·90	19·61	12·52	8·13	1054	1·13	119·0	—
1884	33·745	6·821	19·639	20·32	18·97	14·11	8·08	1057	1·16	117·9	—
1885	32·700	6·562	19·347	19·83	18·87	13·35	8·47	1049	1·15	120·5	—
1881-85	*33·275*	*6·891*	*19·582*	*20·21*	*18·98*	*13·69*	*8·27*	*1052*	*1·15*	*117·6*	—
1886	32·918	6·310	18·954	19·40	18·50	13·96	8·21	1063	1·06	115·7	—
1887	31·785	6·355	19·044	19·44	18·63	12·74	8·34	1054	1·10	122·2	—
1888	31·257	6·417	18·048	18·32	17·75	13·21	8·09	1050	1·14	113·1	—
1889	30·902	6·630	18·433	18·88	17·96	12·47	7·96	1064	1·18	121·3	—
1890	30·358	6·862	19·736	20·26	19·25	10·62	7·60	1048	1·19	130·6	—
1886-90	*31·444*	*6·515*	*18·843*	*19·26*	*18·42*	*12·60*	*8·04*	*1056*	*1·13*	*120·5*	—
1891	31·214	6·929	20·706	21·11	20·33	10·51	7·66	1058	1·11	127·9	—
1892	30·656	7·029	18·521	19·01	18·06	12·14	7·40	1060	1·20	117·5	—
1893	30·837	6·585	19·328	19·87	18·82	11·51	7·45	1047	1·18	136·0	—
1894	29·856	6·627	17·071	17·45	16·72	12·79	7·29	1055	1·19	116·7	—
1895	30·049	6·752	19·444	19·95	18·96	10·61	7·28	1050	1·08	133·4	—
1891-95	*30·522*	*6·784*	*19·014*	*19·48*	*18·58*	*11·51*	*7·41*	*1054*	*1·15*	*126·4*	—
1896	30·364	7·115	16·614	17·14	16·12	13·75	7·27	1052	1·19	115·5	—
1897	29·977	7·222	18·409	18·96	17·89	11·57	7·04	1044	1·09	137·9	—
1898	30·120	7·391	18·045	18·67	17·46	12·08	6·78	1043	1·13	134·2	—
1899	29·776	7·511	18·128	18·72	17·57	11·65	6·49	1044	1·14	131·0	—
1900	29·615	7·312	18·548	19·15	17·98	11·07	6·49	1045	1·20	128·5	—
1896-1900	*29·970*	*7·310*	*17·949*	*18·53*	*17·40*	*12·02*	*6·81*	*1046*	*1·15*	*129·5*	—
1901	29·513	7·007	17·885	18·47	17·33	11·63	6·32	1051	1·19	129·4	—
1902	29·346	7·080	17·292	17·89	16·73	12·05	6·28	1040	1·26	113·4	—
1903	29·440	7·133	16·757	17·31	16·24	12·68	6·21	1040	1·23	117·5	—
1904	29·054	7·071	17·086	17·53	16·67	11·97	6·79	1046	1·24	123·1	—
1905	28·613	6·809	16·229	16·68	15·81	12·38	6·91	1032	1·26	116·2	—
1901-05	*29·193*	*7·020*	*17·050*	*17·58*	*16·56*	*12·14*	*6·50*	*1042*	*1·24*	*119·9*	—

TABLE 2—*continued*

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births (live and still)†	Deaths of Children under one year per 1,000 Live Births	Stillbirths per 1,000 Births (including Stillbirths)
	Birth-rate (Living Children)	Mar-riage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1906	28·563	7·171	16·366	16·82	15·94	12·20	7·05	1045	1·18	115·0	—
1907	27·705	7·160	16·621	16·94	16·32	11·08	6·82	1047	1·33	109·7	—
1908	28·071	6·754	16·633	17·11	16·18	11·44	6·94	1035	1·30	121·0	—
1909	27·324	6·394	15·849	16·24	15·48	11·48	7·28	1044	1·29	107·7	—
1910	26·180	6·521	15·251	15·68	14·84	10·93	7·29	1037	1·26	108·3	—
1906-10	*27·569*	*6·800*	*16·144*	*16·56*	*15·75*	*11·43*	*7·07*	*1042*	*1·27*	*112·4*	—
1911	25·647	6·702	15·098	15·55	14·67	10·55	7·55	1045	1·30	112·5	—
1912	25·899	6·856	15·258	15·68	14·86	10·64	7·32	1051	1·27	105·5	—
1913	25·489	7·122	15·454	15·90	15·04	10·04	7·09	1041	1·30	109·6	—
1914	26·107	7·379	15·495	15·93	15·08	10·61	7·16	1033	1·35	110·6	—
1915	23·933	7·595	17·111	17·77	16·49	6·82	6·90	1047	1·30	126·5	—
1911-15	*25·415*	*7·131*	*15·683*	*16·17*	*15·23*	*9·73*	*7·21*	*1043*	*1·30*	*112·8*	—
1916	22·930	6·553	14·733	15·37	14·13	8·20	7·09	1056	1·31	97·1	—
1917	20·257	6·324	14·445	15·24	13·71	5·81	7·49	1054	1·33	107·5	—
1918	20·480	7·175	16·286	16·96	15·67	4·19	7·97	1045	1·41	99·8	—
1919	22·047	9·141	15·591	16·20	15·02	6·46	7·93	1064	1·53	101·6	—
1920	28·070	9·611	14·016	14·81	13·28	14·05	7·47	1043	1·36	92·0	—
1916-20	*22·757*	*7·761*	*15·014*	*15·72*	*14·36*	*7·74*	*7·58*	*1052*	*1·39*	*99·0*	—
1921	25·233	8·037	13·561	14·09	13·07	11·67	7·11	1049	1·32	90·3	—
1922	23·496	7·018	14·885	15·37	14·43	8·61	6·85	1046	1·33	101·4	—
1923	22·892	7·201	12·946	13·47	12·46	9·95	6·68	1051	1·36	78·9	—
1924	21·986	6·649	14·470	15·10	13·89	7·52	6·63	1057	1·34	97·7	—
1925	21·396	6·668	13·459	14·15	12·82	7·94	6·56	1054	1·28	90·6	—
1921-25	*23·001*	*7·114*	*13·864*	*14·44*	*13·34*	*9·14*	*6·78*	*1051*	*1·33*	*91·8*	—
1926	21·061	6·423	13·112	13·73	12·55	7·95	6·88	1045	1·28	83·1	—
1927	19·919	6·707	13·564	14·22	12·96	6·35	7·22	1041	1·31	88·7	—
1928	19·971	6·796	13·463	14·01	12·96	6·51	7·39	1050	1·28	85·7	—
1929	19·220	6·822	14·675	15·27	14·12	4·54	7·71	1059	1·27	86·8	—
1930	19·583	6·900	13·314	14·01	12·67	6·27	7·35	1034	1·37	83·0	—
1926-30	*19·951*	*6·730*	*13·626*	*14·25*	*13·05*	*6·32*	*7·30*	*1046*	*1·30*	*85·4*	—
1931	19·042	6·742	13·262	13·86	12·71	5·78	7·22	1038	1·24	81·8	—
1932	18·636	6·790	13·525	13·94	13·14	5·11	7·09	1049	1·25	86·2	—
1933	17·618	6·962	13·201	13·79	12·66	4·42	6·89	1072	1·26	81·1	—
1934	18·004	7·485	12·918	13·51	12·37	5·09	6·89	1046	1·20	77·7	—
1935	17·754	7·670	13·191	13·76	12·66	4·56	6·57	1047	1·23	76·8	—
1931-35	*18·207*	*7·133*	*13·219*	*13·77*	*12·71*	*4·99*	*6·94*	*1050*	*1·23*	*80·8*	—
1936	17·906	7·631	13·440	14·16	12·77	4·47	6·46	1039	1·20	82·3	—
1937	17·645	7·703	13·853	14·59	13·17	3·79	6·15	1053	1·20	80·3	—
1938	17·749	7·754	12·608	13·22	12·04	5·14	6·15	1053	1·21	69·5	—
1939	17·359	9·235	12·865	13·68	12·11	4·49	6·03	1058	1·39	68·5	42·2
1940*	17·124	10·609	14·863	16·59	13·40	2·26	5·95	1049	1·36	78·3	42·1
1936-40	*17·557*	*8·586*	*13·526*	*14·45*	*12·70*	*4·03*	*6·15*	*1050*	*1·27*	*75·8*	—
1941*	17·501	9·284	14·741	16·75	13·11	2·76	6·63	1056	1·33	82·7	39·6
1942*	17·632	9·215	13·343	15·24	11·81	4·29	7·18	1048	1·27	69·3	38·2
1943*	18·355	7·402	13·977	15·93	12·43	4·38	7·63	1049	1·36	65·2	35·6
1944*	18·485	7·134	13·574	15·65	11·95	4·91	7·94	1067	1·39	65·0	32·5
1945*	16·855	9·432	13·200	15·11	11·70	3·65	8·66	1062	1·42	56·2	32·8
1941-45	*17·766*	*8·493*	*13·767*	*15·14*	*12·20*	*4·00*	*7·61*	*1056*	*1·35*	*67·7*	*35·7*
1946*	20·334	8·917	13·074	14·14	12·15	7·26	6·65	1065	1·40	53·8	32·3
1947	22·254	8·725	13·021	13·86	12·25	9·14	5·58	1052	1·38	55·8	30·5
1948	19·687	8·577	11·964	12·64	11·34	7·62	5·76	1070	1·35	44·7	28·7
1949	18·720	8·161	12·422	12·99	11·90	6·22	5·46	1058	1·39	41·4	27·1
1950	18·050	7·892	12·484	13·09	11·93	5·51	5·23	1070	1·45	38·6	26·9
1946-50	*19·806*	*8·454*	—	—	—	*7·24*	*5·75*	*1063*	*1·39*	*47·3*	*29·2*
1951	17·722	8·087	12·861	13·55	12·23	4·86	5·07	1063	1·42	37·4	26·6
1952	17·679	8·046	12·026	12·86	11·26	5·65	4·76	1048	1·41	35·2	26·2
1953	17·765	7·992	11·505	12·41	10·68	6·26	4·65	1063	1·33	30·8	24·8
1954	18·019	8·193	11·980	12·87	11·17	6·04	4·52	1056	1·42	31·0	25·3
1955	18·027	8·418	12·009	12·76	11·32	6·02	4·31	1056	1·37	30·4	24·6
1951-55	*17·843*	*8·148*	*12·076*	*12·89*	*11·33*	*5·77*	*4·66*	*1057*	*1·39*	*32·9*	*25·5*
1956	**18·527**	**8·547**	**12·011**	**12·85**	**11·24**	**6·52**	**4·27**	**1056**	**1·35**	**28·6**	**23·9**

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths

† Stillbirths not available prior to 1939

TABLE 3.—Births, Stillbirths, Deaths and Marriages in Scotland, 1946-1956

	Numbers							Rates						
	Live Births		Stillbirths	Marriages	Deaths			Per 1,000 of Estimated Population			Illegit. Births per 100 Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality-rate per 1,000 Live Births	Stillbirths per 1,000 Total Births incl. Stillbirths
	Total	Illegitimate			All Ages	Under One Year	Under Four Weeks	Births (living children)	Marriages	Deaths				
Quarter, 1946	22,910	1,818	810	9,971	19,741	1,579	759	18·1	7·9	16·3	7·9	69	33	34
" "	25,851	1,887	864	11,466	15,185	1,221	710	20·2	9·0	12·2	7·3	47	27	32
" "	27,033	1,746	854	12,839	13,594	1,222	725	20·9	9·9	10·8	6·5	45	27	31
" "	28,619	1,497	955	11,509	16,085	1,599	925	22·1	8·9	12·7	5·2	56	32	32
Year 1946*	**104,413**	**6,948**	**3,483**	**45,785**	**64,605**	**5,621**	**3,119**	**20·3**	**8·9**	**13·1**	**6·7**	**54**	**30**	**32**
Quarter, 1947	30,479	1,615	1,018	9,497	21,198	1,915	1,006	24·3	7·6	16·9	5·3	63	33	32
" "	30,366	1,700	913	11,241	15,653	1,609	854	24·0	8·9	12·3	5·6	53	28	29
" "	27,028	1,651	853	12,747	13,447	1,353	709	21·1	9·9	10·5	6·1	50	26	31
" "	25,274	1,345	779	10,875	15,902	1,432	660	19·7	8·5	12·4	5·3	57	26	30
Year 1947	**113,147**	**6,311**	**3,563**	**44,360**	**66,200**	**6,309**	**3,229**	**22·3**	**8·7**	**13·0**	**5·6**	**56**	**29**	**31**
Quarter, 1948	25,324	1,417	760	9,959	16,825	1,303	653	20·0	7·9	13·3	5·6	51	26	29
" "	26,561	1,642	775	10,490	14,698	1,144	680	21·0	8·3	11·6	6·2	43	26	28
" "	24,389	1,392	711	13,509	13,652	972	592	19·0	10·5	10·7	5·7	40	24	28
" "	24,070	1,325	720	9,760	15,804	1,067	596	18·8	7·6	12·3	5·5	44	25	29
Year 1948	**100,344**	**5,776**	**2,966**	**43,718**	**60,979**	**4,486**	**2,521**	**19·7**	**8·6**	**12·0**	**5·8**	**45**	**25**	**29**
Quarter, 1949	24,230	1,381	707	10,638	19,222	1,225	632	19·2	8·4	15·3	5·7	51	26	28
" "	25,424	1,442	710	9,209	15,274	913	545	20·0	7·2	12·0	5·7	36	21	27
" "	23,324	1,274	642	12,786	13,119	823	496	18·1	9·9	10·2	5·5	35	21	27
" "	22,696	1,126	607	9,075	15,873	1,000	544	17·6	7·0	12·3	5·0	44	24	26
Year 1949	**95,674**	**5,223**	**2,666**	**41,708**	**63,488**	**3,961**	**2,217**	**18·7**	**8·2**	**12·4**	**5·5**	**41**	**23**	**27**
Quarter, 1950	23,542	1,185	673	11,111	18,647	1,080	580	18·6	8·8	14·8	5·0	46	25	28
" "	24,646	1,359	659	8,680	14,986	841	521	19·3	6·8	11·7	5·5	34	21	26
" "	22,498	1,195	627	11,847	13,341	737	487	17·4	9·2	10·3	5·3	33	22	27
" "	21,844	1,098	598	8,821	17,022	911	543	16·9	6·8	13·2	5·0	42	25	27
Year 1950	**92,530**	**4,837**	**2,557**	**40,459**	**63,996**	**3,569**	**2,131**	**18·0**	**7·9**	**12·5**	**5·2**	**39**	**23**	**27**
Quarter, 1951	23,625	1,195	657	11,560	22,428	1,088	583	18·7	9·2	17·8	5·1	46	25	27
" "	24,310	1,289	658	8,958	15,442	850	530	19·1	7·0	12·1	5·3	35	22	26
" "	21,932	1,126	575	12,048	13,104	698	461	17·0	9·3	10·2	5·1	32	21	26
" "	20,772	982	589	8,795	14,804	755	445	16·1	6·8	11·5	4·7	36	21	28
Year 1951	**90,639**	**4,592**	**2,479**	**41,361**	**65,778**	**3,391**	**2,019**	**17·7**	**8·1**	**12·9**	**5·1**	**37**	**22**	**27**
Quarter, 1952	22,892	1,069	677	12,420	18,394	872	516	18·0	9·8	14·5	4·7	38	23	29
" "	23,531	1,126	598	8,156	14,270	801	518	18·5	6·4	11·2	4·8	34	22	25
" "	22,161	1,126	541	11,894	12,813	663	459	17·2	9·3	10·0	5·1	30	21	24
" "	21,838	985	614	8,684	16,033	845	465	17·0	6·8	12·5	4·5	39	21	27
Year 1952	**90,422**	**4,306**	**2,430**	**41,154**	**61,510**	**3,181**	**1,958**	**17·7**	**8·0**	**12·0**	**4·8**	**35**	**22**	**26**
Quarter, 1953	22,860	1,030	602	12,085	17,264	776	459	18·1	9·6	13·7	4·5	34	20	26
" "	23,791	1,175	586	8,212	14,345	696	444	18·6	6·4	11·2	4·9	29	19	24
" "	22,166	1,022	561	12,069	12,722	614	426	17·2	9·4	9·9	4·6	28	19	25
" "	22,096	1,004	559	8,536	14,547	714	427	17·1	6·6	11·3	4·5	32	19	25
Year 1953	**90,913**	**4,231**	**2,308**	**40,902**	**58,878**	**2,800**	**1,756**	**17·8**	**8·0**	**11·5**	**4·7**	**31**	**19**	**25**
Quarter, 1954	23,456	1,049	612	12,371	18,003	892	560	18·6	9·8	14·3	4·5	38	24	25
" "	24,097	1,086	628	8,553	14,638	728	491	18·9	6·7	11·5	4·5	30	20	25
" "	22,823	1,077	601	12,489	13,327	555	375	17·7	9·7	10·3	4·7	24	16	26
" "	21,939	965	560	8,561	15,412	686	478	17·0	6·6	11·9	4·4	31	22	25
Year 1954	**92,315**	**4,177**	**2,401**	**41,974**	**61,380**	**2,861**	**1,904**	**18·0**	**8·2**	**12·0**	**4·5**	**31**	**21**	**25**
Quarter, 1955	23,111	988	598	12,420	19,078	829	517	18·3	9·8	15·1	4·3	36	22	25
" "	23,942	1,046	566	8,662	14,998	692	462	18·7	6·8	11·7	4·4	29	19	23
" "	22,734	1,037	597	12,966	12,733	588	417	17·6	10·0	9·8	4 6	26	18	26
" "	22,752	920	569	9,151	14,836	702	430	17·6	7·1	11·5	4 0	31	19	24
Year 1955	**92,539**	**3,991**	**2,330**	**43,199**	**61,645**	**2,811**	**1,826**	**18·0**	**8·4**	**12·0**	**4·3**	**30**	**20**	**25**
Quarter, 1956	24,594	1,007	617	11,744	19,156	764	496	19·2	9·2	15·0	4·1	31	20	24
" "	24,889	1,099	613	9,845	14,562	656	430	19·5	7·7	11·4	4·4	26	17	24
" "	22,654	1,068	536	12,960	13,088	602	430	17·5	10·0	10·1	4·7	27	19	24
" "	23,176	895	563	9,422	14,986	705	463	17·9	7·3	11·6	3·9	30	20	23
Year 1956	**95,313**	**4,069**	**2,329**	**43,971**	**61,792**	**2,727**	**1,819**	**18·5**	**8·5**	**12·0**	**4·3**	**29**	**19**	**24**

* Death-rates for 1946 are based on civilian population and civilian deaths

TABLE 4.—Birth-, Death- and Marriage-rates in Scotland, its Counties, Counties of Cities and Large Burghs in 1956

Counties, Counties of Cities and Large Burghs	Estimated Population 1956	Rates per 1,000 of Population											Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (Live and Still)
		Birth-rate	Marriage-rate	Death-rate												
				Crude (Corrected for Transfers)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
SCOTLAND ...	**5,144,578**	**18·5**	**8·5**	**12·0**	**12·0**	**0·16**	**0·14**	**0·06**	**2·09**	**0·78**	**0·51**	**0·11**	**4·3**	**29**	**19**	**24**
Counties of Cities	1,913,486	18·8	10·1	12·3	12·8	0·21	0·19	0·05	2·32	1·02	0·53	0·11	4·9	30	19	24
Large Burghs ...	855,019	19·8	9·6	11·5	12·4	0·18	0·17	0·06	1·97	0·77	0·49	0·10	3·7	30	20	24
Counties (ex. Counties of Cities and Large Burghs)	2,376,073	17·8	6·9	11·9	11·3	0·10	0·09	0·07	1·95	0·58	0·51	0·13	4·0	27	19	23
Small Burghs ...	848,290	17·7	9·1	13·0	11·8	0·10	0·08	0·08	2·23	0·66	0·49	0·10	3·5	27	19	24
Landward ...	1,527,783	17·9	5·7	11·3	11·0	0·11	0·09	0·06	1·79	0·54	0·52	0·14	4·2	27	18	23
Aberdeen County...	328,756	17·6	8·9	11·6	11·1	0·09	0·08	0·04	2·00	0·61	0·42	0·06	5·3	22	14	23
Aberdeen C. of C.	186,396	17·5	10·5	11·6	11·6	0·10	0·10	0·02	2·08	0·61	0·45	0·07	5·3	22	14	21
Remainder of Co.	142,360	17·6	6·8	11·6	10·5	0·07	0·06	0·06	1·90	0·60	0·37	0·06	5·3	21	14	24
Angus County ...	275,929	18·0	8·7	12·4	11·4	0·14	0·13	0·03	2·30	0·84	0·60	0·10	5·0	29	19	23
Dundee C. of C. ...	178,536	19·2	9·9	12·2	11·9	0·17	0·14	0·04	2·34	0·99	0·56	0·10	5·2	31	19	23
Arbroath Burgh ...	19,859	17·5	7·8	13·6	11·7	0·10	0·10	—	2·37	0·70	0·45	—	4·0	40	20	25
Remainder of Co.	77,534	15·2	6·3	12·4	10·3	0·10	0·10	0·01	2·22	0·54	0·74	0·14	4·6	22	16	23
Argyll County ...	57,839	16·0	5·6	16·4	12·2	0·12	0·12	0·31	2·92	0·50	0·76	0·09	6·7	26	18	23
Ayr County ...	331,673	18·6	8·4	11·6	12·0	0·08	0·07	0·08	1·86	0·48	0·48	0·13	3·4	31	21	22
Ayr Burgh ...	43,448	18·3	10·7	12·1	11·7	0·09	0·07	0·05	1·73	0·53	0·46	0·12	5·4	29	21	17
Kilmarnock Burgh	43,864	20·7	9·8	12·9	14·0	0·09	0·09	0·21	2·10	0·71	0·46	0·16	3·0	31	24	18
Remainder of Co.	244,361	18·3	7·7	11·3	11·7	0·07	0·07	0·06	1·85	0·43	0·49	0·13	3·1	31	21	24
Banff County ...	50,859	16·5	6·9	12·2	10·5	0·02	—	0·08	2·18	0·55	0·71	0·16	4·9	26	19	18
Berwick County ...	24,295	13·6	5·1	15·1	12·4	0·04	—	0·08	2·51	0·54	0·41	0·16	4·2	33	24	21
Bute County ...	17,271	13·4	5·0	18·1	12·6	0·12	0·12	—	2·84	1·39	0·64	0·06	6·9	26	22	21

CLACKMANNAN CO. ...	39,413	19·3	7·8	10·8	11·5	0·05	0·05	0·05	1·70	0·76	0·71	0·13	4·9	35	22	18
DUMFRIES COUNTY ...	87,216	17·5	10·4	11·9	11·2	0·07	0·07	0·09	1·94	0·77	0·54	0·21	4·9	22	14	22
Dumfries Burgh ...	26,683	19·8	13·7	12·6	12·9	0·07	0·07	0·07	2·17	1·05	0·56	0·19	6·4	30	21	11
Remainder of Co.	60,533	16·4	8·9	11·6	10·5	0·07	0·07	0·10	1·83	0·64	0·53	0·21	4·0	18	11	28
DUNBARTON COUNTY	171,675	20·5	6·8	11·0	11·7	0·11	0·10	0·06	1·99	0·65	0·43	0·10	3·1	25	15	24
Clydebank Burgh	48,780	21·4	6·7	9·9	12·0	0·14	0·14	0·08	1·76	0·76	0·25	0·08	2·3	30	19	24
Dumbarton Burgh	25,885	26·2	7·4	10·5	11·5	—	—	—	1·82	0·89	0·62	0·15	3·2	22	10	29
Remainder of Co.	97,010	18·5	6·6	11·7	11·6	0·12	0·11	0·07	2·14	0·53	0·46	0·09	3·6	23	14	23
EAST LOTHIAN CO. ...	51,538	17·5	8·4	11·6	11·7	0·14	0·12	0·04	1·98	0·60	0·66	0·14	4·1	25	16	21
FIFE COUNTY ...	317,321	18·2	7·9	11·0	11·2	0·08	0·06	0·07	1·80	0·55	0·54	0·11	3·8	26	20	22
Dunfermline Burgh	45,654	17·7	9·7	10·5	11·3	0·09	0·04	—	1·77	0·46	0·55	0·09	4·7	30	22	23
Kirkcaldy Burgh...	51,475	17·5	9·6	10·7	11·0	0·14	0·14	0·10	1·61	0·60	0·60	0·12	3·0	26	18	23
Remainder of Co.	220,192	18·5	7·1	11·1	11·2	0·07	0·05	0·07	1·85	0·55	0·52	0·11	3·8	26	20	21
INVERNESS COUNTY...	84,784	17·4	7·6	13·1	10·7	0·18	0·14	0·11	2·41	0·54	0·54	0·11	7·0	23	17	20
Inverness Burgh ...	28,302	20·1	16·4	13·2	12·6	0·11	0·07	0·07	2·44	0·49	0·57	0·11	6·0	30	21	14
Remainder of Co.	56,482	16·1	3·2	13·0	10·0	0·21	0·18	0·12	2·39	0·57	0·53	0·11	7·6	19	14	24
KINCARDINE COUNTY	27,767	15·2	6·2	12·0	10·2	—	—	0·04	1·62	0·36	0·29	0·07	4·0	14	5	19
KINROSS COUNTY ...	7,195	17·5	6·5	12·2	10·6	0·14	0·14	—	2·22	0·42	0·28	0·28	4·8	16	8	23
KIRKCUDBRIGHT CO.	30,153	17·2	6·3	13·7	12·2	0·03	0·03	0·10	2·16	0·66	0·33	0·10	4·2	17	10	23
LANARK COUNTY ...	1,621,329	20·3	9·6	11·8	13·3	0·26	0·24	0·05	2·11	1·03	0·47	0·12	4·2	33	21	25
Glasgow C. of C. ...	1,081,665	20·2	10·2	12·2	13·7	0·28	0·25	0·05	2·26	1·18	0·49	0·12	4·8	33	21	26
Airdrie Burgh ...	32,208	20·3	10·2	11·0	13·2	0·25	0·25	0·06	1·86	0·68	0·65	0·12	2·3	24	14	17
Coatbridge Burgh	51,114	24·4	8·5	10·3	12·5	0·14	0·12	0·10	2·05	0·70	0·37	0·04	1·8	34	20	29
Hamilton Burgh ...	41,207	20·1	11·3	11·4	13·6	0·27	0·24	0·05	1·99	0·99	0·44	0·07	4·2	34	21	29
Motherwell and Wishaw Burgh...	70,717	20·4	9·6	11·1	12·8	0·24	0·23	0·06	1·92	0·71	0·30	0·06	3·5	28	19	26
Rutherglen Burgh	24,633	17·7	9·1	13·3	12·8	0·24	0·24	0·12	2·03	0·97	0·61	0·12	2·5	28	21	18
Remainder of Co.	319,785	20·0	7·5	11·0	12·4	0·23	0·20	0·05	1·68	0·68	0·44	0·14	3·2	34	21	25
MIDLOTHIAN COUNTY	574,003	16·7	9·2	12·5	11·8	0·10	0·08	0·07	2·43	0·77	0·64	0·10	4·4	25	18	25
Edinburgh C. of C.	466,889	16·0	9·6	13·0	12·0	0·11	0·09	0·08	2·56	0·83	0·63	0·09	4·8	24	18	23
Remainder of Co.	107,114	20·0	7·5	10·4	11·4	0·06	0·05	0·05	1·88	0·51	0·66	0·17	3·1	27	20	30
MORAY COUNTY ...	49,569	20·2	7·3	11·2	10·8	0·08	0·06	0·04	1·63	0·42	0·52	0·10	4·3	24	14	19

* Includes typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 4.—*continued*

Counties, Counties of Cities and Large Burghs	Estimated Population 1956	Rates per 1,000 of Population											Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (Live and Still)
		Birth-rate	Marriage-rate	Death-rate												
				Crude (Corrected for Transfers)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
Nairn County ...	8,299	15·8	7·1	11·6	9·1	0·24	0·24	—	1·69	0·36	0·24	0·12	3·8	53	38	8
Orkney County ...	20,143	15·6	6·8	15·3	11·2	0·05	0·05	0·05	2·78	0·50	0·70	0·20	3·5	25	19	25
Peebles County ...	14,272	15·2	7·2	12·1	9·3	—	—	0·07	2·66	0·42	0·42	—	2·8	14	14	18
Perth County ...	127,577	15·6	7·5	12·9	10·5	0·09	0·08	0·05	2·00	0·78	0·73	0·17	5·8	29	21	21
Perth Burgh ...	41,072	15·6	10·9	12·2	11·0	0·10	0·10	0·05	1·85	1·00	0·73	0·07	5·0	22	14	20
Remainder of Co.	86,505	15·6	5·9	13·2	10·3	0·09	0·07	0·05	2·07	0·68	0·73	0·22	6·2	32	24	21
Renfrew County ...	331,440	19·3	7·8	11·6	12·2	0·24	0·21	0·05	2·10	0·68	0·42	0·09	3·2	30	22	24
Greenock Burgh ...	77,748	20·9	8·9	11·8	13·0	0·27	0·23	0·08	2·01	0·87	0·46	0·09	3·8	41	27	23
Paisley Burgh ...	95,524	19·5	8·8	12·1	13·0	0·31	0·30	0·01	2·30	0·73	0·53	0·08	3·8	32	24	28
Pt. Glasgow Burgh	23,024	23·1	8·3	8·3	10·9	0·39	0·30	—	1·65	0·65	0·30	0·13	2·6	17	13	35
Remainder of Co.	135,144	17·5	6·3	11·7	11·5	0·13	0·12	0·06	2·08	0·55	0·33	0·08	2·4	24	18	20
Ross and Cromarty County	59,399	16·8	4·2	14·6	10·2	0·12	0·12	0·03	2·58	0·51	0·52	0·13	5·0	21	16	24
Roxburgh County	45,426	14·9	6·6	14·4	11·6	0·07	0·07	0·11	1·96	0·77	0·40	0·09	5·0	24	18	20
Selkirk County ...	21,171	15·6	7·6	15·4	12·2	0·05	0·05	—	2·03	0·90	0·47	0·05	2·7	18	18	24
Stirling County ...	190,499	17·7	7·8	11·2	12·1	0·12	0·09	0·05	1·59	0·73	0·54	0·17	3·3	28	18	25
Falkirk Burgh ...	37,064	15·1	9·4	11·9	12·2	0·22	0·16	0·05	1·81	1·11	0·70	0·19	3·2	22	13	33
Stirling Burgh ...	26,758	19·7	9·2	13·4	12·2	0·11	0·11	0·11	1·98	0·97	0·37	0·07	6·1	38	19	35
Remainder of Co.	126,677	18·1	7·1	10·7	12·0	0·09	0·07	0·04	1·44	0·57	0·53	0·19	2·6	28	19	20
Sutherland County	13,329	18·2	4·6	14·4	9·3	0.08	0·08	0·45	1·88	0·60	0·30	0·08	6·2	8	—	20
West Lothian Co. ...	91,145	18·6	7·9	10·2	11·9	0·05	0·05	0·03	1·69	0·72	0·44	0·14	2·9	23	16	25
Wigtown County ...	30,257	17·4	7·6	12·4	12·4	0·07	0·03	0·20	1·95	0·76	0·36	0·13	9·5	34	27	29
Zetland County ...	18,582	13·8	5·8	16·5	10·8	0·05	—	0·11	2·48	0·54	0·59	—	2·7	39	31	37

TABLE 5.—Birth-, Death-, and Marriage-rates in the Small Burghs of Scotland in 1956

Small Burghs	Estimated Population 1956	Rates per 1,000 of Population: Birth-rate (Living Children)	Marriage-rate	Death-rate: Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*	Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
Aberdeen County—											
Ballater	1,173	14·5	8·5	11·1	7·0	—	—	—	—	—	—
Ellon	1,483	15·5	35·7	20·2	15·0	—	—	—	4·3	87	—
Fraserburgh ...	10,484	19·6	8·9	12·9	14·6	0·19	0·10	0·19	2·0	39	42
Huntly	4,009	16·2	12·2	13·7	11·1	—	—	0·75	4·6	15	15
Inverurie ...	5,039	16·1	12·3	13·7	12·4	—	—	0·20	2·5	—	12
Kintore	874	17·2	13·7	14·9	10·6	—	—	—	—	67	12
Old Meldrum ...	1,102	15·4	17·2	22·7	15·2	—	—	—	5·9	118	—
Peterhead ...	12,675	21·5	9·9	11·8	12·9	0·08	0·08	—	6·2	29	14
Rosehearty ...	1,186	15·2	6·7	11·8	12·0	0·84	0·84	—	—	56	53
Turriff	2,885	11·8	13·5	15·6	13·2	—	—	1·04	2·9	—	—
Angus County—											
Brechin	7,414	14·0	10·7	13·9	11·0	0·13	0·13	0·13	3·8	10	37
Carnoustie ...	5,250	14·5	4·8	18·1	11·9	—	—	—	1·3	13	26
Forfar	9,989	15·4	10·3	14·3	11·7	0·30	0·30	—	4·5	26	13
Kirriemuir ...	3,525	17·9	9·1	15·3	9·8	—	—	—	4·8	16	16
Montrose... ...	3,412	12·9	6·2	17·0	11·7	0·59	0·59	—	2·3	—	—
Montrose... ...	10,810	15·6	9·3	15·3	11·4	0·09	0·09	—	5·3	53	40
Argyll County—											
Campbeltown ...	7,048	19·9	7·5	13·9	14·3	0·14	0·14	0·14	5·7	21	41
Dunoon	9,105	14·5	7·8	18·8	12·7	—	—	0·11	5·3	45	29
Inverary ...	522	19·2	11·5	9·6	8·5	—	—	1·92	—	—	—
Lochgilphead ...	1,202	12·5	8·3	8·3	6·1	—	—	—	1·3	133	—
Oban	6,083	20·2	11·8	16·6	14·0	—	—	0·33	3·3	33	24
Tobermory ...	677	17·7	3·0	11·8	7·4	1·48	1·48	—	1·7	—	—
Ayr County—											
Ardrossan ...	9,439	23·2	6·3	7·6	8·9	0·11	0·11	0·11	1·8	23	14
Cumnock and Holmhead ...	5,077	19·9	17·1	11·0	12·5	0·20	0·20	—	—	10	19
Darvel	3,275	13·4	6·1	13·7	11·3	0·31	0·31	—	2·3	23	43
Galston	4,595	14·4	12·0	12·0	11·7	0·22	0·22	—	3·0	15	15
Girvan	5,932	16·2	12·6	13·7	11·7	—	—	0·17	5·2	21	10
Irvine	15,668	20·9	10·2	10·9	13·7	—	—	0·13	2·1	34	6
Kilwinning ...	7,040	20·2	9·4	13·4	16·3	0·14	0·14	0·14	1·4	77	47
Largs	7,743	11·1	8·0	22·1	13·1	—	—	0·13	5·8	23	11
Maybole	4,943	17·2	9·5	8·9	9·6	0·40	0·20	—	5·9	12	34
Newmilns and Greenholm ...	4,053	12·6	5·9	15·1	13·3	0·25	0·25	—	—	—	38
Prestwick ...	11,436	18·1	9·1	17·6	13·9	—	—	0·26	4·8	34	19
Saltcoats ...	13,625	19·2	7·0	11·7	12·5	0·22	0·22	0·07	2·3	50	30
Stevenston ...	9,708	19·2	8·3	10·7	12·5	—	—	—	3·2	22	26
Stewarton ...	3,340	20·4	9·0	11·7	11·8	—	—	0·30	2·9	29	14
Troon	9,956	15·1	7·3	11·9	10·2	0·20	0·10	—	1·3	7	32
Banff County—											
Aberchirder ...	783	15·3	19·2	19·2	11·5	—	—	—	8·3	83	—
Aberlour ...	1,153	14·7	12·1	9·5	9·7	—	—	—	—	—	—
Banff	3,255	16·6	12·6	11·1	8·9	—	—	0·61	11·1	37	18
Buckie	7,796	20·4	9·5	14·6	13·3	—	—	0·13	2·5	13	25
Cullen	1,630	11·0	4·9	16·6	11·4	—	—	—	—	111	—
Dufftown ...	1,496	15·4	5·3	10·0	7·7	—	—	—	4·3	—	—
Findochty ...	1,513	19·8	2·6	14·5	11·9	—	—	—	6·7	33	32
Keith	4,355	14·5	8·0	11·5	9·7	—	—	—	—	16	16
Macduff	3,295	16·7	6·4	16·7	12·8	—	—	—	—	55	18
Portknockie ...	1,480	13·5	3·4	10·8	9·5	—	—	—	10·0	50	—
Portsoy	1,747	20·0	9·7	19·5	13·4	—	—	—	5·7	—	—
Berwick County—											
Coldstream ...	1,289	24·0	6·2	20·2	15·4	0·78	—	—	—	—	31
Duns	1,998	14·0	8·0	17·0	14·2	—	—	—	3·6	—	67
Eyemouth ...	2,175	5·5	4·6	15·6	12·9	—	—	—	—	—	77
Lauder	595	8·4	3·4	25·2	15·9	—	—	—	—	—	—
Bute County ...											
Millport	1,692	8·9	3·0	26·6	14·6	—	—	—	—	67	—
Rothesay ...	9,386	14·1	6·4	15·1	12·0	0·11	0·11	—	6·8	30	29
Caithness County—											
Thurso	3,582	24·0	12·6	13·1	11·4	0·28	0·28	—	3·5	58	11
Wick	7,517	18·5	12·0	12·0	11·4	—	—	0·13	6·5	43	48
Clackmannan County—											
Alloa	13,931	20·6	12·1	12·0	12·7	—	—	0·14	6·6	56	17
Alva	4,019	11·9	10·5	13·2	11·6	—	—	—	—	—	40
Dollar	1,603	13·1	8·7	10·6	8·6	—	—	—	4·8	—	—
Tillicoultry ...	3,924	17·6	3·3	11·5	11·2	—	—	—	2·9	14	28

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 5.—*continued*

Small Burghs	Estimated Population 1956	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Dumfries County—											
Annan	4,983	22·1	18·3	12·0	10·5	—	—	—	4·5	9	9
Langholm ...	2,380	10·5	6·3	14·7	10·1	—	—	—	4·0	—	—
Lochmaben ...	1,183	19·4	17·8	9·3	7·2	—	—	—	—	—	42
Lockerbie ...	2,665	12·4	13·5	11·3	9·2	—	—	0·38	—	—	57
Moffat	2,052	13·2	5·8	15·1	9·4	—	—	—	14·8	—	36
Sanquhar ...	2,518	16·7	5·2	13·9	15·0	—	—	—	—	24	67
Dunbarton County											
Cove & Kilcreggan	824	13·3	8·5	21·8	10·4	—	—	—	—	—	—
Helensburgh ...	8,575	16·9	7·1	17·3	12·8	0·12	0·12	—	6·9	28	14
Kirkintilloch ...	15,687	19·3	9·8	9·5	11·5	0·19	0·13	0·06	1·3	20	41
Milngavie ...	8,081	17·7	5·6	9·0	8·2	—	—	—	1·4	14	7
East Lothian Co.—											
Cockenzie and Port Seton ...	3,331	18·3	4·8	11·7	12·2	0·30	0·30	—	8·2	—	—
Dunbar	4,190	16·9	11·7	15·0	12·6	0·24	0·24	0·24	9·9	42	27
East Linton ...	955	13·6	1·0	13·6	8·1	1·00	—	—	—	—	13
Haddington ...	4,689	17·9	11·5	12·4	10·1	0·21	0·21	—	2·4	24	45
North Berwick ...	3,795	11·3	7·1	17·9	12·9	—	—	—	2·3	70	—
Prestonpans ...	3,094	16·2	23·6	12·6	16·3	—	—	—	2·0	20	20
Tranent	5,955	19·0	16·5	9·7	12·0	0·17	0·17	—	2·7	35	17
Fife County—											
Auchtermuchty	1,341	10·4	10·4	12·7	8·2	—	—	—	—	—	—
Buckhaven and Methil ...	21,304	19·9	8·6	11·2	13·1	0·05	0 05	—	4·2	28	43
Burntisland ...	5,982	13·9	7·9	11·5	10·1	—	—	—	1·2	—	—
Cowdenbeath ...	13,566	17·8	10·5	11·9	13·7	0·07	0·07	—	3·7	25	16
Crail	1,174	13·6	9·4	19·6	12·4	—	—	—	6·3	63	—
Culross	605	16·5	39·7	5·0	5·2	—	—	—	10·0	—	—
Cupar	5,676	14·1	9·9	11·8	10·2	—	—	—	7·5	38	24
Elie and Earlsferry	930	11·8	4·3	22·6	11·5	—	—	1·08	—	—	—
Falkland ...	1,070	15·0	3·7	17·8	13·6	—	—	—	12·5	—	—
Inverkeithing ...	3,930	24·2	7·4	12·5	13·9	—	—	—	5·3	21	10
Kilrenny, Anstruther Easter & Anstruther Wester	3,372	14·8	3·6	11·6	7·3	—	—	—	6·0	20	20
Kinghorn ...	2,325	20·6	4·3	12·9	12·0	—	—	0·43	2·1	—	20
Ladybank ...	1,170	18·8	6·0	18·8	12·4	—	—	—	4·5	—	—
Leslie	2,776	20·5	9·0	14·8	8·4	—	—	0·36	—	18	17
Leven	8,910	14·1	9·7	11·4	10·8	0·11	0·11	0·11	2·4	40	8
Lochgelly ...	9,371	19·6	10·0	10·7	11·7	—	—	0·11	3·3	11	11
Markinch ...	2,428	23·9	13·2	15·2	13·5	—	—	—	1·7	34	17
Newburgh ...	2,443	10·6	5·7	5·7	4·9	—	—	—	3·8	—	—
Newport-on-Tay	3,330	15·0	5·7	23·4	13·8	—	—	0·30	—	60	38
Pitterweem ...	1,550	15·5	7·1	14·8	10·1	—	—	0·65	12·5	—	40
St. Andrews ...	9,559	12·0	9·9	13·8	11·8	—	—	—	2·6	26	—
St. Monace ...	1,459	11·0	4·1	17·8	13·7	0·69	0·69	0·69	—	63	—
Tayport ...	3,316	16·9	6·0	13·3	10·4	—	—	0·30	5·4	36	—
Inverness County—											
Fort William ...	2,859	20·6	13·6	10·8	11·1	—	—	0·35	5·1	51	48
Kingussie ...	1,054	14·2	4·7	25·6	18·2	0·95	0·95	0·95	—	—	63
Kincardine Co.—											
Banchory ...	1,903	14·7	7·9	20·5	13·9	—	—	—	—	36	34
Inverbervie ...	949	22·1	10·5	11·6	8·8	—	—	—	—	48	45
Laurencekirk ...	1,432	11·2	16·1	14·7	9·9	—	—	—	6·3	—	59
Stonehaven ...	4,481	16·3	8·7	16·1	11·2	—	—	—	5·5	—	—
Kinross County—											
Kinross	2,506	20·8	12·0	12·0	10·5	—	—	—	—	19	19
Kirkcudbright Co.—											
Castle Douglas ...	3,334	13·8	6·3	15·6	13·9	—	—	0·30	4·3	22	21
Dalbeattie ...	3,432	14·6	7·3	16·3	14·9	—	—	—	—	20	—
Gatehouse-of-Fleet	844	22·5	4·7	20·1	13·2	—	—	—	10·5	53	—
Kirkcudbright ...	2 537	19·3	8·7	12·2	10·6	—	—	—	2·0	—	58
New Galloway ...	291	13·7	—	24·1	11·5	—	—	—	—	—	—
Lanark County—											
Biggar	1,465	10·9	11·6	15·7	8·0	—	—	—	—	—	—
Lanark	8,166	17·4	11·0	11·5	10·5	0·24	0·24	—	2·1	49	21
Midlothian Co.—											
Bonnyrigg and Lasswade ...	5,763	18·0	7·1	12·1	12·4	0·35	0·17	—	1·9	38	46
Dalkeith	9,117	16·9	9·1	11·1	11·7	—	—	—	1·9	45	25
Loanhead ...	5,193	16·0	8·7	10·4	11·4	—	—	—	2·4	24	12
Musselburgh ...	18,124	17·6	8·8	10·8	11·2	0·11	0·11	0·06	5·0	6	33
Penicuik ...	5,789	22·5	10·4	10·2	10·3	0·17	0·17	0·17	1·5	15	8

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 5.—*continued*

Small Burghs	Estimated Population 1956	Rates per 1,000 of Population: Birth-rate (Living Children)	Marriage-rate	Death-rate: Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*	Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
Moray County—											
Burghead ...	1,362	22·0	4·4	15·4	12·6	—	—	—	—	67	—
Elgin	11,277	24·1	15·8	13·1	11·4	0·18	0·18	0·09	3·7	22	18
Forres	5,008	20·0	10·8	11·6	10·2	—	—	—	4·0	10	10
Grantown-on-Spey	1,575	16·5	7·6	11·4	8·9	—	—	—	11·5	38	37
Lossiemouth and Branderburgh	5,163	26·0	8·7	11·6	11·5	0·19	—	—	1·5	22	22
Rothes	1,220	13·9	11·5	20·5	17·3	—	—	—	5·9	—	—
Nairn County—											
Nairn	4,675	16·5	9·2	13·0	9·7	0·21	0·21	—	5·2	52	13
Orkney County—											
Kirkwall ...	4,296	17·5	9·1	13·0	11·5	0·23	0·23	0·23	2·7	13	26
Stromness ...	1,510	16·6	6·6	19·9	14·1	—	—	—	8·0	40	—
Peebles County—											
Innerleithen ...	2,383	13·4	6·7	14·7	10·9	—	—	—	—	—	—
Peebles	5,654	13·4	8·1	13·4	9·5	—	—	0·18	3·9	26	50
Perth County— ...											
Aberfeldy ...	1,522	12·5	7·2	15·1	11·3	—	—	—	15·8	105	95
Abernethy ...	665	7·5	21·1	4·5	3·6	—	—	—	—	400	17
Alyth	2,019	6·9	7·9	13·9	11·1	—	—	—	—	—	—
Auchterarder ...	2,397	16·3	15·9	15·9	10·7	—	—	—	5·1	51	25
Blairgowrie and Rattray	5,297	18·7	11·7	21·3	14·7	0·38	0·38	—	8·1	51	39
Callander ...	1,643	14·0	7·9	19·5	14·0	—	—	—	4·3	—	42
Coupar Angus ...	2,170	10·1	6·0	14·7	10·3	—	—	0·46	—	—	—
Crieff	5,383	14·1	8·0	14·5	9·6	—	—	0·19	7·9	53	—
Doune	879	13·7	14·8	9·1	6·9	—	—	—	—	—	—
Dunblane ...	2,794	9·3	7·5	19·3	12·8	—	—	—	11·5	38	10
Pitlochry ...	2,281	16·7	4·8	14·9	10·8	—	—	—	10·5	53	26
Renfrew County—											
Barrhead ...	13,700	23·0	7·4	11·5	12·7	0·07	—	0·07	1·3	29	16
Gourock	9,164	17·0	6·0	12·5	10·6	0·04	0·03	0·01	1·3	13	13
Johnstone ...	16,372	20·0	8·4	10·3	12·7	0·37	0·37	0·06	4·6	34	32
Renfrew	17,681	18·0	6·1	10·7	11·8	0·17	0·17	0·11	0·9	31	22
Ross and Cromarty County—											
Cromarty ...	696	10·1	10·1	33·0	20·2	—	—	—	14·3	—	—
Dingwall ...	3,548	23·7	9·6	12·7	12·5	0·28	0·28	—	7·1	12	12
Fortrose	846	21·3	7·1	14·2	9·0	—	—	—	—	—	53
Invergorden ...	1,514	18·5	10·6	13·2	9·8	—	—	—	—	—	—
Stornoway ...	5,199	18·3	4·8	10·6	9·0	0·19	0·19	—	4·2	21	21
Tain	1,618	21·6	11·7	15·5	11·2	—	—	—	2·9	—	28
Roxburgh County—											
Hawick	16,789	14·3	7·7	15·9	13·2	0·12	0·12	0·18	3·8	21	40
Jedburgh ...	4,123	17·9	9·5	11·9	10·8	—	—	0·24	4·1	27	—
Kelso	4,228	17·7	9·9	17·3	12·3	—	—	—	2·7	40	—
Melrose	2,134	12·2	4·2	18·7	10·9	—	—	—	7·7	—	—
Selkirk County—											
Galashiels ...	12,235	15·8	8·5	14·2	11·2	0·08	0·08	—	3·1	10	15
Selkirk	5,823	15·1	7·0	19·9	15·3	—	—	—	3·4	34	33
Stirling County—											
Bridge of Allan ...	3,261	15·6	6·4	14·4	10·5	—	—	0·31	2·0	—	56
Denny and Dunipace ...	7,317	22·8	6·8	6·8	8·5	0·14	—	—	1·8	18	29
Grangemouth ...	16,415	22·4	7·9	11·3	13·8	0·30	0·18	0·06	2·2	30	16
Kilsyth	10,303	18·5	9·2	9·0	10·9	—	—	—	2·6	16	10
Sutherland Co.—											
Dornoch	860	19·8	11·6	9·3	7·3	—	—	—	—	—	56
West Lothian Co.—											
Armadale ...	6,107	18·8	11·6	9·2	12·3	—	—	—	1·7	26	34
Bathgate... ...	11,887	19·6	9·5	11·4	12·8	0·08	0·08	—	2·6	13	21
Bo'ness	10,216	19·8	11·0	9·5	10·2	0·10	0·10	—	1·5	30	29
Linlithgow ...	4,222	21·3	4·7	8·5	9·2	—	—	—	2·2	22	32
Queensferry ...	2,744	25·5	6·2	10·9	12·5	—	—	—	5·7	—	14
Whitburn ...	5,649	22·7	8·0	8·0	12·4	—	—	—	2·3	8	45
Wigtown County—											
Newton Stewart	2,049	12·2	7·3	20·0	18·5	—	—	0·49	8·0	—	—
Stranraer ...	8,675	18·7	11·2	10·7	11·6	—	—	0·23	7·4	49	41
Whithorn ...	1,008	21·8	10·9	10·9	8·5	—	—	—	13·6	91	43
Wigtown ...	1,341	14·2	4·5	14·2	10·7	—	—	—	15·8	—	136
Zetland County —											
Lerwick	5,619	15·7	10·9	15·1	12·5	—	—	—	3·4	57	43

NOTE—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

* Typhoid fever, scarlet fever diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 6.—Birth-, Death-, and Marriage-rates in the Landward Areas of Scotland in 1956

County Landward Areas	Estimated Population 1956	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Stillbirths per 1,000 Total Births (including Stillbirths)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Aberdeen	101,450	17·4	4·9	10·9	9·6	0·06	0·06	0·03	5·9	15	25
Angus	37,134	15·3	3·4	9·3	8·8	0·03	0·03	—	5·1	18	21
Argyll	33,202	14·8	3·3	16·7	11·9	0·15	0·15	0·39	7·9	18	18
Ayr	128,531	18·4	6·6	10·1	11·3	0·04	0·04	0·03	3·4	33	25
Banff	22,356	15·7	4·8	10·0	9·4	0·04	—	0·04	6·5	26	19
Berwick	18,238	13·9	4·8	14·1	11·7	—	—	0·11	5·1	43	12
Bute	6,193	13·7	3·4	20·2	12·7	0·16	0·16	—	8·2	12	12
Caithness	13,355	14·4	3·4	13·3	9·8	0·07	0·07	—	8·3	21	25
Clackmannan ...	15,936	21·1	4·5	9·0	10·9	0·13	0·13	—	4·5	30	15
Dumfries	44,752	16·4	7·9	11·2	10·7	0·09	0·09	0·11	4·1	22	28
Dunbarton ...	63,843	18·7	5·9	11·7	12·0	0·13	0·13	0·09	4·0	24	21
East Lothian ...	25,529	18·3	4·5	10·1	11·1	0·08	0·08	0·04	3·9	21	17
Fife	112,605	19·9	5·6	9·7	10·7	0·10	0·05	0·06	3·9	27	23
Inverness	52,569	15·9	2·6	12·9	9·8	0·21	0·17	0·10	7·9	17	21
Kincardine ...	19,002	15·0	4·4	10·1	9·5	—	—	0·05	4·2	14	17
Kinross	4,689	15·8	3·6	12·4	10·8	0·21	0·21	—	8·1	14	26
Kirkcudbright ...	19,715	17·8	6·0	12·6	11·5	0·05	0·05	0·10	4·8	17	22
Lanark	310,154	20·1	7·4	11·0	12·5	0·23	0·20	0·05	3·2	34	25
Midlothian	63,128	21·4	6·6	10·0	11·3	0·02	0·02	0·05	3·0	30	32
Moray	23,964	17·6	2·3	9·5	10·1	0·04	0·04	0·04	5·5	26	21
Nairn	3,624	14·9	4·4	9·7	8·1	0·28	0·28	—	1·9	56	—
Orkney	14,337	14·9	6·1	15·6	11·0	—	—	—	3·3	28	27
Peebles	6,235	17·5	6·6	9·9	8·4	—	—	—	2·8	9	—
Perth	59,455	16·4	4·3	11·7	9·6	0·10	0·06	0·03	5·7	26	16
Renfrew	78,227	16·0	5·8	12·2	11·3	0·05	0·05	0·04	2·6	21	18
Ross and Cromarty	45,978	15·9	3·1	14·9	10·0	0·11	0·11	0·04	5·2	25	25
Roxburgh	18,152	14·5	4·4	12·5	10·1	0·06	0·06	0·06	6·8	23	15
Selkirk	3,113	15·7	4·8	11·9	10·5	—	—	—	—	20	39
Stirling	89,381	16·9	6·8	11·0	12·2	0·07	0·07	0·03	2·8	31	20
Sutherland	12,469	18·1	4·1	14·8	9·5	0·08	0·08	0·48	6·6	9	17
West Lothian ...	50,320	17·1	6·8	10·5	12·2	0·06	0·06	0·06	3·4	28	21
Wigtown	17,184	17·4	5·9	12·2	12·3	0·12	0·06	0·17	10·0	27	16
Zetland	12,963	13·0	3·6	17·0	10·2	0·08	—	0·15	2·4	30	34

* Typhoid fever, scarlet fever, diphtheria, whooping cough, meningococcal infections, measles and influenza.

TABLE 7.—General Registration Summary

Events registered in 1956. (Figures in this table show actual numbers as registered and are not "Corrected for Residence")

Counties, Counties of Cities and Large Burghs	Population* (Enumerated at Census of)		Registered Births, Stillbirths, Deaths and Marriages, 1956					
			Live Births			Deaths		
	1951	1931	Total	Illegitimate	Stillbirths	Total	From Uncertified Causes	Marriages
SCOTLAND	**5,096,415**	**4,842,980**	**95,313**	**4,069**	**2,329**	**61,792**	**13**	**43,971**
Counties of Cities ...	1,916,833	1,879,620	40,246	2,185	1,077	25,729	1	19,299
Large Burghs	829,666	774,705	20,845	692	456	10,448	—	8,227
Counties (ex. Counties of Cities and Large Burghs)	2,349,916	2,188,655	34,222	1,192	796	25,615	12	16,445
Small Burghs	832,445	753,694	13,520	474	269	8,893	1	7,708
Landward	1,517,471	1,434,961	20,702	718	527	16,722	11	8,737
Counties (ex. Counties of Cities and Large Burghs)								
Aberdeen	144,746	143,611	2,054	97	28	1,289	—	965
Angus	78,025	75,310	898	29	15	1,074	—	488
Argyll	63,361	63,050	819	50	15	913	—	324
Ayr	236,720	207,619	4,390	146	121	2,512	4	1,883
Banff	50,148	54,907	799	36	9	551	—	349
Berwick	25,068	26,612	224	8	6	246	—	124
Bute	19,283	18,823	208	10	5	270	1	86
Caithness	22,710	25,656	382	21	11	299	—	181
Clackmannan	37,532	31,948	259	13	5	321	—	309
Dumfries...	59,338	77,926	332	12	6	618	—	540
Dunbarton	95,923	58,010	1,370	54	42	1,055	—	645
East Lothian	52,258	47,338	572	21	10	508	1	432
Fife	213,009	196,565	2,410	89	48	1,952	—	1,572
Inverness	56,823	58,558	370	18	11	682	—	182
Kincardine	27,882	26,780	174	5	2	231	—	171
Kinross	7,418	7,454	41	1	—	69	—	47
Kirkcudbright	30,725	30,341	186	4	3	330	—	190
Lanark	313,178	293,502	6,477	166	197	3,788	—	2,393
Midlothian	98,792	87,102	977	19	25	810	—	807
Moray	48,218	40,806	894	35	16	507	—	364
Nairn	8,719	8,294	117	3	—	73	—	59
Orkney	21,255	22,077	302	11	7	298	—	136
Peebles	15,232	15,051	174	1	3	128	—	103
Perth	87,542	85,733	630	32	10	1,130	—	512
Renfrew	132,157	100,769	2,159	39	57	1,179	—	855
Ross and Cromarty ...	60,508	62,799	805	32	14	714	4	250
Roxburgh	45,557	45,788	524	19	7	619	—	298
Selkirk	21,729	22,608	389	13	7	421	—	160
Stirling	122,841	105,334	2,892	112	49	1,230	—	902
Sutherland	13,670	16,101	168	8	3	178	1	61
West Lothian	88,577	81,431	1,545	46	45	995	—	718
Wigtown	31,620	29,331	427	36	9	330	—	231
Zetland	19,352	21,421	254	6	10	295	1	108
Counties of Cities								
Glasgow	1,089,767	1,093,337	22,622	1,198	612	14,034	1	11,072
Edinburgh	466,943	439,194	9,539	483	246	6,710	—	4,492
Aberdeen	182,783	169,910	4,062	233	116	2,712	—	1,965
Dundee	177,340	177,179	4,023	271	103	2,273	—	1,770
Large Burghs								
Paisley	93,711	88,384	1,967	93	35	1,338	—	838
Greenock	77,174	79,012	1,856	61	53	1,043	—	693
Motherwell and Wishaw	68,806	66,559	1,350	41	35	668	—	676
Kirkcaldy	49,050	44,745	1,557	41	42	572	—	493
Coatbridge	47,541	43,513	474	10	7	354	—	432
Dunfermline	44,719	35,058	1,642	55	32	572	—	445
Clydebank	44,638	47,033	370	6	7	411	—	328
Ayr	42,377	38,905	659	24	5	624	—	465
Kilmarnock	42,140	38,693	1,094	28	11	590	—	430
Perth	40,487	35,060	1,132	38	24	594	—	446
Hamilton	40,174	38,112	1,110	18	14	300	—	465
Falkirk	37,535	36,566	1,410	31	38	615	—	348
Airdrie	30,666	27,442	593	7	8	256	—	330
Inverness	28,107	23,550	1,324	75	34	630	—	464
Stirling	27,151	24,547	1,101	51	42	532	—	245
Dumfries...	26,322	23,031	1,599	74	43	546	—	366
Rutherglen	24,231	25,198	115	3	1	192	—	224
Dumbarton	23,708	21,770	912	21	15	255	—	192
Port Glasgow	21,618	19,826	257	6	4	124	—	192
Arbroath...	19,511	17,701	323	9	6	232	—	155

* Adjusted for alterations of boundary.

TABLE 8.—Birth-rate among Married and Unmarried Women in Scotland in 1956

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Unmarried Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
SCOTLAND ...	**1,089,600**	**663,900**	**425,700**	**95,313**	**91,244**	**4,069**	**87·5**	**137·4**	**9·6**
COUNTIES OF CITIES	419,100	249,600	169,500	36,052	34,289	1,763	86·0	137·4	10·4
LARGE BURGHS ...	185,500	115,300	70,100	16,938	16,312	626	91·3	141·4	8·9
COUNTIES (excluding Counties of Cities & Large Burghs) ...	485,100	299,000	186,100	42,323	40,643	1,680	87·3	136·0	9·0
SMALL BURGHS ...	178,500	111,300	67,300	15,004	14,475	529	84·0	130·1	7·9
LANDWARD ...	306,500	187,700	118,800	27,319	26,168	1,151	89·1	139·4	9·7
ABERDEEN COUNTY									
Aberdeen C. of C.	42,200	25,200	17,000	3,271	3,099	172	77·4	123·0	10·1
Remainder of Co.	28,300	17,400	10,900	2,509	2,376	133	88·5	136·5	12·2
ANGUS COUNTY—									
Dundee C. of C.	38,500	23,500	15,000	3,429	3,249	180	89·0	138·0	12·0
Arbroath Burgh...	4,300	2,700	1,500	347	333	14	81·5	121·3	9·3
Remainder of Co.	15,700	9,500	6,200	1,179	1,125	54	75·1	118·4	8·7
ARGYLL COUNTY ...	10,600	6,200	4,400	925	863	62	87·3	139·9	14·0
AYR COUNTY—									
Ayr Burgh ...	9,600	5,800	3,800	796	753	43	83·0	131·0	11·2
Kilmarnock Burgh	9,700	6,300	3,500	908	881	27	93·2	140·7	7·8
Remainder of Co.	51,800	32,400	19,400	4,462	4,325	137	86·1	133·3	7·1
BANFF COUNTY ...	9,800	5,800	4,000	838	797	41	85·4	138·0	10·2
BERWICK COUNTY ...	4,600	2,900	1,600	330	316	14	72·3	107·6	8·6
BUTE COUNTY ...	3,200	1,900	1,300	232	216	16	73·1	116·5	12·1
CAITHNESS COUNTY	4,600	2,800	1,800	417	389	28	90·0	139·5	15·2
CLACKMANNAN CO.	8,400	5,600	2,800	762	725	37	90·5	129·0	13·2
DUMFRIES COUNTY—									
Dumfries Burgh...	5,900	3,600	2,200	529	495	34	90·3	136·3	15·3
Remainder of Co.	11,900	7,300	4,500	995	955	40	83·9	130·4	8·8
DUNBARTON CO.—									
Clydebank Burgh	11,100	7,400	3,700	1,043	1,019	24	94·2	138·2	6·5
Dumbarton Burgh	5,600	3,400	2,200	677	655	22	121·6	194·1	10·0
Remainder of Co.	20,000	12,300	7,700	1,797	1,733	64	89·8	140·6	8·3
EAST LOTHIAN CO.	10,700	6,900	3,800	902	865	37	84·6	125·9	9·8
FIFE COUNTY—									
Dunfermline Burgh	9,200	6,200	3,000	809	771	38	88·2	125·0	12·6
Kirkcaldy Burgh	11,100	7,400	3,700	901	874	27	81·0	118·3	7·2
Remainder of Co.	46,100	30,100	15,900	4,067	3,911	156	88·3	129·9	9·8
INVERNESS COUNTY—									
Inverness Burgh	6,200	3,600	2,600	568	534	34	91·8	148·6	13·1
Remainder of Co.	9,600	5,300	4,300	908	839	69	94·7	157·5	16·2

TABLE 8.—*continued*

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Unmarried Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
KINCARDINE CO.—	5,300	3,300	2,000	423	406	17	79·4	122·7	8·4
KINROSS COUNTY ...	1,500	900	600	126	120	6	86·6	135·6	10·5
KIRKCUDBRIGHT CO.	5,800	3,600	2,200	519	497	22	89·1	137·9	9·9
LANARK COUNTY—									
Glasgow C. of C.	237,800	141,300	96,400	21,885	20,834	1,051	92·0	147·4	10·9
Airdrie Burgh ...	7,100	4,400	2,700	655	640	15	92·5	146·6	5·5
Coatbridge Burgh	11,200	6,700	4,400	1,249	1,226	23	111·9	182·4	5·2
Hamilton Burgh	9,100	5,500	3,700	827	792	35	90·7	145·0	9·6
Motherwell and Wishaw Burgh	15,400	9,500	5,900	1,445	1,394	51	93·8	146·6	8·6
Rutherglen Burgh	5,300	3,200	2,100	436	425	11	82·2	133·6	5·2
Remainder of Co.	68,700	41,400	27,400	6,393	6,191	202	93·0	149·6	7·4
MIDLOTHIAN CO.—									
Edinburgh C. of C.	100,600	59,500	41,100	7,467	7,107	360	74·2	119·4	8·8
Remainder of Co.	22,700	14,700	8,000	2,139	2,073	66	94·4	141·5	8·2
MORAY COUNTY ...	9,700	5,900	3,800	1,000	957	43	103·4	162·1	11·4
NAIRN COUNTY ...	1,600	1,000	600	131	126	5	81·0	129·0	7·8
ORKNEY COUNTY ...	3,700	2,400	1,300	314	303	11	85·2	126·6	8·5
PEEBLES COUNTY ...	2,800	1,700	1,100	217	211	6	77·9	123·7	5·6
PERTH COUNTY—									
Perth Burgh ...	8,800	5,500	3,300	642	610	32	73·1	111·3	9·7
Remainder of Co.	17,000	9,800	7,200	1,349	1,266	83	79·3	129·1	11·5
RENFREW COUNTY—									
Greenock Burgh	16,700	10,000	6,600	1,627	1,565	62	97·6	155·8	9·4
Paisley Burgh ...	20,700	12,800	7,900	1,863	1,793	70	90·0	140·2	8·8
Port Glasgow Burgh	5,000	3,200	1,900	531	517	14	105·5	162·5	7·6
Remainder of Co.	28,600	17,400	11,200	2,368	2,311	57	82·8	133·0	5·1
ROSS AND CROMARTY CO.	10,600	5,800	4,800	997	947	50	93·6	162·3	10·4
ROXBURGH COUNTY	8,900	5,500	3,400	678	644	34	75·9	116·9	9·9
SELKIRK COUNTY ...	4,300	2,600	1,700	330	321	9	76·2	122·1	5·3
STIRLING COUNTY—									
Falkirk Burgh ...	7,900	4,900	3,000	558	540	18	70·4	109·8	6·0
Stirling Burgh ...	5,700	3,400	2,300	527	495	32	92·4	145·2	13·9
Remainder of Co.	27,400	17,000	10,300	2,291	2,231	60	83·7	131·0	5·8
SUTHERLAND COUNTY	2,300	1,400	1,000	243	228	15	104·3	167·2	15·5
WEST LOTHIAN CO.	19,500	12,500	7,000	1,698	1,649	49	87·1	131·7	7·0
WIGTOWN COUNTY	5,800	3,600	2,200	527	477	50	90·2	131·8	22·5
ZETLAND COUNTY ...	3,400	2,000	1,500	257	250	7	74·6	125·6	4·8

TABLE 9.—Births by Single Age of Mother, Sex and Legitimacy, Scotland, 1956

Ages	All Births	Males	Females	Legitimate			Illegitimate		
				Total	Males	Females	Total	Males	Females
13	2	—	2	—	—	—	2	—	2
14	6	2	4	—	—	—	6	2	4
15	28	16	12	*1	—	1	27	16	11
16	148	80	68	85	45	40	63	35	28
17	590	309	281	454	230	224	136	79	57
18	1,431	709	722	1,219	599	620	212	110	102
19	2,631	1,355	1,276	2,333	1,193	1,140	298	162	136
Under 20	4,836	2,471	2,365	4,092	2,067	2,025	744	404	340
20	3,810	1,944	1,866	3,513	1,789	1,724	297	155	142
21	5,162	2,669	2,493	4,911	2,530	2,381	251	139	112
22	5,934	3,084	2,850	5,666	2,944	2,722	268	140	128
23	6,317	3,252	3,065	6,086	3,132	2,954	231	120	111
24	6,666	3,380	3,286	6,461	3,279	3,182	205	101	104
20–24	27,889	14,329	13,560	26,637	13,674	12,963	1,252	655	597
25	6,624	3,376	3,248	6,408	3,273	3,135	216	103	113
26	6,595	3,417	3,178	6,414	3,331	3,083	181	86	95
27	5,914	2,976	2,938	5,767	2,901	2,866	147	75	72
28	5,724	2,916	2,808	5,560	2,829	2,731	164	87	77
29	5,170	2,610	2,560	5,002	2,530	2,472	168	80	88
25–29	30,027	15,295	14,732	29,151	14,864	14,287	876	431	445
30	4,912	2,565	2,347	4,751	2,488	2,263	161	77	84
31	4,077	2,045	2,032	3,951	1,985	1,966	126	60	66
32	3,965	2,046	1,919	3,819	1,974	1,845	146	72	74
33	3,381	1,755	1,626	3,262	1,690	1,572	119	65	54
34	3,237	1,686	1,551	3,112	1,621	1,491	125	65	60
30–34	19,572	10,097	9,475	18,895	9,758	9,137	677	339	338
35	3,074	1,643	1,431	2,975	1,591	1,384	99	52	47
36	2,616	1,350	1,266	2,514	1,302	1,212	102	48	54
37	1,704	911	793	1,629	875	754	75	36	39
38	1,417	716	701	1,367	694	673	50	22	28
39	1,205	606	599	1,155	582	573	50	24	26
35–39	10,016	5,226	4,790	9,640	5,044	4,596	376	182	194
40	968	496	472	925	468	457	43	28	15
41	708	367	341	676	350	326	32	17	15
42	577	309	268	549	296	253	28	13	15
43	333	170	163	316	160	156	17	10	7
44	191	91	100	180	85	95	11	6	5
40–44	2,777	1,433	1,344	2,646	1,359	1,287	131	74	57
45	87	41	46	82	39	43	5	2	3
46	46	25	21	46	25	21	—	—	—
47	13	9	4	11	8	3	2	1	1
48	7	3	4	6	3	3	1	—	1
49	4	1	3	4	1	3	—	—	—
45–49	157	79	78	149	76	73	8	3	5
Not stated	39	21	18	34	16	18	5	5	—
Total	95,313	48,951	46,362	91,244	46,858	44,386	4,069	2,093	1,976

* Married in Eire

TABLE 10.—Births by Age of Mother and Duration of Marriage, Scotland, 1956

Duration of Marriage (Years)	Age of Mother																	
	All Ages	Under 16	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Under one year	13,192	*1	85	392	914	1,465	1,630	1,765	1,486	1,176	928	2,304	715	276	48	3	—	4
1	13,151	—	—	62	255	640	1,212	1,514	1,678	1,542	1,240	3,415	1,125	376	85	5	—	2
2	10,138	—	—	—	50	198	466	965	1,178	1,261	1,204	3,383	1,038	324	62	3	—	6
3	8,974	—	—	—	—	30	175	494	784	1,037	1,196	3,696	1,183	316	55	1	—	7
4	7,987	—	—	—	—	—	30	148	384	630	955	4,046	1,337	396	56	2	—	3
5	6,686	—	—	—	—	—	—	25	128	284	558	3,721	1,504	398	61	6	—	1
6	5,704	—	—	—	—	—	—	—	28	131	264	3,110	1,647	447	70	4	—	3
7	4,875	—	—	—	—	—	—	—	—	25	89	2,375	1,802	508	73	2	—	1
8	3,919	—	—	—	—	—	—	—	—	—	27	1,499	1,757	541	90	3	—	2
9	3,358	—	—	—	—	—	—	—	—	—	—	912	1,750	590	101	5	—	—
10–14	8,849	—	—	—	—	—	—	—	—	—	—	690	4,651	2,994	493	17	—	4
15–19	3,579	—	—	—	—	—	—	—	—	—	—	—	386	2,315	848	30	—	—
20–24	761	—	—	—	—	—	—	—	—	—	—	—	—	159	561	41	—	—
25 and over	70	—	—	—	—	—	—	—	—	—	—	—	—	—	43	27	—	—
Not stated	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
All Legitimate Births	91,244	1	85	454	1,219	2,333	3,513	4,911	5,666	6,086	6,461	29,151	18,895	9,640	2,646	149	—	34
Male ...	46,858	—	45	230	599	1,193	1,789	2,530	2,944	3,132	3,279	14,864	9,758	5,044	1,359	76	—	16
Female ...	44,386	1	40	224	620	1,140	1,724	2,381	2,722	2,954	3,182	14,287	9,137	4,596	1,287	73	—	18
Illegitimate Births	4,069	35	63	136	212	298	297	251	268	231	205	876	677	376	131	8	—	5
Male ...	2,093	18	35	79	110	162	155	139	140	120	101	431	339	182	74	3	—	5
Female ...	1,976	17	28	57	102	136	142	112	128	111	104	445	338	194	57	5	—	—
All Births ...	95,313	36	148	590	1,431	2,631	3,810	5,162	5,934	6,317	6,666	30,027	19,572	10,016	2,777	157	—	39
Male ...	48,951	18	80	309	709	1,355	1,944	2,669	3,084	3,252	3,380	15,295	10,097	5,226	1,433	79	—	21
Female ...	46,362	18	68	281	722	1,276	1,866	2,493	2,850	3,065	3,286	14,732	9,475	4,790	1,344	78	—	18

* Married in Eire

TABLE 11.—Fertility by Age of Mother, Scotland, 1956

	Age of Mother									
	All Ages	15–19*	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Births, 1956:—										
Total	95,313	4,836	27,889	30,027	19,572	10,016	2,777	157	—	39
Legitimate	91,244	4,092	26,637	29,151	18,895	9,640	2,646	149	—	34
Illegitimate	4,069	744	1,252	876	677	376	131	8	—	5
Rates per annum per 1,000 females:—										
All Births	74·86†	25·94	154·38	165·02	106·94	57·80	15·12	0·86	—	—
Legitimate Births ... ... (per 1,000 married females)	113·71†	454·42	308·43	215·56	129·23	68·36	18·14	1·08	—	—
Illegitimate Births ... ... (per 1,000 unmarried females, including widowed and divorced)	8·64†	4·20	13·29	18·76	18·41	11·65	3·45	0·18	—	—

† Rates in this column are calculated on the appropriate population of women aged 15-49.

* 2 aged 13 and 6 aged 14.

Duration of Marriage	Age of Mother																
	All Ages	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Months.																	
Under One	131	8	12	20	11	20	12	5	4	5	18	9	5	1	1	—	—
1	158	5	6	19	17	22	18	12	13	9	25	7	4	1	—	—	—
2	294	8	11	34	52	40	29	27	14	14	36	15	10	3	1	—	—
Under 3	*583*	*21*	*29*	*73*	*80*	*82*	*59*	*44*	*31*	*28*	*79*	*31*	*19*	*5*	*2*	—	—
3	472	12	29	50	63	67	51	53	26	21	54	26	17	3	—	—	—
4	787	11	63	97	126	102	89	82	54	26	86	37	12	2	—	—	—
5	1,234	12	73	160	210	159	170	109	79	68	132	38	21	3	—	—	—
3–5	*2,493*	*35*	*165*	*307*	*399*	*328*	*310*	*244*	*159*	*115*	*272*	*101*	*50*	*8*	—	—	—
6	1,600	11*	73	166	261	274	229	139	111	73	173	53	32	4	1	—	—
7	1,271	10	50	121	186	194	176	132	98	57	157	64	22	4	—	—	—
8	832	2	29	56	93	118	108	98	70	61	144	37	12	4	—	—	—
6–8	*3,703*	*23*	*152*	*343*	*540*	*586*	*513*	*369*	*279*	*191*	*474*	*154*	*66*	*12*	*1*	—	—
9	1,640	6	15	56	141	157	259	214	178	153	338	86	34	3	—	—	—
10	2,457	1	14	77	165	262	330	306	274	237	570	158	55	8	—	—	—
11	2,129	—	16	55	133	204	274	293	241	195	518	154	38	8	—	—	—
9–11	*6,226*	*7*	*45*	*188*	*439*	*623*	*863*	*813*	*693*	*585*	*1,426*	*398*	*127*	*19*	—	—	—
12–14	4,340	—	26	99	241	414	515	575	495	390	1,077	369	111	26	2	—	—
15–17	2,633	—	11	37	105	239	293	332	329	252	735	207	78	14	1	—	—
18–20	1,901	—	5	26	59	133	188	243	219	196	564	189	63	16	—	—	—
21–23	1,570	—	3	8	29	103	149	178	193	186	479	170	54	16	2	—	—
Years.																	
Under One	13,005	86	391	911	1,458	1,619	1,745	1,470	1,162	919	2,251	684	262	44	3	—	—
1	10,444	—	45	170	434	889	1,145	1,328	1,236	1,024	2,855	935	306	72	5	—	—
2	3,983	—	—	6	36	105	277	384	489	513	1,575	423	136	36	3	—	—
3	2,236	—	—	—	2	12	66	164	205	277	1,078	331	80	20	1	—	—
4	1,365	—	—	—	—	3	8	21	60	120	798	273	69	11	2	—	—
5	799	—	—	—	—	—	1	6	21	30	443	226	62	10	—	—	—
6	532	—	—	—	—	—	—	2	4	11	252	186	66	10	1	—	—
7	389	—	—	—	—	—	—	—	2	2	148	187	43	7	—	—	—
8	259	—	—	—	—	—	—	—	—	2	61	143	43	10	—	—	—
9	172	—	—	—	—	—	—	—	—	—	40	83	42	7	—	—	—
10–14	379	—	—	—	—	—	—	—	—	—	20	184	152	22	1	—	—
15–19	106	—	—	—	—	—	—	—	—	—	—	10	77	19	—	—	—
20 and over	12	—	—	—	—	—	—	—	—	—	—	—	1	11	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	33,681	86	436	1,087	1,930	2,628	3,242	3,375	3,179	2,898	9,521	3,665	1,339	279	16	—	—

* Including one aged 15. Married in Eire

TABLE 13.—Legitimate Births by Age of Mother and Number of Previous Children, Scotland, 1956

Number of Previous Children (including Stillborn and Dead)	Age of Mother																
	All Ages	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
By All Husbands.																	
None	33,102	*86	436	1,087	1,930	2,628	3,238	3,368	3,172	2,884	9,384	3,471	1,176	234	8	—	—
1	26,000	—	18	127	377	753	1,332	1,683	1,958	2,237	9,908	5,465	1,835	293	14	—	—
2	14,768	—	—	5	26	121	300	471	696	920	5,440	4,309	2,015	449	16	—	—
3	7,700	—	—	—	—	10	35	126	198	308	2,470	2,515	1,592	419	27	—	—
4	4,224	—	—	—	—	1	6	15	51	90	1,175	1,490	1,051	330	15	—	—
5	2,410	—	—	—	—	—	—	3	8	21	529	830	744	256	19	—	—
6	1,305	—	—	—	—	—	—	—	3	1	169	441	479	199	13	—	—
7	714	—	—	—	—	—	—	—	—	—	58	203	292	151	10	—	—
8	420	—	—	—	—	—	—	—	—	—	15	99	187	114	5	—	—
9	255	—	—	—	—	—	—	—	—	—	2	41	132	74	6	—	—
10–14	292	—	—	—	—	—	—	—	—	—	1	31	130	116	14	—	—
15–19	20	—	—	—	—	—	—	—	—	—	—	—	7	11	2	—	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	34
Total	91,244	86	454	1,219	2,333	3,513	4,911	5,666	6,086	6,461	29,151	18,895	9,640	2,646	149	—	34
By Present Husband.																	
None	33,681	*86	436	1,087	1,930	2,628	3,242	3,375	3,179	2,898	9,521	3,665	1,339	279	16	—	—
1	26,032	—	18	127	377	753	1,328	1,678	1,957	2,229	9,885	5,477	1,880	309	14	—	—
2	14,615	—	—	5	26	121	300	469	692	915	5,388	4,256	1,984	440	19	—	—
3	7,566	—	—	—	—	10	35	126	197	307	2,438	2,453	1,561	415	24	—	—
4	4,093	—	—	—	—	1	6	15	50	90	1,161	1,450	991	318	11	—	—
5	2,336	—	—	—	—	—	—	3	8	21	518	807	711	249	19	—	—
6	1,260	—	—	—	—	—	—	—	3	1	165	427	460	195	9	—	—
7	688	—	—	—	—	—	—	—	—	—	57	197	282	142	10	—	—
8	397	—	—	—	—	—	—	—	—	—	15	96	175	106	5	—	—
9	245	—	—	—	—	—	—	—	—	—	2	40	124	72	7	—	—
10–14	277	—	—	—	—	—	—	—	—	—	1	27	126	110	13	—	—
15–19	20	—	—	—	—	—	—	—	—	—	—	—	7	11	2	—	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	34
Total	91,244	86	454	1,219	2,333	3,513	4,911	5,666	6,086	6,461	29,151	18,895	9,640	2,646	149	—	34

Number of Previous Children (Including Stillborn and Dead)	Total Births	Duration of Present Marriage—Years															Total Children (Including Present Birth)
		Under 1 year	1	2	3	4	5	6	7	8	9	10–14	15–19	20–24	25 and over	Not Stated	
By all Husbands—None	33,102	12,740	10,255	3,923	2,208	1,353	790	527	385	257	170	376	106	10	2	—	33,102
1	26,000	252	2,589	5,374	4,810	3,862	2,801	1,951	1,334	921	681	1,215	200	10	—	—	52,000
2	14,768	99	195	693	1,630	2,061	1,959	1,779	1,544	1,200	903	2,149	508	47	1	—	44,304
3	7,700	42	62	89	232	581	846	901	884	778	710	1,836	641	91	7	—	30,800
4	4,224	28	33	27	66	96	224	390	466	395	463	1,356	595	78	7	—	21,120
5	2,410	14	8	14	10	21	49	117	194	231	254	898	493	104	3	—	14,460
6	1,305	6	4	7	6	7	9	20	49	96	109	518	364	107	3	—	9,135
7	714	2	2	3	1	2	3	10	15	26	47	275	237	80	11	—	5,712
8	420	3	1	—	3	—	2	2	2	5	13	142	176	63	8	—	3,780
9	255	—	—	—	1	—	1	3	—	2	5	51	123	58	11	—	2,550
10	140	—	—	1	—	1	—	1	—	4	1	22	70	34	6	—	1,540
11	63	1	—	—	—	—	—	—	—	2	—	6	27	24	3	—	756
12	48	1	—	1	—	—	—	—	1	—	—	—	21	23	1	—	624
13	29	—	—	—	—	—	1	—	—	—	2	—	14	10	2	—	406
14	12	—	—	—	—	—	—	—	—	—	—	1	3	7	1	—	180
15 and over	*20	—	—	—	—	—	—	—	—	—	—	—	1	15	4	—	331
Not stated	34	4	2	6	7	3	1	3	1	2	—	4	—	—	—	1	34
Total	91,244	13,192	13,151	10,138	8,974	7,987	6,686	5,704	4,875	3,919	3,358	8,849	3,579	761	70	1	220,834
Total Number of Children (Including Present Birth)	220,834	14,047	16,534	17,428	18,130	18,269	17,197	16,304	15,210	13,187	12,265	36,712	19,409	5,540	601	1	—
By Present Husband—None	33,681	13,005	10,444	3,983	2,236	1,365	799	532	389	259	172	379	106	10	2	—	33,681
1	26,032	150	2,547	5,417	4,841	3,898	2,819	1,960	1,347	934	691	1,218	200	10	—	—	52,064
2	14,615	19	126	656	1,633	2,051	1,967	1,788	1,548	1,203	907	2,161	508	47	1	—	43,845
3	7,566	9	24	61	210	578	837	896	889	773	716	1,834	641	91	7	—	30,264
4	4,093	2	4	8	43	76	221	390	463	396	452	1,357	596	78	7	—	20,465
5	2,336	2	3	6	3	13	37	111	183	228	249	901	493	104	3	—	14,016
6	1,260	—	1	—	1	2	4	15	46	94	111	511	365	107	3	—	8,820
7	688	—	—	—	—	1	—	5	8	23	44	279	237	80	11	—	5,504
8	397	1	—	—	—	—	—	2	1	5	10	132	175	63	8	—	3,573
9	245	—	—	1	—	—	1	2	—	—	4	46	122	58	11	—	2,450
10	132	—	—	—	—	—	—	—	—	1	1	20	70	34	6	—	1,452
11	61	—	—	—	—	—	—	—	—	1	—	6	27	24	3	—	732
12	45	—	—	—	—	—	—	—	—	—	—	—	21	23	1	—	585
13	27	—	—	—	—	—	—	—	—	—	1	—	14	10	2	—	378
14	12	—	—	—	—	—	—	—	—	—	—	1	3	7	1	—	180
15 and over	*20	—	—	—	—	—	—	—	—	—	—	—	1	15	4	—	331
Not stated	34	4	2	6	7	3	1	3	1	2	—	4	—	—	—	1	34
Total	91,244	13,192	13,151	10,138	8,974	7,987	6,686	5,704	4,875	3,919	3,358	8,849	3,579	761	70	1	218,374
Total Children by Present Husband (including Present Birth)	218,374	13,433	16,059	17,121	17,904	18,109	17,052	16,202	15,092	13,088	12,177	36,593	19,402	5,540	601	1	—
Average Number of Children to Present Husband	2·39	1·02	1·22	1·69	2·00	2·27	2·55	2·84	3·10	3·34	3·63	4·14	5·42	7·28	8·59	—	—

Note.—The above numbers indicate that in some cases children born before marriage have been included by informant.

* Duration of Present Marriage
15-19 years = 1 with 15 previous children; 20-24 years = 8 with 15 Previous Children, 5 with 16 Previous Children 2 with 17 Previous Children
25 years and over = 2 with 15 previous children; 2 with 16 previous children.

TABLE 15.—Deaths, by Age-groups, of Women who had been married, and number returned at time of death as having had no Children, Scotland, 1956

Conjugal Condition at Date of Death	Age of Women											
	All Ages	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–59	60–69	70 and over	Not stated
All women.*—												
Married	8,733	4	45	106	158	246	342	581	1,694	2,579	2,978	—
Widowed	13,611	—	1	3	1	9	23	58	489	2,014	11,013	—
Divorced	98	—	—	1	3	7	9	8	19	25	26	—
Women stated to have had no children.—												
Married	1,470	2	17	33	33	34	57	109	298	389	498	—
Widowed	2,025	—	1	—	—	—	4	10	84	328	1,598	—
Divorced	28	—	—	—	2	5	3	1	5	6	6	—
No statement as to children.—												
Married	26	—	—	—	—	—	1	3	4	5	13	—
Widowed	76	—	—	—	—	—	—	—	2	8	66	—
Divorced	5	—	—	—	—	—	—	3	1	1	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
Percentage of women* in each group stated to have had no children.—												
Married	16·8	50·0	37·8	31·1	20·9	13·8	16·7	18·8	17·6	15·1	16·7	—
Widowed	14·9	—	100·0	—	—	—	17·4	17·2	17·2	16·3	14·5	—
Divorced†	28·6	—	—	—	—	—	—	—	—	—	—	—

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Numbers in age columns too small for the calculation of significant rates.

TABLE 16.—Deaths of Women who had been married, by duration of marriage, and number returned at time of death as having had no Children, Scotland, 1956

Duration of Marriage (Years)	Deaths of Women* who had been Married				Number who had had no Children				No Statement as to Children					Percentage of Women* in each Group who had had no Children			
	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Not stated	Total	Married	Widowed	Divorced†
Under 1	68	39	29	—	40	21	19	—	—	—	—	—	—	58·8	53·8	65·5	—
1	97	45	51	1	45	20	24	1	—	—	—	—	—	46·4	44·4	47·1	—
2	139	52	85	2	48	21	26	1	—	—	—	—	—	34·5	40·4	30·6	—
3	133	53	77	3	47	14	30	3	—	—	—	—	—	35·3	26·4	39·0	—
4	140	36	102	2	49	16	32	1	—	—	—	—	—	35·0	44·4	31·4	—
5	171	47	120	4	60	22	35	3	—	—	—	—	—	35·1	46·8	29·2	—
6	170	62	104	4	47	20	26	1	—	—	—	—	—	27·6	32·3	25·0	—
7	183	58	122	3	51	21	29	1	—	—	—	—	—	27·9	36·2	23·8	—
8	210	76	131	3	56	21	33	2	—	—	—	—	—	26·6	27·6	25·2	—
9	199	84	112	3	71	32	38	1	—	—	—	—	—	35·7	38·1	33·9	—
10–14	1,174	384	774	16	310	114	193	3	—	—	—	—	—	26·4	29·7	24·9	—
15–19	1,485	545	922	18	370	161	206	3	—	—	—	—	—	24·9	29·5	22·3	—
20–29	3,839	1,353	2,462	24	773	301	467	5	—	—	—	—	—	20·1	22·2	19·0	—
30–39	5,604	2,296	3,298	10	801	367	433	1	—	—	—	—	—	14·3	16·0	13·1	—
40–49	5,536	2,274	3,261	1	491	232	259	—	—	—	—	—	—	8·9	10·2	7·9	—
50–59	2,735	1,161	1,574	—	138	64	74	—	—	—	—	—	—	5·0	5·5	4·7	—
60–69	314	140	174	—	11	7	4	—	—	—	—	—	—	3·5	5·0	2·3	—
70 and over	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Stated	243	27	212	4	115	16	97	2	107	26	76	5	—	47·3	59·3	45·8	—
Total ...	22,442	8,733	13,611	98	3,523	1,470	2,025	28	107	26	76	5	—	15·7	16·8	14·9	28·6

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.
† Individual numbers too small for the calculation of significant rates.

Table 17. Deaths from Selected Causes and Age Groups of Women who had been married. — Scotland, 1956

Cause of Death		Women who had Children								Women who had no Children							
		Total	15—	25—	35—	45—	55—	65—	75+	Total	15—	25—	35—	45—	55—	65—	75+
001-019	Tuberculosis	150	1	40	40	20	17	24	8	30	1	12	9	1	3	3	1
020-029	Syphilis	9	—	—	—	2	2	2	3	8	—	—	—	2	3	3	—
170	Malignant neoplasm of breast ...	526	—	9	52	107	137	116	105	133	—	2	5	27	33	36	30
171-174	Malignant neoplasm of uterus ...	345	—	9	44	77	101	78	36	61	1	2	7	10	21	13	7
175-176	Malignant neoplasm of other and unspecified female genital organs	166	—	3	11	40	42	38	32	47	—	1	2	9	11	16	8
140-165 } 180-205 }	Malignant neoplasm of all other and unspecified sites	2,341	2	22	88	250	459	733	787	422	2	7	17	62	83	118	133
214-217	Benign neoplasm of female genital organs	19	—	—	2	9	4	3	1	5	—	1	—	—	—	3	1
241	Asthma	75	—	1	6	13	14	22	19	19	—	1	—	3	7	6	2
252	Thyrotoxicosis, with or without goitre	8	—	—	—	—	3	3	2	3	—	—	—	1	—	2	—
260	Diabetes mellitus	280	—	1	3	7	63	117	89	32	2	1	2	1	8	11	7
290-293	Anæmias	99	—	2	1	1	12	40	43	24	—	1	—	—	3	7	13
300-326	Mental, psychoneurotic and personality disorders ...	34	—	—	2	2	4	6	20	12	—	—	1	3	—	3	5
330-334	Vascular lesions affecting central nervous system	3,693	1	8	28	165	449	1,146	1,896	719	—	4	6	36	90	210	373
353	Epilepsy	16	—	4	2	4	2	2	2	2	—	1	—	—	1	—	—
410-416	Chronic rheumatic heart disease...	335	7	24	52	78	78	51	45	75	2	9	11	12	15	15	11
420-422	Arteriosclerotic and degenerative heart disease	5,871	1	4	36	165	624	1,658	3,383	1017	1	1	8	34	132	275	566
430-434	Other diseases of heart	207	2	2	2	9	29	66	97	38	1	2	2	2	7	9	15
440-447	Hypertensive disease	777	—	3	11	39	126	257	341	129	—	—	1	4	16	50	58
460-466	Diseases of veins	78	—	3	4	8	12	28	23	28	—	—	—	3	10	9	6
490-493	Pneumonia	504	—	5	9	20	46	129	295	82	1	1	1	1	10	26	42
500-502	Bronchitis	446	1	1	12	18	68	133	213	70	—	—	2	5	6	21	36
560, 561, 570	Intestinal obstruction and hernia	130	1	—	5	8	15	33	68	23	1	—	1	1	4	4	12
581-586	Diseases of the liver	189	—	1	11	19	39	60	59	27	—	—	—	6	9	3	9
590-609	Diseases of the urinary and genito-urinary system ...	276	—	9	12	38	61	73	83	55	1	4	7	4	13	13	13
620-637	Diseases of female genital organs	23	1	—	2	7	6	2	5	3	—	2	—	1	—	—	—
640-689	Deliveries and complications of pregnancy and childbirth and the puerperium	41	6	18	17	—	—	—	—	7	3	2	2	—	—	—	—
	All other natural causes ...	1,774	3	19	51	118	188	363	1,032	331	3	8	12	32	47	55	174
E800-999	Violence	507	4	16	30	47	67	87	256	121	1	6	7	17	21	17	52
	Total ...	18,919	30	204	533	1,271	2,668	5,270	8,943	3,523	20	68	103	277	553	928	1,574

TABLE 18.—Number of Stillbirths and Neo-natal Deaths in Counties of Cities, Large Burghs and Counties of Scotland, 1956

Counties of Cities, Large Burghs, and Counties	Living Births	Stillbirths		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegitimate		Stillbirths	Neo-natal Deaths	Combined Rates
SCOTLAND	95,313	2,329	138	1,819	23·9	18·6	42·5
Counties of Cities ...	36,052	904	62	697	24·5	18·9	43·3
Large Burghs	16,938	421	21	339	24·3	19·5	43·8
Counties (ex. Counties of Cities and Large Burghs)	42,323	1,004	55	783	23·2	18·1	41·2
Small Burghs	15,004	368	16	292	23·9	19·0	42·9
Landward	27,319	636	39	491	22·8	17·6	40·3
Northern Division ...	16,676	376	29	272	22·1	16·0	38·0
East Central Division ...	25,550	613	33	476	23·4	18·2	41·6
West Central Division ...	48,962	1,244	71	1,001	24·8	19·9	44·7
Southern Division ...	4,125	96	5	70	22·7	16·6	39·3
Aberdeen County ...	5,780	134	6	81	23	14	36
Aberdeen County of City	3,271	71	1	45	21	13	35
Remainder of County ...	2,509	63	5	36	24	14	38
Angus County	4,955	118	8	92	23	18	41
Dundee County of City...	3,429	81	4	66	23	19	42
Arbroath Burgh... ...	347	9	1	7	25	20	45
Remainder of County ...	1,179	28	3	19	23	16	39
Argyll County ...	925	22	4	17	23	18	41
Ayr County	6,166	139	8	132	22	21	43
Ayr Burgh	796	14	—	17	17	21	38
Kilmarnock Burgh ...	908	17	3	22	18	24	42
Remainder of County ...	4,462	108	5	93	24	20	44
Banff County	838	15	2	16	18	19	36
Berwick County ...	330	7	1	8	21	24	45
Bute County	232	5	—	5	21	21	42
Caithness County ...	417	13	3	9	30	21	51
Clackmannan County ...	762	14	1	17	18	22	40
Dumfries County ...	1,524	35	—	22	22	14	37
Dumfries Burgh ...	529	6	—	11	11	21	32
Remainder of County ...	995	29	—	11	28	11	39
Dunbarton County ...	3,517	88	2	53	24	15	39
Clydebank Burgh ...	1,043	26	1	20	24	19	43
Dumbarton Burgh ...	677	20	1	7	29	10	39
Remainder of County ...	1,797	42	—	26	23	14	37
East Lothian County ...	902	19	—	14	21	15	36
Fife County	5,777	128	5	116	22	20	41
Dunfermline Burgh ...	809	19	—	18	23	22	45
Kirkcaldy Burgh ...	901	21	1	16	23	17	40
Remainder of County ...	4,067	88	4	82	21	20	41

TABLE 18.—*continued*

Counties of Cities, Large Burghs, and Counties	Living Births	Stillbirths		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegitimate		Still-births	Neo-natal Deaths	Combined Rates
Inverness County ...	1,476	30	1	25	20	17	37
Inverness Burgh ...	568	8	—	12	14	21	35
Remainder of County ...	908	22	1	13	24	14	38
Kincardine County ...	423	8	1	2	19	5	23
Kinross County	126	3	—	1	23	8	31
Kirkcudbright County...	519	12	1	5	23	9	32
Lanark County	32,890	858	55	678	25	20	46
Glasgow County of City	21,885	576	43	455	26	20	46
Airdrie Burgh	655	11	2	9	17	14	30
Coatbridge Burgh ...	1,249	37	2	25	29	19	48
Hamilton Burgh ...	827	25	—	17	29	20	49
Motherwell and Wishaw Burgh ...	1,445	38	1	27	26	18	44
Rutherglen Burgh ...	436	8	—	9	18	20	38
Remainder of County ...	6,393	163	7	136	25	21	46
Midlothian County ...	9,606	243	18	174	25	18	42
Edinburgh County of City	7,467	176	14	131	23	17	40
Remainder of County ...	2,139	67	4	43	30	19	50
Moray County	1,000	19	—	14	19	14	32
Nairn County	131	1	—	5	8	38	45
Orkney County	314	8	—	6	25	19	43
Peebles County	217	4	—	3	18	14	32
Perth County	1,991	42	6	41	21	20	41
Perth Burgh	642	13	1	9	20	14	34
Remainder of County ...	1,349	29	5	32	21	23	44
Renfrew County ...	6,389	159	6	138	24	21	45
Greenock Burgh ...	1,627	38	1	44	23	26	49
Paisley Burgh	1,863	54	3	45	28	23	52
Port Glasgow Burgh ...	531	19	1	7	35	13	47
Remainder of County ...	2,368	48	1	42	20	17	37
Ross and Cromarty Co. ...	997	24	2	16	24	16	39
Roxburgh County ...	678	14	2	12	20	17	38
Selkirk County	330	8	1	6	24	18	41
Stirling County	3,376	85	3	61	25	18	42
Falkirk Burgh	558	19	2	7	33	12	45
Stirling Burgh	527	19	1	10	35	18	53
Remainder of County ...	2,291	47	—	44	20	19	39
Sutherland County ...	243	5	—	—	20	—	20
West Lothian County ...	1,698	43	2	28	25	16	41
Wigtown County ...	527	16	—	14	29	25	55
Zetland County	257	10	—	8	37	30	67

Number of Previous Children (Present or any Previous Husband)	Age of Mother										
	All Ages	Rate per 1,000 Births	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
None	840	25	78	335	248	111	52	15	1	—	—
1	436	16	12	95	149	110	57	13	—	—	—
2	344	23	1	43	123	104	55	16	2	—	—
3	199	25	—	16	55	58	54	15	1	—	—
4	145	33	—	6	26	47	47	17	2	—	—
5	100	40	—	—	16	30	31	23	—	—	—
6	42	31	—	—	9	9	14	9	1	—	—
7	33	44	—	—	—	10	12	10	1	—	—
8	22	50	—	—	1	3	7	11	—	—	—
9	13	49	—	—	—	1	10	2	—	—	—
10 and over	16	49	—	—	—	1	7	6	2	—	—
Not stated	1	—	—	—	—	—	—	—	—	—	1
All Legitimate Stillbirths	2,191	23·4	91	495	627	484	346	137	10	—	1
All Illegitimate Stillbirths	138	32·8	*19	37	27	23	18	9	—	—	5
All Stillbirths	2,329	23·9	110	532	654	507	364	146	10	—	6
Stillbirths per 1,000 Total Births (including Stillbirths)—											
Legitimate	23·4	—	22	18	21	25	35	49	63	—	—
Illegitimate	32·8	—	26	29	31	34	48	64	—	—	—
All Births	23·9	—	22	19	21	25	35	50	60	—	—

* Including 1 aged 14 and 1 aged 15

Table 20.—Multiple Confinements by Age of Mother (all Births, live and still), Scotland, 1956.

	Live Births		Stillbirths		Total			Age of Mother								
	Male	Female	Male	Female		Legitimate	Illegitimate	Under 20	20—24	25—29	30—34	35—39	40—44	45—49	50 and over	Not stated
Twin Births ...	2	–	–	–	367	355	12	14	86 (2)	110 (5)	109 (2)	41 (3)	7	–	–	–
	1	1	–	–	458	442	16	4	105 (4)	124 (3)	121 (3)	90 (6)	14	–	–	–
	–	2	–	–	355	334	21	12 (4)	91 (3)	108 (7)	92 (5)	44 (2)	8	–	–	–
	1	–	1	–	33	30	3	3	3	13 (2)	7	5 (1)	2	–	–	–
	1	–	–	1	18	16	2	–	3 (1)	7	2 (1)	5	1	–	–	–
	–	1	1	–	20	16	4	–	2 (1)	5	5 (2)	8 (1)	–	–	–	–
	–	1	–	1	24	22	2	–	3 (1)	12	5 (1)	4	–	–	–	–
	–	–	2	–	8	8	–	–	5	–	2	1	–	–	–	–
	–	–	1	1	3	2	1	–	1	–	–	2 (1)	–	–	–	–
	–	–	–	2	8	8	–	–	3	–	4	1	–	–	–	–
	1	–	1 sex	unknown	1	1	–	–	–	1	–	–	–	–	–	–
Triplet Births...	3	–	–	–	2	2	–	–	–	–	1	1	–	–	–	–
	2	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	1	2	–	–	1	1	–	–	–	–	1	–	–	–	–	–
	–	3	–	–	4	4	–	1	1	1	1	–	–	–	–	–
	–	2	–	1	1	1	–	–	1	–	–	–	–	–	–	–
Quadruplet Births ...	3	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Twin Confinements					1,295	1,234	61	33	302	380	347	201	32	–	–	–
Triplet Confinements					9	9	–	1	2	1	4	1	–	–	–	–
Quadruplet Confinement					1	1	–	–	–	–	1	–	–	–	–	–
All Multiple Confinements					1,305	1,244	61	34	304	381	352	202	32	–	–	–
Illegitimate only					61	–	61	4	12	17	14	14	–	–	–	–
All mothers					96,326	92,180	4,146	4,911	28,113	30,296	19,717	10,173	2,891	167	–	58
Percentage of mothers who had multiple births					1·35	1·35	1·47	0·69	1·08	1·26	1·79	1·99	1·11	—	–	–

NOTE.—The total in each group includes the illegitimate births which are also shown separately in brackets

TABLE 21.—Stillbirths, 1956—Cause, with Age of Mother

International Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	ALL CAUSES	B.S.	**2,329**	**110**	**532**	**654**	**507**	**364**	**146**	**10**	–	**6**
		M.	**1,170**	**53**	**263**	**336**	**258**	**171**	**78**	**6**	–	**5**
		F.	**1,156**	**57**	**268**	**317**	**249**	**192**	**68**	**4**	–	**1**
		N.S.	**3**	–	**1**	**1**	–	**1**	–	–	–	–
	Chronic Disease in Mother ...	M.	**27**	–	**3**	**7**	**7**	**6**	**4**	–	–	–
		F.	**29**	–	**5**	**5**	**8**	**7**	**4**	–	–	–
30.0	Syphilis	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
30.1	Tuberculosis	M.	1	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
30.2	Diabetes	M.	6	–	1	2	1	2	–	–	–	–
		F.	5	–	–	2	1	2	–	–	–	–
30.3	Chronic disease of circulatory system	M.	16	–	2	4	3	4	3	–	–	–
		F.	15	–	3	3	5	1	3	–	–	–
30.4	Chronic disease of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
30.5	Other chronic disease	M.	4	–	–	1	2	–	1	–	–	–
		F.	6	–	2	–	1	2	1	–	–	–
	Acute Disease in Mother ...	M.	**9**	–	**1**	**4**	**1**	**2**	**1**	–	–	–
		F.	**9**	–	**4**	**2**	**2**	–	**1**	–	–	–
31.1	Influenza	M.	4	–	–	2	1	–	1	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
31.2	Pneumonia	M.	–	–	–	–	–	–	–	–	–	–
		F.	5	–	2	1	1	–	1	–	–	–
31.3	Other acute respiratory disease ...	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	M.	5	–	1	2	–	2	–	–	–	–
		F.	3	–	2	1	–	–	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	M.	**100**	**5**	**29**	**31**	**15**	**16**	**4**	–	–	–
		F.	**107**	**5**	**22**	**32**	**24**	**16**	**8**	–	–	–
32.1	Ectopic gestation	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	M.	86	5	27	26	12	12	4	–	–	–
		F.	93	5	19	30	21	12	6	–	–	–
32.3*b*	Nephritic toxæmia	M.	–	–	–	–	–	–	–	–	–	–
		F.	4	–	1	1	–	1	1	–	–	–
32.3*c*	Toxæmia not stated	M.	6	–	1	2	2	1	–	–	–	–
		F.	3	–	1	–	–	2	–	–	–	–
32.4*a*	Acute yellow atrophy of liver ...	M.	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum ...	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
32.5*b*	Infection	M.	6	–	1	2	1	2	–	–	–	–
		F.	6	–	1	–	3	1	1	–	–	–
33	**Absorbtion of toxic substance from mother**	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	M.	**127**	**5**	**21**	**38**	**29**	**20**	**14**	–	–	–
		F.	**100**	**4**	**25**	**29**	**14**	**22**	**5**	**1**	–	–
34.0*a*	Abnormality of bones of pelvis with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–

Note.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 21.—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	Difficult Labour—continued											
34.0*b*	Abnormality of bones of pelvis without Immaturity	M.	4	–	–	2	1	–	1	–	–	–
		F.	2	–	–	1	–	1	–	–	–	–
34.1*a*	Disproportion with Immaturity ...	M.	10	–	1	5	2	2	–	–	–	–
		F.	13	–	2	2	2	6	1	–	–	–
34.1*b*	Disproportion without Immaturity	M.	24	1	5	6	6	6	–	–	–	–
		F.	7	–	1	4	–	2	–	–	–	–
34.2*a*	Malposition of fœtus, with Immaturity	M.	6	2	–	3	1	–	–	–	–	–
		F.	9	1	4	2	–	2	–	–	–	–
34.2*b*	Malposition of fœtus, without Immaturity	M.	39	–	9	8	12	4	6	–	–	–
		F.	38	2	11	9	6	6	3	1	–	–
34.3*a*	Abnormality of forces of labour, with Immaturity	M.	1	1	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without Immaturity	M.	14	–	2	4	2	4	2	–	–	–
		F.	12	–	2	6	2	2	–	–	–	–
34.4*a*	Operative delivery, with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without Immaturity	M.	4	–	1	1	1	1	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis, with Immaturity ...	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without Immaturity	M.	2	–	–	1	–	1	–	–	–	–
		F.	2	–	–	1	–	1	–	–	–	–
34.6*a*	Difficult labour without mention of condition, but with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without Immaturity	M.	23	1	3	8	4	2	5	–	–	–
		F.	15	1	4	3	4	2	1	–	–	–
	Other Causes in Mother ...	M.	12	1	4	2	–	3	2	–	–	–
		F.	6	–	1	1	2	2	–	–	–	–
		Sex N. K.	1	–	1	–	–	–	–	–	–	–
35.0	Fall	M.	2	–	1	–	–	1	–	–	–	–
		F.	2	–	–	1	–	1	–	–	–	–
32.0, 35.1	Other accident or violence ...	M.	2	1	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
35.3	Other and ill-defined causes in mother	M.	8	–	3	1	–	2	2	–	–	–
		F.	3	–	1	–	1	1	–	–	–	–
		Sex N. K.	1	–	1	–	–	–	–	–	–	–
	Placental and Cord Conditions	M.	421	19	92	116	108	61	20	5	–	–
		F.	353	9	68	97	83	69	24	3	–	–
36.0*a*	Prolapse of cord	M.	58	4	8	24	13	6	3	–	–	–
		F.	49	1	6	13	16	10	3	–	–	–
36.0*b*	Torsion of cord	M.	49	1	12	14	8	9	3	2	–	–
		F.	59	3	7	19	10	14	6	–	–	–
36.1, 36.3	Placenta prævia	M.	4	–	–	1	3	–	–	–	–	–
		F.	14	–	2	4	4	3	–	1	–	–
32.2 36.2, 36.4	Accidental hæmorrhage	M.	192	9	46	47	50	32	7	1	–	–
		F.	129	3	28	34	31	26	6	1	–	–
36.5	Placental infarct	M.	57	3	9	18	14	6	6	1	–	–
		F.	57	1	11	16	13	9	6	1	–	–
36.6	Others of placenta and cord ...	M.	61	2	17	12	20	8	1	1	–	–
		F.	45	1	14	11	9	7	3	–	–	–

TABLE 21.—*continued*

International Nos. (Y30-Y39)	Cause of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	Birth Injury	M.	**55**	**1**	**15**	**19**	**12**	**5**	**2**	**1**	–	–
		F.	**38**	**2**	**13**	**6**	**10**	**4**	**3**	–	–	–
37*a*	Birth injury with Immaturity ...	M.	3	–	1	1	1	–	–	–	–	–
		F.	2	1	1	–	–	–	–	–	–	–
37*b*	Birth injury without Immaturity	M.	52	1	14	18	11	5	2	1	–	–
		F.	36	1	12	6	10	4	3	–	–	–
	Congenital Malformation of Fœtus	M.	**170**	**12**	**38**	**55**	**36**	**19**	**10**	–	–	–
		F.	**331**	**24**	**93**	**89**	**69**	**42**	**13**	–	–	**1**
		Sex N. K.	**2**	–	–	**1**	–	**1**	–	–	–	–
38.0	Anencephalus	M.	71	4	16	28	16	5	2	–	–	–
		F.	205	16	63	53	42	24	7	–	–	–
38.1	Hydrocephalus	M.	55	6	13	16	11	6	3	–	–	–
		F.	71	4	17	19	16	11	4	–	–	–
38.2	Spina bifida	M.	7	–	1	4	–	1	1	–	–	–
		F.	18	–	3	8	4	2	1	–	–	–
38.3	Other malformations of the central nervous system	M.	11	–	5	2	2	1	1	–	–	–
		F.	12	2	2	4	2	2	–	–	–	–
38.4	Malformation of the cardiovascular system	M.	5	–	1	–	2	1	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1
38.5	Malformation of other specified system	M.	9	1	–	3	2	1	2	–	–	–
		F.	9	–	1	3	2	3	–	–	–	–
38.6	Monster	M.	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
		Sex N. K.	2	–	–	1	–	1	–	–	–	–
38.7	Other and unspecified malformations	M.	12	1	2	2	3	4	–	–	–	–
		F.	14	2	6	2	3	–	1	–	–	–
	Diseases of Fœtus and Ill-defined Causes	M.	**249**	**10**	**60**	**64**	**50**	**39**	**21**	–	–	**5**
		F.	**183**	**13**	**37**	**56**	**37**	**30**	**10**	–	–	–
39.2	Erythroblastosis (Rhesus factor)	M.	54	1	12	14	13	9	5	–	–	–
		F.	34	–	6	12	10	4	2	–	–	–
39.0 39.1, 39.3	Other diseases of fœtus	M.	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	M.	37	4	8	8	10	4	3	–	–	–
		F.	42	5	8	17	5	5	2	–	–	–
39.5*a*	Premature birth (cause not stated)	M.	30	2	13	6	1	5	1	–	–	2
		F.	14	1	7	2	1	2	1	–	–	–
39.5*b*	Debility	M.	2	–	–	1	–	1	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
39.5*c*	Asphyxia	M.	24	2	7	7	4	3	1	–	–	–
		F.	18	2	3	4	3	6	–	–	–	–
39.5*d*	Other ill-defined	M.	90	1	17	25	21	16	10	–	–	–
		F.	68	5	12	19	17	11	4	–	–	–
39.6	Cause unknown	M.	11	–	2	3	1	1	1	–	–	3
		F.	6	–	1	2	–	2	1	–	–	–

TABLE 22.—Stillbirths—Cause, by Order of Birth, including Children by any Previous Husband, Scotland, 1956

International Nos. (Y30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated	Illegitimate
			None	1	2	3	4	5	6	7	8	9	10 and over		
	ALL CAUSES	**2,191**	**840**	**436**	**344**	**199**	**145**	**100**	**42**	**33**	**22**	**13**	**16**	**1**	**13**
	Chronic Disease in Mother ...	**56**	**22**	**8**	**3**	**4**	**7**	**5**	**3**	**1**	**2**	–	**1**	–	
30.0	Syphilis	1	–	–	–	–	–	–	1	–	–	–	–	–	
30.1	Tuberculosis	2	–	–	–	–	–	–	–	1	1	–	–	–	
30.2	Diabetes	11	4	2	2	–	2	–	–	–	–	–	1	–	
30.3	Chronic disease of circulatory system...	31	15	4	1	3	2	5	1	–	–	–	–	–	
30.4	Chronic disease of genito-urinary system...	1	1	–	–	–	–	–	–	–	–	–	–	–	
30.5	Other chronic disease	10	2	2	–	1	3	–	1	–	1	–	–	–	
	Acute Disease in Mother ...	**17**	**7**	**1**	**2**	**4**	**2**	–	–	–	–	–	**1**	–	
31.1	Influenza	5	1	–	–	3	–	–	–	–	–	–	1	–	
31.2	Pneumonia	4	1	1	1	–	1	–	–	–	–	–	–	–	
31.3	Other acute respiratory disease ...	–	–	–	–	–	–	–	–	–	–	–	–	–	
31.0, 31.4	Other acute disease or condition	8	5	–	1	1	1	–	–	–	–	–	–	–	
	Diseases and Conditions of Pregnancy and Childbirth	**195**	**105**	**32**	**25**	**12**	**8**	**2**	**5**	**2**	**1**	**1**	**2**	–	**1**
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	
32.3*a*	Eclampsia...	168	93	25	22	11	7	2	4	2	1	1	–	–	11
32.3*b*	Nephritic toxæmia	4	3	–	–	–	–	–	–	–	–	–	1	–	
32.3*c*	Toxæmia not stated	9	3	4	1	1	–	–	–	–	–	–	–	–	
32.4*a*	Acute yellow atrophy of liver ...	1	–	–	–	–	1	–	–	–	–	–	–	–	
32.4*b*	Hyperemesis gravidarum ...	1	–	1	–	–	–	–	–	–	–	–	–	–	
32.5*a*	Pyelitis	1	1	–	–	–	–	–	–	–	–	–	–	–	
32.5*b*	Infection	11	5	2	2	–	–	–	1	–	–	–	1	–	1
33	**Absorption of toxic substance from mother ... ...**	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Difficult Labour	**209**	**80**	**37**	**36**	**18**	**11**	**11**	**8**	**2**	**1**	**3**	**2**	–	**18**
34.0*a*	Abnormality of bones of pelvis with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	
34.0*b*	Abnormality of bones of pelvis without Immaturity ...	5	4	–	–	–	–	–	1	–	–	–	–	–	1
34.1*a*	Disproportion, with Immaturity	22	11	3	5	–	1	1	–	–	–	1	–	–	1
34.1*b*	Disproportion, without Immaturity	26	12	6	3	2	1	1	1	–	–	–	–	–	5
34.2*a*	Malposition of fœtus, with Immaturity	14	6	4	3	–	1	–	–	–	–	–	–	–	1
34.2*b*	Malposition of fœtus, without Immaturity	73	17	17	13	11	4	4	4	1	–	1	1	–	4
34.3*a*	Abnormality of forces of labour, with Immaturity	2	2	–	–	–	–	–	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without Immaturity ...	23	8	2	5	3	1	2	1	1	–	–	–	–	3
34.4*a*	Operative delivery, with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without Immaturity	5	4	–	–	1	–	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis, with Immaturity ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Note.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 22.—*continued*

Inter-ational Nos. 30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over		
	Difficult Labour—continued														
34.5*b*	Abnormality of organs or tissues of pelvis, without Immaturity	4	2	–	–	–	1	1	–	–	–	–	–	–	–
34.6*a*	Difficult labour without mention of condition, but with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without Immaturity	35	14	5	7	1	2	2	1	–	1	1	1	–	3
	Other Causes in Mother ...	**17**	**6**	**3**	**2**	**1**	–	–	**1**	**2**	**1**	**1**	–	–	**2**
35.0	Fall	4	1	1	–	–	–	–	1	–	1	–	–	–	–
2.0, 35.1	Other accident or violence ...	2	1	–	–	1	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	–	–	–	–	–	–	–	–	–	–	–	–	–	1
35.3	Other and ill-defined causes in mother	11	4	2	2	–	–	–	–	2	–	1	–	–	1
	Placental and Cord Conditions	**737**	**253**	**148**	**120**	**75**	**63**	**39**	**11**	**9**	**6**	**6**	**7**	–	**37**
36.0*a*	Prolapse of cord	104	29	21	16	14	14	4	1	3	1	–	1	–	3
36.0*b*	Torsion of cord	100	31	19	20	11	3	7	2	2	1	2	2	–	8
3.1, 36.3	Placenta prævia	18	4	2	5	2	1	3	–	–	–	–	1	–	–
32.2, 3.2, 36.4	Accidental hæmorrhage ...	307	106	61	40	32	36	16	5	4	1	4	2	–	14
36.5	Placental infarct	107	34	28	21	7	6	7	3	–	1	–	–	–	7
36.6	Others of placenta and cord ...	101	49	17	18	9	3	2	–	–	2	–	1	–	5
	Birth Injury	**84**	**40**	**16**	**10**	**6**	**3**	**6**	–	**3**	–	–	–	–	**9**
37*a*	Birth injury, with Immaturity ...	3	1	–	–	1	–	–	–	1	–	–	–	–	2
37*b*	Birth injury, without Immaturity	81	39	16	10	5	3	6	–	2	–	–	–	–	7
	Congenital Malformation of Fœtus	**472**	**190**	**100**	**74**	**45**	**27**	**18**	**6**	**6**	**3**	**1**	**1**	**1**	**31**
38.0	Anencephalus	263	105	62	40	25	17	6	4	3	1	–	–	–	13
38.1	Hydrocephalus	116	45	21	17	13	6	8	1	1	2	1	1	–	10
38.2	Spina bifida	24	12	5	2	1	1	2	1	–	–	–	–	–	1
38.3	Other malformations of the central nervous system ...	21	8	3	7	1	–	2	–	–	–	–	–	–	2
38.4	Malformation of the cardiovascular system	6	2	2	1	–	–	–	–	–	–	–	–	1	–
38.5	Malformation of other specified system...	17	7	3	2	1	2	–	–	2	–	–	–	–	1
38.6	Monster	3	1	1	–	1	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	22	10	3	5	3	1	–	–	–	–	–	–	–	4
	Diseases of Fœtus and Ill-defined Causes	**404**	**137**	**91**	**72**	**34**	**24**	**19**	**8**	**8**	**8**	**1**	**2**	–	**28**
39.2	Erythroblastosis (Rhesus factor)	85	7	23	22	14	10	4	1	–	1	1	2	–	3
39.0, 9.1, 39.3	Other diseases of fœtus	1	1	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	74	32	14	15	4	2	6	1	–	–	–	–	–	5
39.5*a*	Premature birth (cause not stated)	41	21	9	4	1	2	1	1	–	2	–	–	–	3
39.5*b*	Debility	3	–	1	2	–	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	38	15	8	7	1	4	1	1	1	–	–	–	–	4
39.5*d*	Other ill-defined	148	59	33	17	12	5	7	4	6	5	–	–	–	10
39.6	Cause unknown	14	2	3	5	2	1	–	–	1	–	–	–	–	3

TABLE 23.—Stillbirths—Cause by Month of Registration, Scotland, 1956

International Nos. (Y30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	De
	ALL CAUSES	**2,329**	**208**	**213**	**196**	**215**	**195**	**203**	**179**	**178**	**179**	**203**	**168**	**19**
	Legitimate	2,191	195	201	180	209	190	190	170	163	168	190	157	17
	Illegitimate	138	13	12	16	6	5	13	9	15	11	13	11	1
	Rates per 1,000 total births ...	24	25	27	22	25	22	25	22	23	25	24	23	2
	Chronic Disease in Mother ...	**56**	**6**	**7**	**1**	**7**	**7**	**8**	**4**	**3**	**2**	**5**	**1**	**5**
30.0	Syphilis	1	–	–	–	–	–	–	–	–	–	1	–	–
30.1	Tuberculosis	2	–	–	–	–	1	–	–	–	–	1	–	–
30.2	Diabetes	11	–	–	–	2	2	5	–	1	–	–	–	1
30.3	Chronic disease of circulatory system	31	4	4	1	4	3	2	4	1	1	2	1	4
30.4	Chronic disease of genito-urinary system	1	–	–	–	–	–	–	–	–	1	–	–	–
30.5	Other chronic disease	10	2	3	–	1	1	1	–	1	–	1	–	–
	Acute Disease in Mother	**18**	**2**	**4**	**1**	**–**	**–**	**–**	**2**	**1**	**4**	**3**	**–**	**1**
31.1	Influenza	5	1	3	–	–	–	–	–	–	1	–	–	–
31.2	Pneumonia	5	1	1	–	–	–	–	1	–	1	1	–	–
31.3	Other acute respiratory disease ...	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	8	–	–	1	–	–	–	1	1	2	2	–	1
	Diseases and Conditions of Pregnancy and Childbirth ...	**207**	**19**	**18**	**15**	**18**	**16**	**21**	**16**	**17**	**14**	**17**	**17**	**19**
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	179	13	17	11	17	16	18	14	13	12	14	16	18
32.3*b*	Nephritic toxæmia	4	1	1	–	–	–	–	–	1	–	–	–	1
32.3*c*	Toxæmia not stated	9	2	–	2	–	–	–	1	1	1	2	–	–
32.4*a*	Acute yellow atrophy of liver ...	1	–	–	–	–	–	–	–	–	1	–	–	–
32.4*b*	Hyperemesis gravidarum	1	–	–	1	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	1	–	–	–	–	–	1	–	–	–	–	–	–
32.5*b*	Infection	12	3	–	1	1	–	2	1	2	–	1	1	–
33	**Absorption of toxic substance from mother**	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	**227**	**25**	**20**	**24**	**22**	**24**	**17**	**15**	**21**	**14**	**20**	**11**	**14**
34.0*a*	Abnormality of bones of pelvis with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without Immaturity	6	–	1	1	–	–	1	–	–	1	1	–	1
34.1*a*	Disproportion with Immaturity ...	23	2	–	1	–	7	3	1	3	2	–	1	3
34.1*b*	Disproportion without Immaturity ...	31	6	3	1	7	4	1	–	4	2	1	1	1
34.2*a*	Malposition of fœtus, with Immaturity	15	4	–	–	–	2	–	3	1	–	2	3	–
34.2*b*	Malposition of fœtus, without Immaturity	77	9	6	11	10	4	5	8	4	4	8	4	4
34.3*a*	Abnormality of forces of labour, with Immaturity	2	–	1	–	–	–	1	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without Immaturity	26	1	5	3	3	2	1	–	5	2	3	–	1
34.4*a*	Operative delivery, with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without Immaturity	5	1	1	–	–	–	–	–	1	1	–	–	1
34.5*a*	Abnormality of organs or tissues of pelvis with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis without Immaturity ...	4	1	1	–	–	–	–	–	–	–	–	–	2
34.6*a*	Difficult labour without mention of condition, but with Immaturity ...	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition and without Immaturity	38	1	2	7	2	5	5	3	3	2	5	2	1

Note.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the **International List.** Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 23.—*continued*

International Nos. (30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep	Oct.	Nov.	Dec.
	Other Causes in Mother	**19**	**4**	**2**	–	**2**	–	**2**	**1**	**1**	**1**	**3**	**1**	**2**
35.0	Fall	4	1	1	–	–	–	–	–	–	–	1	–	1
2.0, 35.1	Other accident or violence	2	–	1	–	1	–	–	–	–	–	–	–	–
35.2	Over-exertion	1	–	–	–	–	–	–	–	–	–	–	–	1
35.3	Other and ill-defined causes in mother	12	3	–	–	1	–	2	1	1	1	2	1	–
	Placental and Cord Conditions ...	**774**	**59**	**57**	**68**	**75**	**63**	**71**	**81**	**64**	**63**	**51**	**52**	**70**
36.0*a*	Prolapse of cord	107	8	5	7	13	12	7	15	7	8	8	8	9
36.0*b*	Torsion of cord	108	11	8	12	8	5	9	14	9	4	8	9	11
6.1, 36.3	Placenta prævia	18	2	2	1	2	2	4	1	1	1	–	1	1
32.2, 6.2, 36.4	Accidental hæmorrhage	321	21	24	25	31	24	28	33	27	37	23	20	28
36.5	Placental infarct	114	8	8	13	13	10	11	10	9	8	4	10	10
36.6	Others of placenta and cord	106	9	10	10	8	10	12	8	11	5	8	4	11
	Birth Injury	**93**	**5**	**13**	**4**	**11**	**8**	**10**	**5**	**7**	**4**	**15**	**5**	**6**
37*a*	Birth injury with Immaturity ...	5	–	–	–	–	–	1	1	–	–	3	–	–
37*b*	Birth injury without Immaturity ...	88	5	13	4	11	8	9	4	7	4	12	5	6
	Congenital Malformation of Fœtus	**503**	**48**	**51**	**43**	**40**	**46**	**39**	**26**	**37**	**43**	**50**	**49**	**31**
38.0	Anencephalus	276	29	31	21	18	27	20	14	15	25	27	29	20
38.1	Hydrocephalus	126	10	13	17	10	8	11	4	13	9	14	13	4
38.2	Spina bifida	25	2	4	–	1	3	1	2	5	1	3	1	2
38.3	Other malformations of the central nervous system	23	3	2	3	3	2	–	2	1	4	1	1	1
38.4	Malformation of the cardiovascular system	6	–	–	–	1	–	2	1	1	–	1	–	–
38.5	Malformation of other specified system	18	3	–	1	2	2	2	2	1	1	–	1	3
38.6	Monster...	3	–	–	–	–	1	–	–	–	1	–	–	1
38.7	Other and unspecified malformations	26	1	1	1	5	3	3	1	1	2	4	4	–
	Diseases of Fœtus and Ill-defined Causes	**432**	**40**	**41**	**40**	**40**	**31**	**35**	**29**	**27**	**34**	**39**	**32**	**44**
39.2	Erythroblastosis (Rhesus factor) ...	88	11	7	7	10	7	9	4	4	9	8	5	7
39.0, 39.1, 39.3	Other diseases of fœtus	1	–	–	–	–	–	–	–	–	–	1	–	–
39.4	Maceration	79	11	11	5	11	4	6	4	5	6	7	3	6
39.5*a*	Premature birth (cause not stated) ...	44	5	2	4	2	2	3	8	2	–	5	5	6
39.5*b*	Debility	3	1	1	–	1	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	42	2	2	4	3	3	1	4	4	5	5	6	3
39.5*d*	Other ill-defined	158	9	16	19	13	12	13	8	12	12	12	12	20
39.6	Cause unknown	17	1	2	1	–	3	3	1	–	2	1	1	2

Table 23A.—Place of occurrence of Stillbirths by Cause, Scotland, 1956

International Nos. (Y30-Y39)	Cause of Death	Total	At Home	In Institutions
	ALL CAUSES	**2,329**	**421**	**1,908**
	Chronic Disease in Mother	**56**	**5**	**51**
30.0	Syphilis	1	—	1
30.1	Tuberculosis	2	1	1
30.2	Diabetes	11	—	11
30.3	Chronic disease of circulatory system	31	1	30
30.4	Chronic disease of genito-urinary system	1	—	1
30.5	Other chronic disease	10	3	7
	Acute Disease in Mother	**18**	**3**	**15**
31.1	Influenza	5	1	4
31.2	Pneumonia	5	1	4
31.3	Other acute respiratory disease	—	—	—
31.0, 31.4	Other acute disease or condition	8	1	7
	Diseases and Conditions of Pregnancy and Childbirth	**207**	**19**	**188**
32.1	Ectopic gestation	—	—	—
32.3*a*	Eclampsia	179	16	163
32.3*b*	Nephritic toxæmia	4	1	3
32.3*c*	Toxæmia not stated	9	2	7
32.4*a*	Acute yellow atrophy of liver	1	—	1
32.4*b*	Hyperemesis gravidarum	1	—	1
32.5*a*	Pyelitis	1	—	1
32·5*b*	Infection	12	—	12
33	**Absorption of toxic substance from mother**	—	—	—
	Difficult Labour	**227**	**55**	**172**
34.0*a*	Abnormality of bones of pelvis with immaturity	—	—	—
34.0*b*	Abnormality of bones of pelvis without immaturity	6	1	5
34.1*a*	Disproportion with immaturity	23	6	17
34.1*b*	Disproportion without immaturity	31	4	27
34.2*a*	Malposition of fœtus, with immaturity	15	4	11
34.2*b*	Malposition of fœtus, without immaturity	77	19	58
34.3*a*	Abnormality of forces of labour, with immaturity	2	2	—
34.3*b*	Abnormality of forces of labour, without immaturity	26	9	17
34.4*a*	Operative delivery, with immaturity	—	—	—
34.4*b*	Operative delivery, without immaturity	5	—	5
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	—	—	—
34.5*b*	Abnormality of organs or tissues of pelvis without immaturity	4	—	4
34.6*a*	Difficult labour without mention of condition, but with immaturity	—	—	—
34.6*b*	Difficult labour without mention of condition, and without immaturity	38	10	28
	Other Causes in Mother	**19**	**12**	**7**
35.0	Fall	4	2	2
32.0, 35.1	Other accident or violence	2	—	2
35.2	Over-exertion	1	1	—
35.3	Other and ill-defined causes in mother	12	9	3
	Placental and Cord Conditions	**774**	**129**	**645**
36.0*a*	Prolapse of cord	107	23	84
36.0*b*	Torsion of cord	108	27	81
36.1, 36.3	Placenta prævia	18	3	15
32.2,36.2,36.4	Accidental hæmorrhage	321	27	294
36.5	Placental infarct	114	35	79
36.6	Others of placenta and cord	106	14	92
	Birth Injury	**93**	**13**	**80**
37*a*	Birth injury with immaturity	5	—	5
37*b*	Birth injury without immaturity	88	13	75
	Congenital Malformation of Foetus	**503**	**94**	**409**
38.0	Anencephalus	276	37	239
38.1	Hydrocephalus	126	32	94
38.2	Spina bifida	25	9	16
38.3	Other malformations of the central nervous system	23	7	16
38.4	Malformation of the cardiovascular system	6	2	4
38.5	Malformation of other specified system	18	1	17
38.6	Monster	3	—	3
38.7	Other and unspecified malformations	26	6	20
	Diseases of Fœtus and Ill-Defined Causes	**432**	**91**	**341**
39.2	Erythroblastosis (Rhesus factor)	88	9	79
39.0,39.1,39.3	Other diseases of fœtus	1	—	1
39.4	Maceration	79	14	65
39.5*a*	Premature birth (cause not stated)	44	15	29
39.5*b*	Debility	3	3	—
39.5*c*	Asphyxia	42	14	28
39.5*d*	Other ill-defined	158	30	128
39.6	Cause unknown	17	6	11

Note.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 41.—Causes of Stillbirths in the Public Health Districts of Scotland (Both Sexes), 1956

International Nos. (Y30-Y39)		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunb'ton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co	Kincardine Co.	Kinross Co.	Kirkcudbright Co
	ALL CAUSES...	**2,329**	**71**	**63**	**81**	**9**	**28**	**22**	**14**	**17**	**108**	**15**	**7**	**5**	**13**	**14**	**6**	**29**	**26**	**20**	**42**	**19**	**19**	**21**	**88**	**8**	**22**	**8**	**3**	**12**
	Chronic Disease in Mother Total	**56**	**2**	**1**	**3**	–	–	–	–	–	**5**	–	–	–	–	–	**1**	**1**	**1**	**2**	**2**	**1**	**2**	**1**	**2**	–	**1**	–	–	**1**
30.0	Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
30.1	Tuberculosis	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	11	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.3	Chronic disease of circulatory system	31	1	1	1	–	–	–	–	–	3	–	–	–	–	–	1	1	1	2	1	–	–	1	2	–	–	–	–	1
30.4	Chronic disease of genito-urinary system	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	10	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–
	Acute Disease in Mother Total	**18**	**1**	**1**	–	–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	**1**	**1**	–	–	–	–	–	–	–	–
31.1	Influenza	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
31.2	Pneumonia	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	8	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	Diseases and conditions of Pregnancy and Childbirth Total	**207**	**14**	**10**	**5**	–	**3**	**6**	**1**	–	**7**	**1**	–	–	–	–	**1**	**3**	**5**	**1**	**4**	**2**	**1**	**1**	**7**	**2**	**2**	**2**	–	–
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	179	13	7	4	–	3	4	1	–	5	–	–	–	–	–	1	2	5	1	4	2	1	1	4	2	1	1	–	–
32.3*b*	Nephritic toxæmia	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
32.3*c*	Toxæmia not stated	9	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
32.4*a*	Acute yellow atrophy of liver ...	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
32.5*a*	Pyelitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	12	–	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
33	**Absorption of toxic substance from mother ... ...**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour Total	**227**	**3**	**7**	**4**	**1**	**3**	**2**	–	**2**	**6**	**1**	–	**1**	**2**	**2**	–	**2**	**1**	–	**6**	**2**	–	–	**9**	**1**	**1**	**1**	–	–
34.0*a*	Abnormality of bones of pelvis with immaturity...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity ...	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity ...	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
34.1*b*	Disproportion without immaturity ...	31	–	1	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	15	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity...	77	–	4	1	–	1	1	–	–	3	–	–	1	1	1	–	1	–	–	1	1	–	–	1	–	1	–	–	–
34.3*a*	Abnormality of forces of labour, with immaturity...	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	26	–	1	1	1	1	1	–	–	1	1	–	–	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
34.4*a*	Operative delivery, with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis without immaturity ...	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 24.—Causes of Stillbirths in the Public Health Districts of Scotland (Both Sexes), 1956—*continued*

International Nos. (Y30-Y39)		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath Burgh	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Dumfries Burgh	Remainder of Dumfries Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunb'ton Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
	Difficult Labour—*continued*																													
34.6*a*	Difficult labour without mention of condition, but with immaturity ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	38	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–
	Other Causes in Mother Total	**19**	–	–	–	–	–	–	–	–	–	–	–	–	**3**	–	–	–	–	**1**	–	–	–	–	**1**	–	–	–	–	–
35.0	Fall	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Placental & Cord Conditions Total	**774**	**21**	**22**	**22**	**5**	**12**	**8**	**7**	**9**	**42**	**6**	**3**	**3**	**6**	**5**	**1**	**12**	**7**	**6**	**12**	**2**	**7**	**5**	**24**	**2**	**9**	**2**	–	**6**
36.0*a*	Prolapse of cord	107	5	4	1	–	2	–	1	–	6	2	1	–	2	1	–	1	1	–	–	1	2	–	10	–	1	–	–	1
36.0*b*	Torsion of cord	108	–	5	4	1	1	2	–	1	2	1	–	–	–	–	–	4	2	2	2	–	–	–	3	–	1	–	–	1
36.1, 36.3	Placenta prævia	18	–	1	1	–	–	–	–	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
32.2, 36.2, 36.4	Accidental hæmorrhage	321	14	7	11	2	6	3	2	3	19	1	1	1	–	2	–	3	2	2	6	1	–	5	8	2	5	1	–	2
36.5	Placental infarct	114	2	4	1	1	3	2	2	4	5	–	1	–	3	1	–	–	1	1	4	–	2	–	2	–	1	1	–	–
36.6	Others of placenta and cord	106	–	1	4	1	–	1	2	1	9	2	–	2	–	1	1	2	1	1	–	–	3	–	1	–	1	–	–	2
	Birth Injury Total	**93**	**3**	**1**	**7**	–	–	–	–	**1**	**2**	–	–	**1**	–	**1**	–	–	**3**	–	**2**	**1**	**1**	–	–	–	–	**1**	–	–
37*a*	Birth injury with immaturity ...	5	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity ...	88	3	1	6	–	–	–	–	1	2	–	–	1	–	1	–	–	3	–	2	1	1	–	–	–	–	1	–	–
	Congenital Malformation of Fœtus Total	**503**	**10**	**12**	**25**	**2**	**4**	**3**	**6**	**2**	**31**	**2**	**2**	–	**2**	**4**	**2**	**7**	**4**	**3**	**7**	**6**	**4**	**7**	**17**	**1**	**4**	**1**	**1**	**2**
38.0	Anencephalus	276	8	4	14	1	3	1	3	1	19	–	2	–	1	3	1	2	1	1	4	3	2	4	11	–	4	–	1	1
38.1	Hydrocephalus	126	2	4	7	1	1	–	1	1	9	1	–	–	1	–	1	2	1	2	1	2	1	1	4	1	–	1	–	–
38.2	Spina bifida	25	–	–	1	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–	–	–	1
38.3	Other malformations of the central nervous system	23	–	1	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
38.4	Malformation of the cardiovascular system	6	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
38.5	Malformation of other specified system	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
38.6	Monster...	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	26	–	2	1	–	–	–	1	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
	Diseases of Fœtus and Ill-Defined Causes Total	**432**	**17**	**9**	**15**	**1**	**6**	**3**	–	**3**	**14**	**5**	**2**	–	–	**2**	**1**	**4**	**5**	**7**	**8**	**4**	**4**	**7**	**28**	**2**	**5**	**1**	**2**	**3**
39.2	Erythroblastosis (Rhesus factor) ...	88	7	4	3	–	1	1	–	–	4	1	–	–	–	–	–	2	1	1	1	–	1	–	4	1	2	–	–	–
39.0, 39.1, 39.3	Other diseases of fœtus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	79	1	–	5	–	1	–	–	1	2	2	–	–	–	–	–	–	1	–	1	1	1	2	3	–	–	–	–	1
39.5*a*	Premature birth (cause not stated) ...	44	–	1	1	–	1	–	–	1	3	1	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–
39.5*b*	Debility	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1
39.5*c*	Asphyxia	42	–	–	4	1	–	1	–	–	–	–	1	–	–	–	1	2	1	–	–	–	–	1	4	–	–	–	2	–
39.5*d*	Other ill-defined	158	8	3	2	–	2	1	–	1	5	1	–	–	–	1	–	–	1	3	4	3	2	4	17	1	3	1	–	1
39.6	Cause unknown	17	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

TABLE 24 — Causes of Stillbirth [illegible]

International Nos. (Y30-Y39)		Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	ALL CAUSES...	**576**	**11**	**37**	**25**	**38**	**8**	**163**	**176**	**67**	**19**	**1**	**8**	**4**	**13**	**29**	**38**	**54**	**19**	**48**	**24**	**14**	**8**	**19**	**19**	**47**	**5**	**43**	**16**	**10**
	Chronic Disease in Mother Total	**6**	–	–	–	**1**	–	**8**	**3**	**2**	–	–	–	–	–	–	–	**2**	–	**1**	–	–	–	–	–	**1**	–	**4**	–	**2**
30.0	Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.1	Tuberculosis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	3	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1
30.3	Chronic disease of circulatory system	3	–	–	–	–	–	4	1	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	–	1
30.4	Chronic disease of genito-urinary system	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Acute Disease in Mother Total	**6**	–	–	–	–	–	**3**	**3**	–	–	–	–	–	–	**1**	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.1	Influenza	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.2	Pneumonia	2	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.3	Other acute respiratory disease ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	1	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases and conditions of Pregnancy and Childbirth Total	**54**	**1**	**7**	**2**	**4**	–	**12**	**7**	**2**	**2**	–	**1**	–	–	**3**	**2**	**4**	**3**	**8**	–	**1**	–	**1**	**4**	**5**	–	**5**	–	**1**
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	50	1	7	2	4	–	9	6	1	1	–	–	–	–	3	2	4	3	8	–	1	–	–	4	5	–	5	–	1
32.3*b*	Nephritic toxæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*c*	Toxæmia not stated	1	–	–	–	–	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*a*	Acute yellow atrophy of liver ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
32.5*b*	Infection	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	**Absorption of toxic substance from mother**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour Total	**66**	**2**	**2**	**3**	**5**	–	**16**	**9**	**4**	**4**	-	**1**	–	**1**	**4**	**9**	**11**	**3**	**3**	**4**	**1**	–	**5**	**3**	**5**	–	**4**	**1**	**4**
34.0*a*	Abnormality of bones of pelvis with immaturity...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity ...	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity ...	12	–	–	–	–	–	2	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	2
34.1*b*	Disproportion without immaturity ...	10	–	–	–	–	–	2	2	1	–	–	–	–	1	–	1	2	1	–	–	–	–	–	1	–	–	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	3	1	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	2	–	–	–	2	–	–
34.2*b*	Malposition of fœtus, without immaturity...	17	1	1	3	1	–	6	3	2	2	–	–	–	–	1	4	4	–	–	2	1	–	2	–	5	–	1	1	2
34.3*a*	Abnormality of forces of labour, with immaturity...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	5	–	–	–	1	–	3	–	–	1	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	1	–	–
34.4*a*	Operative delivery, with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis without immaturity ...	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 24.—Causes of Stillbirths in the Public Health Districts of Scotland (Both Sexes), 1956—*continued*

International Nos. (Y30-Y39)		Glasgow Co. of C.	Airdrie Burgh	Coatbridge Burgh	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	Difficult Labour—*continued*																													
34.6*a*	Difficult labour without mention of condition, but with immaturity ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	14	–	–	–	1	–	2	2	–	1	–	1	–	–	1	–	2	–	2	1	–	–	–	2	–	–	–	–	–
	Other Causes in Mother Total	**4**	–	**2**	–	**1**	–	**3**	–	–	–	–	–	–	–	–	–	–	**1**	–	**1**	**1**	–	–	–	–	–	**1**	–	–
35.0	Fall	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
	Placental & Cord Conditions Total	**185**	**5**	**14**	**10**	**9**	**4**	**54**	**66**	**24**	**6**	–	**3**	**2**	**7**	**10**	**6**	**16**	**4**	**19**	**9**	**7**	**4**	**8**	**5**	**16**	**1**	**10**	**4**	–
36.0*a*	Prolapse of cord	26	2	3	1	1	1	6	3	5	1	–	–	1	1	–	–	1	1	2	2	–	–	3	–	2	–	2	1	–
36.0*b*	Torsion of cord	22	2	2	–	2	2	9	7	2	1	–	1	1	1	2	–	2	1	6	3	3	–	2	1	2	–	2	–	–
36.1, 36.3	Placenta prævia	4	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	2	–
32.2, 36.2, 36.4	Accidental hæmorrhage	78	1	3	4	4	–	28	35	9	3	–	–	–	4	7	3	7	1	6	1	2	4	–	2	5	–	4	1	–
36.5	Placental infarct	35	–	2	1	–	–	3	5	4	–	–	1	–	–	1	2	3	–	2	1	1	–	3	1	6	1	1	–	–
36.6	Others of placenta and cord	20	–	3	4	2	1	6	16	3	1	–	1	–	1	–	1	3	–	3	2	1	–	–	1	1	–	–	–	–
	Birth Injury Total	**38**	–	–	–	–	–	**7**	**11**	–	–	–	–	–	**1**	–	**2**	–	–	**1**	**3**	–	**2**	–	**1**	**3**	–	–	–	–
37*a*	Birth injury with immaturity ...	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity ...	34	–	–	–	–	–	7	11	–	–	–	–	–	1	–	2	–	–	1	3	–	2	–	1	3	–	–	–	–
	Congenital Malformation of Fœtus Total	**112**	**3**	**5**	**4**	**10**	**4**	**36**	**46**	**18**	**4**	–	**2**	**1**	**3**	**9**	**12**	**8**	**1**	**11**	**4**	–	**2**	**4**	**3**	**9**	**3**	**8**	**8**	**2**
38.0	Anencephalus	57	3	3	–	4	2	20	29	10	2	–	–	–	1	4	8	5	1	9	4	–	2	–	2	4	3	4	4	–
38.1	Hydrocephalus	28	–	1	1	2	2	13	9	4	1	–	2	–	1	3	2	2	–	1	–	–	–	2	1	1	–	2	2	1
38.2	Spina bifida	7	–	1	–	–	–	–	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–
38.3	Other malformations of the central nervous system	7	–	–	–	2	–	–	2	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–
38.4	Malformation of the cardiovascular system	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
38.5	Malformation of other specified system	6	–	–	2	1	–	–	3	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
38.6	Monster...	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	5	–	–	1	–	–	3	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–	1	–	1	–	–
	Diseases of Fœtus and Ill-Defined Causes Total	**105**	–	**7**	**6**	**8**	–	**24**	**31**	**17**	**3**	**1**	**1**	**1**	**1**	**2**	**7**	**13**	**7**	**5**	**3**	**4**	–	**1**	**3**	**8**	**1**	**11**	**3**	**1**
39.2	Erythroblastosis (Rhesus factor) ...	18	–	5	1	2	–	7	3	4	–	1	1	–	–	1	–	3	2	–	–	1	–	–	–	1	–	2	1	1
39.0, 39.1, 39.3	Other diseases of fœtus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	23	–	–	1	1	–	1	7	5	1	–	–	–	–	–	1	3	2	2	–	–	–	–	1	3	1	5	–	–
39.5*a*	Premature birth (cause not stated) ...	13	–	–	2	–	–	2	2	1	1	–	–	–	–	1	2	–	–	2	2	1	–	1	–	2	–	–	–	–
39.5*b*	Debility	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	14	–	–	–	–	–	5	–	1	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–
39.5*d*	Other ill-defined	32	–	2	1	5	–	9	16	6	1	–	–	1	–	–	3	6	3	1	1	1	–	–	1	1	–	4	–	–
39.6	Cause unknown	3	–	–	1	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	2	–

TABLE 25.—Legitimate Stillbirths by Cause and Social Classification, 1956

International Nos. (Y30-Y39)	Cause of Death	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	ALL CAUSES	**2,191**	**66**	**207**	**1,183**	**359**	**376**	—
	Chronic Disease in Mother	**56**	—	**9**	**27**	**10**	**10**	—
30.0	Syphilis	1	—	—	—	—	1	—
30.1	Tuberculosis	2	—	1	1	—	—	—
30.2	Diabetes	11	—	2	6	2	1	—
30.3	Chronic disease of circulatory system ...	31	—	4	17	5	5	—
30.4	Chronic disease of genito-urinary system	1	—	—	—	1	—	—
30.5	Other chronic disease	10	—	2	3	2	3	—
	Acute Disease in Mother	**17**	**1**	—	**11**	**3**	**2**	—
31.1	Influenza	5	—	—	3	1	1	—
31.2	Pneumonia	4	1	—	2	—	1	—
31.3	Other acute respiratory disease ...	—	—	—	—	—	—	—
31.0, 31.4	Other acute disease or condition ...	8	—	—	6	2	—	—
	Diseases and Conditions of Pregnancy and Childbirth ...	**195**	**7**	**23**	**113**	**27**	**25**	—
32.1	Ectopic gestation	—	—	—	—	—	—	—
32.3*a*	Eclampsia...	168	7	20	96	24	21	—
32.3*b*	Nephritic toxæmia	4	—	—	1	—	3	—
32.3*c*	Toxæmia not stated	9	—	—	8	1	—	—
32.4*a*	Acute yellow atrophy of liver	1	—	—	1	—	—	—
32.4*b*	Hyperemesis gravidarum	1	—	—	1	—	—	—
32.5*a*	Pyelitis	1	—	—	1	—	—	—
32.5*b*	Infection	11	—	3	5	2	1	—
33	**Absorption of toxic substance from mother**	—	—	—	—	—	—	—
	Difficult Labour	**209**	**3**	**19**	**113**	**32**	**42**	—
34.0*a*	Abnormality of bones of pelvis with Immaturity	—	—	—	—	—	—	—
34.0*b*	Abnormality of bones of pelvis without Immaturity	5	—	1	2	—	2	—
34.1*a*	Disproportion with Immaturity ...	22	—	2	10	6	4	—
34.1*b*	Disproportion without Immaturity ...	26	—	2	16	3	5	—
34.2*a*	Malposition of fœtus, with Immaturity	14	—	—	9	1	4	—
34.2*b*	Malposition of fœtus, without Immaturity	73	2	6	42	12	11	—
34.3*a*	Abnormality of forces of labour, with Immaturity	2	—	—	1	1	—	—
34.3*b*	Abnormality of forces of labour, without Immaturity	23	—	1	10	5	7	—
34.4*a*	Operative delivery, with Immaturity ...	—	—	—	—	—	—	—
34.4*b*	Operative delivery, without Immaturity	5	—	1	1	2	1	—
34.5*a*	Abnormality of organs or tissues of pelvis with Immaturity	—	—	—	—	—	—	—
34.5*b*	Abnormality of organs or tissues of pelvis without Immaturity	4	1	—	2	—	1	—
34.6*a*	Difficult labour without mention of condition, but with Immaturity ...	—	—	—	—	—	—	—
34.6*b*	Difficult labour without mention of condition, and without Immaturity ...	35	—	6	20	2	7	—

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 25.—*continued*

International Nos. (Y30-Y39)	Cause of Death	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	Other Causes in Mother	**17**	—	**3**	**6**	**2**	**6**	—
35.0	Fall	4	—	1	1	—	2	—
32.0, 35.1	Other accident or violence	2	—	1	1	—	—	—
35.2	Over exertion	—	—	—	—	—	—	—
35.3	Other and ill-defined causes in mother	11	—	1	4	2	4	—
	Placental and Cord Conditions	**737**	**27**	**71**	**386**	**112**	**141**	—
36.0*a*	Prolapse of cord	104	3	11	56	18	16	—
36.0*b*	Torsion of cord	100	5	13	53	19	10	—
36.1, 36.3	Placenta prævia	18	—	2	7	1	8	—
32.2, 36.2, 36.4	Accidental hæmorrhage	307	11	25	153	50	68	—
36.5	Placental infarct	107	3	9	61	9	25	—
36.6	Others of placenta and cord	101	5	11	56	15	14	—
	Birth Injury	**84**	**4**	**3**	**51**	**12**	**14**	—
37*a*	Birth injury with Immaturity	3	—	—	2	1	—	—
37*b*	Birth injury without Immaturity ...	81	4	3	49	11	14	—
	Congenital Malformation of Fœtus	**472**	**9**	**41**	**270**	**72**	**80**	—
38.0	Anencephalus	263	6	22	153	41	41	—
38.1	Hydrocephalus	116	2	7	71	14	22	—
38.2	Spina bifida	24	—	3	11	5	5	—
38.3	Other malformations of the central nervous system	21	—	3	11	4	3	—
38.4	Malformation of the cardiovascular system...	6	—	1	3	—	2	—
38.5	Malformation of other specified system	17	1	—	10	1	5	—
38.6	Monster	3	—	—	—	3	—	—
38.7	Other and unspecified malformations ...	22	—	5	11	4	2	—
	Diseases of Fœtus and Ill-defined Causes	**404**	**15**	**38**	**206**	**89**	**56**	—
39.2	Erythroblastosis (Rhesus factor) ...	85	4	9	44	17	11	—
39.0, 39.1, 39.3	Other diseases of fœtus	1	—	—	1	—	—	—
39.4	Maceration	74	2	8	36	15	13	—
39.5*a*	Premature birth (cause not stated) ...	41	—	6	21	7	7	—
39.5*b*	Debility	3	—	—	1	2	—	—
39.5*c*	Asphyxia	38	—	3	22	8	5	—
39.5*d*	Other ill-defined	148	8	10	74	37	19	—
39.6	Cause unknown	14	1	2	7	3	1	—

TABLE 26.—Deaths of Legitimate Children under one year from Selected Causes by Social Classification, 1956

International Nos. Detailed List	Cause of Death	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
010	Tuberculous meningitis	2	1	—	1	—	—	—
011	Abdominal tuberculosis	—	—	—	—	—	—	—
001-008, 012-019	Other tuberculous diseases	1	—	—	—	—	1	—
020-029	Syphilis	—	—	—	—	—	—	—
055	Diphtheria	—	—	—	—	—	—	—
056	Whooping cough ...	11	—	2	5	1	2	1
057	Meningococcal infections	12	—	1	6	3	2	—
085	Measles	2	—	—	1	1	—	—
340	Meningitis (not meningococcal or tuberculous)	10	—	2	4	1	3	—
490-493	Pneumonia (excluding newborn)	213	2	10	97	37	65	2
500-502	Bronchitis	34	1	1	19	3	9	1
470-483, 510-527	Other respiratory diseases	17	—	—	10	3	4	—
543, 571, 572	Diarrhœa (excluding newborn) Gastritis & duodenitis	89	—	2	38	26	23	—
530-542, 544-570, 573-587	Other digestive diseases	45	3	4	26	5	7	—
750-759	Congenital malformations	486	14	47	270	76	74	5
760-761	Birth injuries	241	7	23	135	38	37	1
762	Asphyxia and atelectasis	447	10	30	256	71	79	1
763	Pneumonia of newborn	101	—	4	58	16	21	2
764	Diarrhœa of newborn	15	—	—	4	4	6	1
765-776	Other infantile diseases	576	16	50	305	111	85	9
780a	Convulsions	42	1	1	27	5	8	—
Remainder	All other natural causes	76	5	8	34	16	12	1
E921-E925	Accidental mechanical suffocation, etc. ...	137	—	9	61	23	41	3
E800-E920, E926-E999	Other violence ...	6	1	—	4	1	—	—
	Total ...	2,563	61	194	1,361	441	479	27

TABLE 27.—Stillbirths by Social Classification, Age of Mother and Number of Previous Children, Scotland, 1956

No. of Previous Children	Total	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class I										
None	28	—	7	12	7	2	—	—	—	—
1	15	1	—	4	7	2	1	—	—	—
2	14	—	—	4	8	2	—	—	—	—
3	6	—	—	1	3	2	—	—	—	—
4	1	—	—	—	—	—	—	1	—	—
5	2	—	—	—	—	1	1	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total Legitimate	66	1	7	21	25	9	2	1	—	—
Illegitimate	—	—	—	—	—	—	—	—	—	—
Social Class II										
None	80	2	25	28	17	7	1	—	—	—
1	57	1	6	13	24	12	1	—	—	—
2	26	—	1	7	12	4	2	—	—	—
3	17	—	—	5	6	5	1	—	—	—
4	12	—	—	1	4	4	3	—	—	—
5	7	—	—	1	3	2	1	—	—	—
6	3	—	—	—	—	1	1	1	—	—
7	3	—	—	—	—	1	2	—	—	—
8	1	—	—	—	—	—	1	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	1	—	—	—	—	—	—	—	—	1
Total Legitimate	207	3	32	55	66	36	13	1	—	1
Illegitimate	4	—	3	1	—	—	—	—	—	—
Social Class III										
None	480	49	202	140	56	26	6	1	—	—
1	232	1	54	86	56	27	8	—	—	—
2	193	1	22	67	62	31	9	1	—	—
3	97	—	9	24	29	26	8	1	—	—
4	74	—	3	11	21	28	10	1	—	—
5	45	—	—	7	12	13	13	—	—	—
6	15	—	—	3	4	3	5	—	—	—
7	19	—	—	—	6	8	5	—	—	—
8	9	—	—	—	2	4	3	—	—	—
9	7	—	—	—	1	5	1	—	—	—
10 and over	12	—	—	—	—	7	4	1	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total Legitimate	1,183	51	290	338	249	178	72	5	—	—

No. of Previous Children	Total	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class IV										
None	106	8	47	28	14	7	2	—	—	—
1	64	6	9	26	16	7	—	—	—	—
2	66	—	10	25	14	14	2	1	—	—
3	44	—	3	14	12	10	5	—	—	—
4	29	—	2	8	11	7	1	—	—	—
5	19	—	—	2	3	8	6	—	—	—
6	14	—	—	3	4	4	3	—	—	—
7	7	—	—	—	2	2	2	1	—	—
8	5	—	—	—	—	1	4	—	—	—
9	2	—	—	—	—	2	—	—	—	—
10 and over	3	—	—	—	1	—	2	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total Legitimate	359	14	71	106	77	62	27	2	—	—
Illegitimate	31	4	12	6	6	2	1	—	—	—
Social Class V										
None	146	19	54	40	17	10	6	—	—	—
1	68	3	26	20	7	9	3	—	—	—
2	45	—	10	20	8	4	3	—	—	—
3	35	—	4	11	8	11	1	—	—	—
4	29	—	1	6	11	8	3	—	—	—
5	27	—	—	6	12	7	2	—	—	—
6	10	—	—	3	1	6	—	—	—	—
7	4	—	—	—	2	1	1	—	—	—
8	7	—	—	1	1	2	3	—	—	—
9	4	—	—	—	—	3	1	—	—	—
10 and over	1	—	—	—	—	—	—	1	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total Legitimate	376	22	95	107	67	61	23	1	—	—
Illegitimate	15	3	5	3	3	—	1	—	—	—
Social Class not stated										
None	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total Legitimate	—	—	—	—	—	—	—	—	—	—

No. of Previous Children	All Ages	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class I										
None	1,584	28	406	743	302	85	20	—	—	—
1	1,218	2	111	517	431	129	27	1	—	—
2	616	—	15	158	251	161	30	1	—	—
3	203	—	—	27	77	74	24	1	—	—
4	67	—	—	7	25	25	10	—	—	—
5	26	—	—	2	6	10	7	1	—	—
6	11	—	—	1	4	3	3	—	—	—
7	1	—	—	—	1	—	—	—	—	—
8	2	—	—	—	—	1	1	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	2	—	—	—	—	1	1	—	—	—
Not stated	2	—	—	—	—	—	—	—	—	2
Total	3,732	30	532	1,455	1,097	489	123	4	—	2
Illegitimate	6	—	3	2	—	1	—	—	—	—
Social Class II										
None	3,850	144	1,291	1,503	617	237	56	2	—	—
1	3,264	8	493	1,373	946	373	68	3	—	—
2	1,749	1	118	485	685	367	87	6	—	—
3	761	—	24	152	271	227	82	5	—	—
4	337	—	9	58	110	109	48	3	—	—
5	153	—	1	19	52	54	24	3	—	—
6	74	—	1	3	19	27	23	1	—	—
7	42	—	—	4	6	17	15	—	—	—
8	18	—	—	—	5	9	4	—	—	—
9	13	—	—	—	—	7	5	1	—	—
10 and over	21	—	—	—	3	9	6	3	—	—
Not stated	8	—	—	—	—	—	—	—	—	8
Total	10,290	153	1,937	3,597	2,714	1,436	418	27	—	8
Illegitimate	113	11	43	33	14	7	5	—	—	—
Social Class III										
None	19,423	2,049	9,485	5,317	1,869	596	103	4	—	—
1	14,746	272	4,619	5,719	3,042	952	135	7	—	—
2	7,914	12	1,291	3,012	2,317	1,049	227	6	—	—
3	3,971	—	313	1,301	1,306	835	204	12	—	—
4	2,122	—	60	578	774	543	160	7	—	—
5	1,175	—	10	238	406	381	123	12	—	—
6	636	—	2	60	220	258	89	7	—	—
7	341	—	—	23	94	146	70	8	—	—
8	194	—	—	4	37	96	56	1	—	—
9	95	—	—	1	17	44	31	2	—	—
10 and over	130	—	—	1	8	58	55	8	—	—
Not stated	17	—	—	—	—	—	—	—	—	17
Total	50,764	2,333	15,780	16,254	10,090	4,958	1,258	74	—	17
Illegitimate	1,072	337	419	177	94	32	11	1	—	1

No. of Previous Children	All Ages	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class IV										
None	4,301	649	2,133	971	387	126	34	1	—	—
1	3,629	113	1,390	1,253	615	226	31	1	—	—
2	2,421	6	543	966	599	251	55	1	—	—
3	1,446	—	164	508	451	258	58	7	—	—
4	887	—	38	267	328	193	59	2	—	—
5	534	—	7	133	192	152	48	2	—	—
6	270	—	1	45	90	90	41	3	—	—
7	152	—	—	14	49	63	26	—	—	—
8	116	—	—	4	37	46	27	2	—	—
9	76	—	—	—	15	42	18	1	—	—
10 and over	78	—	—	—	7	32	37	2	—	—
Not stated	5	—	—	—	—	—	—	—	—	5
Total	13,915	768	4,276	4,161	2,770	1,479	434	22	—	5
Illegitimate	1,016	220	397	186	125	65	19	3	—	1
Social Class V										
None	3,942	669	1,974	850	296	131	21	1	—	—
1	3,140	127	1,350	1,044	430	155	32	2	—	—
2	2,066	12	540	818	457	187	50	2	—	—
3	1,319	—	176	482	410	198	51	2	—	—
4	811	—	56	265	253	181	53	3	—	—
5	522	—	14	137	174	147	49	1	—	—
6	314	—	—	60	108	101	43	2	—	—
7	178	—	—	17	53	66	40	2	—	—
8	90	—	—	7	20	35	26	2	—	—
9	71	—	—	1	9	39	20	2	—	—
10 and over	81	—	—	—	13	37	28	3	—	—
Not stated	2	—	—	—	—	—	—	—	—	2
Total	12,536	808	4,110	3,681	2,223	1,277	413	22	—	2
Illegitimate	326	93	120	63	29	18	3	—	—	—
Social Class not stated										
None	2	—	1	—	—	1	—	—	—	—
1	3	—	—	2	1	—	—	—	—	—
2	2	—	1	1	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total	7	—	2	3	1	1	—	—	—	—
Illegitimate	1,536	83	270	415	415	253	93	4	—	3

TABLE 29.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1956

International Nos. Detailed List	Cause of Death		Total (All Ages)	Illegitimate only	Age: Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days –2 mths.	3–5 months	6–8 months	9–11 months
010	Tuberculous meningitis	M.	1	–	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	–	1
011	Abdominal tuberculosis	M.	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–
001-008 012-019	Other tuberculous diseases	M.	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1	–
020-029	Syphilis	M.	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–
055	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–
056	Whooping cough	M.	6	–	–	–	–	–	–	3	3	–	–
		F.	5	–	–	–	–	–	–	2	1	1	1
057	Meningococcal infections	M.	7	–	–	–	–	–	–	1	2	2	2
		F.	5	–	–	–	–	–	–	–	2	1	2
085	Measles	M.	1	–	–	–	–	–	–	–	–	–	1
		F.	1	–	–	–	–	–	–	–	–	1	–
340	Meningitis, not meningococcal or tuberculous	M.	8	3	–	–	3	1	–	2	2	–	–
		F.	5	–	–	–	2	–	1	–	–	1	1
490-493	Pneumonia (excluding newborn)	M.	122	10	–	–	–	–	–	62	45	9	6
		F.	109	8	–	–	–	–	–	44	38	19	8
500-502	Bronchitis	M.	23	1	–	–	–	–	–	8	9	4	2
		F.	13	1	–	–	–	–	–	7	2	2	2
470-483 510-527	Other respiratory diseases	M.	11	2	–	–	–	–	1	2	5	2	1
		F.	9	1	–	–	1	–	–	5	1	2	–
543, 571, 572	Diarrhœa (excluding newborn) Gastritis and duodenitis	M.	55	–	–	–	–	–	–	26	22	3	4
		F.	37	3	–	–	–	–	–	17	13	5	2
530-542 544-570 573-587	Other digestive diseases	M.	31	3	5	–	2	1	1	9	10	3	–
		F.	17	–	4	2	–	–	2	5	2	–	2
750-759	Congenital malformations	M.	274	13	49	78	21	17	12	38	34	19	6
		F.	234	9	39	54	29	13	8	42	18	23	8
760-761	Birth injuries	M.	158	3	71	74	11	–	1	–	1	–	–
		F.	93	7	45	39	4	2	–	2	–	–	1
762	Asphyxia and atelectasis	M.	288	18	176	103	4	2	1	2	–	–	–
		F.	188	11	109	69	7	–	1	2	–	–	–
763	Pneumonia of newborn	M.	66	3	6	37	13	3	7	–	–	–	–
		F.	45	7	1	19	16	8	1	–	–	–	–
764	Diarrhœa of newborn	M.	11	–	–	2	1	4	4	–	–	–	–
		F.	4	–	–	–	1	2	1	–	–	–	–
765-776	Other infantile diseases	M.	370	27	198	129	24	6	4	7	1	1	–
		F.	249	16	142	85	5	5	–	9	2	–	1
780a	Convulsions	M.	26	1	–	3	–	–	–	13	8	1	1
		F.	18	1	–	2	1	–	1	4	8	–	2
Remainder	All other natural causes	M.	48	–	–	2	–	1	2	17	14	6	6
		F.	28	–	1	–	1	–	1	7	6	4	8
E921-E925	Accidental mechanical suffocation, etc.	M.	84	7	2	1	1	1	1	36	34	5	3
		F.	63	3	–	3	–	–	–	25	27	6	2
E800-E920 E926-E999	Other violence	M.	7	4	3	–	1	–	–	–	1	2	–
		F.	5	2	2	–	–	–	–	–	1	1	1
	Total—Both Sexes		2,727	–	853	702	148	66	50	397	312	124	75
	Males		1,597	–	510	429	81	36	34	226	191	57	33
	Females		1,130	–	343	273	67	30	16	171	121	67	42
	Illegitimate only—Both Sexes		–	*164*	*57*	*38*	*12*	*3*	–	*26*	*16*	*10*	*2*
	Males		–	*95*	*38*	*19*	*7*	–	–	*16*	*11*	*3*	*1*
	Females		–	*69*	*19*	*19*	*5*	*3*	–	*10*	*5*	*7*	*1*

TABLE 30.—Month of Registration of Children aged under one year dying from Selected Causes in Scotland in 1956

International Nos. Detailed List	Cause of Death	Total	Month of Registration of Death											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
010	Tuberculous meningitis	2	–	–	1	1	–	–	–	–	–	–	–	–
011	Abdominal tuberculosis	–	–	–	–	–	–	–	–	–	–	–	–	–
001-008 012-019	Other tuberculous diseases	1	–	–	–	–	–	–	1	–	–	–	–	–
020-029	Syphilis	–	–	–	–	–	–	–	–	–	–	–		–
055	Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
056	Whooping cough ...	11	1	–	1	1	1	–	2	1	1	1	–	2
057	Meningococcal infections	12	1	3	1	1	2	–	1	–	–	–	1	2
085	Measles	2	–	–	–	–	–	–	–	–	–	–	2	–
340	Meningitis, not meningococcal or tuberculous	13	1	–	1	3	2	–	–	1	–	3	1	1
490-493	Pneumonia (excluding newborn)	231	35	31	19	17	24	9	12	5	22	11	22	24
500-502	Bronchitis	36	4	4	4	3	3	1	1	2	3	3	3	5
470-483 510-527	Other respiratory diseases	20	–	3	1	5	1	–	–	–	–	4	4	2
543, 571, 572	Diarrhœa (excluding newborn) Gastritis and duodenitis	92	14	5	7	7	9	7	7	3	5	13	4	11
530-542, 544-570, 573-587	Other digestive diseases	48	1	4	8	1	7	1	2	4	5	3	3	9
750-759	Congenital malformations ...	508	43	36	42	45	43	48	35	46	43	45	40	42
760-761	Birth injuries	251	20	17	25	20	24	15	16	25	22	22	24	21
762	Asphyxia and atelectasis	476	44	31	54	43	42	25	49	34	38	44	42	30
763	Pneumonia of newborn	111	16	14	13	14	8	4	5	6	10	4	7	10
764	Diarrhœa of newborn ...	15	1	2	2	3	–	–	–	2	1	1	2	1
765-776	Other infantile diseases	619	63	55	61	42	51	42	39	57	41	59	56	53
780a	Convulsions	44	4	4	3	5	5	3	4	3	2	1	5	5
Remainder	All other natural causes	76	8	3	8	6	7	9	6	2	9	5	6	7
E921-E925	Accidental mechanical suffocation, etc. ...	147	15	12	12	19	15	9	6	10	12	14	10	13
E800-E920 E926-E999	Other violence	12	1	3	2	1	1	1	1	–	–	–	–	2
	Total	2,727	272	227	265	237	245	174	187	201	214	233	232	240
	Illegitimate ...	*164*	*22*	*15*	*12*	*15*	*10*	*10*	*10*	*16*	*8*	*16*	*16*	*14*

TABLE 31. Births, Deaths under one year by Age-Periods, and Death-Rates per 1,000 Births in Scotland, 1956.

	Number of Births (Living Children)	Numbers: Under 1 yr. Total	Under 1 yr. Illegitimate	Under 28 days	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 months	3–5 months	6–8 months	9–11 months	Rates: Under 1 yr.	Under 1 yr.* Illegitimate	Under 28 days	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 months	3–5 months	6–8 months	9–11 months
SCOTLAND	**95,313**	**2,727**	—	**1,819**	**853**	**702**	**148**	**66**	**50**	**397**	**312**	**124**	**75**	**28·6**	—	**19·1**	**8·9**	**7·4**	**1·6**	**0·7**	**0·5**	**4·2**	**3·3**	**1·3**	**0·8**
Counties of Cities	36,052	1,078	—	697	326	267	54	28	22	175	121	47	38	29·9	—	19·3	9·0	7·4	1·5	0·8	0·6	4·9	3·4	1·3	1·1
Large Burghs	16,938	511	—	339	170	128	24	8	9	72	69	24	7	30·2	—	20·0	10·0	7·6	1·4	0·5	0·5	4·3	4·1	1·4	0·4
Counties (*ex* Co. of C. and L. B.) ...	42,323	1,138	—	783	357	307	70	30	19	150	122	53	30	26·9	—	18·5	8·4	7·3	1·7	0·7	0·4	3·5	2·9	1·3	0·7
LEGITIMATE BIRTHS																									
Scotland	91,244	2,563	—	1,709	796	664	136	63	50	371	296	114	73	28·1	—	18·7	8·7	7·3	1·5	0·7	0·5	4·1	3·2	1·2	0·8
Counties of Cities	34,289	998	—	647	302	247	49	27	22	159	113	42	37	29·1	—	18·9	8·8	7·2	1·4	0·8	0·6	4·6	3·3	1·2	1·1
Large Burghs	16,312	484	—	318	159	123	20	7	9	70	66	23	7	29·7	—	19·5	9·7	7·5	1·2	0·4	0·6	4·3	4·0	1·4	0·4
Counties (*ex* Co. of C. and L. B.)	40,643	1,081	—	744	335	294	67	29	19	142	117	49	29	26·6	—	18·3	8·2	7·2	1·6	0·7	0·5	3·5	2·9	1·2	0·7
ILLEGITIMATE BIRTHS																									
Scotland	*4,069*	—	*164*	*110*	*57*	*38*	*12*	*3*	—	*26*	*16*	*10*	*2*	—	*40·3*	*27·0*	*14·0*	*9·3*	*2·9*	*0·7*	—	*6·4*	*3·9*	*2·5*	*0·5*
Counties of Cities	*1,763*	—	*80*	*50*	*24*	*20*	*5*	*1*	—	*16*	*8*	*5*	*1*	—	*45·4*	*28·4*	*13·6*	*11·3*	*2·8*	*0·6*	—	*9·1*	*4·5*	*2·8*	*0·6*
Large Burghs	*626*	—	*27*	*21*	*11*	*5*	*4*	*1*	—	*2*	*3*	*1*	—	—	*43·1*	*33·5*	*17·6*	*8·0*	*6·4*	*1·6*	—	*3·2*	*4·8*	*1·6*	—
Counties (ex Co. of C. and L. B.) ...	*1,680*	—	*57*	*39*	*22*	*13*	*3*	*1*	—	*8*	*5*	*4*	*1*	—	*33·9*	*23·2*	*13·1*	*7·7*	*1·8*	*0·6*	—	*4·8*	*3·0*	*2·4*	*0·6*
ABERDEEN COUNTY	5,780	126	*12*	81	41	32	4	1	3	17	16	10	2	21·8	*39·3*	14·0	7·1	5·5	0·7	0·2	0·5	2·9	2·8	1·7	0·3
Aberdeen County of City ...	3,271	73	*10*	45	21	18	2	1	3	10	10	6	2	22·3	*58·1*	13·8	6·4	5·5	0·6	0·3	0·9	3·1	3·1	1·8	0·6
Remainder of County	2,509	53	*2*	36	20	14	2	—	—	7	6	4	—	21·1	*15·0*	14·3	8·0	5·6	0·8	—	—	2·8	2·4	1·6	—
ANGUS COUNTY	4,955	146	*16*	92	47	29	8	4	4	25	17	4	8	29·5	*64·5*	18·6	9·5	5·9	1·6	0·8	0·8	5·0	3·4	0·8	1·6
Dundee County of City ...	3,429	106	*12*	66	32	22	5	4	3	18	13	3	6	30·9	*66·7*	19·2	9·3	6·4	1·5	1·2	0·9	5·2	3·8	0·9	1·7
Arbroath Burgh	347	14	*3*	7	2	2	2	—	1	3	3	—	1	40·3	*214·3*	20·2	5·8	5·8	5·8	—	2·9	8·6	8·6	—	2·9
Remainder of County	1,179	26	*1*	19	13	5	1	—	—	4	1	1	1	22·1	*18·5*	16·1	11·0	4·2	0·8	—	—	3·4	0·8	0·8	0·8
ARGYLL COUNTY	925	24	*2*	17	10	5	1	1	—	4	3	—	—	25·9	*32·3*	18·4	10·8	5·4	1·1	1·1	—	4·3	3·2	—	—
AYR COUNTY	6,166	191	*12*	132	64	49	9	5	5	25	20	9	5	31·0	*58·0*	21·4	10·4	7·9	1·5	0·8	0·8	4·1	3·2	1·5	0·8
Ayr Burgh	796	23	—	17	9	6	1	1	—	2	3	—	1	28·9	—	21·4	11·3	7·5	1·3	1·3	—	2·5	3·8	—	1·3
Kilmarnock Burgh	908	28	—	22	11	6	2	2	1	2	1	3	—	30·8	—	24·2	12·1	6·6	2·2	2·2	1·1	2·2	1·1	3·3	—
Remainder of County	4,462	140	*12*	93	44	37	6	2	4	21	16	6	4	31·4	*87·6*	20·8	9·9	8·3	1·3	0·4	0·9	4·7	3·6	1·3	0·9
BANFF COUNTY	838	22	—	16	9	4	1	—	2	3	3	—	—	26·3	—	19·1	10·7	4·8	1·2	—	2.4	3·6	3·6	—	—
BERWICK COUNTY	330	11	*2*	8	5	2	1	—	—	2	—	1	—	33·3	*142·9*	24·2	15·2	6·1	3·0	—	—	6·1	—	3·0	—
BUTE COUNTY	232	6	*1*	5	3	1	1	—	—	1	—	—	—	25·9	*62·5*	21·6	12·9	4·3	4·3	—	—	4·3	—	—	—
CAITHNESS COUNTY	417	15	*2*	9	2	4	2	—	1	2	4	—	—	36·0	*71·4*	21·6	4·8	9·6	4·8	—	2·4	4·8	9·6	—	—
CLACKMANNAN COUNTY	762	27	*1*	17	9	4	3	1	—	5	3	2	—	35·4	*27·0*	22·3	11·8	5·2	3·9	1·3	—	6·6	3·9	2·6	—
DUMFRIES COUNTY	1,524	34	*4*	22	7	10	2	1	2	6	2	1	3	22·3	*54·1*	14·4	4·6	6·6	1·3	0·7	1·3	3·9	1·3	0·7	2·0
Dumfries Burgh	529	16	*3*	11	4	6	—	—	1	2	1	1	1	30·2	*88·2*	20·8	7·6	11·3	—	—	1·9	3·8	1·9	1·9	1·9
Remainder of County	995	18	*1*	11	3	4	2	1	1	4	1	—	2	18·1	*25·0*	11·1	3·0	4·0	2·0	1·0	1·0	4·0	1·0	—	2·0
DUNBARTON COUNTY	3,517	87	*2*	53	22	23	5	1	2	16	11	5	2	24·7	*18·2*	15·1	6·3	6·5	1·4	0·3	0·6	4·5	3·1	1·4	0·6
Clydebank Burgh	1,043	31	—	20	9	11	—	—	—	2	5	2	2	29·7	—	19·2	8·6	10·5	—	—	—	1·9	4·8	1·9	1·9
Dumbarton Burgh...	677	15	—	7	4	1	—	—	2	4	2	2	—	22·2	—	10·3	5·9	1·5	—	—	3·0	5·9	3·0	3·0	—
Remainder of County	1,797	41	*2*	26	9	11	5	1	—	10	4	1	—	22·8	*31·3*	14·5	5·0	6·1	2·8	0·6	—	5·6	2·2	0·6	—
EAST LOTHIAN COUNTY	902	23	1	14	6	3	1	2	2	3	2	4	—	25·5	27·0	15·5	6·7	3·3	1·1	2·2	2·2	3·3	2·2	4·4	—
	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)												

Kirkcaldy Burgh	901	23	1	16	6	9	1	—	—	1	4	2	—	25·5	37·0	17·5	6·7	10·0	1·1	—	—	1·1	4·4	2·2	0·5	0·2
Remainder of County	4,067	105	4	82	40	32	6	3	1	11	9	2	1	25·8	25·6	20·2	9·8	7·9	1·5	0·7	0·2	2·7	2·2	0·5	0·2
INVERNESS COUNTY	1,476	34	1	25	11	11	2	1	—	2	5	2	—	23·0	9·7	16·9	7·5	7·5	1·4	0·7	—	1·4	3·4	1·4	—
Inverness Burgh	568	17	1	12	8	4	—	—	—	1	3	1	—	29·9	29·4	21·1	14·1	7·0	—	—	—	1·8	5·3	1·8	—
Remainder of County	908	17	—	13	3	7	2	1	—	1	2	1	—	18·7	—	14·3	3·3	7·7	2·2	1·1	—	1·1	2·2	1·1	—
KINCARDINE COUNTY	423	6	—	2	—	2	—	—	—	3	—	—	1	14·2	—	4·7	—	4·7	—	—	—	7·1	—	—	2·4
KINROSS COUNTY	126	2	—	1	—	1	—	—	—	1	—	—	—	15·9	—	7·9	—	7·9	—	—	—	7·9	—	—	—
KIRKCUDBRIGHT COUNTY	519	9	—	5	—	2	3	—	—	1	—	1	2	17·3	—	9·6	—	3·9	5·8	—	—	1·9	—	1·9	3·9
LANARK COUNTY	32,890	1,076	62	678	321	263	49	26	19	179	133	50	36	32·7	44·7	20·6	9·8	8·0	1·5	0·8	0·6	5·4	4·0	1·5	1·1
Glasgow Co. of C.	21,885	720	49	455	224	166	33	19	13	124	81	36	24	32·9	46·6	20·8	10·2	7·6	1·5	0·9	0·6	5·7	3·7	1·6	1·1
Airdrie Burgh	655	16	1	9	4	3	1	—	1	4	3	—	—	24·4	66·7	13·7	6·1	4·6	1·5	—	1·5	6·1	4·6	—	—
Coatbridge Burgh	1,249	43	1	25	12	11	1	1	—	8	9	1	—	34·4	43·5	20·0	9·6	8·8	0·8	0·8	—	6·4	7·2	0·8	—
Hamilton Burgh	827	28	2	17	5	11	1	—	—	5	4	2	—	33·9	57·1	20·6	6·0	13·3	1·2	—	—	6·0	4·8	2·4	—
Motherwell and Wishaw Burgh ...	1,445	40	2	27	13	12	2	—	—	7	4	2	—	27·7	39·2	18·7	9·0	8·3	1·4	—	—	4·8	2·8	1·4	—
Rutherglen Burgh	436	12	—	9	5	3	1	—	—	2	1	—	—	27·5	—	20·6	11·5	6·9	2·3	—	—	4·6	2·3	—	—
Remainder of County	6,393	217	7	136	58	57	10	6	5	29	31	9	12	33·9	34·7	21·3	9·1	8·9	1·6	0·9	0·8	4·5	4·8	1·4	1·9
MIDLOTHIAN COUNTY	9,606	236	11	174	68	81	18	4	3	26	22	6	8	24·6	25·8	18·1	7·1	8·4	1·9	0·4	0·3	2·7	2·3	0·6	0·8
Edinburgh Co. of C.	7,467	179	9	131	49	61	14	4	3	23	17	2	6	24·0	25·0	17·5	6·6	8·2	1·9	0·5	0·4	3·1	2·3	0·3	0·8
Remainder of County	2,139	57	2	43	19	20	4	—	—	3	5	4	2	26·6	30·3	20·1	8·9	9·4	1·9	—	—	1·4	2·3	1·9	0·9
MORAY COUNTY	1,000	24	5	14	9	4	1	—	—	6	2	2	—	24·0	116·3	14·0	9·0	4·0	1·0	—	—	6·0	2·0	2·0	—
NAIRN COUNTY	131	7	—	5	3	1	1	—	—	—	2	—	—	53·4	—	38·2	22·9	7·6	7·6	—	—	—	15·3	—	—
ORKNEY COUNTY	314	8	—	6	3	2	—	1	—	1	—	1	—	25·5	—	19·1	9·6	6·4	—	3·2	—	3·2	—	3·2	—
PEEBLES COUNTY	217	3	1	3	2	1	—	—	—	—	—	—	—	13·8	166·7	13·8	9·2	4·6	—	—	—	—	—	—	—
PERTH COUNTY	1 991	57	4	41	21	16	3	—	1	7	5	4	—	28·6	34·8	20·6	10·5	8·0	1·5	—	0·5	3·5	2·5	2·0	—
Perth Burgh	642	14	1	9	5	4	—	—	—	2	1	2	—	21·8	31·3	14·0	7·8	6·2	—	—	—	3·1	1·6	3·1	—
Remainder of County	1,349	43	3	32	16	12	3	—	1	5	4	2	—	31·9	36·1	23·7	11·9	8·9	2·2	—	0·7	3·7	3·0	1·5	—
RENFREW COUNTY	6,389	193	9	138	70	50	10	6	2	25	22	7	1	30·2	44·3	21·6	11·0	7·8	1·6	0·9	0·3	3·9	3·4	1·1	0·2
Greenock Burgh	1,627	67	1	44	27	10	5	1	1	14	6	3	—	41·2	16·1	27·0	16·6	6·1	3·1	0·6	0·6	8·6	3·7	1·8	—
Paisley Burgh	1,863	59	6	45	24	15	4	2	—	4	9	—	1	31·7	85·7	24·2	12·9	8·1	2·1	1·1	—	2·1	4·8	—	0·5
Port Glasgow Burgh	531	9	—	7	3	3	—	1	—	1	—	1	—	16·9	—	13·2	5·6	5·6	—	1·9	—	1·9	—	1·9	—
Remainder of County	2,368	58	2	42	16	22	1	2	1	6	7	3	—	24·5	35·1	17·7	6·8	9·3	0·4	0·8	0·4	2·5	3·0	1·3	—
ROSS AND CROMARTY COUNTY ...	997	21	—	16	6	5	3	1	1	4	—	1	—	21·1	—	16·0	6·0	5·0	3·0	1·0	1·0	4·0	—	1·0	—
ROXBURGH COUNTY	678	16	—	12	5	3	1	3	—	—	3	—	1	23·6	—	17·7	7·4	4·4	1·5	4·4	—	—	4·4	—	1·5
SELKIRK COUNTY	330	6	—	6	1	4	—	1	—	—	—	—	—	18·2	—	18·2	3·0	12·1	—	3·0	—	—	—	—	—
STIRLING COUNTY	3,376	96	6	61	26	26	7	1	1	15	12	6	2	28·4	54·5	18·1	7·7	7·7	2·1	0·3	0·3	4·4	3·6	1·8	0·6
Falkirk Burgh	558	12	—	7	2	3	1	—	1	2	1	1	1	21·5	—	12·5	3·6	5·4	1·8	—	1·8	3·6	1·8	1·8	1·8
Stirling Burgh	527	20	2	10	7	2	1	—	—	4	6	—	—	38·0	62·5	19·0	13·3	3·8	1·9	—	—	7·6	11·4	—	—
Remainder of County	2,291	64	4	44	17	21	5	1	—	9	5	5	1	27·9	66·7	19·2	7·4	9·2	2·2	0·4	—	3·9	2·2	2·2	0·4
SUTHERLAND COUNTY	243	2	—	—	—	—	—	—	—	1	—	1	—	8·2	—	—	—	—	—	—	—	4·1	—	4·1	—
WEST LOTHIAN COUNTY	1,698	39	1	28	14	11	2	1	—	1	7	1	2	23·0	20·4	16·5	8·2	6·5	1·2	0·6	—	0·6	4·1	0·6	1·2
WIGTOWN COUNTY	527	18	—	14	5	6	2	1	—	2	1	1	—	34·2	—	26·6	9·5	11·4	3·8	1·9	—	3·8	1·9	1·9	—
ZETLAND COUNTY	257	10	1	8	7	—	—	1	—	—	1	—	1	38·9	142·9	31·1	27·2	—	—	3·9	—	—	3·9	—	3·9

Note.—Some of the above rates are based on very few observations and are therefore of limited value.

*—Per 1,000 illegitimate births.

TABLE 32.—Deaths in Scotland of Children aged under One Year by Selected Age-groups, 1956

Age	Total	Males	Females
Under 1 day	853	510	343
1 day	277	159	118
2 days	193	125	68
3 ,,	93	56	37
4 ,,	62	45	17
5 ,,	49	29	20
6 ,,	28	15	13
7–13 ,,	148	81	67
14–20 ,,	66	36	30
21–27 ,,	50	34	16
28 days–Under 2 months	213	118	95
2 ,,	184	108	76
3 ,,	137	83	54
4 ,,	108	66	42
5 ,,	67	42	25
6 ,,	53	23	30
7 ,,	38	20	18
8 ,,	33	14	19
9 ,,	28	10	18
10 ,,	25	11	14
11 ,,	22	12	10
Total	2,727	1,597	1,130

TABLE 33.—Ages at Death in 1956

Age Groups	Number of Deaths					
	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs but including Small Burghs and Landward	Small Burghs	Landward
Under 1 –	2,727	1,078	511	1,138	405	733
1– –	371	133	57	181	62	119
5– –	189	70	37	82	20	62
10– –	154	58	23	73	21	52
15– –	503	172	80	251	58	193
25– –	943	361	164	418	156	262
35– –	1,829	746	307	776	276	500
45– –	5,054	2,089	822	2,143	827	1,316
55– –	9,924	4,088	1,650	4,186	1,661	2,525
65– –	16,189	6,194	2,649	7,346	2,866	4,480
75– –	18,048	6,664	2,718	8,666	3,433	5,233
85 and over	5,861	1,952	843	3,066	1,225	1,841
Not stated	—	—	—	—	—	—
All Ages	61,792	23,605	9,861	28,326	11,010	17,316

TABLE 34.—Deaths, Male and Female, at each year of ag

MALES

Ages	Total	Single	Married	Widowed	Divorced	Not Stated	Ages	Total	Single	Married	Widowed	Divorced	Not Stated
0 ...	1,597	1,597	–	–	–	–	50 ...	323	54	249	11	6	3
1 ...	92	92	–	–	–	–	51 ...	375	64	286	20	5	–
2 ...	45	45	–	–	–	–	52 ...	330	47	264	17	2	–
3 ...	38	38	–	–	–	–	53 ...	412	68	326	12	6	–
4 ...	37	37	–	–	–	–	54 ...	451	74	343	29	4	1
0–4 ...	1,809	1,809	–	–	–	–	50–54 ...	1,891	307	1,468	89	23	4
5 ...	28	28	–	–	–	–	55 ...	482	72	372	33	4	1
6 ...	22	22	–	–	–	–	56 ...	543	79	417	40	6	1
7 ...	23	23	–	–	–	–	57 ...	520	58	412	48	2	–
8 ...	20	20	–	–	–	–	58 ...	518	70	413	31	4	–
9 ...	17	17	–	–	–	–	59 ...	562	77	425	53	5	2
5–9 ...	110	110	–	–	–	–	55–59 ...	2,625	356	2,039	205	21	4
10 ...	20	20	–	–	–	–	60 ...	579	75	437	62	2	3
11 ...	12	12	–	–	–	–	61 ...	643	81	486	72	2	2
12 ...	19	19	–	–	–	–	62 ...	613	102	440	69	1	1
13 ...	20	20	–	–	–	–	63 ...	726	91	535	97	3	–
14 ...	22	22	–	–	–	–	64 ...	673	91	483	96	3	–
10–14 ...	93	93	–	–	–	–	60–64 ...	3,234	440	2,381	396	11	6
15 ...	34	34	–	–	–	–	65 ...	787	96	548	138	4	1
16 ...	21	21	–	–	–	–	66 ...	755	106	518	125	3	3
17 ...	39	39	–	–	–	–	67 ...	810	107	544	155	2	2
18 ...	34	34	–	–	–	–	68 ...	780	104	520	153	2	1
19 ...	36	35	1	–	–	–	69 ...	803	111	524	165	3	–
15–19 ...	164	163	1	–	–	–	65–69 ...	3,935	524	2,654	736	14	7
20 ...	30	27	3	–	–	–	70 ...	838	118	517	197	2	4
21 ...	29	27	2	–	–	–	71 ...	876	113	531	229	1	2
22 ...	34	30	4	–	–	–	72 ...	1,000	138	587	271	2	2
23 ...	31	23	8	–	–	–	73 ...	924	134	510	277	3	–
24 ...	35	26	9	–	–	–	74 ...	901	98	481	316	4	2
20–24 ...	159	133	26	–	–	–	70–74 ...	4,539	601	2,626	1,290	12	10
25 ...	46	31	15	–	–	–	75 ...	968	122	506	339	–	1
26 ...	42	29	13	–	–	–	76 ...	967	145	468	352	1	1
27 ...	51	24	26	1	–	–	77 ...	910	134	419	351	4	2
28 ...	53	28	25	–	–	–	78 ...	925	130	408	386	1	–
29 ...	42	25	17	–	–	–	79 ...	897	127	376	389	2	3
25–29 ...	234	137	96	1	–	–	75–79 ...	4,667	658	2,177	1,817	8	7
30 ...	60	22	36	–	–	2	80 ...	849	107	321	419	2	–
31 ...	54	24	27	1	1	1	81 ...	790	97	283	407	1	2
32 ...	73	36	33	2	1	1	82 ...	729	69	244	415	1	–
33 ...	63	24	38	1	–	–	83 ...	664	79	202	382	1	–
34 ...	67	28	38	–	–	1	84 ...	574	81	151	342	–	–
30–34 ...	317	134	172	4	2	5	80–84 ...	3,606	433	1,201	1,965	5	2
35 ...	65	18	44	2	1	–	85 ...	486	46	144	296	–	–
36 ...	81	28	50	2	–	1	86 ...	384	37	94	252	–	1
37 ...	66	20	44	–	1	1	87 ...	295	21	76	197	–	1
38 ...	78	22	53	2	–	1	88 ...	236	24	42	170	–	–
39 ...	85	19	63	1	2	–	89 ...	204	32	39	133	–	–
35–39 ...	375	107	254	7	4	3	85–89 ...	1,605	160	395	1,048	–	2
40 ...	109	35	71	3	–	–	90 ...	161	18	25	118	–	–
41 ...	130	32	92	3	3	–	91 ...	96	12	16	68	–	–
42 ...	128	27	96	5	–	–	92 ...	72	8	8	56	–	–
43 ...	131	28	97	4	2	–	93 ...	42	7	8	27	–	–
44 ...	160	31	122	2	4	1	94 ...	32	6	2	24	–	–
40–44 ...	658	153	478	17	9	1	90–94 ...	403	51	59	293	–	–
45 ...	178	33	137	6	2	–	95 ...	24	2	1	21	–	–
46 ...	224	45	172	5	2	–	96 ...	9	–	1	8	–	–
47 ...	222	39	178	3	2	–	97 ...	10	1	1	8	–	–
48 ...	240	50	180	8	2	–	98 ...	7	–	–	7	–	–
49 ...	308	56	237	12	3	–	99 ...	4	–	–	4	–	–
45–49 ...	1,172	223	904	34	11	–	95–99 ...	54	3	3	48	–	–
							100 and over	1	–	–	1	–	–
							Not stated	–	–	–	–	–	–
							All males	31,651	6,595	16,934	7,951	120	51

by Condition as to Marriage, in Scotland, 1956

FEMALES

Ages	Total	Single	Married	Widowed	Divorced	Not Stated	Ages	Total	Single	Married	Widowed	Divorced	Not Stated
0 ...	1,130	1,130	–	–	–	–	50 ...	169	45	97	25	2	–
1 ...	74	74	–	–	–	–	51 ...	221	44	146	28	3	–
2 ...	40	40	–	–	–	–	52 ...	235	57	153	21	4	–
3 ...	28	28	–	–	–	–	53 ...	251	48	175	25	3	–
4 ...	17	17	–	–	–	–	54 ...	282	59	169	53	1	–
0–4 ...	1,289	1,289	–	–	–	–	50–54 ...	1,158	253	740	152	13	–
5 ...	21	21	–	–	–	–	55 ...	280	55	175	49	1	–
6 ...	19	19	–	–	–	–	56 ...	289	57	175	55	2	–
7 ...	20	20	–	–	–	–	57 ...	341	76	200	63	2	–
8 ...	11	11	–	–	–	–	58 ...	381	80	204	96	1	–
9 ...	8	8	–	–	–	–	59 ...	355	74	204	76	1	–
5–9 ...	79	79	–	–	–	–	55–59 ...	1,646	342	958	339	7	–
0 ...	14	14	–	–	–	–	60 ...	395	81	213	99	2	–
1 ...	10	10	–	–	–	–	61 ...	444	76	227	138	3	–
2 ...	10	10	–	–	–	–	62 ...	452	101	230	120	1	–
3 ...	15	15	–	–	–	–	63 ...	530	107	263	155	5	–
4 ...	12	12	–	–	–	–	64 ...	598	127	272	198	1	–
0–14 ...	61	61	–	–	–	–	60–64 ...	2,419	492	1,205	710	12	–
5 ...	7	7	–	–	–	–	65 ...	598	130	277	188	3	–
6 ...	14	14	–	–	–	–	66 ...	594	119	257	216	2	–
7 ...	16	16	–	–	–	–	67 ...	678	115	290	270	3	–
8 ...	11	10	1	–	–	–	68 ...	704	129	280	290	5	–
9 ...	18	15	3	–	–	–	69 ...	755	131	275	348	1	–
5–19 ...	66	62	4	–	–	–	65–69 ...	3,329	624	1,379	1,312	14	–
0 ...	20	14	6	–	–	–	70 ...	782	166	257	358	1	–
1 ...	23	16	7	–	–	–	71 ...	826	163	283	379	1	–
2 ...	22	12	10	–	–	–	72 ...	875	166	266	442	1	–
3 ...	26	12	14	–	–	–	73 ...	935	173	276	482	4	–
4 ...	23	14	8	1	–	–	74 ...	968	202	265	498	3	–
0–24 ...	114	68	45	1	–	–	70–74 ...	4,386	870	1,347	2,159	10	–
5 ...	26	7	18	1	–	–	75 ...	918	202	214	501	1	–
6 ...	30	7	23	–	–	–	76 ...	1,039	207	216	616	–	–
7 ...	39	16	22	1	–	–	77 ...	1,038	233	178	626	1	–
8 ...	25	11	14	–	–	–	78 ...	1,065	230	208	625	2	–
9 ...	56	25	29	1	1	–	79 ...	1,120	253	170	695	2	–
5–29 ...	176	66	106	3	1	–	75–79 ...	5,180	1,125	986	3,063	6	–
0 ...	35	15	20	–	–	–	80 ...	1,074	223	139	710	2	–
1 ...	34	4	30	–	–	–	81 ...	975	216	125	633	1	–
2 ...	36	8	26	1	1	–	82 ...	924	210	94	619	1	–
3 ...	52	12	40	–	–	–	83 ...	848	154	87	605	2	–
4 ...	59	15	42	–	2	–	84 ...	774	176	75	521	2	–
0–34 ...	216	54	158	1	3	–	80–84 ...	4,595	979	520	3,088	8	–
5 ...	65	17	47	–	1	–	85 ...	690	166	39	484	1	–
6 ...	79	17	59	1	2	–	86 ...	613	123	35	455	–	–
7 ...	54	12	40	1	1	–	87 ...	542	138	17	387	–	–
8 ...	61	11	48	1	1	–	88 ...	407	96	13	298	–	–
9 ...	75	15	52	6	2	–	89 ...	364	80	13	271	–	–
5–39 ...	334	72	246	9	7	–	85–89 ...	2,616	603	117	1,895	1	–
0 ...	59	7	50	2	–	–	90 ...	301	66	7	228	–	–
1 ...	87	19	64	4	–	–	91 ...	239	58	4	176	1	–
2 ...	108	15	82	6	5	–	92 ...	204	59	2	143	–	–
3 ...	108	23	75	7	3	–	93 ...	154	39	4	111	–	–
4 ...	100	23	72	4	1	–	94 ...	91	27	2	62	–	–
0–44 ...	462	87	343	23	9	–	90–94 ...	989	249	19	720	1	–
5 ...	143	32	98	12	1	–	95 ...	66	13	1	52	–	–
6 ...	155	40	101	12	2	–	96 ...	49	9	1	39	–	–
7 ...	149	29	112	7	1	–	97 ...	30	7	–	23	–	–
8 ...	196	35	146	10	5	–	98 ...	20	5	–	15	–	–
9 ...	190	44	127	17	2	–	99 ...	19	2	–	17	–	–
5–49 ...	833	180	584	58	11	–	95–99 ...	184	36	2	146	–	–
							100 and over	9	1	–	8	–	–
							Not stated	–	–	–	–	–	–
							All females	30,141	7,592	8,759	13,687	103	–

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1956

International Nos. Detailed List	Abbreviated List	Causes of Death	Sex	Numbers Aged: All Ages	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	Not Stated	Death-rate per 100,000 at Ages: All Ages	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
001-008	B1	Tuberculosis of respiratory system	M.	478	–	–	–	2	7	55	60	110	129	85	25	5	–	19	–	–	–	1	2	16	18	33	55	59	39	64
			F.	237	1	–	–	–	19	77	50	24	22	32	11	1	–	9	2	–	–	–	5	21	14	7	8	16	12	7
010-019	B2	Tuberculosis, other forms	M.	47	1	5	2	3	4	4	5	6	4	8	5	–	–	2	2	3	1	2	1	1	2	2	2	6	8	–
			F.	39	1	6	1	1	–	5	5	4	5	7	4	–	–	1	2	4	0	1	–	1	1	1	2	3	4	–
020-029	B3	Syphilis and its sequelæ ...	M.	71	–	–	–	1	–	2	3	10	35	13	7	–	–	3	–	–	–	1	–	1	1	3	15	9	11	–
			F.	17	–	–	–	–	–	–	–	4	5	5	3	–	–	1	–	–	–	–	–	–	–	1	2	2	3	–
040	B4	Typhoid fever	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	0	–	–	–	–	–	–	0	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	0	–	–	–	–	–	–	–	–	–	0	–	–
045-048	B6	Dysentery, all forms ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	0	–	–	–	–	–	–	–	–	–	–	–	13
			F.	2	1	–	–	–	–	–	–	–	–	1	–	–	–	0	2	–	–	–	–	–	–	–	–	0	–	–
050-051	B7	Scarlet fever and streptococcal sore throat ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	0	–	1	–	–	–	–	–	–	–	–	–	–
055	B8	Diphtheria	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	0	–	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	0	–	1	–	–	–	–	–	–	–	–	–	–
056	B9	Whooping cough ...	M.	7	6	1	–	–	–	–	–	–	–	–	–	–	–	0	13	1	–	–	–	–	–	–	–	–	–	–
			F.	7	5	2	–	–	–	–	–	–	–	–	–	–	–	0	11	1	–	–	–	–	–	–	–	–	–	–
057	B10	Meningococcal infections	M.	17	7	7	3	–	–	–	–	–	–	–	–	–	–	1	15	4	1	–	–	–	–	–	–	–	–	–
			F.	10	5	3	2	–	–	–	–	–	–	–	–	–	–	0	11	2	1	–	–	–	–	–	–	–	–	–
080	B12	Acute poliomyelitis ...	M.	8	–	2	–	–	1	4	–	1	–	–	–	–	–	0	–	1	–	–	0	1	–	0	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	0	–	1	–	–	–	–	–	–	–	–	–	–
085	B14	Measles	M.	4	1	3	–	–	–	–	–	–	–	–	–	–	–	0	2	2	–	–	–	–	–	–	–	–	–	–
			F.	6	1	5	–	–	–	–	–	–	–	–	–	–	–	0	2	3	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	52	6	4	1	2	5	2	3	5	13	7	2	2	–	2	13	2	0	1	1	1	1	2	6	5	3	26
			F.	54	3	1	–	1	–	3	10	12	13	5	6	–	–	2	7	1	–	1	–	1	3	3	4	2	6	–
140-205	B18	Malignant neoplasms ...	M.	5591	4	17	13	13	40	58	214	774	1446	1716	1145	151	–	227	9	10	6	7	12	16	64	232	620	1200	1798	1943
			F.	5163	5	10	8	11	20	64	260	748	1136	1466	1162	273	–	193	11	6	4	6	5	18	73	210	388	724	1231	1814
210-239	B19	Benign and unspecified neoplasms	M.	55	1	1	–	2	4	3	8	12	11	8	4	1	–	2	2	1	–	1	1	1	2	4	5	6	6	13
			F.	91	2	–	1	2	1	3	12	20	19	20	10	1	–	3	4	–	0	1	0	1	3	6	6	10	11	7
260	B20	Diabetes mellitus... ...	M.	129	–	1	1	2	1	7	5	12	26	34	37	3	–	5	–	1	0	1	0	2	2	4	11	24	58	39
			F.	344	–	–	–	–	2	2	5	11	79	140	96	9	–	13	–	–	–	–	1	1	1	3	27	69	102	60
290-293	B21	Anæmias	M.	88	–	–	1	1	1	1	3	5	8	28	35	5	–	4	–	–	0	1	0	0	1	2	3	20	55	64
			F.	157	–	–	–	–	2	3	3	1	19	56	55	18	–	6	–	–	–	–	1	1	1	0	6	28	58	120
240-254, 270-289, 294-299	B46.1	Other general diseases ...	M.	188	8	3	2	1	4	16	12	33	45	44	20	–	–	8	17	2	1	1	1	5	4	10	19	31	31	–
			F.	246	2	3	2	2	7	7	16	32	58	73	34	10	–	9	4	2	1	1	2	2	4	9	20	36	36	66
330-334	B22	Vascular lesions affecting central nervous system	M.	4076	1	–	1	–	9	26	43	200	598	1305	1568	325	–	166	2	–	0	–	3	7	13	60	256	912	2462	4182
			F.	5604	–	1	1	3	5	17	41	250	681	1669	2254	682	–	209	–	1	0	2	1	5	11	70	232	824	2388	4531
340	B23	Non-meningococcal menin-	M.	27	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

410-416	B25	Chronic rheumatic heart disease	M.	292	–	–	1	1	9	25	52	78	50	46	30	–	–	12	–	–	0	1	3	7	16	23	21	32	47	–
			F.	527	–	–	1	1	16	41	75	117	117	91	57	11	–	20	–	–	0	1	4	11	21	33	40	45	60	73
420-422	B26	Arteriosclerotic and degenerative heart disease	M.	9686	–	–	–	–	2	43	201	893	1868	2849	2974	856	–	393	–	–	–	–	1	12	60	268	801	1992	4669	11014
			F.	8756	–	–	1	1	3	10	54	256	928	2384	3503	1616	–	326	–	–	0	1	1	3	15	72	317	1177	3711	10735
430-434	B27	Other diseases of heart ...	M.	292	3	–	–	2	6	7	11	28	53	73	85	24	–	12	6	–	–	1	2	2	3	8	23	51	133	309
			F.	316	–	–	1	1	7	5	4	13	45	90	122	28	–	12	–	–	0	1	2	1	1	4	15	44	129	186
440–443	B28	Hypertension with heart disease	M.	545	–	–	–	–	1	1	8	25	96	199	180	35	–	22	–	–	–	–	0	0	2	8	41	139	283	450
			F.	737	–	–	–	–	1	–	4	21	110	256	282	63	–	27	–	–	–	–	0	–	1	6	38	126	299	419
444-447	B29	Hypertension without heart disease	M.	340	1	–	–	–	2	5	11	33	68	96	94	30	–	14	2	–	–	–	1	1	3	10	29	67	148	386
			F.	369	–	–	–	1	1	3	8	29	58	99	133	37	–	14	–	–	–	1	0	1	2	8	20	49	141	246
450-468	B46.3	Other circulatory disease	M.	844	–	–	–	–	1	3	6	28	56	211	389	150	–	34	–	–	–	–	0	1	2	8	24	148	611	1930
			F.	951	2	–	–	1	5	9	10	28	56	161	436	243	–	35	4	–	–	1	1	2	3	8	19	80	462	1614
480-483	B30	Influenza	M.	106	2	2	1	1	2	–	9	11	11	25	32	10	–	4	4	1	0	1	1	–	3	3	5	17	50	129
			F.	156	1	3	–	–	–	1	5	5	13	30	63	35	–	6	2	2	–	–	–	0	1	1	4	15	67	233
490-493	B31	Pneumonia (except of newborn)	M.	973	122	28	2	2	9	10	21	53	132	220	296	78	–	40	260	16	1	1	3	3	6	16	57	154	465	1004
			F.	943	109	27	2	3	6	11	14	33	76	201	332	129	–	35	243	16	1	2	2	3	4	9	26	99	352	857
500-502	B32	Bronchitis...	M.	1423	23	6	1	–	2	2	26	142	382	465	304	70	–	58	49	3	0	–	1	1	8	43	164	325	477	901
			F.	654	13	3	–	–	2	2	18	32	95	181	220	88	–	24	29	2	–	–	1	1	5	9	32	89	233	585
470-475, 510-527	B46.4	Other respiratory diseases	M.	469	9	8	3	–	4	6	10	39	142	150	85	13	–	19	19	5	1	-	1	2	3	12	61	105	133	167
			F.	125	8	3	2	1	1	4	8	13	19	27	26	13	–	5	18	2	1	1	0	1	2	4	6	13	28	86
540, 541	B33	Ulcer of stomach and duodenum	M.	433	–	–	–	–	2	2	21	62	101	148	80	17	–	18	–	–	–	–	1	1	6	19	43	103	126	219
			F.	175	–	–	–	–	1	7	4	19	29	49	55	11	–	7	–	–	–	–	0	2	1	5	10	24	58	73
550-553	B34	Appendicitis	M.	63	1	2	2	–	4	3	6	11	6	11	15	2	–	3	2	1	1	–	1	1	2	3	3	8	24	26
			F.	28	–	–	2	–	2	1	1	2	8	8	3	1	–	1	–	–	1	–	1	0	0	1	3	4	3	7
560, 561, 570	B35	Intestinal obstruction and hernia	M.	200	21	5	2	–	3	3	1	16	30	55	53	11	–	8	45	3	1	–	1	1	0	5	13	38	83	142
			F.	203	8	–	–	–	3	–	8	11	23	52	80	18	–	8	18	–	–	–	1	–	2	3	8	26	85	120
543	B36.1	Gastritis and duodenitis ...	M.	8	–	–	–	–	–	–	–	–	4	2	1	1	–	0	–	–	–	–	–	–	–	–	2	1	2	13
			F.	10	–	–	–	–	–	–	–	1	1	4	2	2	–	0	–	–	–	–	–	–	–	0	0	2	2	13
571, 572	B36.2	Diarrhœa (except of newborn)	M.	136	55	6	–	–	1	4	6	17	15	15	16	1	–	6	117	3	–	–	0	1	2	5	6	10	25	13
			F.	158	37	5	–	1	2	5	7	10	16	33	36	6	–	6	83	3	–	1	1	1	2	3	5	16	38	40
581	B37	Cirrhosis of liver ...	M.	128	–	1	1	1	–	2	10	24	38	31	17	3	–	5	–	1	0	1	–	1	3	7	16	22	27	39
			F.	85	–	–	–	1	–	–	7	19	29	23	6	–	–	3	–	–	–	1	–	–	2	5	10	11	6	–
580, 582-586	B46.5	Other diseases of liver ...	M.	73	–	–	–	1	–	2	4	11	15	20	17	3	–	3	–	–	–	1	–	1	1	3	6	14	27	39
			F.	173	–	–	–	1	–	3	9	12	27	50	50	21	–	6	–	–	–	1	–	1	3	3	9	25	53	140
530-539, 542, 544 545, 573-578, 587	B46.6	Other digestive diseases ...	M.	96	9	–	–	–	3	1	7	10	17	20	26	3	–	4	19	–	–	–	1	0	2	3	7	14	41	39
			F.	100	9	3	–	–	1	1	5	12	14	28	21	6	–	4	20	2	–	–	0	0	1	3	5	14	22	40
590-594	B38	Nephritis and nephrosis ...	M.	264	3	–	4	2	16	22	26	36	46	68	36	5	–	11	6	–	2	1	5	6	8	11	20	48	57	64
			F.	264	2	–	1	8	8	15	15	37	49	61	55	13	–	10	4	–	0	4	2	4	4	10	17	30	58	86

* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1956—*continued*

International Nos. Detailed List	Abbreviated List	Causes of Death	Sex	Numbers Aged: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	Not Stated	Death-rate per 100,000 at Ages: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
610	B39	Hyperplasia of prostate ...	M.	421	–	–	–	–	–	–	–	2	26	111	220	62	–	17	–	–	–	–	–	–	–	1	11	78	345	798
600-609, 611-637	B46.7	Other diseases of genito-urinary system... ...	M.	177	3	–	–	1	–	2	7	15	23	49	59	18	–	7	6	–	–	1	–	1	2	5	10	34	93	232
			F.	202	1	2	1	1	2	7	13	28	49	46	39	13	–	8	2	1	0	1	1	2	4	8	17	23	41	86
640, 641, 651, 681, 682, 684	B40.0	Puerperal sepsis including post-abortive sepsis ...	F.	15	–	–	–	–	3	6	6	–	–	–	–	–	–	1	–	–	–	–	1	2	2	–	–	–	–	–
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes ...	F.	36	–	–	–	–	8	15	13	–	–	–	–	–	–	1	–	–	–	–	2	4	4	–	–	–	–	–
690-749	B46.8	Diseases of skin and organs of locomotion	M.	96	1	2	–	3	2	3	3	8	24	26	17	7	–	4	2	1	–	2	1	1	1	2	10	18	27	90
			F.	224	2	–	–	–	–	4	10	17	42	74	66	9	–	8	4	–	–	–	–	1	3	5	14	37	70	60
750-759	B41	Congenital malformations	M.	345	274	21	2	4	10	7	8	9	6	4	–	–	–	14	584	12	1	2	3	2	2	3	3	3	–	–
			F.	317	234	16	11	8	8	7	8	7	8	8	2	–	–	12	522	10	5	4	2	2	2	2	3	4	2	–
760-762	B42	Birth injuries, post-natal asphyxia and atelectasis	M.	446	446	–	–	–	–	–	–	–	–	–	–	–	–	18	951	–	–	–	–	–	–	–	–	–	–	–
			F.	281	281	–	–	–	–	–	–	–	–	–	–	–	–	10	627	–	–	–	–	–	–	–	–	–	–	–
763	B43.1	Pneumonia of newborn ...	M.	66	66	–	–	–	–	–	–	–	–	–	–	–	–	3	141	–	–	–	–	–	–	–	–	–	–	–
			F.	45	45	–	–	–	–	–	–	–	–	–	–	–	–	2	100	–	–	–	–	–	–	–	–	–	–	–
764	B43.2	Diarrhœa of newborn ...	M.	11	11	–	–	–	–	–	–	–	–	–	–	–	–	0	23	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	0	9	–	–	–	–	–	–	–	–	–	–	–
765-768	B43.3	Other infections of the newborn	M.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	1	30	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	0	9	–	–	–	–	–	–	–	–	–	–	–
769-776	B44	Other diseases peculiar to early infancy	M.	356	356	–	–	–	–	–	–	–	–	–	–	–	–	14	759	–	–	–	–	–	–	–	–	–	–	–
			F.	245	245	–	–	–	–	–	–	–	–	–	–	–	–	9	547	–	–	–	–	–	–	–	–	–	–	–
794	B45.0	Senility	M.	270	–	–	–	–	–	–	–	–	–	21	138	111	–	11	–	–	–	–	–	–	–	–	–	15	217	1428
			F.	477	–	–	–	–	–	–	–	–	–	18	190	269	–	18	–	–	–	–	–	–	–	–	–	9	201	1787
780-793, 795	B45.1	Causes ill-defined and unknown	M.	158	33	6	–	1	–	5	9	22	21	28	30	3	–	6	70	3	–	1	–	1	3	7	9	20	47	39
			F.	92	21	3	–	–	1	–	2	5	11	23	21	5	–	3	47	2	–	–	0	–	1	1	4	11	22	33
E963, E970-979	BE49	Suicide	M.	255	–	–	–	1	10	39	33	65	51	36	17	3	–	10	–	–	–	1	3	11	10	20	22	25	27	39
			F.	148	–	–	–	–	6	7	25	32	53	19	6	–	–	6	–	–	–	–	2	2	7	9	18	9	6	–
E810-835	BE47	Motor vehicle accidents ...	M.	431	–	31	31	13	56	58	54	63	51	39	32	3	–	18	–	18	13	7	17	16	16	19	22	27	50	39
			F.	127	–	20	15	5	9	9	7	11	17	16	16	2	–	5	–	12	7	3	2	2	2	3	6	8	17	13
E840-845	BE48.0	Other road transport accidents	M.	20	–	–	1	–	3	–	1	3	1	7	4	–	–	1	–	–	0	–	1	–	0	1	0	5	6	–
			F.	10	–	–	–	1	2	–	–	–	2	2	3	–	–	0	–	–	–	1	1	–	–	–	1	1	3	–
E800-802, E850-962, E964-965, E980-999	BE48.1	Other violence (BE 50) ...	M.	939	91	34	26	23	79	93	85	123	120	98	121	46	–	38	194	19	11	12	24	26	26	37	51	69	190	592
			F.	712	68	20	13	4	13	11	20	37	54	102	232	138	–	27	152	12	6	2	4	3	6	10	18	50	246	917
		All Causes	M.	31651	1597	212	110	93	323	551	1033	3063	5859	8474	8273	2063	–	1285	3407	121	47	47	96	156	310	919	2511	5924	12988	26544
			F.	30141	1130	159	79	61	180	392	796	1991	4065	7715	9775	3798	–	1124	2522	95	35	32	49	107	223	558	1387	3810	10354	25231

Detailed List	Abbreviated List	Causes of Death	Numbers: Scotland	Numbers: Counties of Cities	Numbers: Large Burghs	Numbers: Counties *ex* Counties of Cities and Large Burghs†	Numbers: Small Burghs	Numbers: Landward	Death-rate per 100,000 of Population: Scotland	Death-rate per 100,000 of Population: Counties of Cities	Death-rate per 100,000 of Population: Large Burghs	Death-rate per 100,000 of Population: Counties *ex* Counties of Cities and Large Burghs†	Death-rate per 100,000 of Population: Small Burghs	Death-rate per 100,000 of Population: Landward
001-008	B1	Tuberculosis of respiratory system ...	715	360	142	213	71	142	14	19	17	9	8	9
010-019	B2	Tuberculosis, other forms	86	36	15	35	13	22	2	2	2	1	2	1
020-029	B3	Syphilis and its sequelæ	88	38	12	38	15	23	2	2	1	2	2	2
040	B4	Typhoid fever	2	1	—	1	1	—	0	0	—	0	0	—
045-048	B6	Dysentery, all forms	3	3	—	—	—	—	0	0	—	—	—	—
050-051	B7	Scarlet fever and streptococcal sore throat...	2	1	—	1	1	—	0	0	—	0	0	—
055	B8	Diphtheria	2	—	—	2	—	2	0	—	—	0	—	0
056	B9	Whooping cough	14	5	4	5	1	4	0	0	0	0	0	0
057	B10	Meningococcal infections	27	11	5	11	5	6	1	1	1	0	1	0
080	B12	Acute poliomyelitis	9	2	1	6	4	2	0	0	0	0	0	0
085	B14	Measles	10	3	3	4	—	4	0	0	0	0	—	0
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	106	37	17	52	15	37	2	2	2	2	2	2
140-205	B18	Malignant neoplasms	10,754	4,445	1,681	4,628	1,888	2,740	209	232	197	195	223	179
210-239	B19	Benign and unspecified neoplasms ...	146	55	20	71	24	47	3	3	2	3	3	3
260	B20	Diabetes mellitus	473	165	70	238	89	149	9	9	8	10	10	10
290-293	B21	Anæmias	245	82	48	115	45	70	5	4	6	5	5	5
240-254, 270-289, 294-299	B46.1	Other general diseases	434	149	69	216	81	135	8	8	8	9	10	9
330-334	B22	Vascular lesions affecting central nervous system	9,680	3,593	1,503	4,584	1,883	2,701	188	188	176	193	222	177
340	B23	Non-meningococcal meningitis	45	19	5	21	5	16	1	1	1	1	1	1
300-326, 341-398	B46.2	Other diseases of nervous system	858	349	100	409	159	250	17	18	12	17	19	16
400-402	B24	Rheumatic fever	48	23	9	16	2	14	1	1	1	1	0	1
410-416	B25	Chronic rheumatic heart disease	819	339	152	328	126	202	16	18	18	14	15	13
420-422	B26	Arteriosclerotic and degenerative heart disease	18,442	6,687	2,947	8,808	3,436	5,372	358	349	345	371	405	352
430-434	B27	Other diseases of heart	608	203	105	300	105	195	12	11	12	13	12	13
440-443	B28	Hypertension with heart disease	1,282	469	211	602	243	359	25	25	25	25	29	23
444-447	B29	Hypertension without heart disease ...	709	256	100	353	134	219	14	13	12	15	16	14
450-468	B46.3	Other circulatory disease	1,795	620	272	903	318	585	35	32	32	38	37	38
480-483	B30	Influenza	262	83	42	137	57	80	5	4	5	6	7	5
490-493	B31	Pneumonia (except of newborn)	1,916	948	282	686	244	442	37	50	33	29	29	29
500-502	B32	Bronchitis	2,077	1000	374	703	314	389	40	52	44	30	37	25
470-475, 510-527	B46.4	Other respiratory diseases	594	162	86	346	93	253	12	8	10	15	11	17

* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis. † Including Small Burghs and Landward.

TABLE 36.—Deaths and Death-Rates from Selected Causes in Scotland, 1956—*continued*

International Nos.		Causes of Death	Numbers						Death-rate per 100,000 of Population					
Detailed List	Abbreviated List		Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Landward
540, 541	B33	Ulcer of stomach and duodenum	608	228	100	280	103	177	12	12	12	12	12	12
550-553	B34	Appendicitis	91	29	15	47	16	31	2	2	2	2	2	2
560, 561, 570	B35	Intestinal obstruction and hernia	403	151	66	186	70	116	8	8	8	8	8	8
543	B36.1	Gastritis and duodenitis	18	4	5	9	2	7	0	0	1	0	0	0
571, 572	B36.2	Diarrhœa (except of newborn)	294	127	54	113	44	69	6	7	6	5	5	5
581	B37	Cirrhosis of liver	213	82	43	88	33	55	4	4	5	4	4	4
580, 582-586	B46.5	Other diseases of liver	246	92	33	121	49	72	5	5	4	5	6	5
530-539, 542, 544, 545, 573-578, 587	B46.6	Other digestive diseases	196	72	35	89	32	57	4	4	4	4	4	4
590-594	B38	Nephritis and nephrosis	528	187	69	272	104	168	10	10	8	11	12	11
610	B39	Hyperplasia of prostate	421	145	82	194	63	131	8	8	10	8	7	9
600-609, 611-637	B46.7	Other diseases of genito-urinary system ...	379	147	51	181	84	97	7	8	6	8	10	6
640, 641, 651, 681, 682, 684	B40.0	Puerperal sepsis including post-abortive sepsis	15	2	5	8	3	5	0	0	1	0	0	0
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes	36	18	5	13	6	7	1	1	1	1	1	0
690-749	B46.8	Diseases of skin and organs of locomotion ...	320	125	45	150	61	89	6	7	5	6	7	6
750-759	B41	Congenital malformations	662	256	106	300	119	181	13	13	12	13	14	12
760-762	B42	Birth injuries, post-natal asphyxia and atelectasis	727	309	133	285	104	181	14	16	16	12	12	12
763	B43.1	Pneumonia of newborn	111	32	23	56	17	39	2	2	3	2	2	3
764	B43.2	Diarrhœa of newborn	15	3	4	8	3	5	0	0	0	0	0	0
765-768	B43.3	Other infections of the newborn	18	7	3	8	4	4	0	0	0	0	0	0
769-776	B44	Other diseases peculiar to early infancy ...	601	198	122	281	105	176	12	10	14	12	12	12
794	B45.0	Senility	747	144	125	478	161	317	15	8	15	20	19	21
780-793, 795	B45.1	Causes ill-defined and unknown	250	89	44	117	36	81	5	5	5	5	4	5
E963, E970-979	BE49	Suicide	403	174	79	150	73	77	8	9	9	6	9	5
E810-835	BE47	Motor vehicle accidents	558	190	75	293	83	210	11	10	9	12	10	14
E840-845	BE48.0	Other road transport accidents	30	11	9	10	2	8	1	1	1	0	0	1
E800-802, E850-962, E964-965, E980-999	BE48.1	Other violence (BE50)	1,651	639	255	757	261	496	32	33	30	32	31	32
		All Causes	61,792	23,605	9,861	28,326	11,010	17,316	1,201	1,234	1,153	1,192	1,298	1,133

TABLE 37.—Deaths from Selected Causes and in Age-groups in Scotland, 1946-1956

International Nos Abbreviated List	Causes of Death	1956	1955	1954	1953	1952	1951	1950	1949	1948	1947	1946
B1	Tuberculosis of respiratory system	715	860	1,010	1,159	1,409	1,886	2,439	3,086	3,418	3,393	3,235
B2	Tuberculosis, other forms	86	122	118	182	203	293	336	400	486	705	753
B3	Syphilis and its sequelæ	88	97	109	96	110	149	170	159	156	192	207
B4	Typhoid fever	2	1	1	2	1	1	—	—	1	5	8
B6	Dysentery, all forms	3	15	7	13	6	15	14	15	9	15	14
B7	Scarlet fever and streptococcal sore throat ...	2	3	1	4	5	1	4	8	12	13	9
B8	Diphtheria	2	—	1	2	8	5	3	14	31	45	91
B9	Whooping cough	14	10	25	41	26	98	61	96	63	223	103
B10	Meningococcal infections	27	29	41	37	45	44	35	32	47	88	102
B12	Acute poliomyelitis	9	22	21	13	12	24	64	14	23	129	15
B14	Measles	10	20	8	29	22	25	38	22	74	57	85
B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	106	114	123	124	151	179	175	209	174	180	228
B18	Malignant neoplasms	10,754	10,585	10,505	10,125	10,119	9,840	10,029	9,875	9,574	9,299	9,115
B19	Benign and unspecified neoplasms	146	114	123	106	145	169	221	175	165	183	196
B20	Diabetes mellitus	473	459	445	439	477	559	565	531	483	481	530
B21	Anæmias	245	216	248	220	269	345	357	324	316	431	355
B46.1	Other general diseases	434	475	480	426	526	614	569	564	559	634	569
B22	Vascular lesions affecting central nervous system	9,680	9,607	9,562	8,895	9,087	9,122	8,732	8,052	7,536	7,932	7,768
B23	Nonmeningococcal meningitis	45	48	59	49	72	59	58	71	69	102	127
B46.2	Other diseases of nervous system	858	905	894	918	960	1,167	1,120	1,192	1,175	1,320	1,340
B24	Rheumatic fever	48	54	49	45	44	49	57	71	115	79	89
B25	Chronic rheumatic heart disease...	819	847	860	807	878	900	942	809	839	848	865
B26	Arteriosclerotic and degenerative heart disease	18,442	18,014	17,254	16,362	17,307	18,447	17,312	16,807	15,131	15,927	14,820
B27	Other diseases of heart	608	722	1,208	1,195	1,139	1,324	1,249	1,108	1,015	1,103	1,063
B28	Hypertension with heart disease	1,282	1,307	1,068	990	891	831	800	773	688	763	715
B29	Hypertension without heart disease	709	710	833	753	835	648	539	676	596	580	512
B46.3	Other circulatory disease	1,795	1,662	1,654	1,460	1,424	1,219	1,257	1 007	988	1,048	953
B30	Influenza	262	212	176	272	316	958	386	395	139	342	674
B31	Pneumonia (except of newborn)	1,916	1,828	1,728	1,694	1,881	2,297	2,117	2,264	1,985	2,573	2,536
B32	Bronchitis	2,077	2,086	1,843	1,752	2,025	2,488	2,259	2,136	1,807	2,360	2,448
B46.4	Other respiratory diseases	594	587	583	587	634	657	632	681	645	673	727
B33	Ulcer of stomach and duodenum	608	666	656	561	639	619	629	611	582	574	522
B34	Appendicitis	91	87	106	114	118	118	154	192	190	184	203
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)

B36.1	Gastritis and duodenitis	18	16	17	22	18	34	36	34	38	37	36
B36.2	Diarrhœa (except of newborn)	294	336	264	283	310	438	477	536	729	1,169	775
B37	Cirrhosis of liver	213	167	182	170	166	169	163	157	167	165	140
B46.5	Other diseases of liver	246	240	254	253	265	302	271	289	262	259	262
B46.6	Other digestive diseases	196	165	177	167	173	225	172	195	206	192	189
B38	Nephritis and nephrosis	528	530	570	580	568	650	699	760	766	822	821
B39	Hyperplasia of prostate	421	451	430	395	453	425	509	517	540	499	510
B46.7	Other diseases of genito urinary system ...	379	333	346	333	310	376	339	350	425	352	436
B40.0	Puerperal sepsis including post-abortive sepsis	15	11	15	20	22	28	23	20	27	35	50
B40.1	Other puerperal causes	36	32	55	66	70	71	83	103	132	200	182
B46.8	Diseases of skin and organs of locomotion ...	320	307	332	260	233	246	240	227	251	254	291
B41	Congenital malformations	662	622	676	618	610	602	613	598	637	758	688
B42	Birth injuries, post natal asphyxia and atelectasis	727	697	710	655	670	628	647	707	746	872	816
B43.1	Pneumonia of newborn	111	117	122	94	113	166	146	155	142	180	184
B43.2	Diarrhœa of newborn	15	11	6	16	24	34	35	60	93	170	98
B43.3	Other infections of the newborn	18	19	21	12	10	9	14	8	12	22	17
B44	Other diseases peculiar to early infancy ...	601	659	690	682	829	884	958	963	1,137	1,508	1,634
B45.0	Senility	747	839	925	852	1,025	1,292	1,283	1,336	1,326	1,629	1,787
B45.1	Cause ill-defined and unknown	250	290	709	765	898	1,071	997	1,130	1,173	1,453	1,530
BE49	Suicide	403	394	302	281	281	276	269	298	343	291	315
BE47	Motor vehicle accidents	558	597	526	563	451	516	489	470	480	505	555
BE48.0	Other road transport accidents	30	38	35	37	32	49	41	49	59	60	39
BE48.1	Other violence (BE 50)	1,651	1,891	1,809	1,885	1,771	1,743	1,799	1,756	1,726	1,778	1,778
	All Causes	61,792	61,645	61,380	58,878	61,510	65,778	63,996	63,488	60,979	66,200	64,605
	Ages at Death											
	Under 1	2,727	2,811	2,861	2,800	3,181	3,391	3,569	3,961	4,486	6,309	5,621
	1– 4	371	411	435	499	539	664	694	751	805	995	1,052
	5– 9	189	252	229	286	282	309	279	357	388	480	499
	10–14	154	176	152	189	162	200	207	267	361	375	394
	15–24	503	576	633	709	787	895	1,148	1,482	1,638	1,803	1,768
	25–34	943	1,0 8	1,138	1,172	1,213	1,432	1,574	1,816	1,953	2,093	2,263
	35–44	1,829	1,949	1,978	2,118	2,188	2,426	2,569	2,741	2,852	2,939	3,043
	45–54	5,054	5,138	5,340	5,078	5,224	5,444	5,350	5,317	5,177	5,425	5,418
	55–64	9,924	9,773	9,811	9,171	9,500	9,942	9,891	9,556	9,207	9,540	9,462
	65–74	16,189	16,038	15,705	15,461	16,274	17,282	16,547	16,369	15,245	16,131	15,936
	75–84	18,048	17,727	17,614	16,446	17,002	18,197	17,014	16,080	14,586	15,449	14,731
	85 and over	5,861	5,726	5,484	4,947	5,158	5,596	5,152	4,771	4,281	4,661	4,414
	Not stated	—	—	—	2	—	—	2	20	—	—	4
	All Ages	61,792	61,645	61,380	58,878	61,510	65,778	63,996	63,488	60,979	66,200	64,605

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

Note.—Deaths from 1946 to 1949 have been classified as far as possible according to the sixth revision, and in addition amended figures are given for 1950. See footnote Table 35 (page 130).

TABLE 38.—Death-rates from Selected Causes and in Age-Groups in Scotland, 1946-1956

International Nos. Abbreviated List	Causes of Death	1956	1955	1954	1953	1952	1951	1950	1949	1948	1947	1946
					Death-	rate per	100,000	of popu	lation			
B1	Tuberculosis of respiratory system	14	17	20	23	28	37	48	60	67	67	64
B2	Tuberculosis, other forms	2	2	2	4	4	6	7	8	10	14	15
B3	Syphilis and its sequelæ	2	2	2	2	2	3	3	3	3	4	4
B4	Typhoid fever	0	0	0	0	0	0	—	—	0	0	0
B6	Dysentery, all forms	0	0	0	0	0	0	0	0	0	0	0
B7	Scarlet fever and streptococcal sore throat ...	0	0	0	0	0	0	0	0	0	0	0
B8	Diphtheria	0	0	0	0	0	0	0	0	1	1	2
B9	Whooping cough	0	0	0	1	1	2	1	2	1	4	2
B10	Meningococcal infections	1	1	1	1	1	1	1	1	1	2	2
B12	Acute poliomyelitis	0	0	0	0	0	0	1	0	0	3	0
B14	Measles	0	0	0	1	0	0	1	0	1	1	2
B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	2	2	2	2	3	3	3	4	3	4	4
B18	Malignant neoplasms	209	206	205	198	198	192	196	193	188	183	185
B19	Benign and unspecified neoplasms	3	2	2	2	3	3	4	3	3	4	4
B20	Diabetes mellitus	9	9	9	9	9	11	11	10	9	9	11
B21	Anæmias	5	4	5	4	5	7	7	6	6	8	7
B46.1	Other general diseases	8	9	9	8	10	12	11	11	11	12	11
B22	Vascular lesions affecting central nervous system	188	187	187	174	178	178	170	158	148	156	158
B23	Nonmeningococcal meningitis	1	1	1	1	1	1	1	1	1	2	3
B46.2	Other diseases of nervous system	17	18	17	18	19	23	22	23	23	26	27
B24	Rheumatic fever	1	1	1	1	1	1	1	1	2	2	2
B25	Chronic rheumatic heart disease...	16	17	17	16	17	18	18	16	16	17	18
B26	Arteriosclerotic and degenerative heart disease	358	351	337	320	338	361	338	329	297	313	302
B27	Other diseases of heart	12	14	24	23	22	26	24	22	20	22	22
B28	Hypertension with heart disease	25	25	21	19	17	16	16	15	13	15	15
B29	Hypertension without heart disease	14	14	16	15	16	13	11	13	12	11	10
B46.3	Other circulatory disease	35	32	32	29	28	24	25	20	19	21	19
B30	Influenza	5	4	3	5	6	19	8	8	3	7	14
B31	Pneumonia (except of newborn)	37	36	34	33	37	45	41	44	39	51	52
B32	Bronchitis	40	41	36	34	40	49	44	42	35	46	50
B46.4	Other respiratory diseases	12	11	11	11	12	13	12	13	13	13	15
B33	Ulcer of stomach and duodenum	12	13	13	11	12	12	12	12	11	11	10
B34	Appendicitis	2	2	2	2	2	2	3	4	4	4	4
B35	Intestinal obstruction and hernia	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

B36.1	Gastritis and duodenitis	0	0	0	0	0	1	1	1	1	1	1
B36.2	Diarrhœa (except of newborn)	6	7	5	6	6	9	9	10	14	23	16
B37	Cirrhosis of liver	4	3	4	3	3	3	3	3	3	3	3
B46.5	Other diseases of liver	5	5	5	5	5	6	5	6	5	5	5
B46.6	Other digestive diseases	4	3	3	3	3	4	3	4	4	4	4
B38	Nephritis and nephrosis	10	10	11	11	11	13	14	15	15	16	17
B39	Hyperplasia of prostate	8	9	8	8	9	8	10	10	11	10	10
B46.7	Other diseases of genito-urinary system ...	7	6	7	7	6	7	7	7	8	7	9
B40.0	Puerperal sepsis including post-abortive sepsis	0	0	0	0	0	1	0	0	1	1	1
B40.1	Other puerperal causes	1	1	1	1	1	1	2	2	3	4	4
B46.8	Diseases of skin and organs of locomotion ...	6	6	6	5	5	5	5	4	5	5	6
B41	Congenital malformations	13	12	13	12	12	12	12	12	12	15	14
B42	Birth injuries, post natal asphyxia and atelectasis	14	14	14	13	13	12	13	14	15	17	17
B43.1	Pneumonia of newborn	2	2	2	2	2	3	3	3	3	4	4
B43.2	Diarrhœa of newborn	0	0	0	0	0	1	1	1	2	3	2
B43.3	Other infections of the newborn	0	0	0	0	0	0	0	0	0	0	0
B44	Other diseases peculiar to early infancy ...	12	13	13	13	16	17	19	19	22	30	33
B45.0	Senility	15	16	18	17	20	25	25	26	26	32	36
B45.1	Cause ill-defined and unknown	5	6	14	15	18	21	19	22	23	29	31
BE49	Suicide	8	8	6	5	5	5	5	6	7	6	6
BE47	Motor vehicle accidents	11	12	10	11	9	10	10	9	9	10	10
BE48.0	Other road transport accidents	1	1	1	1	1	1	1	1	1	1	1
BE48.1	Other violence (BE50)	32	37	35	37	35	34	35	34	34	35	34
	ALL CAUSES	1,201	1,201	1,198	1,150	1,203	1,286	1,248	1,242	1,196	1,302	1,307
	AGES AT DEATH				Death-rate per 1,000 of age-group population							
	Under 1	29·7	31·8	32·5	32·2	37·2	38·5	40·1	42·8	46·4	58·9	65·0
	1– 4	1·1	1·2	1·3	1·4	1·5	1·7	1·8	2·1	2·3	3·1	3·2
	5– 9	0·4	0·6	0·5	0·6	0·7	0·8	0·7	0·9	1·0	1·2	1·2
	10–14	0·4	0·5	0·4	0·5	0·4	0·5	0·5	0·7	0·9	1·0	1·0
	15–24	0·7	0·8	0·9	1·0	1·1	1·2	1·5	2·0	2·2	2·3	2·4
	25–34	1·3	1·5	1·5	1·6	1·7	2·0	2·2	2·5	2·6	2·8	3·0
	35–44	2·6	2·8	2·9	3·0	3·0	3·3	3·4	3·6	3·8	3·9	4·0
	45–54	7·3	7·5	7·8	7·5	7·8	8·2	8·2	8·3	8·2	8·7	8·8
	55–64	18·9	19·0	19·5	18·5	19·3	20·4	20·3	19·7	19·0	19·9	19·6
	65–74	46·8	46·6	45·5	44·9	47·3	50·2	47·9	47·5	44·1	47·0	46·9
	75–84	114·2	113·4	113·7	108·4	114·5	125·7	119·0	115·8	107·2	116·8	107·4
	85 and over	256·0	258·8	247·3	228·6	246·1	277·8	256·0	245·6	230·8	266·4	273·7
	Not stated	—	—	—	—	—	—	—	—	—	—	—
	ALL AGES	12·01	12·01	11·98	11·50	12·03	12·86	12·48	12·42	11·96	13·02	13·07

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

See footnotes (pages 7, 130 and 135).

NOTE.—Death rates for 1946 are calculated on civilian deaths and the estimated civilian population.

TABLE 39.—Deaths in Scotland from Principal Epidemic and certain other Diseases, 1855-1956. Quinquennial Averages

Year	Number of Deaths from													
	Typhoid Fever	Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis		Cancer	Bronchitis *	Pneumonia *	All Diarrhœal Diseases †	Violence
								All Forms	Respiratory					
1855-60	2,573		995	1,223	2,766	2,035	1,226	10,140	7,194	953	3,538	2,104	2,976	2,034
1861-65	3,633		992	1,377	2,423	2,193	2,549	11,171	7,914	1,207	5,768	2,071	2,604	2,216
1866-70	1,346	1,799	99	1,206	3,427	2,064	1,587	11,983	8,472	1,348	7,095	2,284	3,212	2,273
1871-75	1,406	779	1,268	1,311	591	2,015	2,090	12,262	8,535	1,569	8,680	3,072	3,202	2,756
1876-80	1,341	276	20	1,166	1,873	2,347	1,733	12,213	8,338	1,792	8,762	3,135	3,061	2,686
1881-85	1,029	162	17	1,359	1,340	2,273	1,680	11,099	7,998	2,058	7,916	4,075	2,766	2,725
1886-90	765	91	10	1,628	882	2,425	1,623	10,192	7,436	2,441	7,509	4,270	2,734	2,628
1891-95	761	57	51	2,110	811	2,151	1,513	9,935	7,169	2,831	7,600	5,229	3,215	2,842
1896-1900	716	39	14	1,857	756	2,206	921	10,149	7,151	3,351	6,238	5,656	3,825	3,128
1901-05	521	25	118	1,470	403	2,222	770	9,790	6,618	3,845	5,570	6,578	3,166	3,084
1906-10	322	14	2	1,647	399	1,841	839	9,464	6,079	4,663	5,017	6,717	2,697	2,941
1911-15	207	8	5	1,583	649	1,951	857	8,011	5,214	5,207	5,046	6,132	2,502	3,105
1916-20	109	10	31	1,264	287	1,330	734	7,073	4,781	5,574	4,999	8,545	1,820	3,014
1921	87	4	24	269	270	1,478	611	5,737	3,970	5,962	4,135	5,393	1,991	2,702
1922	65	7	–	2,695	247	1,408	536	5,818	4,061	6,133	5,730	8,265	1,244	2,444
1923	67	1	–	1,118	852	989	492	5,790	3,996	6,376	3,635	4,840	1,159	2,469
1924	34	–	–	1,592	410	1,625	442	5,653	3,887	6,498	4,843	7,691	1,147	2,599
1925	52	4	–	512	404	1,737	505	5,390	3,734	6,675	4,191	5,821	1,168	2,817
1921-25	*61*	*3*	*5*	*1,237*	*337*	*1,447*	*517*	*5,678*	*3,930*	*6,329*	*4,507*	*6,402*	*1,342*	*2,606*
1926	39	3	–	928	343	506	490	4,861	3,384	6,640	3,771	5,844	1,084	2,657
1927	41	2	–	660	200	850	485	4,868	3,466	6,919	4,231	6,642	976	2,957
1928	29	–	–	1,005	140	1,072	488	4,722	3,318	6,901	3,585	6,098	1,016	2,914
1929	18	–	–	149	109	901	471	4,580	3,288	7,108	5,344	8,778	959	2,994
1930	24	1	2	792	127	628	460	4,286	3,024	7,120	3,869	5,958	854	3,060
1926-30	*30*	*1*	*0*	*707*	*184*	*791*	*479*	*4,663*	*3,296*	*6,938*	*4,160*	*6,664*	*978*	*2,916*
1931	20	1	–	641	161	957	356	4,205	3,004	7,158	3,879	5,417	885	2,730
1932	24	–	–	892	250	459	368	4,123	2,991	7,458	3,645	6,163	1,129	2,811
1933	17	–	–	36	310	762	356	3,910	2,930	7,520	3,629	5,435	1,067	2,836
1934	16	1	–	1,014	345	383	583	3,702	2,794	7,561	2,804	4,749	847	2,823
1935	31	–	–	141	199	567	513	3,646	2,812	7,793	3,239	5,222	875	2,705
1931-35	*22*	*0*	–	*545*	*253*	*626*	*435*	*3,917*	*2,906*	*7,498*	*3,439*	*5,397*	*961*	*2,781*
1936	27	–	–	610	172	411	387	3,665	2,753	7,909	3,411	5,093	1,209	2,826
1937	11	–	–	119	123	717	426	3,663	2,791	7,810	3,650	6,131	1,038	3,020
1938	23	–	–	549	98	219	430	3,432	2,581	8,072	2,494	4,002	960	2,878
1939	19	–	–	15	47	397	395	3,526	2,717	8,045	2,775	3,275	1,005	3,412
1940	14	–	–	262	35	197	676	4,003	3,037	8,260	4,693	4,832	926	4,251
1936-40	*19*	–	–	*311*	*95*	*388*	*463*	*3,658*	*2,776*	*8,019*	*3,405*	*4,667*	*1,028*	*3,277*
1941	7	–	–	103	26	720	517	4,175	3,117	8,436	3,246	3,822	1,118	6,627
1942	20	–	25	144	24	92	290	3,998	3,043	8,557	2,489	2,889	1,058	4,405
1943	14	–	–	88	22	305	231	3,959	2,976	8,659	2,900	3,594	873	4,191
1944	4	–	–	46	18	179	183	3,936	2,978	8,742	2,311	2,745	1,278	3,593
1945	6	–	–	89	15	120	126	3,803	2,932	9,045	2,450	2,233	1,058	2,944
1941-45	*10*	–	*5*	*94*	*21*	*283*	*269*	*3,974*	*3,009*	*8,688*	*2,679*	*3,057*	*1,077*	*4,352*
1946	8	–	–	85	5	103	91	3,984	3,231	8,873	2,711	3,011	807	2,686
1947	5	–	–	57	8	223	45	4,095	3,390	9,069	2,563	2,874	1,281	2,636
1948	1	–	–	74	7	63	31	3,901	3,415	9,361	1,939	2,174	748	2,610
1949	–	–	–	22	5	96	14	3,484	3,084	9,587	2,344	2,570	528	2,572
1950	–	1	6	38	4	61	3	2,775	2,439	10,029	2,342	2,415	401	2,598
1946-50§	*3*	*0*	*1*	*55*	*5*	*109*	*37*	*3,649*	*3,111*	*9,323*	*2,402*	*2,609*	*756*	*2,620*
1951	1	–	–	25	1	98	5	2,179	1,886	9,840	2,711	2,814	354	2,584
1952	1	1	–	22	5	26	8	1,612	1,409	10,119	2,094	2,102	229	2,535
1953	2	–	–	29	4	41	2	1,341	1,159	10,125	1,815	1,881	209	2,766
1954	1	–	–	8	–	25	1	1,128	1,010	10,505	1,869	1,925	143	2,672
1955	1	–	–	20	1	10	–	982	860	10,585	2,126	2,025	214	2,920
1951-55	*1*	*0*	–	*21*	*2*	*40*	*3*	*1,448*	*1,265*	*10,235*	*2,123*	*2,149*	*230*	*2,695*
1956	2	–	–	10	1	14	2	801	715	10,754	2,135	2,122	166	2,642

NOTE.—For comparability with previous years deaths from pneumonia from 1950 onwards, include International Rubric 763.

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 and subsequent years those from Bronchitis include "Influenza with other respiratory complications" (481*a*. page 172)

† Including Dysentery but excluding ulcerative colitis. From 1950 and subsequent years it excludes "Chronic enteritis"

§Deaths from 1950 are classified to the Sixth Revision but the averages for 1946-50 are calculated on the Fifth Revision.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 40.—Death-rate per 100,000 of Population in Scotland from the Principal Epidemic and certain other Diseases, 1855-1956. Quinquennial Averages

Year	Typhoid Fever	Typhus Fever	Smallpox	Measles	Scarlet Fever	Whooping cough	Diphtheria	Tuberculosis All Forms	Tuberculosis Respiratory	Cancer	Bronchitis *	Pneumonia *	All Diarrhœal Diseases †	Violence
1855-60	92		36	44	98	72	43	360	255	34	125	75	106	72
1861-65	122		33	46	81	73	85	375	266	40	194	70	88	74
1866-70	43	57	3	38	109	66	51	382	270	43	226	73	102	72
1871-75	42	23	38	39	106	60	62	365	254	47	258	91	95	82
1876-80	38	8	0	33	52	66	49	343	234	50	246	88	86	76
1881-85	27	4	0	36	36	61	45	296	213	55	211	109	74	73
1886-90	20	2	0	41	23	62	41	261	190	62	192	109	70	67
1891-95	19	1	1	51	20	53	37	243	175	69	186	128	79	70
1896-1900	17	1	0	43	18	51	22	235	166	78	145	131	89	73
1901-05	11	0	3	32	9	49	17	218	148	86	124	146	71	69
1906-10	7	0	0	35	9	40	18	204	131	100	108	144	58	63
1911-15	5	0	0	33	13	41	18	169	110	110	106	129	53	65
1916-20	2	0	1	26	6	28	15	147	99	116	104	177	38	63
1921	2	0	0	6	6	30	13	118	81	122	85	110	41	55
1922	1	0	–	55	5	29	11	119	83	125	117	169	25	50
1923	1	0	–	23	7	20	10	118	82	130	74	99	24	51
1924	1	–	–	33	8	33	9	116	80	134	100	158	24	53
1925	1	0	–	11	8	36	10	111	77	137	86	120	24	58
1921-25	*1*	*0*	*0*	*26*	*7*	*30*	*11*	*117*	*81*	*130*	*92*	*131*	*28*	*53*
1926	1	0	–	19	7	10	10	100	70	137	78	120	22	55
1927	1	0	–	14	4	18	10	100	71	143	87	137	20	61
1928	1	–	–	21	3	22	10	97	68	142	74	126	21	60
1929	0	–	–	3	2	19	10	95	68	147	111	182	20	62
1930	0	0	0	16	3	13	10	89	63	147	80	123	18	63
1926-30	*1*	*0*	–	*15*	*4*	*16*	*10*	*96*	*68*	*143*	*86*	*137*	*20*	*60*
1931	0	0	–	13	3	20	7	87	62	148	80	112	18	56
1932	0	–	–	18	5	9	8	84	61	153	75	126	23	58
1933	0	–	–	1	6	16	7	80	60	153	74	111	22	58
1934	0	0	–	21	7	8	12	75	57	153	57	96	17	57
1935	1	–	–	3	4	11	10	74	57	157	65	105	18	55
1931-35	*0*	*0*	–	*11*	*5*	*13*	*9*	*80*	*59*	*153*	*70*	*110*	*20*	*57*
1936	1	–	–	12	3	8	8	74	55	159	69	103	24	57
1937	0	–	–	2	2	14	9	74	56	157	73	123	21	61
1938	0	–	–	11	2	4	9	69	52	162	50	80	19	58
1939	0	–	–	0	1	8	8	70	54	161	55	65	20	68
‡1940	0	–	–	5	1	4	14	82	62	170	97	99	19	77
1936-40	*0*	–	–	*6*	*2*	*8*	*10*	*74*	*56*	*162*	*69*	*94*	*21*	*64*
‡1941	0	–	–	2	1	15	11	85	63	174	67	79	23	115
‡1942	0	–	1	3	1	2	6	82	62	179	52	60	22	69
‡1943	0	–	–	2	0	7	5	83	62	185	62	76	19	67
‡1944	0	–	–	1	0	4	4	82	62	186	50	59	27	57
‡1945	0	–	–	2	0	3	3	79	60	192	52	47	23	53
1941-45	*0*	–	*0*	*2*	*0*	*6*	*6*	*82*	*62*	*183*	*57*	*64*	*23*	*72*
‡1946	0	–	–	2	0	2	2	79	64	180	55	61	16	51
1947	0	–	–	1	0	4	1	81	67	178	50	57	25	52
1948	0	–	–	1	0	1	1	77	67	184	38	43	15	51
1949	–	–	–	0	0	2	0	68	60	188	46	50	10	50
1950	–	0	0	1	0	1	0	54	48	196	46	47	8	51
1946-50	*0*	*0*	*0*	*1*	*0*	*2*	*1*	*72*	*61*	*184*	*47*	*52*	*15*	*52*
1951	0	–	–	0	0	2	0	43	37	192	53	55	7	51
1952	0	0	–	0	0	1	0	32	28	198	41	41	4	50
1953	0	–	–	1	0	1	0	26	23	198	35	37	4	54
1954	0	–	–	0	–	0	0	22	20	205	36	38	3	52
1955	0	–	–	0	0	0	–	19	17	206	41	39	4	57
1951-55	*0*	*0*	–	*0*	*0*	*1*	*0*	*28*	*25*	*200*	*41*	*42*	*4*	*53*
1956	0	–	–	0	0	0	0	16	14	209	42	41	3	51

*, †, §. See footnotes, Table 39. ‡ Civilians only

orresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 41.—Deaths from Poisoning in Scotland in 1956

Accidental Poisoning

International Nos. Detailed List	M.	F.	Total
871 Barbituric acid and its derivatives:—			
Carbrital	1	2	3
Cyclobarbitone...	–	1	1
Nembutal	1	3	4
Nembutal and soneryl ...	1	–	1
Phenobarbitone	1	1	2
Seconal sodium	–	1	1
Sodium amytal	4	5	9
Sodium pentobarbitone ...	–	1	1
Tuinal	2	1	3
Barbiturate (unspecified) ...	3	3	6
872 Aspirin and salicylates:—			
Aspirin	2	–	2
873 Bromides:—			
Potassium bromide, chloral hydrate	1	–	1
874 Analgesic and soporific drugs:—			
Narcotic	1	–	1
Pacatal	–	1	1
Persomnia	1	–	1
876 Strychnine	1	–	1
Carried forward ...	19	19	38

International Nos. Detailed List	M.	F.	Total
Brought forward ...	19	19	38
878 Other and unspecified drugs:—			
Histantin	1	–	1
Iodine	1	–	1
880 Alcohol:—			
Alcohol	–	1	1
Methylated spirit	1	–	1
881 Petroleum products:—			
Paraffin	1	–	1
883 Corrosive aromatics, acids and caustic alkalis:—			
Phenol	–	1	1
Oxalic acid	–	2	2
Zinc sulphate	1	–	1
885 Lead	–	1	1
888 Other and unspecified solid and liquid substances:—			
Nicotine	1	–	1
Sodium chlorate	1	–	1
890 Gases in domestic use	74	97	171
892 Other carbon monoxide gas ...	1	–	1
894 Other specified gases and vapours:—			
Carbon dioxide	1	1	2
Total	102	122	224

Suicidal and Self-inflicted Poisoning

	M.	F.	Total
970 Analgesic and soporific substances:—			
Acetosalicylic acid and codeine	–	1	1
Aspirin	2	–	2
Carbromal	1	–	1
Cyclobarbitone	1	–	1
Nembutal	1	3	4
Pentobarbitone	–	1	1
Phenobarbitone	2	2	4
Phenobarbitone and mysoline	1	–	1
Phenobarbitone and soneryl ...	–	1	1
Seconal	–	3	3
Sodium amytal...	3	1	4
Sodium amytal and cyclobarbitone	–	1	1
Soneryl	2	1	3
Tuinal —	–	1	1
Barbiturate (unspecified) ...	1	4	5
Carried forward ...	14	19	33

	M.	F.	Total
Brought forward ...	14	19	33
971 Other solid and liquid substances:—			
Arsenic	1	–	1
Carbon tetrachloride (Dabitoff)	1	–	1
Cyanide	1	–	1
Lysol	2	3	5
Lysol and barbiturate ...	1	–	1
Oxalic acid	1	–	1
Sodium chlorate	1	–	1
972 Gases in domestic use	111	90	201
973 Carbon monoxide	6	1	7
Total	139	113	252

Deaths under Anæsthetics (Secondary Cause)

Name of Anæsthetic	M.	F.	Total
Chloroform, nitrous oxide, thiopentone* and curare	1	–	1
Chloroform and ethyl chloride ...	1	–	1
Ether and nitrous oxide	3	4	7
Ether, nitrous oxide, chloropromazine, phenergan and pethidine	1	–	1
Ether, nitrous oxide and flaxedil ...	1	–	1
Ether, nitrous oxide, thiopentone and flaxedil	1	–	1
Ether, nitrous oxide, thiopentone and gallamine (flaxedil)	–	1	1
Ether, nitrous oxide, thiopentone and scoline	–	1	1
Ether, nitrous oxide, thiopentone and tubarine	–	1	1
Ether, nitrous oxide, thiopentone, scoline and tubarine	1	–	1
Ether, nitrous oxide and trichlorethylene	–	1	1
Ether, ethylchloride and atropine ...	1	–	1
Ether, thiopentone and curare ...	–	1	1
Ether, thiopentone and scoline ...	1	–	1
Nitrous oxide	8	16	24
Nitrous oxide and cyclopropane ...	2	4	6
Nitrous oxide, cyclopropane, pethidine and tubarine	1	–	1
Nitrous oxide and ethylchloride ...	1	–	1
Nitrous oxide and pethidine ...	–	1	1
Nitrous oxide, pethidine and chlorpromazine	–	1	1
Nitrous oxide, pethidine and flaxedil	–	1	1
Nitrous oxide, pethidine and tubarine	1	–	1
Nitrous oxide, pethidine, largactil and phenergan	1	–	1
Nitrous oxide and thiopentone ...	2	7	9
Nitrous oxide, thiopentone, atropine and succinylcholine	–	1	1
Nitrous oxide, thiopentone and curare	3	2	5
Nitrous oxide, thiopentone, curare and cyclopropane	–	1	1
Nitrous oxide, thiopentone, curare and pethidine	2	1	3
Nitrous oxide, thiopentone, cyclopropane and tubarine	–	2	2
Nitrous oxide, thiopentone and flaxedil	3	3	6
Nitrous oxide, thiopentone, flaxedil and pethidine	2	–	2
Nitrous oxide, thiopentone, flaxedil, pethidine, hydrochloride and scoline	–	1	1
Nitrous oxide, thiopentone, flaxedil, atropine, pethidine and prostigmin	1	–	1
Nitrous oxide, thiopentone, flaxedil, largactil, phenergan and tubarine	1	–	1
Nitrous oxide, thiopentone and gallamine (flaxedil)	–	1	1
Nitrous oxide, thiopentone, gallamine (flaxedil) and pethidine ...	1	–	1
Nitrous oxide, thiopentone and pethidine	2	–	2
Carried forward ...	42	51	93

Name of Anæsthetic	M.	F.	Total
Brought forward...	42	51	93
Nitrous oxide, thiopentone, pethidine, hydrachloride and tubarine	–	1	1
Nitrous oxide, thiopentone, pethidine and scoline	1	–	1
Nitrous oxide, thiopentone, pethidine, laudalisson and scoline ...	–	1	1
Nitrous oxide, thiopentone, pethidine, scoline and largactil ...	–	1	1
Nitrous oxide, thiopentone, pethidine, scoline and tubarine ...	1	–	1
Nitrous oxide, thiopentone, pethidine and tubarine	3	–	3
Nitrous oxide, thiopentone, pethidine and tubocurare	–	1	1
Nitrous oxide, thiopentone and scoline	1	1	2
Nitrous oxide, thiopentone and succinylcholine	1	–	1
Nitrous oxide, thiopentone, and trichlorethylene	1	1	2
Nitrous oxide, thiopentone and tubocurare	1	–	1
Nitrous oxide, thiopentone and tubarine	2	1	3
Nitrous oxide, thiopentone, tubarine and atropine	1	–	1
Nitrous oxide and flaxedil	–	1	1
Nitrous oxide and trichlorethylene	4	3	7
Nitrous oxide and xylocaine ...	1	–	1
Thiopentone	5	2	7
Thiopentone and curare	–	1	1
Thiopentone, curare and cyclopropane	1	–	1
Thiopentone, curare and pethidine...	1	–	1
Thiopentone and cyclopropane ...	3	–	3
Thiopentone, cyclopropane and flaxedil	1	3	4
Thiopentone, cyclopropane and tubarine	–	1	1
Thiopentone, cyclopropane and tubocurarine	–	1	1
Thiopentone, cyclopropane, tubarine and sudobracheal	1	–	1
Thiopentone and flaxedil	–	1	1
Thiopentone, flaxedil and pethidine	–	1	1
Thiopentone, flaxedil and scoline	1	–	1
Thiopentone and pethidine	1	–	1
Thiopentone and scoline	–	1	1
Thiopentone and tubarine	1	–	1
Thiopentone, and tubocurarine ...	1	–	1
Thiopentone and trichlorethylene ...	1	–	1
Adrenaline, cocaine and phenol ...	1	–	1
Cyclopropane	5	2	7
Cyclopropane, atropine and succinylcholine	–	1	1
Cyclopropane and curare	–	1	1
Cyclopropane and flaxedil ...	1	1	2
Nupercaine	2	–	2
Novocaine	–	1	1
Trichlorethylene	1	–	1
Anæsthetic not stated	1	2	3
Total	87	81	168

* All cases of "pentothal" and "sodium pentothal" where they have been so described, are listed under "thiopentone".

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	ALL CAUSES—Both Sexes		61792	2727	166	85	66	54	189	154	230	273	410	533	709	1120	2005	3049	4271	5653	7264	8925	9847	8201	5861	–
	Males		31651	1597	92	45	38	37	110	93	164	159	234	317	375	658	1172	1891	2625	3234	3935	4539	4667	3606	2063	–
	Females		30141	1130	74	40	28	17	79	61	66	114	176	216	334	462	833	1158	1646	2419	3329	4386	5180	4595	3798	–
	I. INFECTIVE AND PARASITIC DISEASES	Total M.	687	21	14	7	–	2	6	8	6	11	23	44	30	42	48	84	93	88	69	44	23	16	8	–
		Total F.	377	17	10	6	3	2	3	2	4	15	44	41	37	28	22	22	20	25	25	26	16	8	1	–
	TUBERCULOSIS (001-019)	Total M.	525	1	2	3	–	–	2	5	2	9	21	38	26	39	43	73	74	59	57	36	17	13	5	–
		Total F.	276	2	3	1	1	1	1	1	4	15	42	40	32	23	15	13	14	13	17	22	8	7	1	–
	Respiratory Tuberculosis (001-008)	Total M.	478	–	–	–	–	–	–	2	1	6	19	36	24	36	40	70	72	57	53	32	15	10	5	–
		Total F.	237	1	–	–	–	–	–	–	4	15	40	37	29	21	13	11	12	10	14	18	4	7	1	–
001	Respiratory with occupational disease of lung	M.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	3	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
002	Pulmonary	M.	467	–	–	–	–	–	–	2	1	6	19	36	24	36	40	68	69	56	50	30	15	10	5	–
		F.	237	1	–	–	–	–	–	–	4	15	40	37	29	21	13	11	12	10	14	18	4	7	1	–
003	Pleural	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
004	Primary complex with symptoms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
005	Tracheobronchial glandular with symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
007	Other respiratory	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
008	Unspecified site	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Tuberculosis—other forms (010-019)	Total M.	47	1	2	3	–	–	2	3	1	3	2	2	2	3	3	3	2	2	4	4	2	3	–	–
		Total F.	39	1	3	1	1	1	1	1	–	–	2	3	3	2	2	2	2	3	3	4	4	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
010	Meninges and central nervous system	M.	12	1	2	3	–	–	1	2	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
		F.	10	1	2	1	1	1	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
011	Intestines, peritoneum and mesenteric glands	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–	–	–
	Bones and Joints, active or unspecified—																									
012.0	Vertebral column	M.	5	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
012.3	Other bones and joints (012. 1 & 2) ...	M.	7	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	1	2	–	–
		F.	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
	Late effects of Bones and Joints—																									
013.0	Vertebral column	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
013.3	Other bones and joints (013. 1 & 2) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
014	Skin and subcutaneous cellular tissue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
015	Lymphatic system	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
016	Genito-urinary system	M.	15	–	–	–	–	–	–	–	1	3	1	1	1	1	1	–	2	–	1	2	–	1	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	1	1	–	–	–	–
017	Adrenal glands	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
018	Other organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
019	Disseminated tuberculosis	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	5	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	–	–	–	–
	Syphilis and its sequelæ (020-029)—TOTAL	M.	71	–	–	–	–	–	–	1	–	–	–	2	1	2	3	7	13	22	10	3	4	3	–	–
		F.	17	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	4	4	1	2	1	–	–
020	Congenital syphilis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	Early syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
022	Aneurysm of aorta	M.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	7	5	1	2	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–
023	Other cardiovascular syphilis ...	M.	21	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	4	7	2	–	1	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–

NOTE.—Sub-headings indicated by numbers (0, 1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Syphilis and its sequelæ (020-029)—*continued*																									
024	Tabes dorsalis	M.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
025	General paralysis of insane	M.	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	5	3	2	–	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
026	Other syphilis of central nervous system	M.	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
027	Other forms of late syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
028	Latent syphilis...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
029	Syphilis unqualified	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gonococcal infection and other venereal diseases (030-039)—																									
030	Acute or unspecified gonorrhœa ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
031	Chronic gonococcal infection of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
032	Gonococcal infection of joint ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Gonococcal infection of eye	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Gonococcal infection of other sites ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
035	Late effects of gonococcal infection ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
036	Chancroid	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
037	Lymphogranuloma venereum ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Granuloma inguinale venereal ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
039	Other and unspecified venereal diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Infectious Diseases commonly arising in intestinal tract (040-049)—																									
040	Typhoid fever	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
041	Paratyphoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
042	Other salmonella infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	Cholera	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	Brucellosis (undulant fever)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
045	Bacillary dysentery	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
046	Amœbiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
047	Other protozoal dysentery	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
048	Unspecified forms of dysentery ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
049	Food poisoning (infection and intoxication)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Bacterial Diseases (050-064)—																									
050	Scarlet fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	Streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	Erysipelas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Other Bacterial Diseases (050-064)—*continued*																									
053	Septicæmia and pyæmia	M.	11	5	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–
		F.	4	–	–	1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
054	Bacterial toxæmia	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Diphtheria	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	Whooping cough	M.	7	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	7	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	Meningococcal infections	M.	17	7	6	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	10	5	3	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
058	Plague	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
059	Tularæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	Leprosy...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	Tetanus...	M.	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
062	Anthrax	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
063	Gas gangrene	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
064	Other bacterial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Spirochætal diseases, except syphilis (070-074)—																									
070	Vincent's infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
071	Relapsing fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
072	Leptospirosis icterohæmorrhagica (Weil's disease)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
073	Yaws	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
074	Other spirochætal and leptospirochætal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases attributable to viruses (080-096)																									
080	Acute poliomyelitis	M.	8	–	1	1	–	–	–	–	–	1	2	2	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
081	Late effects of acute poliomyelitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
082	Acute infectious encephalitis ...	M.	3	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
083	Late effects of acute infectious encephalitis	M.	16	–	–	–	–	1	–	1	–	–	–	1	1	–	1	2	2	3	1	2	1	–	–	–
		F.	16	–	–	–	–	–	–	–	–	–	–	–	3	2	3	1	3	1	1	1	1	–	–	–
084	Smallpox	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	Measles	M.	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	6	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
086	Rubella (German measles)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
087	Chickenpox	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
088	Herpes Zoster	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
089	Mumps	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
090	Dengue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
091	Yellow fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Diseases attributable to Viruses (080-096)—*continued*																									
092	Infectious hepatitis	M.	9	–	–	1	–	–	–	–	3	–	–	1	1	–	–	–	2	–	–	–	1	–	–	–
		F.	15	–	–	–	–	–	–	1	–	–	1	–	1	1	1	1	2	3	1	–	3	–	–	–
093	Glandular fever (infectious mononucleosis)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
094	Rabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
095	Trachoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
096	Other diseases attributable to viruses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Typhus and other rickettsial diseases (100-108)—																									
100	Louse-borne epidemic typhus ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
101	Flea-borne endemic typhus (murine)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
102	Brill's disease, not specified as louse- or flea-borne typhus	M.	1	–	–	–		–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
104	Tick-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
105	Mite-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
106	Wolhynian fever (trench fever) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Typhus, unspecified	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108	Other rickettsial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Malaria (110-117)—																									
110	Vivax malaria (benign tertian) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
111	Malariæ malaria (quartan)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
112	Falciparum malaria (malignant tertian)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113	Ovale malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114	Mixed malarial infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
115	Blackwater fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116	Other and unspecified forms of malaria	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Recurrent induced malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other infective and parasitic diseases (120-138)—																									
120	Leishmaniasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
121	Trypanosomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122	Other protozoal diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
123	Schistosomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124	Other trematode infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	Hydatid disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Other infective and parasitic diseases (120-138)—*continued*																									
126	Other cestode infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
127	Filariasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128	Trichiniasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	Ankylostomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
130	Infestation with worms of other, mixed and unspecified type ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
131	Dermatophytosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
132	Actinomycosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
133	Coccidioidomycosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
134	Other fungus infections	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
135	Scabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
136	Pediculosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Other arthropod infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
138	Other infective and parasitic diseases	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	II. NEOPLASMS	TOTAL M.	**5646**	**5**	**3**	**4**	**8**	**6**	**13**	**15**	**24**	**20**	**25**	**36**	**88**	**134**	**293**	**493**	**667**	**790**	**872**	**852**	**741**	**408**	**152**	–
		TOTAL F.	**5254**	**7**	**1**	**5**	**4**	–	**9**	**13**	**10**	**11**	**19**	**48**	**102**	**170**	**341**	**427**	**520**	**635**	**733**	**753**	**692**	**480**	**274**	–
	MALIGNANT NEOPLASMS (140-205)	TOTAL M.	*5591*	*4*	*3*	*4*	*5*	*5*	*13*	*13*	*22*	*18*	*22*	*36*	*85*	*129*	*287*	*487*	*660*	*786*	*867*	*849*	*738*	*407*	*151*	–
		TOTAL F.	*5163*	*5*	*1*	*5*	*4*	–	*8*	*11*	*9*	*11*	*17*	*47*	*97*	*163*	*333*	*415*	*512*	*624*	*721*	*745*	*687*	*475*	*273*	–
	Malignant neoplasm of buccal cavity and pharynx (140-148)—																									
140	Lip	M.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	3	1	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
141	Tongue	M.	51	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	–	4	5	12	11	10	4	–
		F.	19	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	1	5	4	3	2	–
142	Salivary gland	M.	11	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	1	2	1	2	1	1	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	–	1	–
143	Floor of mouth	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	7	1	3	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	–	1	–
144.*a*	Palate upper alveoli	M.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	4	5	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
144.*b*	Cheek internal	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
145	Oral mesopharynx	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	3	3	5	1	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	2	–	–	–
146	Nasopharynx	M.	4	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–
147	Hypopharynx	M.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	–	2	1	–	–
		F.	13	–	–	–	–	–	–	–	–	–	–	–	2	–	–	4	1	3	1	–	2	–	–	–
148.*a*	Pharynx	M.	23	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	5	1	6	2	4	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	2	2	1	–	1	–
148.*b*	Throat	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
	Malignant neoplasm of digestive organs and peritoneum (150-159)—																									
150	Œsophagus	M.	168	–	–	–	–	–	–	–	–	–	–	–	3	2	10	7	17	23	29	37	18	12	10	–
		F.	130	–	–	–	–	–	–	–	–	–	–	1	1	1	4	7	14	18	13	20	23	24	4	–
151	Stomach	M.	912	–	–	–	–	–	–	–	–	–	3	5	18	16	46	73	88	114	141	168	135	77	28	–
		F.	845	–	–	–	–	–	–	–	–	–	–	1	2	7	33	41	51	90	124	149	165	116	66	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	II. NEOPLASMS—*continued*																									
	Malignant neoplasm of digestive organs and peritoneum (150-159)—*continued*																									
152.*a*	Duodenum	M.	6	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	2	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
152.*b*	Small intestine	M.	12	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	3	1	2	1	1	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	5	1	1	–	–
153.*a*	Large intestine	M.	493	–	–	–	–	–	–	–	–	–	2	1	4	11	21	30	38	46	74	90	94	63	19	–
		F.	664	–	–	–	–	–	–	–	–	–	–	1	8	16	22	33	44	64	95	128	116	87	50	–
153.*b*	Undefined intestine	M.	61	–	–	–	–	–	–	–	–	–	–	1	1	–	3	7	7	2	8	11	10	8	3	–
		F.	107	–	–	–	–	–	–	–	–	–	–	1	–	3	3	5	8	8	10	19	18	19	13	–
154	Rectum	M.	311	–	–	–	–	–	–	–	–	–	–	2	1	3	10	17	24	36	51	53	65	34	15	–
		F.	251	–	–	–	–	–	–	–	–	–	–	–	2	7	14	14	26	25	42	36	37	27	21	–
	Biliary passages and liver stated to be primary—																									
155.*a*	Liver	M.	49	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	3	7	10	10	8	4	1	–
		F.	33	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	4	3	6	2	7	2	–
155.*b*	Gall bladder	M.	19	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	1	3	1	4	4	2	1	–
		F.	69	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	6	17	12	15	7	4	–
155.*c*	Bile ducts	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	5	3	–	4	4	3	–	–
		F.	27	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	2	6	4	3	4	2	–
156	Liver, secondary and unspecified	M.	45	–	–	–	–	–	–	–	–	–	–	–	2	1	–	3	3	2	10	12	10	2	–	–
		F.	29	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	4	4	7	2	3	1	–
157	Pancreas	M.	189	–	–	–	–	–	–	–	–	–	–	–	1	1	6	17	25	21	36	34	27	16	5	–
		F.	216	–	–	–	–	–	–	–	–	–	–	–	1	2	7	8	20	28	35	45	36	24	10	–
158	Peritoneum	M.	17	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	4	4	1	2	1	2	1	–
		F.	44	–	–	–	–	–	–	1	1	–	1	1	2	2	1	4	3	6	9	4	4	5	–	–
159	Unspecified digestive organs	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	1	–	–	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Malignant neoplasm of respiratory system (160 165)																									
160	Nose, nasal cavities, middle ear, and accessory sinuses	M.	13	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	4	–	3	–	–	–
		F.	12	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	4	1	1	2	–	–
161	Larynx	M.	70	–	–	–	–	–	–	–	–	–	–	–	–	2	4	6	8	15	9	13	9	4	–	–
		F.	24	–	–	–	–	–	–	–	–	–	–	–	1	–	2	3	3	2	6	3	1	2	1	–
	Trachea, bronchus, lung specified as primary—																									
162.*a*	Trachea...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
162.*b*	Bronchus	M.	916	–	–	–	–	–	–	–	–	–	1	4	16	20	62	122	179	208	145	96	49	8	6	–
		F.	162	–	–	–	–	–	–	–	–	–	1	2	3	8	4	14	22	24	34	17	21	8	4	–
162.*c*	Lung	M	758	–	–	–	–	–	–	–	–	1	2	3	6	26	55	93	132	152	143	89	37	16	3	–
		F	142	–	–	–	–	–	–	–	–	–	1	–	1	9	14	14	18	17	17	20	18	10	3	–
162.*d*	Pleura	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Lung and bronchus, unspecified as primary or secondary—																									
163.*a*	Trachea...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163.*b*	Bronchus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163.*c*	Lung	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163.*d*	Pleura	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Mediastinum	M.	12	–	–	–	–	–	–	1	–	–	–	–	1	–	1	2	1	1	3	–	2	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–
165	Thoracic organs secondary	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	2	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	Malignant neoplasm of breast and genito-urinary organs (170 181)																									
170	Breast	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	2	–	1	–
		F.	896	–	–	–	–	–	–	–	–	–	2	9	25	43	93	102	103	123	103	113	82	56	42	–
171	Cervix uteri	F.	254	–	–	–	–	–	–	–	–	1	1	6	20	18	33	28	45	32	35	14	9	6	6	–
172	Corpus uteri	F.	32	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	3	8	6	4	3	1	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	II. NEOPLASMS—*continued*																									
	Malignant neoplasm of breast and genito-urinary organs (170-181)—*continued*																									
173	Uterus, other parts including chorion-epithelioma	F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
174	Uterus, unspecified	F.	199	–	–	–	–	–	–	–	–	–	–	2	7	5	24	15	25	35	29	25	12	14	6	–
175	Ovary, Fallopian tube, broad ligament	F.	251	–	–	–	–	–	–	–	2	–	–	4	6	12	29	39	37	35	25	25	29	3	5	–
176	Other and unspecified female genital organs	F.	42	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	4	10	6	8	8	3	–
177	Prostate	M.	418	–	–	–	–	–	–	–	1	–	–	–	–	1	2	8	14	21	59	95	121	73	23	–
178	Testis	M.	27	–	–	–	–	1	–	–	–	6	2	2	4	5	–	3	1	1	1	1	–	–	–	–
179.*a*	Penis	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	4	–	–
179.*b*	Scrotum	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–
179.*c*	Other male genital organs	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
180	Kidney	M.	116	–	–	–	–	1	1	–	–	–	–	2	1	2	9	9	17	19	27	12	10	4	2	–
		F.	51	–	–	3	–	–	–	1	–	–	–	–	1	3	1	6	6	6	5	5	8	4	2	–
181.*a*	Bladder	M.	153	–	–	–	–	–	–	–	–	–	–	–	–	2	4	14	19	17	22	20	29	16	10	–
		F.	73	–	–	–	–	–	–	–	–	–	–	–	–	–	4	9	5	9	11	13	14	4	4	–
181.*b*	Other urinary organs	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Malignant neoplasm of other and un-specified sites (190-199)—																									
190	Melanoma of skin	M.	21	–	–	–	–	–	–	–	–	–	2	1	1	1	–	3	2	2	1	3	3	2	–	–
		F.	21	–	–	–	–	–	–	1	–	–	1	2	1	1	1	2	2	–	3	1	5	–	1	–
191.*a*	Skin of face	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	2	4	2	–
		F.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	4	1	4	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
191.b	Anus	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
191.c	Skin, other parts	M.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	2	5	3	3	3	–
		F.	14	–	–	–		–	–	–	–	–	–	–	–	–	1	1	2	3	1	3	1	1	1	–
192	Eye	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	3	2	–	–	2	–
193.a	Brain	M.	100	–	–	2	–	–	1	2	4	–	1	3	7	8	14	16	15	15	9	2	1	–	–	–
		F.	70	1	–	1	1	–	2	–	1	1	3	6	3	3	4	17	9	7	7	4	–	–	–	–
193.b	Spinal cord	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
193.c	Other parts of nervous system ...	M.	10	1	–	1	1	2	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
		F.	6	3	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
194	Thyroid gland	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	2	–	2	3	7	2	1	–
		F.	39	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	6	6	4	9	5	4	–	–
195	Other endocrine glands	M.	4	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
		F.	5	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–
196.a	Jaw	M.	14	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	3	1	4	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
196.b	Spine	M.	16	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	2	3	4	–	–	–
		F.	11	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	3	3	3	–	–	–	–
196.c	Other bones	M.	37	–	–	–	–	–	1	2	6	–	–	–	2	3	3	2	3	4	2	2	3	3	1	–
		F.	27	–	–	–	–	–	–	–	–	2	–	–	–	1	2	3	4	2	2	3	2	4	2	–
197	Connective tissue	M.	14	–	–	–	–	–	–	–	–	–	–	2	–	2	1	–	2	1	1	3	1	1	–	–
		F.	14	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	3	3	–	1	1	1	–	–
198	Lymph nodes, secondary and unspecified	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	3	1	2	1	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	1	–
199.a	Other sites	M.	12	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	–	–	2	2	1	–
		F.	19	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	1	4	1	1	6	2	–
199.b	Unspecified	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
	Neoplasms of lymphatic and hæmatopoietic tissues (200-205)—																									
200	Lymphosarcoma and reticulosarcoma	M.	47	1	–	–	–	1	1	1	–	2	1	1	4	1	5	1	5	8	4	5	5	1	–	–
		F.	49	–	–	–	–	–	–	–	–	–	1	–	–	4	5	3	7	9	8	6	3	2	1	–
201	Hodgkin's disease	M.	61	–	–	–	–	–	–	–	4	3	3	3	6	4	7	6	4	9	6	5	–	–	1	–
		F.	43	–	–	–	–	–	–	1	–	3	3	3	4	5	5	–	4	6	2	1	4	1	1	–
202	Other forms of lymphoma (reticulosis)	M.	19	2	–	–	–	–	–	–	–	–	2	–	1	–	1	1	3	2	2	2	1	2	–	–
		F.	14	–	–	–	–	–	–	–	–	–	–	1	1	1	2	1	2	3	2	1	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages																						
				–1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	II. NEOPLASMS—*continued*																									
	Neoplasms of lymphatic and hæmatopoietic tissues (200-205)—*continued*																									
203	Multiple myeloma (plasmocytoma) ...	M.	39	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	5	6	9	5	5	1	1	–
		F.	27	–	–	–	–	–	–	–	–	–	–	1	–	–	2	4	1	4	7	5	3	–	–	–
204.0	Lymphatic leukæmia	M.	62	–	1	1	4	–	3	3	2	2	–	1	–	–	3	8	1	5	9	6	9	3	1	–
		F.	41	1	1	1	1	–	1	3	–	1	1	–	1	1	1	2	3	5	5	4	3	4	2	–
204.1	Myeloid leukæmia	M.	28	–	–	–	–	–	–	–	–	1	–	2	2	3	1	3	4	4	2	3	3	–	–	–
		F.	36	–	–	–	1	–	–	3	1	1	–	–	1	2	–	5	4	3	5	4	6	–	–	–
204.4	Other and unspecified (204.2 & 3) ...	M.	40	–	–	–	–	–	3	3	3	1	–	2	2	6	1	4	1	2	3	3	3	3	–	–
		F.	34	–	–	–	–	–	4	1	2	–	–	3	2	1	2	5	1	4	4	2	–	2	1	–
205	Mycosis fungoides	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Benign neoplasm (210-229)—																									
210	Buccal cavity and pharynx	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211	Other parts of digestive system ...	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
212	Respiratory system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
213	Breast	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Uterine fibromyoma	F.	10	–	–	–	–	–	–	–	–	–	–	–	2	2	2	1	1	–	1	–	–	–	1	–
215	Other uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
216	Ovary	F.	21	–	–	–	–	–	–	–	–	–	–	1	1	1	3	3	–	3	4	2	1	2	–	–
217	Other female genital organs	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
218	Male genital organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
219.a	Bladder	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	1	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
219.b	Kidney and other urinary organs ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
220	Melanoma of skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
221	Pilonidal cyst	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
222	Other skin	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
223	Brain and other parts of nervous system	M.	20	1	–	–	–	–	–	–	–	–	1	–	3	2	1	5	4	1	1	–	1	–	–	–
		F.	24	–	–	–	–	–	–	2	1	–	1	–	–	1	1	3	4	5	2	3	–	1	–	–
224	Endocrine glands	M.	6	–	–	–	–	–	–	1	–	1	–	–	–	1	3	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
225	Bone and cartilage	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
226	Lipoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
227	Other muscular and connective tissue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
228	Hæmangioma and lymphangioma ...	M.	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
229	Other and unspecified organs and tissues	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Neoplasm of unspecified nature (230-239)—																									
230	Digestive organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
231	Respiratory organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
232	Breast	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
233	Uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
234	Ovary	F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–
235	Other female genital organs ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	II. NEOPLASMS—*continued*																									
	Neoplasm of unspecified nature (230-239)—*continued*																									
236.*a*	Bladder	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
236.*b*	Other genito-urinary organs ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
237	Brain and other parts of nervous system	M.	10	–	–	–	–	1	–	1	2	–	1	–	–	–	–	1	2	1	1	–	–	–	–	–
		F.	12	–	–	–	–	–	1	–	–	–	1	–	1	1	1	2	1	1	1	1	1	–	–	–
238	Skin and musculoskeletal system ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
239	Other and unspecified organs ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES																									
	Total	M.	299	7	2	1	–	–	2	3	4	1	10	12	9	7	20	21	30	37	35	40	35	20	3	–
		F.	566	2	2	–	–	–	1	2	3	6	4	4	11	9	15	27	46	84	104	100	89	39	18	–
	Allergic disorders (240-245)—																									
240	Hay fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
241	Asthma	M.	116	–	1	–	–	–	1	1	1	–	5	8	3	4	10	11	20	14	15	13	8	1	–	–
		F.	131	1	–	–	–	–	–	1	2	2	3	3	4	3	9	11	11	19	22	15	14	6	5	–
242	Angioneurotic œdema...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
243	Urticaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
244	Allergic eczema	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
245	Other allergic disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Diseases of thyroid gland (250-254)—																									
250	Simple goitre	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
251	Non-toxic nodular goitre	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	1	–
252	Thyrotoxicosis with or without goitre	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
		F.	14	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	3	3	2	2	–	–	–
253	Myxœdema and cretinism	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
		F.	38	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	4	7	8	9	4	1	3	–
254	Other diseases of thyroid gland ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Diabetes mellitus (260)—																									
260	Diabetes mellitus	M.	129	–	–	1	–	–	1	2	–	1	4	3	4	1	6	6	7	19	14	20	24	13	3	–
		F.	344	–	–	–	–	–	–	–	–	2	1	1	3	2	3	8	27	52	68	72	65	31	9	–
	Diseases of other endocrine glands (270-277)—																									
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
271	Diseases of parathyroid gland ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
272	Diseases of pituitary gland	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	1	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	1	–	–	–
273	Diseases of thymus gland	M.	4	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
274	Diseases of adrenal glands	M.	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
		F.	5	–	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–
275	Ovarian dysfunction	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
276	Testicular dysfunction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
277	Polyglandular dysfunction and other diseases of endocrine glands ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES—*continued*																									
	Avitaminoses and other metabolic diseases (280-289)—																									
280	Beriberi	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
281	Pellagra	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
282	Scurvy	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
283	Active rickets	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
284	Late effects of rickets	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
285	Osteomalacia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
286	Other avitaminoses and nutritional deficiency states	M.	17	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–	–	4	2	5	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–
287	Obesity, not specified as of endocrine origin	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
288	Gout	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
289	Other metabolic diseases	M.	12	2	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	2	3	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS																									
	Total	M.	106	1	–	–	1	–	2	1	1	–	–	2	–	4	4	5	2	10	14	17	19	18	5	–
		F.	181	–	–	–	1	–	1	–	1	1	–	4	1	3	1	1	11	15	29	36	35	22	19	–
290.*a*	Pernicious anæmia	M.	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	10	12	11	5	–
		F.	97	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	9	14	24	17	16	12	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
290.b	Sub-acute combined degeneration without mention of pernicious anæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–
291	Iron deficiency anæmias (hypochromic anæmias)	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–
		F.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	5	1	–
292	Other anæmias of specified type ...	M.	21	–	–	–	–	–	–	1	1	–	–	–	–	3	2	3	–	3	2	2	2	2	–	–
		F.	29	–	–	–	–	–	–	–	1	1	–	3	–	2	–	–	2	2	6	4	6	1	1	–
293	Anæmia of unspecified type	M.	14	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	4	3	2	2	–	–
		F.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	7	–	4	–
294	Polycythæmia	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–
295	Hæmophilia	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
296	Purpura and other hæmorrhagic conditions	M.	11	1	–	–	1	–	1	–	–	–	–	–	–	–	2	1	1	1	2	–	1	–	–	–
		F.	11	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	3	–	2	1	1	–	1	–
297	Agranulocytosis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
298	Diseases of spleen	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	1	–	–	–
299	Other diseases of blood and blood-forming organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS																									
	TOTAL	M.	**73**	**3**	–	–	–	–	**5**	–	**3**	–	**1**	**1**	**4**	**7**	**3**	**4**	**7**	**9**	**7**	**5**	**8**	**4**	**2**	–
		F.	**80**	–	**1**	–	–	**1**	**1**	–	**1**	–	–	**2**	**2**	**3**	**5**	**5**	**3**	**3**	**7**	**7**	**9**	**17**	**13**	–
	Psychoses (300-309)—																									
300	Schizophrenic disorders (dementia præcox)	M.	8	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	1	–	–	1	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–
301	Manic-depressive reaction	M.	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	1	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–
302	Involutional melancholia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
303	Paranoia and paranoid states ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
304	Senile psychosis	M.	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	7	4	2	–
		F.	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	4	8	16	11	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS— *continued*																									
	Psychoses (300-309)—*continued*																									
305	Presenile psychosis	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	–	–	–
306	Psychosis with cerebral arteriosclerosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
307	Alcoholic psychosis	M.	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
308	Psychosis of other demonstrable etiology	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
309	Other and unspecified psychoses ...	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–
	Psychoneurotic disorders (310-318)—																									
310	Anxiety reaction without mention of somatic symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
311	Hysterical reaction without mention of anxiety reaction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
312	Phobic reaction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
313	Obsessive-compulsive reaction ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
314	Neurotic-depressive reaction ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
318	Psychoneurotic disorders, other, mixed, and unspecified types	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Disorders of character, behaviour and intelligence (320-326)—																									
320	Pathological personality	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
321	Immature personality...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
322	Alcoholism	M.	11	–	–	–	–	–	–	–	–	–	–	–	1	4	–	1	2	2	1	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	1	–	–	–	–	–	–
323	Other drug addiction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
324	Primary childhood behaviour disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
325	Mental deficiency	M.	13	3	–	–	–	–	5	–	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
		F.	6	–	1	–	–	1	1	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
326	Other and unspecified disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS TOTAL	M.	**4435**	**16**	**7**	**1**	**3**	**3**	**5**	**6**	**10**	**11**	**19**	**25**	**19**	**49**	**102**	**155**	**279**	**389**	**594**	**801**	**889**	**724**	**328**	–
		F.	**5995**	**10**	**6**	**6**	**5**	**1**	**12**	**5**	**4**	**8**	**19**	**22**	**28**	**39**	**123**	**190**	**298**	**454**	**721**	**1037**	**1275**	**1036**	**696**	–
	Vascular lesions affecting central nervous system (330-334)—	M.	4076	1	–	–	–	–	1	–	5	4	13	13	10	33	69	131	244	354	550	755	859	709	325	–
		F.	5604	–	–	1	–	–	1	3	3	2	7	10	16	25	92	158	265	416	669	1000	1240	1014	682	–
330	Subarachnoid hæmorrhage	M.	118	–	–	–	–	–	1	–	1	2	7	6	5	9	13	15	21	13	9	5	9	1	1	–
		F.	125	–	–	–	–	–	–	1	1	2	6	4	5	7	12	14	17	14	17	11	9	3	2	–
331	Cerebral hæmorrhage	M.	1740	1	–	–	–	–	–	–	3	–	5	5	5	20	39	74	132	191	274	321	336	248	86	–
		F.	2428	–	–	–	–	–	1	2	2	–	1	3	9	11	59	106	176	232	341	476	465	340	204	–
332	Cerebral embolism and thrombosis ...	M.	1882	–	–	–	–	–	–	–	1	–	–	2	–	3	17	34	83	128	228	371	434	385	196	–
		F.	2659	–	–	1	–	–	–	–	–	–	–	3	2	7	20	33	68	153	281	453	657	578	403	–
333	Spasm of cerebral arteries	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS—*continued*																									
	Vascular lesions affecting central nervous system (330-334)—*continued*																									
334	Other and ill-defined vascular lesions affecting central nervous system	M.	336	–	–	–	–	–	–	–	–	2	1	–	–	1	–	8	8	22	39	58	80	75	42	–
		F.	391	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	4	17	30	60	108	93	73	–
	Inflammatory diseases of central nervous system (340-345)—																									
340	Meningitis, except meningococcal and tuberculous	M.	27	8	2	1	2	–	1	1	–	1	–	2	1	–	–	2	1	1	3	1	–	–	–	–
		F.	18	5	–	–	1	–	–	–	–	–	–	–	–	2	2	2	1	2	1	1	–	1	–	–
341	Phlebitis and thrombophlebitis of intracranial venous sinuses ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
342	Intracranial and intraspinal abscess	M.	6	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	1	–	1	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M.	11	1	–	–	–	1	1	1	–	–	–	1	–	–	1	–	2	1	–	2	–	–	–	–
		F.	11	–	–	1	1	–	3	–	–	–	1	–	1	–	1	–	1	–	2	–	–	–	–	–
344	Late effects of intracranial abscess or pyogenic infection	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
		F.	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
345	Multiple sclerosis	M.	56	–	–	–	–	–	–	–	–	–	3	3	4	5	10	8	10	7	2	4	–	–	–	–
		F.	93	–	1	–	–	–	–	–	–	–	3	5	8	7	17	12	15	11	6	3	4	1	–	–
	Other diseases of central nervous system (350-357)—																									
350	Paralysis agitans	M.	83	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	8	19	24	17	6	–	–
		F.	90	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	7	20	24	16	10	6	–
551	Cerebral spastic infantile paralysis ...	M.	12	1	2	–	1	1	–	1	1	–	1	1	–	1	1	–	–	–	–	–	1	–	–	–
		F.	9	–	1	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	2	–	–	–	1	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
352	Other cerebral paralysis	M.	27	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	3	7	5	4	3	–
		F.	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	4	3	8	6	4	–
353	Epilepsy	M.	48	1	2	–	–	1	1	1	–	5	1	4	3	2	6	4	6	4	4	–	2	1	–	–
		F.	54	3	2	3	–	–	6	1	1	2	8	4	2	4	2	5	3	2	2	2	2	–	–	–
354	Migraine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
355	Other diseases of brain	M.	16	–	–	–	–	–	–	1	1	–	–	–	–	2	1	1	4	2	2	1	–	1	–	–
		F.	19	1	1	1	–	–	–	–	–	–	–	–	–	–	2	2	1	2	5	–	2	1	1	–
356	Motor neurone disease and muscular atrophy	M.	43	1	–	–	–	–	1	–	2	–	–	–	–	3	5	3	6	7	6	4	5	–	–	–
		F.	37	–	–	–	1	–	–	–	–	–	–	–	–	–	3	5	2	10	8	2	3	3	–	–
357	Other diseases of spinal cord	M.	7	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	1	1	1	–	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	1	–	1	–	–	2	1	1	–	1	–	–	–	–	–
	Diseases of nerves and peripheral ganglia (360-369)—																									
360	Facial paralysis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
361	Trigeminal neuralgia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
362	Brachial neuritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
363	Sciatica	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
364	Polyneuritis and polyradiculitis ...	M.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	4	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
365	Erythrœdema polyneuritica	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
366	Other and unspecified forms of neuralgia and neuritis	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
367	Other diseases of cranial nerves	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
368	Other diseases of peripheral nerves except autonomic	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
369	Diseases of peripheral autonomic nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS—*continued*																									
	Inflammatory diseases of eye (370-379)—																									
370	Conjunctivitis and ophthalmia ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
371	Blepharitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
372	Hordeolum (stye)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
373	Iritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
374	Keratitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
375	Choroiditis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
376	Other inflammation of uveal tract	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
377	Inflammation of optic nerve and retina	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
378	Inflammation of lachrymal glands and ducts	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
379	Other inflammatory diseases of eye ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases and conditions of eye (380-389)—																									
380	Refractive errors	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
381	Corneal ulcer	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
382	Corneal opacity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
383	Pterygium	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
384	Strabismus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	Cataract	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
386	Detachment of retina	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
387	Glaucoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
388	Other diseases of eye	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
389	Blindness	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases of ear and mastoid process (390-398)—																									
390	Otitis externa	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391	Otitis media without mention of mastoiditis	M.	8	2	1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	1	–	–	–	–	–
		F.	4	1	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
392	Otitis media with mastoiditis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
393	Mastoiditis without mention of otitis media	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
394	Other inflammatory diseases of ear	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
395	Ménière's disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
396	Other diseases of ear and mastoid process	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
397	Deaf mutism	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
398	Other deafness	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VII. DISEASES OF THE CIRCULATORY SYSTEM Total	M.	**12028**	**4**	–	–	–	**1**	**1**	**7**	**11**	**15**	**36**	**53**	**85**	**208**	**397**	**692**	**973**	**1223**	**1579**	**1896**	**2044**	**1708**	**1095**	–
		F.	**11675**	**2**	–	–	–	–	**5**	**5**	**12**	**26**	**37**	**32**	**61**	**97**	**192**	**277**	**481**	**835**	**1260**	**1822**	**2297**	**2236**	**1998**	–
	Rheumatic fever (400-402)—																									
400	Without mention of heart involvement	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
401	With heart involvement	M.	28	–	–	–	–	1	–	4	2	2	4	1	1	3	3	1	3	2	1	–	–	–	–	–
		F.	18	–	–	–	–	–	2	–	1	4	–	1	2	1	2	2	1	1	–	1	–	–	–	–
402	Chorea	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	HEART DISEASE (410-443) Total	M.	*10815*	*3*	–	–	–	–	*1*	*3*	*7*	*11*	*26*	*50*	*79*	*193*	*368*	*656*	*919*	*1148*	*1448*	*1719*	*1814*	*1455*	*915*	–
		F.	*10336*	–	–	–	–	–	*3*	*3*	*7*	*20*	*28*	*28*	*55*	*82*	*159*	*248*	*439*	*761*	*1168*	*1653*	*2051*	*1913*	*1718*	–
	Chronic rheumatic heart disease (410-416)—																									
410	Mitral valve	M.	207	–	–	–	–	–	–	1	1	5	5	13	14	22	31	29	21	10	12	18	14	11	–	–
		F.	406	–	–	–	–	–	–	–	2	10	20	14	27	34	40	43	48	38	39	34	30	17	10	–
411	Aortic valve specified as rheumatic	M.	12	–	–	–	–	–	–	–	1	–	–	–	2	2	1	1	2	2	–	1	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	2	–	–	–
412	Tricuspid valve	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Pulmonary valve specified as rheumatic	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
414	Other endocarditis specified as rheumatic	M.	29	–	–	–	–	–	–	–	–	1	2	–	–	6	4	2	2	5	4	3	–	–	–	–
		F.	43	–	–	–	–	–	–	1	1	2	–	2	4	2	6	7	6	4	–	5	1	2	–	–
415	Other myocarditis specified as rheumatic	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	1	–	1	2	3	1	–	–
		F.	18	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	5	1	1	2	4	–	1	–
416	Other heart disease specified as rheumatic	M.	30	–	–	–	–	–	1	–	–	1	2	3	2	1	6	1	7	–	4	1	–	1	–	–
		F.	54	–	–	–	–	–	1	–	–	1	1	2	3	4	10	7	7	7	3	7	1	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Arteriosclerotic and degenerative heart disease (420-422)—																									
420.0	Arteriosclerotic heart disease ...	M.	134	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	9	18	20	31	29	20	–
		F.	156	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	10	21	23	32	38	25	–
420.1	Coronary thrombosis (420.2)	M.	5685	–	–	–	–	–	–	–	–	1	10	25	45	136	273	524	708	850	961	892	703	404	153	–
		F.	3455	–	–	–	–	–	–	–	–	1	1	4	9	22	62	116	217	431	600	727	666	394	205	–
421	Chronic endocarditis not specified as rheumatic	M.	156	–	–	–	–	–	–	–	–	–	–	4	5	4	8	12	18	14	22	20	29	13	7	–
		F.	191	–	–	–	–	–	–	–	–	1	1	–	6	5	5	6	20	25	23	34	33	22	10	–
422.0	Fatty degeneration of heart	M.	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	2	3	1	–	–
		F.	32	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	1	5	7	6	6	3	–	–
422.1	Myocardial degeneration with arteriosclerosis	M.	2039	–	–	–	–	–	–	–	–	–	1	–	–	1	4	8	31	59	134	336	504	533	428	–
		F.	2789	–	–	–	–	–	–	–	–	–	–	2	–	2	3	15	21	60	143	316	613	743	871	–
422.2	Other myocardial degeneration ...	M.	1662	–	–	–	–	–	–	–	–	1	2	1	2	6	22	38	66	109	184	259	375	349	248	–
		F.	2133	–	–	–	–	–	1	1	–	1	–	1	2	7	16	27	52	83	174	310	447	506	505	–
	Other diseases of heart (430-434)—																									
430	Acute and subacute endocarditis ...	M.	21	–	–	–	–	–	–	1	1	1	–	1	3	1	2	3	6	1	–	1	–	–	–	–
		F.	10	–	–	–	–	–	–	–	2	2	2	–	–	1	–	1	–	–	2	–	–	–	–	–
431	Acute myocarditis not specified as rheumatic	M.	46	1	–	–	–	–	–	1	1	–	–	1	–	–	4	2	2	6	7	9	7	3	2	–
		F.	44	–	–	–	–	–	1	–	1	–	–	1	–	1	2	1	4	2	9	6	9	6	1	–
432	Acute pericarditis specified as non-rheumatic	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
433	Functional disease of heart	M.	105	1	–	–	–	–	–	–	–	–	–	1	1	1	–	2	5	8	9	22	23	24	8	–
		F.	164	–	–	–	–	–	–	–	–	–	–	–	–	1	2	5	9	14	24	23	29	38	19	–
434	Other and unspecified diseases of heart	M.	120	1	–	–	–	–	–	–	2	1	3	1	2	3	5	10	11	14	11	14	19	9	14	–
		F.	97	–	–	–	–	–	–	1	–	2	1	1	1	–	1	1	6	10	11	14	24	16	8	–
	Hypertensive disease (440-447)—																									
440	Essential benign hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
441	Essential malignant hypertension with heart disease	M.	9	–	–	–	–	–	–	–	1	–	–	–	–	2	–	2	2	–	1	–	–	1	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	3	–	1	–	–	–	–	–
442	Hypertensive heart disease with arteriolar nephrosclerosis ...	M.	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	6	11	16	4	–
		F.	37	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	3	6	6	5	13	–
443	Other and unspecified hypertensive heart disease	M.	493	–	–	–	–	–	–	–	–	–	1	–	1	5	6	17	32	59	77	112	92	60	31	–
		F.	691	–	–	–	–	–	–	–	1	–	–	–	–	1	4	14	35	70	107	139	148	123	49	–
444	Essential benign hypertension without mention of heart	M.	128	1	–	–	–	–	–	–	–	–	–	–	–	2	5	7	13	15	22	23	17	16	7	–
		F.	179	–	–	–	–	–	–	1	–	–	–	–	–	4	3	3	8	25	25	27	34	34	15	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VII. DISEASES OF THE CIRCULATORY SYSTEM—*continued*																									
	Hypertensive Disease (440-447)—*continued*																									
445	Essential malignant hypertension without mention of heart ...	M.	51	–	–	–	–	–	–	–	–	1	4	–	3	5	6	9	11	7	1	2	–	2	–	–
		F.	40	–	–	–	–	–	–	–	1	–	1	1	2	1	9	7	5	3	6	1	1	2	–	–
446	Hypertension with arteriolar nephrosclerosis without mention of heart	M.	82	–	–	–	–	–	–	–	1	–	–	1	–	1	2	1	5	10	6	16	12	13	14	–
		F.	67	–	–	–	–	–	–	–	–	–	1	–	–	1	3	3	4	6	5	5	12	16	11	–
447	Other hypertensive disease without mention of heart	M.	79	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	5	10	16	21	13	9	–
		F.	83	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	2	9	21	22	12	11	–
	Diseases of arteries (450-456)—																									
450	General arteriosclerosis	M.	608	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	13	49	75	148	183	138	–
		F.	704	1	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	14	15	69	144	229	224	–
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm	M.	80	–	–	–	–	–	–	–	–	–	1	1	1	–	3	2	9	7	20	24	6	4	2	–
		F.	48	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	3	2	6	10	12	6	4	–
452	Other aneurysm, except of heart and aorta	M.	6	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	2	2	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–
453	Peripheral vascular disease	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	3	–	–
454	Arterial embolism and thrombosis	M.	17	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	2	1	1	7	–	–	–
		F.	15	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	3	–	–	4	2	–
455	Gangrene of unspecified cause ...	M.	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	8	9	6	–
		F.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	1	7	–
456	Other diseases of arteries	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	1	–	–	–	–
		F.	18	–	–	–	–	–	–	–	3	2	2	1	1	1	1	3	–	1	1	–	–	1	1	–
	Diseases of veins and other diseases of circulatory system (460-468)—																									
460	Varicose veins of lower extremities ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	2	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
461	Hæmorrhoids	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
462	Varicose veins of other specified sites	M.	3	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–
463	Phlebitis and thrombophlebitis of lower extremities	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	2	1	1	1	–
		F.	13	–	–	–	–	–	–	–	–	–	2	1	–	–	1	2	1	2	1	1	1	1	–	–
464	Phlebitis and thrombophlebitis of other sites	M.	10	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	2	4	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	3	4	1	–	–	–
465	Pulmonary embolism and infarction	M.	31	–	–	–	–	–	–	–	–	1	–	–	–	1	2	6	3	3	5	6	1	2	1	–
		F.	34	–	–	–	–	–	–	–	–	–	1	–	–	3	1	–	5	2	5	8	3	3	3	–
466	Other venous embolism and thrombosis	M.	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	4	7	4	7	8	1	–
		F.	66	–	–	–	–	–	–	1	–	–	1	–	–	1	2	3	6	10	7	15	10	9	1	–
467	Other diseases of circulatory system	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	1	–
		F.	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	1	1	–	–	–
468	Certain diseases of lymph nodes and lymph channels	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	VIII. DISEASES OF THE RESPIRATORY SYSTEM TOTAL	M.	**2971**	**156**	**22**	**9**	**9**	**4**	**7**	**3**	**9**	**8**	**8**	**10**	**28**	**38**	**76**	**169**	**270**	**397**	**419**	**441**	**420**	**297**	**171**	–
		F.	**1878**	**131**	**27**	**4**	**3**	**2**	**4**	**4**	**4**	**5**	**8**	**10**	**18**	**27**	**26**	**57**	**82**	**121**	**184**	**255**	**324**	**317**	**265**	–
	Acute upper respiratory infections (470-475)—																									
470	Acute nasopharyngitis (common cold)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
471	Acute sinusitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
472	Acute pharyngitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–
473	Acute tonsillitis	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–
		F.	5	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
474	Acute laryngitis and tracheitis ...	M.	8	–	2	1	–	–	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
475	Acute upper respiratory infection of multiple or unspecified sites ...	M.	5	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
		F.	5	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VIII. DISEASES OF THE RESPIRATORY SYSTEM—*continued*																									
	Influenza (480-483)— Total	M.	106	2	–	–	2	–	1	1	1	1	–	–	5	4	4	7	5	6	7	18	18	14	10	–
		F.	156	1	3	–	–	–	–	–	–	–	1	–	2	3	1	4	8	5	14	16	28	35	35	–
480	With pneumonia	M.	35	1	–	–	2	–	1	1	1	1	–	–	2	1	3	2	3	1	1	6	4	4	1	–
		F.	60	1	2	–	–	–	–	–	–	–	1	–	–	3	1	3	4	1	4	8	9	12	11	–
481.*a*	With other respiratory complications	M.	31	1	–	–	–	–	–	–	–	–	–	–	3	2	–	3	1	3	2	3	6	2	5	–
		F.	27	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	4	2	8	3	7	–
481.*b*	Unqualified	M.	39	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	4	9	7	8	4	–
		F.	68	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	4	2	6	5	11	20	17	–
482	With digestive manifestations, but without respiratory symptoms	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
483	With nervous manifestations, but without digestive or respiratory symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Pneumonia (490-493)— Total	M.	973	122	15	5	4	4	2	2	6	3	2	8	9	12	22	31	54	78	90	130	163	133	78	–
		F.	943	109	20	4	2	1	2	3	2	4	4	7	6	8	12	21	29	47	75	126	164	168	129	–
490	Lobar	M.	223	6	2	–	–	1	1	–	–	2	1	3	3	3	8	15	16	17	31	37	40	23	14	–
		F.	168	7	1	–	–	–	–	2	–	1	–	3	2	4	5	5	6	13	17	20	32	28	22	–
491	Broncho	M.	661	104	9	5	4	2	1	2	4	1	1	5	4	6	10	13	32	58	49	86	110	98	57	–
		F.	663	87	16	4	2	1	1	1	2	3	3	4	4	4	6	14	20	32	50	83	109	124	93	–
492	Primary atypical	M.	11	2	1	–	–	1	–	–	1	–	–	–	1	–	–	–	1	–	1	1	1	1	–	–
		F.	3	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
493	Other and unspecified	M.	78	10	3	–	–	–	–	–	1	–	–	–	1	3	4	3	5	3	9	6	12	11	7	–
		F.	109	13	3	–	–	–	–	–	–	–	1	–	–	–	1	2	3	2	8	23	23	16	14	–
	Bronchitis (500-502)— Total	M.	1423	23	3	2	1	–	1	–	–	2	2	–	8	18	39	103	157	225	238	227	184	120	70	–
		F.	654	13	2	–	1	–	–	–	1	1	2	–	5	13	7	25	38	57	80	101	120	100	88	–
500	Acute Bronchitis	M.	132	23	3	2	1	–	1	–	–	1	–	–	–	1	1	3	6	7	9	19	21	23	11	–
		F.	148	13	2	–	1	–	–	–	–	–	1	–	1	3	–	2	8	11	10	12	25	26	33	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
501.*a*	Bronchitis, unqualified	M.	36	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	4	2	3	5	6	7	5	–
		F.	44	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	2	3	3	12	10	10	–
501.*b*	Bronchitis unqualified, with heart disease	M.	63	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	7	4	17	11	8	7	–
		F.	38	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	4	5	6	4	5	12	–
502.*a*	Chronic bronchitis	M.	420	–	–	–	–	–	–	–	–	1	1	–	1	4	9	29	50	73	79	63	60	29	21	–
		F.	148	–	–	–	–	–	–	–	1	–	–	–	2	3	2	8	8	9	19	28	31	22	15	–
502.*b*	Chronic bronchitis with heart disease	M.	772	–	–	–	–	–	–	–	–	–	1	–	6	12	25	68	93	136	143	123	86	53	26	–
		F.	276	–	–	–	–	–	–	–	–	–	1	–	2	5	4	14	21	31	43	52	48	37	18	–
	Other diseases of respiratory system (510-527)—																									
510	Hypertrophy of tonsils and adenoids	M.	4	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
511	Peritonsillar abscess (quinsy) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
512	Chronic pharyngitis and naso-pharyngitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
513	Chronic sinusitis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
514	Deflected nasal septum	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
515	Nasal polyp	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
516	Chronic laryngitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
517	Other diseases of upper respiratory tract	M.	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518	Empyema	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
519	Pleurisy	M.	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	2	–	2	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	3	3	2	–
520	Spontaneous pneumothorax	M.	5	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
521	Abscess of lung	M.	8	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	1	–	1	–
		F.	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1	1	–
522	Pulmonary congestion and hypostasis	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	5	3	–
		F.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	3	5	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VIII. DISEASES OF THE RESPIRATORY SYSTEM—*continued*																									
	Other diseases of respiratory system—*continued*																									
523	Pneumoconiosis due to silica and silicates (occupational)	M.	244	–	–	–	–	–	–	–	–	–	–	–	–	–	5	10	27	55	52	42	33	17	3	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
525	Other chronic interstitial pneumonia	M.	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	1	–	–
		F.	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	2	3	2	–	1	–	–
526	Bronchiectasis	M.	75	–	–	–	–	–	–	–	–	1	1	1	4	1	3	8	11	13	11	7	11	3	–	–
		F.	38	–	–	–	–	–	–	–	1	–	–	1	2	1	4	2	5	3	6	5	4	2	2	–
527	Other diseases of lung and pleural cavity	M.	67	6	1	–	–	–	–	–	–	–	1	–	1	1	1	4	10	14	8	11	4	2	3	–
		F.	24	4	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	3	2	1	2	4	2	–
	IX. DISEASES OF THE DIGESTIVE SYSTEM																									
	Total	M.	**1137**	**86**	**11**	**2**	**–**	**1**	**5**	**2**	**8**	**5**	**6**	**11**	**14**	**41**	**59**	**92**	**106**	**120**	**142**	**160**	**147**	**78**	**41**	**–**
		F.	**932**	**54**	**4**	**1**	**2**	**1**	**2**	**3**	**3**	**6**	**10**	**7**	**23**	**18**	**33**	**53**	**61**	**86**	**107**	**140**	**141**	**112**	**65**	**–**
	Diseases of buccal cavity and œsophagus (530-539)—																									
530	Dental caries	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531	Abscesses of supporting structures of teeth	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
532	Other inflammatory diseases of supporting structures of teeth	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
533	Disorders of occlusion, eruption and tooth development	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
534	Toothache from unspecified cause ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
535	Other diseases of teeth and supporting structures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
536	Stomatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
537	Diseases of salivary glands	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–
538	Other diseases of buccal cavity ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
539	Diseases of œsophagus	M.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	4	1	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	2	1	1	–
	Diseases of stomach and duodenum (540-545)—																									
540	Ulcer of stomach	M.	166	–	–	–	–	–	–	–	–	–	1	1	1	7	5	16	17	22	24	32	25	9	6	–
		F.	103	–	–	–	–	–	–	–	–	–	3	2	3	1	6	6	3	10	13	17	20	14	5	–
541	Ulcer of duodenum	M.	267	–	–	–	–	–	–	–	1	1	–	–	2	11	14	27	30	32	47	45	31	15	11	–
		F.	72	–	–	–	–	–	–	–	–	1	2	–	–	–	4	3	9	7	5	14	9	12	6	–
542	Gastrojejunal ulcer	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	2	1	2	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–
543	Gastritis and duodenitis	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	1	–	1	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	–	2	2	–
544	Disorders of function of stomach ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	1	–
545	Other diseases of stomach and duodenum	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	1	1	2	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	1	–	–	–
	Appendicitis (550-553)—																									
550	Acute appendicitis	M.	57	1	–	1	–	1	2	–	1	2	–	3	3	2	3	6	3	2	5	6	8	6	2	–
		F.	23	–	–	–	–	–	2	–	–	2	–	1	1	–	–	2	3	2	4	4	1	1	–	–
551	Appendicitis unqualified	M.	6	–	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	1	–	–	1	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	1	–
552	Other appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
553	Other diseases of appendix	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	IX. DISEASES OF THE DIGESTIVE SYSTEM—*continued*																									
	Hernia of abdominal cavity (560-561)—																									
560	Without mention of obstruction ...	M.	25	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	6	4	3	–	–
		F.	26	5	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	2	3	4	4	4	–	–
561	With obstruction	M.	54	5	–	1	–	–	–	–	–	–	–	1	–	–	1	3	4	3	4	10	10	7	5	–
		F.	79	–	–	–	–	–	–	–	–	–	–	–	2	1	2	3	4	7	9	12	20	12	7	–
	Other diseases of intestines and peritoneum (570-578)—																									
570	Intestinal obstruction, without mention of hernia	M.	121	10	4	–	–	–	2	–	2	1	–	2	–	1	7	5	9	10	19	14	18	11	6	–
		F.	98	3	–	–	–	–	–	–	–	3	–	–	2	3	1	1	4	6	13	11	20	20	11	–
	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and over—																									
571.0	Between 4 weeks and 2 years ...	M.	61	55	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	39	37	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571.1	2 years and over	M.	18	–	–	–	–	–	–	–	–	–	–	1	–	1	–	5	1	1	2	3	2	2	–	–
		F.	30	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	1	2	2	3	9	5	4	–
572	Chronic enteritis and ulcerative colitis	M.	57	–	–	–	–	–	–	–	1	–	2	1	1	4	3	9	8	5	6	4	6	6	1	–
		F.	89	–	–	–	–	–	–	–	2	–	2	3	5	2	4	6	3	10	15	13	11	11	2	–
573	Functional disorders of intestines ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
574	Anal fissure and fistula	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
575	Abscess of anal and rectal regions ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
576	Peritonitis	M.	6	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	2	1	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	4	1	1	1	–	–
577	Peritoneal adhesion	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
578	Other diseases of intestines and peritoneum	M.	22	1	–	–	–	–	–	–	1	1	–	–	–	3	–	–	1	–	1	4	8	1	1	–
		F.	17	–	–	–	–	–	–	–	1	–	–	–	1	2	–	1	1	2	2	4	–	2	1	–
	Diseases of liver, gall-bladder, and pancreas (580-587)—																									
580	Acute and subacute yellow atrophy of liver	M.	11	–	–	–	–	–	–	1	–	–	2	–	1	1	2	2	1	–	–	–	1	–	–	–
		F.	12	–	–	–	–	–	–	1	–	–	1	–	1	2	–	2	1	–	1	2	1	–	–	–
581	Cirrhosis of liver	M.	128	–	1	–	–	–	1	1	–	–	1	1	3	7	14	10	17	21	16	15	13	4	3	–
		F.	85	–	–	–	–	–	–	1	–	–	–	–	2	5	8	11	15	14	7	16	6	–	–	–
582	Suppurative hepatitis and liver abscess	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	1	–	–
583	Other diseases of liver	M.	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	1	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	2	1	2	1	1	–	1	–
584	Cholelithiasis	M.	28	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	5	4	3	5	3	3	–
		F.	58	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	3	5	10	11	13	6	5	–
585	Cholecystitis without mention of calculi	M.	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	3	4	3	4	–	–
		F.	81	–	–	–	–	–	–	–	–	–	–	–	2	1	1	3	4	7	8	12	14	14	15	–
586	Other diseases of gall-bladder and biliary ducts	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	3	–	–	–	–
		F.	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	2	–	2	–	–	–	–
587	Diseases of pancreas	M.	36	7	–	–	–	–	–	–	–	–	–	1	1	2	3	1	5	4	4	3	4	1	–	–
		F.	46	9	2	1	–	–	–	–	–	–	–	–	1	–	1	6	4	2	4	5	6	4	1	–
	X. DISEASES OF THE GENITO-URINARY SYSTEM	TOTAL M.	**862**	**6**	–	–	–	–	**4**	**3**	**5**	**11**	**9**	**15**	**15**	**18**	**28**	**25**	**43**	**52**	**94**	**134**	**174**	**141**	**85**	–
		TOTAL F.	**466**	**3**	**1**	**1**	–	–	**2**	**9**	**3**	**7**	**11**	**11**	**8**	**20**	**32**	**33**	**40**	**58**	**54**	**53**	**52**	**42**	**26**	–
	Nephritis and nephrosis (590-594)—																									
590	Acute nephritis	M.	13	1	–	–	–	–	1	–	1	1	–	1	–	1	–	2	1	–	1	2	–	1	–	–
		F.	12	1	–	–	–	–	–	–	1	–	–	1	–	–	1	–	1	1	2	2	–	2	–	–
591	Nephritis with œdema, including nephrosis	M.	27	2	–	–	–	–	2	1	1	–	1	–	2	1	3	2	5	2	2	1	1	1	–	–
		F.	22	1	–	–	–	–	–	2	–	1	–	2	1	–	4	1	2	4	1	–	1	–	2	–
592	Chronic nephritis	M.	199	–	–	–	–	–	–	1	1	8	8	12	10	11	13	14	19	16	29	25	16	13	3	–
		F.	205	–	–	–	–	–	1	5	1	5	6	4	4	9	14	13	15	24	23	26	27	19	9	–
593	Nephritis not specified as acute or chronic	M.	22	–	–	–	–	–	–	–	1	1	–	–	–	1	1	1	2	1	5	3	2	2	2	–
		F.	23	–	–	–	–	–	–	1	–	–	1	1	–	1	–	4	1	1	2	4	3	2	2	–
594	Other renal sclerosis	M.	3	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	X. DISEASES OF THE GENITO-URINARY SYSTEM—*continued*																									
	Other diseases of urinary system (600-609)—																									
600	Infections of kidney	M.	74	3	–	–	–	–	–	1	–	–	–	1	1	3	4	2	4	7	5	10	14	11	8	–
		F.	122	1	1	–	–	–	–	1	–	–	2	3	3	3	5	8	13	20	16	17	11	9	9	–
601	Hydronephrosis	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	1	3	1	–	–
		F.	7	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	–
602	Calculi of kidney and ureter	M.	20	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	2	2	6	3	1	–	1	–
		F.	14	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	4	1	2	–	–	1	–	–
603	Other diseases of kidney and ureter ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
604	Calculi of other parts of urinary system	M.	8	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	3	1	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
605	Cystitis	M.	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	6	3	5	4	–
		F.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	6	2	1	–
606	Other diseases of bladder	M.	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	2	–	1	–	2	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	1	–	–	–	–
607	Urethritis (non-venereal)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
608	Stricture of urethra	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	3	3	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
609	Other diseases of urethra	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	–
	Diseases of male genital organs (610-617)—																									
610	Hyperplasia of prostate	M.	421	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	20	34	77	120	100	62	–
611	Prostatitis	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	–	1	–
612	Other diseases of prostate	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
613	Hydrocele	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
614	Orchitis and epididymitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–
615	Redundant prepuce and phimosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
616	Sterility, male	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
617	Other diseases of male genital organs	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Diseases of breast, ovary, Fallopian tube and parametrium (620-626)—																									
620	Chronic cystic disease of breast ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
621	Other diseases of breast	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
622	Acute salpingitis and oöphoritis ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
623	Chronic salpingitis and oöphoritis ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
624	Salpingitis and oöphoritis, unqualified	F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
625	Other diseases of ovary and Fallopian tube	F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
626	Diseases of parametrium and pelvic peritoneum	F.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	2	–	–
	Diseases of uterus and other female genital organs (630-637)—																									
630	Infective disease of uterus, vagina and vulva	F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
631	Uterovaginal prolapse	F.	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	–	1	1	1	–	–
632	Malposition of uterus	F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
633	Other diseases of uterus	F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
634	Disorders of menstruation	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
635	Menopausal symptoms	F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
636	Sterility, female	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
637	Other diseases of female genital organs	F.	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos Detailed List	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM Total	F.	**51**	–	–	–	–	–	–	–	**2**	**9**	**6**	**15**	**14**	**5**	–	–	–	–	–	–	–	–	–	–
	Complications of pregnancy (640-649)—																									
640	Pyelitis and pyelonephritis of pregnancy	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
641	Other infections of genito-urinary tract during pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642.2	Eclampsia (642.3)	F.	5	–	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–
642.4	Hyperemesis gravidarum	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
642.5	Other toxæmias of pregnancy (642.0 & .1)	F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
643	Placenta prævia	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
644	Other hæmorrhage of pregnancy ...	F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
645	Ectopic pregnancy	F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
646	Anæmia of pregnancy	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
647	Pregnancy with malposition of fœtus in uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
648	Other complications arising from pregnancy	F.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
649	Pregnancy associated with other conditions	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Abortion (650-652)—																									
650	Without mention of sepsis or toxæmia	F.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	With sepsis	F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
652	With toxæmia, without mention of sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Delivery without complication (660)—																									
660	Delivery without complication ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Delivery with specified complication (670-678)—																									
670.*a*	Placenta prævia	F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
670.*b*	Other hæmorrhage of pregnancy ...	F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
671	Retained placenta	F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
672	Other postpartum hæmorrhage ...	F.	4	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
673	Abnormality of bony pelvis	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
674	Disproportion or malposition of fœtus	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
675	Prolonged labour of other origin ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
676	Laceration of perineum, without mention of other laceration ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
677	Other trauma	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
678	Other complications of childbirth ...	F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	Complications of the puerperium (680-689)—																									
680	Puerperal urinary infection without other sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
681	Sepsis of childbirth and the puerperium	F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
682	Puerperal phlebitis and thrombosis ...	F.	6	–	–	–	–	–	–	–	–	–	1	3	1	1	–	–	–	–	–	–	–	–	–	–
683	Pyrexia of unknown origin during the puerperium	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
684	Puerperal pulmonary embolism ...	F.	5	–	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–
685	Puerperal eclampsia	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
686	Other forms of puerperal toxæmia ...	F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
687	Cerebral hæmorrhage in the puerperium	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
688	Other and unspecified complications of the puerperium	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
689	Mastitis and other disorders of lactation	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE Total	M.	29	–	1	–	–	–	–	–	–	–	–	–	1	–	3	1	2	3	4	4	2	5	3	–
		F.	31	1	–	–	–	–	–	–	–	–	1	1	–	2	1	4	5	4	3	1	3	4	1	–
	Infections of skin and subcutaneous tissue (690-698)—																									
690	Boil and carbuncle	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–
691	Cellulitis of finger and toe	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
692	Other cellulitis and abscess without mention of lymphangitis ...	M.	11	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	3	–	2	–	–
		F.	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	1	–	–	1	–	–
693	Other cellulitis and abscess with lymphangitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
694	Acute lymphadenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
695	Impetigo	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
696	Infectious warts	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
697	Molluscum contagiosum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
698	Other local infections of skin and subcutaneous tissue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Other diseases of skin and subcutaneous tissue (700-716)—																									
700	Seborrhœic dermatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
701	Eczema	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
702	Occupational dermatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
703	Other dermatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
704	Pemphigus	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
705	Erythematous conditions	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
706	Psoriasis and similar disorders ...	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
707	Lichen planus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
708	Pruritus and related conditions ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
709	Corns and callosities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
710	Other hypertrophic and atrophic conditions of skin	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
711	Other dermatoses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
712	Diseases of nail	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
713	Diseases of hair and hair follicles ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
714	Diseases of sweat and sebaceous glands	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
715	Chronic ulcer of skin	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	10	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	1	1	–	2	2	–	–
716	Other diseases of skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																									
	TOTAL	M.	**67**	**1**	–	–	**1**	–	–	**3**	–	**2**	**1**	**2**	**1**	**1**	**2**	**2**	**6**	**13**	**10**	**8**	**10**	–	**4**	–
		F.	**193**	**1**	–	–	–	–	–	–	–	–	**2**	–	**1**	**7**	**1**	**11**	**12**	**21**	**31**	**39**	**34**	**25**	**8**	–
	Arthritis and rheumatism except rheumatic fever (720-727)—																									
720	Acute arthritis due to pyogenic organisms	M.	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT—*continued*																									
	Arthritis and rheumatism except rheumatic fever—continued																									
721	Acute non-pyogenic arthritis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
722	Rheumatoid arthritis and allied conditions	M.	32	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	8	5	4	8	–	2	–
		F.	144	–	–	–	–	–	–	–	–	–	–	–	1	4	1	9	11	14	23	31	26	18	6	–
723	Osteo-arthritis (arthrosis) and allied conditions	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	–	1	–
		F.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	4	3	1	–
724	Other specified forms of arthritis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
725	Arthritis, unspecified	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
726	Muscular rheumatism	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
727	Rheumatism, unspecified	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	1	–	–
	Osteomyelitis and other diseases of bone and joint (730-738)—																									
730	Osteomyelitis and periostitis ...	M.	5	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
731	Osteitis deformans	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	1	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	1	–	1	1	–
732	Osteochondrosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
733	Other diseases of bone	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	1	1	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
734	Internal derangement of knee joint ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
735	Displacement of intervertebral disc ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
736	Affection of sacro-iliac joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
737	Ankylosis of joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
738	Other diseases of joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases of musculoskeletal system (740-749)—																									
740	Bunion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
741	Synovitis, bursitis and tenosynovitis without mention of occupational origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
742	Synovitis, bursitis, and tenosynovitis of occupational origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
743	Infective myositis and other inflammatory diseases of tendon and fascia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
744	Other diseases of muscle, tendon and fascia	M.	9	–	–	–	1	–	–	2	–	–	1	–	–	–	1	–	1	2	1	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–
745	Curvature of spine	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
746	Flat foot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
747	Hallux valgus and varus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
748	Clubfoot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
749	Other deformities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XIV. CONGENITAL MALFORMATIONS Total	M.	345	274	15	1	3	2	2	4	7	3	4	3	2	6	5	4	5	1	2	2	–	–	–	–
		F.	317	234	7	4	2	3	11	8	5	3	4	3	4	4	4	3	4	4	4	4	2	–	–	–
750	Monstrosity	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
751	Spina bifida and meningocele ...	M.	65	63	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	78	75	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
752	Congenital hydrocephalus	M.	35	30	2	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	27	20	1	–	1	2	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
753	Other congenital malformations of nervous system and sense organs	M.	6	3	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	17	10	1	–	–	–	3	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
754	Congenital malformations of circulatory system	M.	125	88	9	–	2	–	2	1	7	1	3	2	1	3	2	2	2	–	–	–	–	–	–	–
		F.	101	70	1	1	–	–	5	5	3	3	2	2	2	2	2	–	1	2	–	–	–	–	–	–
755	Cleft palate and harelip	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756.0	Congenital pyloric stenosis	M.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756.2	Other congenital malformations of digestive system (756.1)	M.	45	40	1	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
		F.	26	21	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
757	Congenital malformations of genito-urinary system	M.	26	11	–	1	–	–	–	1	–	–	–	–	–	2	3	2	3	1	2	–	–	–	–	–
		F.	23	2	–	–	–	–	1	1	–	–	1	–	1	1	2	1	3	2	4	2	2	–	–	–
758	Congenital malformations of bone and joint	M.	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
759	Other and unspecified congenital malformations, not elsewhere classified	M.	30	28	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	28	20	–	1	1	1	–	–	1	–	1	1	–	–	–	1	–	–	–	1	–	–	–	–
	XV. CERTAIN DISEASES OF EARLY INFANCY Total	M.	893	893	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	579	579	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Birth injuries, asphyxia and infections of newborn (760-769)—																									
760	Intracranial and spinal injury at birth	M.	131	131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	75	75	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
761	Other birth injury	M.	27	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
762	Post-natal asphyxia and atelectasis ...	M.	288	288	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	188	188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	Pneumonia of newborn	M.	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	45	45	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	Diarrhœa of newborn	M.	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765	Ophthalmia neonatorum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
766	Pemphigus neonatorum	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
767	Umbilical sepsis	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
768	Other sepsis of newborn	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769	Neonatal disorders arising from maternal toxæmia	M.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases peculiar to early infancy (770-776)—																									
770	Hæmolytic disease of newborn (Erythroblastosis)	M.	41	41	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
771	Hæmorrhagic disease of newborn ...	M.	30	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
772	Nutritional maladjustment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.*a*	Congenital debility without immaturity	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.*b*	Congenital debility with immaturity	M.	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773.*c*	Other ill-defined diseases peculiar to early infancy	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XV. CERTAIN DISEASES OF EARLY INFANCY—*continued*																									
	Other diseases peculiar to early infancy (770-776)—*continued*																									
774	Immaturity with mention of any other subsidiary condition ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
775	Immaturity subsidiary to some other cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
776	Immaturity, unqualified	M.	240	240	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	174	174	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS Total	M.	**428**	**33**	**3**	**2**	–	**1**	–	**1**	–	–	**3**	**2**	**1**	**8**	**9**	**13**	**11**	**10**	**13**	**36**	**61**	**107**	**114**	–
		F.	**569**	**21**	**3**	–	–	–	–	–	–	**1**	–	–	–	**2**	**1**	**4**	**6**	**5**	**11**	**30**	**87**	**124**	**274**	–
	Symptoms referable to systems or organs (780-789)—																									
	Certain symptoms referable to nervous system and special senses:—																									
780.*a*	Convulsions under 5	M.	32	26	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	21	18	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780.*b*	Other certain symptoms referable to nervous system and special senses	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
781	Other symptoms referable to nervous system and special senses ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cardiovascular and lymphatic systems—																									
782.4	Heart failure	M.	23	2	–	–	–	–	–	–	–	–	–	–	–	3	2	3	–	2	3	2	4	2		–
		F.	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	5	8	2	1	–
782.5	Syncope	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
782.9	Other symptoms of cardiovascular and lymphatic systems (782.0-3 and 6-8)	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
783	Respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
784	Upper gastro-intestinal tract... ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–
785	Abdomen and lower gastro-intestinal system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
786	Genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
787	Limbs and back	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
788	Other general symptoms	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
789	Abnormal urinary constituents of unspecified cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Senility and ill-defined diseases (790-795)—																									
790	Nervousness and debility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
791	Headache	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
792	Uræmia unqualified	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
793	Observation, without need for further medical care	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	Senility without mention of psychosis	M.	270	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	19	42	96	111	–
		F.	477	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	15	72	118	269	–
795.0	Other ill-defined (795.1)	M.	79	4	–	–	–	–	–	–	–	–	2	1	1	3	4	9	8	7	5	13	11	8	3	–
		F.	35	2	–	–	–	–	–	–	–	–	–	–	–	2	1	2	4	3	4	9	5	1	2	–
795.5	Unknown or unspecified (795.2-4) ...	M.	11	–	–	–	–	–	–	1	–	–	1	–	–	1	1	–	2	1	1	2	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)																									
	TOTAL	M.	**1645**	**91**	**14**	**18**	**16**	**17**	**58**	**37**	**76**	**72**	**89**	**101**	**78**	**95**	**123**	**131**	**131**	**92**	**81**	**99**	**94**	**80**	**52**	–
		F.	**997**	**68**	**12**	**13**	**8**	**7**	**28**	**10**	**14**	**16**	**11**	**16**	**24**	**28**	**36**	**44**	**57**	**69**	**56**	**83**	**124**	**133**	**140**	–
	Railway accidents (E800-E802)—																									
E800	Railroad employee	M.	18	–	–	–	–	–	–	–	–	–	2	3	–	–	1	6	3	3	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Railway accidents (E800-E802)—*continued*																									
E801	Passenger	M.	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E802	Other and unspecified person ...	M.	17	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	3	3	2	3	3	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	MOTOR VEHICLE ACCIDENTS (E810-E835) ... ... TOTAL	M.	**431**	–	**4**	**7**	**9**	**11**	**31**	**13**	**28**	**28**	**28**	**30**	**23**	**31**	**34**	**29**	**27**	**24**	**16**	**23**	**19**	**13**	**3**	–
		F.	**127**	–	**3**	**9**	**4**	**4**	**15**	**5**	**4**	**5**	**4**	**5**	–	**7**	**5**	**6**	**6**	**11**	**5**	**11**	**10**	**6**	**2**	–
	Motor vehicle traffic accidents (E810-E825)—																									
E810	Collision with railway train	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E811	Collision with street car	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E812	Pedestrian	M.	196	–	4	7	8	11	29	5	4	3	5	5	7	7	9	10	10	18	9	19	12	11	3	–
		F.	88	–	3	9	3	4	15	4	2	1	1	3	–	4	1	2	4	8	4	8	7	5	–	–
E813	Pedal cyclist	M.	23	–	–	–	–	–	1	3	3	1	1	4	1	1	–	3	2	1	1	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E814	Rider or passenger of motor cycle in collision with non-motor vehicle or object	M.	6	–	–	–	–	–	–	–	2	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E815	Rider or passenger of motor cycle in collision with other motor vehicle	M.	35	–	–	–	–	–	–	–	3	7	7	1	1	5	5	2	3	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E816	Two or more motor vehicles	M.	51	–	–	–	1	–	–	2	3	2	2	4	4	8	7	6	3	3	2	1	3	–	–	–
		F.	22	–	–	–	–	–	–	1	1	3	1	2	–	1	4	3	2	–	1	1	1	–	1	–
E817	Occupant of motor vehicle in collision with pedestrian or pedal cycle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E818	Collision with animal or animal-drawn vehicle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E819	Collision with fixed or unspecified object	M.	3	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E820	While boarding and alighting ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
E821	Rider of motor cycle not involving collision	M.	28	–	–	–	–	–	–	–	6	3	5	7	4	1	2	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E822	Overturning in roadway	M.	9	–	–	–	–	–	–	–	2	1	–	2	–	2	1	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E823	Running off roadway	M.	29	–	–	–	–	–	1	1	1	3	4	3	2	3	4	4	2	–	1	–	–	–	–	–
		F.	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E824	Other non-collision motor vehicle traffic accident	M.	11	–	–	–	–	–	–	1	–	1	1	1	2	–	–	–	3	–	–	–	1	1	–	–
		F.	8	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	1	–	1	–	1	1	–
E825	Unspecified nature	M.	17	–	–	–	–	–	–	–	2	4	–	1	1	2	1	1	1	–	2	1	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–
	Motor vehicle non-traffic accidents (E830-E835)—																									
E830	Pedestrian	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E831	Pedal cyclist	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E832	Rider or passenger of motor cycle ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E833	Two or more motor vehicles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E834	While boarding and alighting ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E835	Other and unspecified nature ...	M.	17	–	–	–	–	–	–	1	2	1	3	1	–	2	–	1	3	–	1	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other road vehicle accidents (E840-E845)—																									
E840	Street car accident to pedestrian ...	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	1	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–
E841	Other street car accident except collision with motor vehicle	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E842	Accident to pedestrian caused by pedal cycle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Other road vehicle accidents (E840-E845)—*continued*																									
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	M.	11	–	–	–	–	–	1	–	2	1	–	–	1	–	1	1	–	–	–	2	1	1	–	–
		F.	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E844	Accident to pedestrian caused by other non-motor road vehicle ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E845	Other non-motor road vehicle accidents	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Water transport accidents (E850-E858)—																									
E850	Submersion of occupant of small boat	M.	9	–	–	–	–	–	–	1	–	5	1	–	1	–	–	–	–	1	–	–	–	–	–	–
		F.	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E851	Other water transport injury by submersion	M.	17	–	–	–	–	–	–	–	1	1	2	2	2	2	2	–	3	1	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E852	Fall on stairs and ladders in water transport	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E853	Other falls from one level to another in water transport...	M.	6	–	–	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E854	Falls on same level in water transport	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E855	Unspecified falls in water transport ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E856	Machinery accident in water transport	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E857	Other specified accidents in water transport	M.	11	–	–	–	–	–	–	–	3	–	–	4	1	–	–	2	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E858	Water transport accident of unspecified cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aircraft accidents (E860-E866)—																									
E860	Accident to personnel in military aircraft	M.	18	–	–	–	–	–	–	–	–	5	6	5	2	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E861	Injury to occupant by accident to commercial "transport" aircraft	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E862	Other injury in commercial "transport" aircraft	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E863	Injury to occupant by accident to other aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E864	Aircraft accident at airfield to person not in aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E865	Aircraft accident elsewhere to person not in aircraft	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E866	Other and unspecified aircraft accidents	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ACCIDENTAL POISONING ... (E870-E895) ... ... TOTAL ...	M.	102	–	3	–	–	–	1	–	2	–	3	12	6	7	8	9	9	10	8	10	4	7	3	–
		F.	122	–	–	–	–	–	–	1	2	2	1	4	3	6	9	8	5	14	12	13	20	15	7	–
	Accidental poisoning by solid and liquid substances (E870-E888)—																									
E870	Morphine and other opium derivatives	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E871	Barbituric acid and derivatives ...	M.	13	–	–	–	–	–	–	–	–	–	1	3	1	2	2	1	1	2	–	–	–	–	–	–
		F.	18	–	–	–	–	–	–	–	1	–	–	2	–	1	1	3	2	3	2	1	2	–	–	–
E872	Aspirin and salicylates	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E873	Bromides	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E874	Other analgesic and soporific drugs ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E875	Sulphonamides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E876	Strychnine	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E877	Belladonna, hyoscine and atropine ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Accidental poisoning by solid and liquid substances (E870—E888)—*continued*																									
E878	Other and unspecified drugs	M.	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E879	Noxious foodstuffs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E880	Alcohol	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E881	Petroleum products	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E882	Industrial solvents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E883	Corrosive aromatics, acids and caustic alkalis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
E884	Mercury and its compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E885	Lead and its compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E886	Arsenic, and antimony, and their compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E887	Fluorides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E888	Other and unspecified solid and liquid substances	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

			(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Accidental poisoning by gases and vapours (E890-E895)—																							
E890	Utility (illuminating) gas	M.	74	–	–	–	–	–	–	–	2	–	1	8	4	5	5	6	8	7	7	8	4	6	3	–
		F.	97	–	–	–	–	–	–	1	1	2	–	1	3	4	8	4	3	9	10	11	18	15	7	–
E891	Motor vehicle exhaust gas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E892	Other carbon-monoxide gas	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E893	Cyanide gas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E894	Other specified gases and vapours ...	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
E895	Unspecified gases and vapours ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Accidental falls (E900-E904)—																									
E900	On stairs	M.	35	–	–	–	–	–	–	1	–	–	1	–	2	1	2	1	5	3	1	7	7	4	–	–
		F.	15	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	4	1	3	2	1	–
E901	From ladders	M.	9	–	–	–	–	–	–	–	–	–	–	–	2	1	2	1	1	–	–	2	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E902	From one level to another	M.	76	–	1	–	1	1	2	2	8	5	4	5	5	4	5	5	12	3	3	4	2	2	2	–
		F.	21	–	1	1	1	–	1	–	–	–	1	–	–	1	–	–	2	2	1	–	4	4	2	–
E903	On same level	M.	36	–	–	–	–	–	–	–	–	1	–	–	1	1	4	2	–	–	2	6	8	7	4	–
		F.	37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	9	8	11	–
E904	Unspecified falls	M.	113	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	1	3	2	13	27	31	30	–
		F.	289	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	6	10	31	51	82	108	–
	Other accidents (E910-E936)—																									
E910	Blow from falling object	M.	50	–	–	–	–	–	–	2	2	1	2	6	6	6	7	8	9	–	–	1	–	–	–	–
		F.	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E911	Caused by vehicle	M.	12	–	–	–	–	–	–	–	3	1	–	1	–	1	2	2	2	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E912	Caused by machinery...	M.	30	–	–	–	–	–	1	–	5	1	3	2	3	2	2	5	1	2	1	2	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E913	Caused by cutting and piercing instruments	M.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E914	Caused by electrical current	M.	11	–	1	–	–	–	1	1	2	3	1	–	1	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Other accidents (E910-E936)—*continued*																									
E915	Caused by explosion of pressure vessel	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E916	Caused by fire and explosion of combustible material	M.	47	–	–	3	1	2	3	2	1	1	1	2	1	3	–	2	6	–	1	2	4	7	5	–
		F.	69	3	2	–	1	2	4	2	–	–	1	–	1	1	2	1	2	4	5	8	15	10	5	–
E917	Caused by hot substance, corrosive liquid, and steam	M.	9	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	3	–	–	1	–	1	–
		F.	12	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	2	2	–	1	3	–
E918	Caused by radiation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E919	Caused by firearm	M.	12	–	–	–	–	–	–	–	3	1	–	2	1	2	2	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E920	Foreign body entering eye and adnexa	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	70	55	2	2	–	–	–	1	–	–	–	2	–	–	3	1	2	–	–	1	–	1	–	–
		F.	39	35	1	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E923	Foreign body entering other orifice ...	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E924	Accidental mechanical suffocation in bed and cradle	M.	27	26	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	21	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E925	Accidental mechanical suffocation in other and unspecified circumstances	M.	10	2	–	1	–	–	–	–	–	–	–	3	2	1	1	–	–	–	–	–	–	–	–	–
		F.	8	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E926	Lack of care of infants under 1 year of age	M.		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E927	Accidents caused by bites and stings of venomous animals and insects	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E928	Other accidents caused by animals ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E929	Accidental drowning and submersion	M.	126	–	3	5	4	3	14	8	6	6	6	4	3	5	12	8	9	9	13	6	2	–	–	–
		F.	39	–	1	3	2	–	–	1	–	3	1	1	4	–	1	9	4	2	1	4	2	–	–	–
E930	High and low air pressure	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E931	Excessive heat and insolation ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E932	Excessive cold	M.	4	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
E933	Hunger, thirst and exposure ...	M.	3	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
E934	Cataclysm	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E935	Lightning	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E936	Other and unspecified accidents ...	M.	14	1	–	–	1	–	–	3	1	–	1	–	–	1	–	2	–	3	–	–	1	–	–	–
		F.	6	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	Complications due to non-therapeutic medical and surgical procedures (E940-E946)—																									
E940	Generalized vaccinia following vaccination	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E941	Post-vaccinal encephalitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E942	Other complications of smallpox vaccination...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E943	Post-immunization jaundice and hepatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E944	Other complications of prophylactic inoculation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E945	Complications of anæsthesia for non-therapeutic purpose	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Complications due to nontherapeutic medical and surgical procedures (E940-E946)—*continued*																									
E946	Other complications due to nontherapeutic medical and surgical procedures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)—																									
E950	In surgical treatment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E951	In infusion or transfusion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E952	In local applications	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E953	In administration of drugs or biologicals	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E954	In anæsthesia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E955	Other and unspecified therapeutic misadventure	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E956	Late complication of surgical operation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E957	Late complication of amputation stump	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E958	Late complication of irradiation ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E959	Late complications of other forms of treatment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Late effects of injury and poisoning (E960-E965)—																									
E960	Motor vehicle accident	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E961	Accidental poisoning	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E962	Other accidental injury	M.	7	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	1	1	1	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–
E963	Self-inflicted injury	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E964	Injury purposely inflicted by another person (not in war)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E965	Injuries due to war operations ...	M.	8	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	4	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUICIDE AND SELF-INFLICTED INJURY (E970-E979) TOTAL	M.	**255**	–	–	–	–	–	–	**1**	**3**	**7**	**26**	**13**	**12**	**21**	**28**	**37**	**33**	**18**	**27**	**9**	**13**	**4**	**3**	–
		F.	**148**	–	–	–	–	–	–	–	**1**	**5**	**2**	**5**	**14**	**11**	**16**	**16**	**31**	**22**	**11**	**8**	**5**	**1**	–	–
E970	Poisoning by analgesic and soporific substances	M.	14	–	–	–	–	–	–	–	1	1	4	1	1	1	1	1	1	–	1	1	–	–	–	–
		F.	19	–	–	–	–	–	–	–	–	2	–	1	2	1	4	2	4	2	–	1	–	–	–	–
E971	Poisoning by other solid and liquid substances	M.	8	–	–	–	–	–	–		–	1	2	1	–	1	1	–	–	–	2	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
E972	Poisoning by gases in domestic use ...	M.	111	–	–	–	–	–	–	–	–	2	13	6	5	11	6	14	17	10	11	3	10	2	1	–
		F.	90	–	–	–	–	–	–	–	1	2	1	2	9	5	7	11	18	14	8	6	5	1	–	–
E973	Poisoning by other gases	M.	6	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E974	Injury by hanging and strangulation	M.	37	–	–	–	–	–	–	1	1	2	3	1	–	1	8	5	4	3	4	1	1	1	1	–
		F.	8	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	2	1	1	–	–	–	–	–
E975	Injury by submersion (drowning) ...	M.	25	–	–	–	–	–	–	–	–	–	2	3	1	1	3	3	3	2	4	2	1	–	–	–
		F.	19	–	–	–	–	–	–	–	–	–	–	–	2	4	3	2	5	2	1	–	–	–	–	–
E976	Injury by firearms and explosives ...	M.	19	–	–	–	–	–	–	–	1	1	1	–	3	3	2	4	2	2	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E977	Injury by cutting and piercing instruments	M.	18	–	–	–	–	–	–	–	–	–	1	1	1	1	2	5	1	–	2	1	1	1	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–		–	–
E978	Injury by jumping from high place ...	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	1	3	3	2	–	3	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–	–	–	–
E979	Injury by other and unspecified means	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	–	–	–	–	.
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1956 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages																						
				-1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)—																									
E980	Non-accidental poisoning by another person	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
E981	Assault by firearm and explosive ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
E982	Assault by cutting and piercing instruments	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
E983	Assault by other means	M.	7	1	–	–	–	–	1	–	1	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–
		F.	6	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–
E984	Injury by intervention of police ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E985	Execution	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Injury resulting from operations of war (E990-E999)—																									
E990	Gas and chemicals	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E991	Gunshot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E992	Grenade and land-mine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E993	Bomb	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E994	Marine mine, depth charge, and torpedo	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E995	Explosion of artillery shell	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E996	Explosion of undetermined origin ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E997	Aircraft destruction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E998	Other and unspecified means ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E999	Occurring after cessation of hostilities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 43.—Causes of Death by Months—Scotland, 1956

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	[illegible]
		ALL CAUSES—Both Sexes ...	**61792**	**6400**	**6935**	**5824**	**5189**	**4939**	**4431**	**4325**	**4486**	**4277**	**4729**	**4987**	**5[illegible]**
		All Tuberculosis (001-019) TOTAL	801	97	95	77	66	50	47	62	48	59	75	59	[illegible]
001-008	1	Respiratory system	715	91	83	69	58	47	39	55	42	55	73	47	[illegible]
010	2	Meninges and central nervous system	22	2	4	2	3	1	3	1	1	1	–	1	[illegible]
011	3	Intestines, peritoneum and mesenteric glands	7	–	–	1	1	–	1	1	–	1	1	–	[illegible]
012, 013	4	Bones and joints	21	3	2	2	2	1	2	2	2	1	–	3	[illegible]
014-019	5	All other forms	36	1	6	3	2	1	2	3	3	1	1	8	[illegible]
		Syphilis (020-029) TOTAL	88	7	16	9	8	2	2	5	8	9	5	7	1
020	6	Congenital syphilis	1	–	–	–	–	–	–	–	–	–	1	–	[illegible]
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
024	8	Tabes dorsalis	10	–	1	1	–	1	–	4	1	–	–	1	[illegible]
025	9	General paralysis of insane ...	20	2	2	4	1	–	–	1	3	3	1	1	[illegible]
022-023, 026-029	10	All other syphilis	57	5	13	4	7	1	2	–	4	6	3	5	[illegible]
030-035	11	Gonococcal infection	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
040	12	Typhoid fever	2	1	–	1	–	–	–	–	–	–	–	–	[illegible]
041, 042	13	Paratyphoid fever and other salmonella infections	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
044	15	Brucellosis (undulant fever) ...	1	–	–	–	–	–	–	–	–	–	1	–	[illegible]
045-048	16	Dysentery, all forms	3	–	–	–	–	–	1	–	–	1	1	–	[illegible]
050	17	Scarlet fever	1	–	–	–	–	1	–	–	–	–	–	–	[illegible]
051	18	Streptococcal sore throat ...	1	–	–	–	–	–	–	–	1	–	–	–	[illegible]
052	19	Erysipelas	1	–	–	–	–	–	–	–	1	–	–	–	[illegible]
053	20	Septicæmia and pyæmia	15	3	1	–	2	2	1	1	1	1	2	1	[illegible]
055	21	Diphtheria	2	–	–	–	–	–	–	–	–	2	–	–	[illegible]
056	22	Whooping cough	14	1	–	1	1	1	–	2	1	1	1	–	[illegible]
057	23	Meningococcal infections	27	6	6	1	3	2	–	3	1	–	1	2	[illegible]
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
061	26	Tetanus	6	–	2	1	–	1	–	1	–	–	–	1	[illegible]
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
080	28	Acute poliomyelitis	9	2	–	–	–	–	–	1	3	1	1	1	[illegible]
082	29	Acute infectious encephalitis ...	6	–	–	–	–	3	–	–	–	2	–	1	[illegible]
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	33	8	3	5	–	7	1	3	–	3	2	1	[illegible]
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
085	32	Measles	10	1	–	–	1	1	–	–	–	1	1	4	[illegible]
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
092	34	Infectious hepatitis	24	–	2	4	–	–	2	7	1	1	4	2	[illegible]
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
100-108	36	Typhus and other rickettsial diseases	1	1	–	–	–	–	–	–	–	–	–	–	[illegible]
110-117	37	Malaria	1	1	–	–	–	–	–	–	–	–	–	–	[illegible]
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
125	39	Hydatid disease	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
124, 126, 128, 130	42	Other diseases due to helminths ...	–	–	–	–	–	–	–	–	–	–	–	–	[illegible]
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	18	3	4	2	2	1	–	–	1	2	–	1	2
		Malignant neoplasms (140-205) TOTAL	10754	901	883	875	928	880	867	900	899	854	990	912	865
140-148	44	Buccal cavity and pharynx ...	234	25	20	20	20	23	18	24	12	14	20	20	18
150	45	Œsophagus	298	22	26	23	19	29	19	28	32	34	25	22	19
151	46	Stomach...	1757	141	139	164	156	145	138	121	168	142	156	150	137
152, 153	47	Intestine (except rectum) ...	1354	116	108	101	129	122	111	117	119	103	110	116	102
154	48	Rectum	562	43	36	45	53	43	52	44	60	47	51	42	46
161	49	Larynx	94	6	5	9	12	12	5	9	7	6	15	3	5
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	1983	168	165	130	177	158	160	170	151	167	195	165	177
170	51	Breast	903	69	83	77	72	80	62	76	68	74	84	84	74
171	52	Cervix uteri	254	22	22	20	20	18	26	12	20	23	31	26	14
172-174	53	Other and unspecified parts of uterus	233	21	15	13	21	21	19	14	23	20	25	25	16
177	54	Prostate	418	41	43	42	38	29	39	41	26	32	30	32	25
190-191	55	Skin	112	9	10	12	6	12	10	7	12	10	10	7	7

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
		Malignant neoplasms (140-205) —*continued*													
96, 197	56	Bone and connective tissue ...	135	11	10	12	12	7	8	14	13	12	11	10	15
55-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites...	1875	161	148	160	156	140	158	177	138	134	172	163	168
204	58	Leukæmia and aleukæmia ...	241	22	25	26	15	21	18	21	19	10	21	24	19
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	301	24	28	21	22	20	24	25	31	26	34	23	23
210-239	60	Benign neoplasms and neoplasms of unspecified nature	146	10	15	12	9	12	6	13	13	10	11	19	16
250, 251	61	Non-toxic goitre	7	–	–	1	1	1	–	–	1	3	–	–	–
252	62	Thyrotoxicosis with or without goitre	16	2	3	3	2	1	–	–	–	1	–	1	3
260	63	Diabetes mellitus	473	46	50	55	34	37	38	38	42	28	37	24	44
280-286	64	Avitaminosis and other deficiency states	25	2	1	4	3	2	3	2	1	2	1	–	4
290	65*a*	Pernicious and other hyperchromic anæmias	149	12	14	15	21	14	14	8	9	6	16	9	11
291-293	65*b*	Other anæmias	96	9	10	9	4	9	8	9	8	6	6	7	11
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	386	41	47	39	24	34	20	31	27	29	26	37	31
300-309	67	Psychoses	111	13	10	6	7	6	6	11	9	8	10	11	14
310-324, 326	68	Psychoneuroses and disorders of personality	23	2	–	6	–	1	4	1	5	–	–	2	2
325	69	Mental deficiency	19	–	1	3	2	2	2	1	–	1	1	1	5
330	70*a*	Subarachnoid hæmorrhage ...	243	22	22	15	21	18	21	21	20	17	21	23	22
331	70*b*	Cerebral hæmorrhage	4168	426	392	423	373	334	313	272	337	269	310	339	380
332	70*c*	Cerebral embolism and thrombosis	4541	514	502	428	404	389	309	318	301	312	315	343	406
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	728	74	84	70	63	77	53	56	43	43	42	52	71
340	71	Non-meningococcal meningitis ...	45	4	6	1	8	6	2	1	2	2	5	4	4
345	72	Multiple sclerosis	149	10	16	21	15	13	5	11	13	13	11	9	12
353	73	Epilepsy	102	7	12	10	7	4	5	11	5	13	8	11	9
370-379	74	Inflammatory diseases of eye ...	2	–	–	–	–	–	–	–	–	1	–	–	1
385	75	Cataract	5	–	–	–	–	–	–	–	–	3	–	1	1
387	76	Glaucoma	1	–	–	–	–	–	–	1	–	–	–	–	–
391-393	77	Otitis media and mastoiditis ...	14	–	4	4	2	–	1	1	1	1	–	–	–
350	78*a*	Paralysis agitans	173	15	24	25	20	15	14	8	7	15	13	12	5
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs ...	259	28	22	25	26	23	21	13	20	24	14	22	21
400-402	79	Rheumatic fever	48	5	4	8	4	2	9	2	–	2	5	5	2
		Heart disease (410-443) Total	21151	2239	2434	2032	1786	1632	1524	1457	1503	1406	1586	1706	1846
410-416	80	Chronic rheumatic heart disease	819	89	95	90	63	52	59	60	59	55	51	76	70
420	81*a*	Arteriosclerotic heart disease (including coronary disease) ...	9430	986	941	868	785	716	694	696	730	618	761	803	832
421	81*b*	Chronic endocarditis not specified as rheumatic	347	33	44	30	26	29	28	15	22	23	26	30	41
422.0	81*c*	Fatty degeneration of heart ...	42	8	5	3	3	5	–	2	–	3	6	2	5
422.1	81*d*	Myocardial degeneration with arteriosclerosis	4828	517	603	480	420	405	323	316	321	335	329	363	416
422.2	81*e*	Other myocardial degeneration	3795	408	522	378	326	281	280	247	231	234	267	289	332
430-432	82*a*	Acute non-rheumatic heart disease	122	12	15	10	12	12	11	6	6	7	9	9	13
433-434	82*b*	Other and unspecified diseases of heart	486	50	68	50	36	32	32	34	34	28	45	41	36
440-443	83	Hypertension with heart disease	1282	136	141	123	115	100	97	81	100	103	92	93	101
444-447	84	Hypertension without mention of heart	709	72	78	78	55	54	59	41	52	46	56	55	63
450	85*a*	General arteriosclerosis	1312	149	175	118	106	113	90	97	79	93	91	108	93
451-456	85*b*	Other diseases of arteries ...	248	28	25	23	20	19	18	16	28	15	19	20	17
460-468	86	Other diseases of circulatory system	235	32	22	22	14	13	18	14	15	16	34	19	16
470-475	87	Acute upper respiratory infections	31	5	5	3	3	3	–	–	–	2	5	2	3

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
480-483	88	Influenza	262	38	131	45	17	2	2	3	4	5	3	3	9
490	89	Lobar pneumonia	391	55	71	48	23	36	23	20	19	17	26	21	32
491	90	Bronchopneumonia	1324	178	255	156	93	79	61	64	66	85	74	96	117
492, 493	91	Primary atypical, other and unspecified pneumonia	201	26	35	20	16	13	10	12	13	9	8	22	17
		Bronchitis (500-502) Total	2077	344	451	227	157	134	93	75	82	81	105	163	165
500	92	Acute	280	43	81	36	30	17	4	8	7	7	9	15	23
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	1149	191	209	132	89	83	61	39	52	42	59	96	96
501*a*, 502*a*	93*b*	Chronic and unqualified—otherwise defined	648	110	161	59	38	34	28	28	23	32	37	52	46
510	94	Hypertrophy of tonsils and adenoids	4	–	1	–	1	–	1	–	1	–	–	–	–
518, 521	95	Empyema and abscess of lung ...	20	1	5	3	–	1	–	–	4	–	–	3	3
519	96	Pleurisy	19	–	3	2	3	2	–	2	1	3	–	1	2
511-517, 520, 522-527	97	All other respiratory diseases ...	520	54	88	46	53	32	31	23	25	35	33	50	50
530-535	98	Diseases of teeth and supporting structures	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	269	35	26	21	15	22	18	21	18	26	18	24	25
541	100	Ulcer of duodenum	339	27	36	33	30	27	27	19	27	26	29	25	33
543	101	Gastritis and duodenitis	18	2	1	–	5	2	1	2	2	1	1	–	1
550-553	102	Appendicitis	91	6	6	5	6	7	8	13	10	9	5	7	9
560, 561, 570	103	Intestinal obstruction and hernia	403	41	38	32	34	35	25	27	37	33	37	30	34
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	100	16	5	8	7	11	7	8	3	5	13	5	12
571.1	104*b*	Gastro-enteritis over 2 years ...	48	4	5	5	4	–	3	6	3	4	4	6	4
572	104*c*	Chronic enteritis and ulcerative colitis	146	11	11	11	11	16	8	9	16	13	13	10	17
581	105	Cirrhosis of liver	213	24	23	19	19	24	15	13	17	15	18	12	14
584, 585	106	Cholelithiasis and cholecystitis ...	188	17	16	14	13	33	16	13	9	9	14	18	16
580, 582, 583, 586	107*a*	Other diseases of liver	58	6	5	4	6	4	8	4	7	2	8	4	–
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	196	8	27	15	14	18	22	20	18	18	12	13	11
590	108	Acute nephritis	25	4	3	3	1	1	2	–	2	3	4	2	–
591-594	109	Chronic, other and unspecified nephritis	503	46	58	52	57	37	41	28	36	23	38	45	42
600	110	Infections of kidney	196	17	19	11	10	20	24	12	19	25	14	10	15
602, 604	111	Calculi of urinary system ...	43	1	2	5	–	6	5	2	3	4	3	5	7
610	112	Hyperplasia of prostate	421	48	45	39	40	28	32	29	29	34	37	36	24
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	51	5	5	4	4	7	8	2	6	2	3	2	3
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	89	10	12	6	11	10	5	7	9	3	3	6	7
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	14	2	1	–	–	5	–	1	–	1	3	1	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	10	–	1	1	3	–	2	–	–	–	1	1	1
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	7	1	–	1	1	–	1	–	–	1	1	–	1
671, 672	117*b*	Postpartum hæmorrhage ...	6	–	–	1	1	–	–	1	1	–	–	1	1
650	118	Abortion without mention of sepsis or toxæmia	2	–	–	1	–	–	–	–	–	1	–	–	–
651	119	Abortion with sepsis	1	–	–	–	–	–	–	–	–	1	–	–	–
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium...	11	1	1	2	1	–	–	2	–	1	1	1	1
690-698	121	Infections of skin and subcutaneous tissue	27	4	3	1	2	1	1	4	4	2	1	3	1
720-725	122	Arthritis and spondylitis	205	21	22	17	13	23	11	15	10	13	19	20	21

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
726, 727	123	Muscular rheumatism and rheumatism unspecified...	8	–	1	1	–	–	–	–	2	1	1	–	2
730	124	Osteomyelitis and periostitis ...	8	–	–	–	1	4	–	1	–	–	–	2	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	2	–	–	–	1	–	–	–	–	1	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system ...	70	7	6	5	6	9	4	3	4	5	8	5	8
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	2134	199	168	217	179	180	145	157	176	169	186	183	175
751	127	Spina bifida and meningocele ...	143	7	10	9	22	12	18	8	15	13	6	9	14
754	128	Congenital malformations of circulatory system	226	21	14	26	18	14	17	14	17	18	22	25	20
750, 752, 753, 755-759	129	All other congenital malformations	293	27	25	27	17	29	24	26	20	26	28	18	26
760, 761	130	Birth injuries	251	20	17	25	20	24	15	16	25	22	22	24	21
762	131	Post-natal asphyxia and atelectasis	476	44	31	54	43	42	25	49	34	38	44	42	30
763	132*a*	Pneumonia of newborn ...	111	16	14	13	14	8	4	5	6	10	4	7	10
764	132*b*	Diarrhœa of newborn	15	1	2	2	3	–	–	–	2	1	1	2	1
765-768	132*c*	Other infections of newborn ...	18	1	1	1	–	4	1	2	4	1	1	1	1
770	133	Hæmolytic disease of newborn	66	8	3	11	6	3	5	8	8	3	5	4	2
769, 771, 772	134	All other defined diseases of early infancy	68	4	6	4	8	5	4	5	3	9	11	6	3
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified ...	467	50	45	45	28	39	32	24	42	28	42	45	47
794	136	Senility without mention of psychosis	747	73	105	77	60	71	51	58	57	45	36	56	58
780-793, 795	137	Ill-defined and unknown causes ...	250	26	24	17	17	25	14	16	23	13	23	26	26
		"E" code alternative classification of accidents, poisonings and violence (external causes) *Violence* (800-999) TOTAL	2642	243	230	214	209	229	222	194	217	209	199	235	241
E810-E835	138	Motor vehicle accidents ...	558	46	30	29	45	46	50	42	69	48	45	57	51
E840-E845	139*a*	Other road transport accidents	30	2	1	–	1	2	3	1	4	3	2	4	7
E800-E802, E850-E866	139*b*	Other transport accidents ...	107	7	15	5	3	10	10	7	10	8	4	20	8
E870-E895	140	Accidental poisoning	224	21	27	27	22	12	14	15	16	12	15	19	24
E900-E904	141	Accidental falls	632	78	52	66	42	57	50	44	47	48	40	53	55
E912	142	Accident caused by machinery	31	5	5	3	3	4	1	1	1	1	2	1	4
E916	143	Accident caused by fire and explosion of combustible material	116	14	20	12	7	3	4	4	2	10	10	15	10
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	21	2	4	2	2	1	2	2	1	–	2	2	1
E919	145	Accident caused by firearm ...	13	2	1	1	1	1	–	3	–	–	2	–	2
E929	146	Accidental drowning and submersion	165	13	17	15	12	21	18	13	19	15	8	3	11
E921-E925	147*a*	Accidental mechanical suffocation, etc.	180	20	16	14	23	17	12	11	11	12	17	12	15
E910-E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes ...	130	13	8	6	9	14	17	9	6	15	12	10	11
E963, E970-E979	148	Suicide and self-inflicted injury	403	16	32	29	38	34	39	39	29	30	39	37	41
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	23	4	–	4	1	2	2	2	2	5	–	1	–
E965, E990-E999	150	Injury resulting from operations of war	9	–	2	1	–	–	–	1	–	2	1	1	1

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44A.—Deaths in Scotland by Sex and Age Groups—1956

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**61,792**	**2,727**	**371**	**189**	**154**	**503**	**943**	**1,829**	**5,054**	**9,924**	**16,189**	**23,909**	—
		Males		**31,651**	**1,597**	**212**	**110**	**93**	**323**	**551**	**1,033**	**3,063**	**5,859**	**8,474**	**10,336**	—
		Females		**30,141**	**1,130**	**159**	**79**	**61**	**180**	**392**	**796**	**1,991**	**4,065**	**7,715**	**13,573**	—
		All Tuberculosis (001-019)	Total M.	525	1	5	2	5	11	59	65	116	133	93	35	—
			Total F.	276	2	6	1	1	19	82	55	28	27	39	16	—
001-008	1	Respiratory system	M.	478	—	—	—	2	7	55	60	110	129	85	30	—
			F.	237	1	—	—	—	19	77	50	24	22	32	12	—
010	2	Meninges and central nervous system	M.	12	1	5	1	2	—	—	2	1	—	—	—	—
			F.	10	1	5	1	1	—	—	—	2	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
			F.	4	—	—	—	—	—	1	—	1	1	—	1	—
012, 013	4	Bones and joints	M.	13	—	—	1	1	—	1	1	1	1	3	4	—
			F.	8	—	—	—	—	—	1	1	1	1	2	2	—
014-019	5	All other forms	M.	19	—	—	—	—	4	3	2	3	2	4	1	—
			F.	17	—	1	—	—	—	3	4	—	3	5	1	—
		Syphilis (020-029)	Total M.	71	—	—	—	1	—	2	3	10	35	13	7	—
			Total F.	17	—	—	—	—	—	—	—	4	5	5	3	—
020	6	Congenital syphilis	M.	1	—	—	—	1	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	9	—	—	—	—	—	—	—	3	5	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
025	9	General paralysis of insane	M.	16	—	—	—	—	—	—	1	2	7	5	1	—
			F.	4	—	—	—	—	—	—	—	2	1	1	—	—
022, 023, 026-029	10	All other syphilis	M.	45	—	—	—	—	—	2	2	5	23	8	5	—
			F.	12	—	—	—	—	—	—	—	2	4	3	3	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
045-048	16	Dysentery, all forms	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	2	1	—	—	—	—	—	—	—	—	1	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
053	20	Septicæmia and pyæmia	M.	11	5	2	—	—	—	—	1	—	1	2	—	—
			F.	4	—	1	—	—	—	1	1	1	—	—	—	—
055	21	Diphtheria	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	7	6	1	—	—	—	—	—	—	—	—	—	—
			F.	7	5	2	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	17	7	7	3	—	—	—	—	—	—	—	—	—
			F.	10	5	3	2	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	5	—	—	—	—	1	—	—	2	1	1	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	8	—	2	—	—	1	4	—	1	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	3	1	—	1	1	—	—	—	—	—	—	—	—
			F.	3	1	—	—	—	—	—	—	2	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	16	—	1	—	1	—	1	1	3	5	3	1	—
			F.	17	—	—	—	—	—	1	5	4	4	2	1	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	4	1	3	—	—	—	—	—	—	—	—	—	—
			F.	6	1	5	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	9	—	1	—	—	3	1	1	—	2	—	1	—
			F.	15	—	—	—	1	—	1	2	2	5	1	3	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	6	—	—	—	—	—	—	—	—	3	1	2	—
			F.	12	2	—	—	—	—	—	2	2	2	2	2	—
		Malignant neoplasms (140-205) TOTAL	M.	5,591	4	17	13	13	40	58	214	774	1,446	1,716	1,296	—
			F.	5,163	5	10	8	11	20	64	260	748	1,136	1,466	1,435	—
140-148	44	Buccal cavity and pharynx	M.	162	—	—	—	1	1	1	1	12	25	52	69	—
			F.	72	—	—	—	—	—	—	4	13	14	16	25	—
150	45	Œsophagus	M.	168	—	—	—	—	—	—	5	17	40	66	40	—
			F.	130	—	—	—	—	—	1	2	11	32	33	51	—
151	46	Stomach	M.	912	—	—	—	—	—	8	34	119	202	309	240	—
			F.	845	—	—	—	—	—	1	9	74	141	273	347	—
152, 153	47	Intestine, except rectum	M.	572	—	—	—	—	1	5	17	64	99	188	198	—
			F.	782	—	—	—	—	—	2	27	64	124	259	306	—
154	48	Rectum	M.	311	—	—	—	—	—	2	4	27	60	104	114	—
			F.	251	—	—	—	—	—	—	9	28	51	78	85	—
161	49	Larynx	M.	70	—	—	—	—	—	—	2	10	23	22	13	—
			F.	24	—	—	—	—	—	—	1	5	5	9	4	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	1,677	—	—	—	—	1	11	68	332	671	475	119	—
			F.	306	—	—	—	—	—	4	21	46	81	90	64	—
170	51	Breast	M.	7	—	—	—	—	—	—	—	2	2	—	3	—
			F.	896	—	—	—	—	—	11	68	195	226	216	180	—
171	52	Cervix uteri	F.	254	—	—	—	—	1	7	38	61	77	49	21	—
172-174	53	Other and unspecified parts of uterus	F.	233	—	—	—	—	—	4	13	45	71	64	36	—
177	54	Prostate	M.	418	—	—	—	—	1	—	1	10	35	154	217	—
190, 191	55	Skin	M.	58	—	—	—	—	—	3	2	5	8	17	23	—
			F.	54	—	—	—	1	—	3	2	5	10	13	20	—
196, 197	56	Bone and connective tissue	M.	81	—	—	1	2	6	2	9	9	16	18	18	—
			F.	54	—	—	—	—	3	2	2	8	16	12	11	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M	857	1	10	5	3	12	11	41	120	204	247	203	—
			F.	1,018	4	6	3	2	8	16	41	156	232	298	252	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
204	58	Leukæmia and aleukæmia	M.	130	—	6	6	6	9	5	13	20	17	26	22	—
			F.	111	1	4	5	7	5	4	8	15	20	24	18	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	168	3	1	1	1	9	10	17	27	44	38	17	—
			F.	133	—	—	—	1	3	9	15	22	36	32	15	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	55	1	1	—	2	4	3	8	12	11	8	5	—
			F.	91	2	—	1	2	1	3	12	20	19	20	11	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	7	—	—	—	—	—	—	—	1	—	3	3	—
252	62	Thyrotoxicosis with or without goitre	M.	2	—	—	—	—	—	—	1	—	—	1	—	—
			F.	14	—	—	—	—	—	—	2	1	4	5	2	—
260	63	Diabetes mellitus	M.	129	—	1	1	2	1	7	5	12	26	34	40	—
			F.	344	—	—	—	—	2	2	5	11	79	140	105	—
280-286	64	Avitaminosis and other deficiency states	M.	19	1	—	—	—	—	—	1	4	1	4	8	—
			F.	6	—	—	—	—	—	—	1	2	1	—	2	—
290	65a	Pernicious and other hyperchromic anæmias	M.	48	—	—	—	—	—	—	—	—	4	16	28	—
			F.	101	—	—	—	—	—	—	1	1	12	41	46	—
291-293	65b	Other anæmias	M.	40	—	—	1	1	1	1	3	5	4	12	12	—
			F.	56	—	—	—	—	2	3	2	—	7	15	27	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	167	7	3	2	1	4	16	10	29	44	39	12	—
			F.	219	2	3	2	2	7	7	13	28	53	65	37	—
300-309	67	Psychoses	M.	48	—	—	—	—	—	2	6	5	10	11	14	—
			F.	63	—	—	—	—	—	1	2	5	4	14	37	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	12	—	—	—	—	—	—	5	1	5	1	—	—
			F.	11	—	—	—	—	1	1	2	3	2	—	2	—
325	69	Mental deficiency	M.	13	3	—	5	—	3	—	—	1	1	—	—	—
			F.	6	—	2	1	—	—	—	1	2	—	—	—	—
330	70a	Subarachnoid hæmorrhage	M.	118	—	—	1	—	3	13	14	28	34	14	11	—
			F.	125	—	—	—	1	3	10	12	26	31	28	14	—
331	70b	Cerebral hæmorrhage	M.	1,740	1	—	—	—	3	10	25	113	323	595	670	—
			F.	2,428	—	—	1	2	2	4	20	165	408	817	1009	—
332	70c	Cerebral embolism and thrombosis	M.	1,882	—	—	—	—	1	2	3	51	211	599	1,015	—
			F.	2,659	—	1	—	—	—	3	9	53	221	734	1,638	—
333, 334	70d	Other vascular lesions affecting central nervous system ...	M.	336	—	—	—	—	2	1	1	8	30	97	197	—
			F.	392	—	—	—	—	—	—	—	6	21	90	275	—
340	71	Non-meningococcal meningitis	M.	27	8	5	1	1	1	2	1	2	2	4	—	—
			F.	18	5	1	—	—	—	—	2	4	3	2	1	—
345	72	Multiple sclerosis	M.	56	—	—	—	—	—	6	9	18	17	6	—	—
			F.	93	—	1	—	—	—	8	15	29	26	9	5	—
353	73	Epilepsy	M.	48	1	3	1	1	5	5	5	10	10	4	3	—
			F.	54	3	5	6	1	3	12	6	7	5	4	2	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
385	75	Cataract	M.	3	—	—	—	—	—	—	—	—	—	—	3	—
			F.	2	—	—	—	—	—	—	—	1	—	1	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
391-393	77	Otitis media and mastoiditis	M.	10	3	1	—	—	—	1	1	1	1	2	—	—
			F.	4	1	—	—	—	1	1	—	1	—	—	—	—
350	78a	Paralysis agitans	M.	83	—	—	—	—	—	—	1	4	12	43	23	—
			F.	90	—	—	—	—	—	—	—	2	12	44	32	—

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	132	3	5	2	4	6	4	8	22	28	31	19	—
			F.	127	1	10	5	1	3	3	3	19	25	28	29	—
400-402	79	Rheumatic fever	M.	29	—	1	—	4	5	5	4	4	5	1	—	—
			F.	19	—	—	2	—	5	1	3	5	2	1	—	—
		Heart disease (410-443) TOTAL	M.	10,815	3	—	1	3	18	76	272	1,024	2,067	3,167	4,184	—
			F.	10,336	—	—	3	3	27	56	137	407	1,200	2,821	5,682	—
410-416	80	Chronic rheumatic heart disease	M.	292	—	—	1	1	9	25	52	78	50	46	30	—
			F.	527	—	—	1	1	16	41	75	117	117	91	68	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	5,819	—	—	—	—	1	35	182	800	1,570	1,891	1,340	—
			F.	3,611	—	—	—	—	1	5	31	182	661	1,371	1,360	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	156	—	—	—	—	—	4	9	20	32	42	49	—
			F.	191	—	—	—	—	1	1	11	11	45	57	65	—
422.0	81*c*	Fatty degeneration of heart	M.	10	—	—	—	—	—	—	1	1	1	3	4	—
			F.	32	—	—	—	—	—	1	1	2	6	13	9	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	2,039	—	—	—	—	—	1	1	12	90	470	1,465	—
			F.	2,789	—	—	—	—	—	2	2	18	81	459	2,227	—
422.2	81*e*	Other myocardial degeneration	M.	1,662	—	—	—	—	1	3	8	60	175	443	972	—
			F.	2,133	—	—	1	1	1	1	9	43	135	484	1,458	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	67	1	—	—	2	3	2	4	11	15	17	12	—
			F.	55	—	—	1	—	5	3	2	4	6	18	16	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	225	2	—	—	—	3	5	7	17	38	56	97	—
			F.	261	—	—	—	1	2	2	2	9	39	72	134	—
440-443	83	Hypertension with heart disease	M.	545	—	—	—	—	1	1	8	25	96	199	215	—
			F.	737	—	—	—	—	1	—	4	21	110	256	345	—
444-447	84	Hypertension without mention of heart	M.	340	1	—	—	—	2	5	11	33	68	96	124	—
			F.	369	—	—	—	1	1	3	8	29	58	99	170	—
450	85*a*	General arteriosclerosis	M.	608	—	—	—	—	—	—	1	—	14	124	469	—
			F.	704	1	—	—	—	—	—	1	5	16	84	597	—
451-456	85*b*	Other diseases of arteries	M.	143	—	—	—	—	—	3	3	13	28	53	43	—
			F.	105	—	—	—	—	5	3	5	9	10	28	45	—
460-468	86	Other diseases of circulatory system	M.	93	—	—	—	—	1	—	2	15	14	34	27	—
			F.	142	1	—	—	1	—	6	4	14	30	49	37	—
470-475	87	Acute upper respiratory infections	M.	17	3	3	2	—	—	1	2	—	2	1	3	—
			F.	14	4	3	2	1	—	—	—	1	—	2	1	—
480-483	88	Influenza	M.	106	2	2	1	1	2	—	9	11	11	25	42	—
			F.	156	1	3	—	—	—	1	5	5	13	30	98	—
490	89	Lobar pneumonia	M.	223	6	3	1	—	2	4	6	23	33	68	77	—
			F.	168	7	1	—	2	1	3	6	10	19	37	82	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	661	104	20	1	2	5	6	10	23	90	135	265	—
			F.	663	87	23	1	1	5	7	8	20	52	133	326	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	89	12	5	—	—	2	—	5	7	9	17	32	—
			F.	112	15	3	1	—	—	1	—	3	5	31	53	—
		Bronchitis (500-502) TOTAL	M.	1,423	23	6	1	—	2	2	26	142	382	465	374	—
			F.	654	13	3	—	—	2	2	18	32	95	181	308	—
500	92	Acute	M.	132	23	6	1	—	1	—	1	4	13	28	55	—
			F.	148	13	3	—	—	—	1	4	2	19	22	84	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary	M.	835	—	—	—	—	—	1	19	97	240	287	191	—
			F.	314	—	—	—	—	—	1	8	19	56	106	124	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	456	—	—	—	—	1	1	6	41	129	150	128	—
			F.	192	—	—	—	—	2	—	6	11	20	53	100	—
510	94	Hypertrophy of tonsils and adenoids	M.	4	—	2	1	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	12	—	1	—	—	—	—	—	—	2	7	2	—
			F.	8	—	—	—	—	—	1	1	1	—	1	4	—
519	96	Pleurisy	M.	7	—	—	—	—	1	—	—	1	—	3	2	—
			F.	12	—	—	—	—	—	—	1	—	2	1	8	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	429	6	2	—	—	3	4	8	38	138	139	91	—
			F.	91	4	—	—	—	1	3	6	11	17	23	26	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	166	—	—	—	—	—	2	8	21	39	56	40	—
			F.	103	—	—	—	—	—	5	4	12	13	30	39	—
541	100	Ulcer of duodenum	M.	267	—	—	—	—	2	—	13	41	62	92	57	—
			F.	72	—	—	—	—	1	2	—	7	16	19	27	—
543	101	Gastritis and duodenitis	M.	8	—	—	—	—	—	—	—	—	4	2	2	—
			F.	10	—	—	—	—	—	—	—	1	1	4	4	—
550-553	102	Appendicitis	M.	63	1	2	2	—	4	3	6	11	6	11	17	—
			F.	28	—	—	2	—	2	1	1	2	8	8	4	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	200	21	5	2	—	3	3	1	16	30	55	64	—
			F.	203	8	—	—	—	3	—	8	11	23	52	98	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	61	55	6	—	—	—	—	—	—	—	—	—	—
			F.	39	37	2	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	18	—	—	—	—	—	1	1	5	2	5	4	—
			F.	30	—	3	—	1	—	—	—	—	3	5	18	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	57	—	—	—	—	1	3	5	12	13	10	13	—
			F.	89	—	—	—	—	2	5	7	10	13	28	24	—
581	105	Cirrhosis of liver	M.	128	—	1	1	1	—	2	10	24	38	31	20	—
			F.	85	—	—	—	1	—	—	7	19	29	23	6	—
584-585	106	Cholelithiasis and cholecystitis	M.	49	—	—	—	—	—	—	—	5	12	14	18	—
			F.	139	—	—	—	—	—	—	4	8	19	41	67	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	24	—	—	—	1	—	2	4	6	3	6	2	—
			F.	34	—	—	—	1	—	3	5	4	8	9	4	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	96	9	—	—	—	3	1	7	10	17	20	29	—
			F.	100	9	3	—	—	1	1	5	12	14	28	27	—
590	108	Acute nephritis	M.	13	1	—	1	—	2	1	1	2	1	3	1	—
			F.	12	1	—	—	—	1	1	—	1	2	4	2	—
591-594	109	Chronic, other and unspecified nephritis	M.	251	2	—	3	2	14	21	25	34	45	65	40	—
			F.	252	1	—	1	8	7	14	15	36	47	57	66	—

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	74	3	—	—	1	—	1	4	6	11	15	33	—
			F.	122	1	1	—	1	—	5	6	13	33	33	29	—
602, 604	111	Calculi of urinary system	M.	28	—	—	—	—	—	1	2	3	5	10	7	—
			F.	15	—	—	—	—	—	—	3	3	6	2	1	—
610	112	Hyperplasia of prostate	M.	421	—	—	—	—	—	—	—	2	26	111	282	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	32	—	—	—	—	—	—	1	2	2	12	15	—
			F.	19	—	—	—	—	—	—	—	2	3	5	9	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	43	—	—	—	—	—	—	—	4	5	12	22	—
			F.	46	—	1	1	—	2	2	4	10	7	6	13	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	14	—	—	—	—	2	6	6	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	10	—	—	—	—	2	4	4	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	7	—	—	—	—	1	2	4	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	6	—	—	—	—	1	5	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	2	—	—	—	—	2	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	1	—	—	—	—	1	—	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	11	—	—	—	—	2	4	5	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	15	—	1	—	—	—	—	—	2	3	6	3	—
			F.	12	1	—	—	—	—	—	—	3	4	2	2	—
720-725	122	Arthritis and spondylitis	M.	43	—	—	—	—	1	1	1	2	13	13	12	—
			F.	162	—	—	—	—	—	—	5	11	26	59	61	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	7	—	—	—	—	—	—	—	—	—	5	2	—
730	124	Osteomyelitis and periostitis	M.	5	1	—	—	1	1	—	—	—	1	1	—	—
			F.	3	—	—	—	—	—	—	1	1	1	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	2	—	—	—	—	—	1	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	30	—	1	—	2	—	1	1	3	7	6	9	—
			F.	40	1	—	—	—	—	4	4	2	11	8	10	—
		Congenital malformations and certain diseases of early infancy (750-776)	Total M.	1,238	1,167	21	2	4	10	7	8	9	6	4	—	—
			Total F.	896	813	16	11	8	8	7	8	7	8	8	2	—
751	127	Spina bifida and meningocele	M.	65	63	1	—	—	—	—	1	—	—	—	—	—
			F.	78	75	3	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	125	88	11	2	1	8	5	4	4	2	—	—	—
			F.	101	70	2	5	5	6	4	4	2	3	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	155	123	9	—	3	2	2	3	5	4	4	—	—

760-761	151	Birth injuries													
762	151	Post-natal asphyxia and atelectasis	F.	188	188	—	—	—	—	—	—	—	—	—	—
			M.	66	66	—	—	—	—	—	—	—	—	—	—
763	152*a*	Pneumonia of newborn	F.	45	45	—	—	—	—	—	—	—	—	—	—
			M.	11	11	—	—	—	—	—	—	—	—	—	—
764	152*b*	Diarrhœa of newborn	F.	4	4	—	—	—	—	—	—	—	—	—	—
			M.	14	14	—	—	—	—	—	—	—	—	—	—
765-768	152*c*	Other infections of newborn	F.	4	4	—	—	—	—	—	—	—	—	—	—
			M.	41	41	—	—	—	—	—	—	—	—	—	—
770	153	Hæmolytic disease of newborn	F.	25	25	—	—	—	—	—	—	—	—	—	—
			M.	44	44	—	—	—	—	—	—	—	—	—	—
769, 771, 772	154	All other defined diseases of early infancy	F.	24	24	—	—	—	—	—	—	—	—	—	—
			M.	271	271	—	—	—	—	—	—	—	—	—	—
773-776	155	Ill-defined diseases peculiar to early infancy and immaturity unqualified	F.	196	196	—	—	—	—	—	—	—	—	—	—
			M.	270	—	—	—	—	—	—	—	—	—	21	249
794	156	Senility without mention of psychosis	F.	477	—	—	—	—	—	—	—	—	—	18	459
			M.	158	33	6	—	1	—	5	9	22	21	28	33
780-793, 795	157	Ill-defined and unknown causes	F.	92	21	3	—	—	1	—	2	5	11	23	26
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)													
		Violence (E800-E999) TOTAL	M.	1,645	91	65	58	37	148	190	173	254	223	180	226
			F.	997	68	40	28	10	30	27	52	80	126	139	397
E810-E835	158	Motor vehicle accidents	M.	431	—	31	31	13	56	58	54	63	51	39	35
			F.	127	—	20	15	5	9	9	7	11	17	16	18
E840-E845	159*a*	Other road transport accidents	M.	20	—	—	1	—	3	—	1	3	1	7	4
			F.	10	—	—	—	1	2	—	—	—	2	2	3
E800-E802, E850-E866	159*b*	Other transport accidents	M.	104	—	—	—	2	18	28	12	16	17	7	4
			F.	3	—	—	3	—	—	—	—	—	—	—	—
E870-E895	160	Accidental poisoning	M.	102	—	3	1	—	2	15	13	17	19	18	14
			F.	122	—	—	—	1	4	5	9	17	19	25	42
E900-E904	161	Accidental falls	M.	269	—	3	2	3	14	11	17	27	28	40	124
			F.	363	—	3	1	—	—	2	1	2	16	52	286
E912	162	Accident caused by machinery	M.	30	—	—	1	—	6	5	5	7	3	3	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—
E916	163	Accidents caused by fire and explosion of combustible material	M.	47	—	6	3	2	2	3	4	2	6	3	16
			F.	69	3	5	4	2	—	1	2	3	6	13	30
E917, E918	164	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	9	1	—	1	—	—	—	—	—	5	—	2
			F.	12	—	1	2	—	—	—	—	—	1	4	4
E919	165	Accident caused by firearm	M.	12	—	—	—	—	4	2	3	2	—	1	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—
E929	166	Accidental drowning and submersion	M.	126	—	15	14	8	12	10	8	20	18	19	2
			F.	39	—	6	—	1	3	2	4	10	6	5	2
E921-E925	167*a*	Accidental mechanical suffocation, etc.	M.	110	84	5	1	2	—	5	3	5	2	2	1
			F.	70	63	1	—	—	1	—	2	1	2	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	167*b*	All other accidental causes	M.	113	5	2	2	6	18	13	19	24	17	4	3
			F.	17	1	3	2	—	1	—	—	—	2	2	6
E963, E970-E979	168	Suicide and self-inflicted injury	M.	255	—	—	—	1	10	39	33	65	51	36	20
			F.	148	—	—	—	—	6	7	25	32	53	19	6
E964, E980-E985	169	Homicide and injury purposely inflicted by other persons (not in war)	M.	8	1	—	1	—	2	—	—	2	1	—	1
			F.	15	1	1	1	—	3	1	2	3	2	1	—
E965, E990-E999	170	Injuries resulting from operations of war	M.	9	—	—	—	—	1	1	1	1	4	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44B.—Deaths in Aggregate of Counties of Cities in Scotland by Sex and Age Groups (Glasgow, Edinburgh, Aberdeen and Dundee)—1956

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		23,605	1,078	133	70	58	172	361	746	2,089	4,088	6,194	8,616	—
		Males		12,110	625	80	39	34	89	206	428	1,268	2,518	3,235	3,588	—
		Females		11,495	453	53	31	24	83	155	318	821	1,570	2,959	5,028	—
		All Tuberculosis (001-019)	Total M.	247	1	2	—	2	6	21	25	57	65	48	20	—
			Total F.	149	1	2	—	1	9	45	32	15	17	18	9	—
001-008	1	Respiratory system	M.	227	—	—	—	1	3	19	22	54	64	46	18	—
			F.	133	—	—	—	—	9	43	31	14	15	14	7	—
010	2	Meninges and central nervous system	M.	6	1	2	—	1	—	—	2	—	—	—	—	—
			F.	5	1	2	—	1	—	—	—	1	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
012, 013	4	Bones and joints	M.	4	—	—	—	—	—	1	1	—	—	—	2	—
			F.	4	—	—	—	—	—	1	1	—	—	1	1	—
014-019	5	All other forms	M.	8	—	—	—	—	3	1	—	2	1	1	—	—
			F.	5	—	—	—	—	—	1	—	—	1	3	—	—
		Syphilis (020-029)	Total M.	31	—	—	—	—	—	1	—	4	19	4	3	—
			Total F.	7	—	—	—	—	—	—	—	2	1	2	2	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	5	—	—	—	—	—	—	—	2	3	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	7	—	—	—	—	—	—	—	1	4	1	1	—
			F.	2	—	—	—	—	—	—	—	1	—	1	—	—
022, 023, 026-029	10	All other syphilis	M.	19	—	—	—	—	—	1	—	1	12	3	2	—
			F.	5	—	—	—	—	—	—	—	1	1	1	2	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F	2	1	—	—	—	—	—	—	—	—	1	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
053	20	Septicæmia and pyæmia	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	5	2	3	—	—	—	—	—	—	—	—	—	—
			F.	6	4	1	1	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	2	—	—	1	1	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	4	—	1	—	1	—	—	1	—	—	1	—	—
			F.	8	—	—	—	—	—	—	3	2	1	2	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	2	—	2	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	3	—	1	—	—	1	—	—	—	1	—	—	—
			F.	7	—	—	—	1	—	1	—	1	2	1	1	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not Stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	3	—	—	—	—	—	—	—	1	—	1	1	—
		Malignant neoplasms (140-205)	TOTAL M.	2,366	3	4	4	5	13	24	94	340	698	679	502	—
			TOTAL F.	2,078	3	1	4	4	8	22	120	306	453	620	538	—
140-148	44	Buccal cavity and pharynx ...	M.	59	—	—	—	—	1	—	1	3	12	12	30	—
			F.	24	—	—	—	—	—	—	3	6	4	5	6	—
150	45	Œsophagus ...	M.	74	—	—	—	—	—	—	—	9	16	32	17	—
			F.	47	—	—	—	—	—	—	1	5	6	16	19	—
151	46	Stomach ...	M.	375	—	—	—	—	—	5	11	51	88	117	103	—
			F.	356	—	—	—	—	—	1	3	33	61	127	131	—
152, 153	47	Intestine, except rectum ...	M.	210	—	—	—	—	1	1	7	26	49	56	70	—
			F.	298	—	—	—	—	—	1	14	23	43	98	119	—
154	48	Rectum ...	M.	128	—	—	—	—	—	1	2	14	25	36	50	—
			F.	101	—	—	—	—	—	—	4	8	27	33	29	—
161	49	Larynx ...	M.	35	—	—	—	—	—	—	1	5	15	8	6	—
			F.	9	—	—	—	—	—	—	1	2	3	1	2	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	876	—	—	—	—	—	8	38	158	363	250	59	—
			F.	161	—	—	—	—	—	1	10	27	45	49	29	—
170	51	Breast ...	M.	3	—	—	—	—	—	—	—	1	—	—	2	—
			F.	360	—	—	—	—	—	4	30	81	84	94	67	—
171	52	Cervix uteri ...	F.	111	—	—	—	—	1	2	17	24	41	17	9	—
172-174	53	Other and unspecified parts of uterus ...	F.	78	—	—	—	—	—	—	9	16	25	20	8	—
177	54	Prostate ...	M.	129	—	—	—	—	—	—	—	2	11	41	75	—
190, 191	55	Skin ...	M.	14	—	—	—	—	—	1	—	1	4	5	3	—
			F.	15	—	—	—	—	—	1	—	5	2	1	6	—
196, 197	56	Bone and connective tissue ...	M.	30	—	—	—	—	3	1	3	3	5	7	8	—
			F.	23	—	—	—	—	1	2	1	3	6	6	4	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites ...	M.	338	1	2	2	2	4	3	19	52	96	93	64	—
			F.	414	3	—	3	2	3	5	16	63	88	136	95	—
204	58	Leukæmia and aleukæmia ...	M.	40	—	2	1	2	2	2	6	6	4	8	7	—
			F.	40	—	1	1	2	3	2	2	4	7	10	8	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	55	2	—	1	1	2	2	6	9	10	14	8	—
			F.	42	—	—	—	—	—	3	9	6	11	7	6	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	28	1	—	—	—	1	2	5	7	5	3	4	—
			F.	27	1	—	—	2	—	1	3	3	8	6	3	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	1	—	—	1	—
252	62	Thyrotoxicosis with or without goitre	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	6	—	—	—	—	—	—	1	—	3	1	1	—
260	63	Diabetes mellitus	M.	47	—	1	—	—	—	4	2	5	10	11	14	—
			F.	118	—	—	—	—	1	1	2	4	24	52	34	—
280-286	64	Avitaminosis and other deficiency states	M.	10	—	—	—	—	—	—	—	1	1	2	6	—
			F.	2	—	—	—	—	—	—	1	1	—	—	—	—
290	65a	Pernicious and other hyperchromic anæmias	M.	12	—	—	—	—	—	—	—	—	1	3	8	—
			F.	42	—	—	—	—	—	—	—	1	5	15	21	—
291-293	65b	Other anæmias	M.	11	—	—	—	1	—	1	—	2	1	2	4	—
			F.	17	—	—	—	—	1	1	1	—	3	5	6	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	51	2	2	1	—	—	6	3	7	11	14	5	—
			F.	77	—	—	2	1	3	3	1	11	18	26	12	—
300-309	67	Psychoses	M.	25	—	—	—	—	—	1	—	4	6	6	8	—
			F.	26	—	—	—	—	—	—	—	2	—	4	20	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	8	—	—	—	—	—	—	5	—	3	—	—	—
			F.	5	—	—	—	—	—	1	1	2	—	—	1	—
325	69	Mental deficiency	M.	2	1	—	—	—	1	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
330	70a	Subarachnoid hæmorrhage	M.	55	—	—	1	—	1	7	6	12	13	9	6	—
			F.	50	—	—	—	—	—	3	3	8	16	15	5	—
331	70b	Cerebral hæmorrhage	M.	569	1	—	—	—	—	3	7	34	119	215	190	—
			F.	788	—	—	—	—	1	1	6	53	139	276	312	—
332	70c	Cerebral embolism and thrombosis	M.	734	—	—	—	—	—	1	2	9	83	247	392	—
			F.	1023	—	—	—	—	—	1	1	22	75	283	641	—
333, 334	70d	Other vascular lesions affecting central nervous system ...	M.	176	—	—	—	—	—	—	1	4	15	47	109	—
			F.	198	—	—	—	—	—	—	—	—	9	43	146	—
340	71	Non-meningococcal meningitis	M.	11	3	1	1	—	—	1	1	2	—	2	—	—
			F.	8	3	1	—	—	—	—	1	1	1	—	1	—
345	72	Multiple sclerosis	M.	22	—	—	—	—	—	—	2	6	11	3	—	—
			F.	42	—	1	—	—	—	2	7	12	12	5	3	—
353	73	Epilepsy	M.	20	—	1	1	1	1	3	—	5	4	4	—	—
			F.	21	1	1	4	—	1	5	1	6	—	1	1	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
391-393	77	Otitis media and mastoiditis	M.	4	3	—	—	—	—	—	1	—	—	—	—	—
			F.	2	1	—	—	—	—	1	—	—	—	—	—	—
350	78a	Paralysis agitans	M.	35	—	—	—	—	—	—	1	1	6	18	9	—
			F.	36	—	—	—	—	—	—	—	1	5	14	16	—

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	45	1	1	—	2	1	3	3	10	11	6	7	—
			F.	53	—	5	1	—	1	2	2	8	11	14	9	—
400-402	79	Rheumatic fever	M.	14	—	—	—	1	1	4	3	1	3	1	—	—
			F.	9	—	—	2	—	3	—	1	1	1	1	—	—
		Heart disease (410-443) TOTAL	M.	3,928	—	—	—	2	3	31	105	436	825	1,160	1,366	—
			F.	3,770	—	—	—	—	15	20	46	174	453	1,032	2,030	—
410-416	80	Chronic rheumatic heart disease	M.	108	—	—	—	1	2	15	16	39	19	11	5	—
			F.	231	—	—	—	—	8	16	31	58	56	39	23	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	2,236	—	—	—	—	—	10	70	335	625	717	479	—
			F.	1,412	—	—	—	—	—	1	4	77	262	518	550	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	52	—	—	—	—	—	2	5	6	10	18	11	—
			F.	75	—	—	—	—	—	—	7	7	15	23	23	—
422.0	81*c*	Fatty degeneration of heart	M.	2	—	—	—	—	—	—	1	—	—	1	—	—
			F.	11	—	—	—	—	—	—	—	—	2	6	3	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	647	—	—	—	—	—	1	—	4	39	161	442	—
			F.	927	—	—	—	—	—	1	—	4	24	157	741	—
422.2	81*e*	Other myocardial degeneration	M.	580	—	—	—	—	—	1	5	31	70	153	320	—
			F.	745	—	—	—	—	1	—	2	15	43	174	510	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	17	—	—	—	1	—	1	1	3	4	5	2	—
			F.	19	—	—	—	—	5	1	1	3	1	4	4	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	83	—	—	—	—	1	1	3	10	22	15	31	—
			F.	84	—	—	—	—	1	1	—	2	12	22	46	—
440-443	83	Hypertension with heart disease	M.	203	—	—	—	—	—	—	4	8	36	79	76	—
			F.	266	—	—	—	—	—	—	1	8	38	89	130	—
444-447	84	Hypertension without mention of heart disease	M.	122	1	—	—	—	—	2	6	10	25	35	43	—
			F.	134	—	—	—	1	—	1	4	12	21	32	63	—
450	85*a*	General arteriosclerosis	M.	198	—	—	—	—	—	—	1	—	9	39	149	—
			F.	245	—	—	—	—	—	—	—	2	5	29	209	—
451-456	85*b*	Other diseases of arteries	M.	53	—	—	—	—	—	—	2	4	8	23	16	—
			F.	40	—	—	—	—	2	—	2	5	4	7	20	—
460-468	86	Other diseases of circulatory system	M.	27	—	—	—	—	—	—	—	2	2	12	11	—
			F.	57	1	—	—	1	—	3	—	6	11	17	18	—
470-475	87	Acute upper respiratory infections	M.	7	2	—	1	—	—	—	—	—	—	1	3	—
			F.	9	4	—	1	1	—	—	—	1	—	1	1	—
480-483	88	Influenza	M.	32	1	—	—	1	1	—	4	5	4	7	9	—
			F.	51	1	2	—	—	—	—	2	4	8	8	26	—
490	89	Lobar pneumonia	M.	110	2	—	1	—	1	3	3	17	20	34	29	—
			F.	82	1	1	—	2	—	2	3	4	10	13	46	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	339	47	7	1	—	—	3	5	8	55	70	143	—
			F.	332	33	6	—	—	1	2	2	10	29	68	181	—
492, 493	91	Primary atypical, and other unspecified pneumonia	M.	39	7	3	—	—	1	—	3	5	5	6	9	—
			F.	46	7	2	—	—	—	—	—	1	3	8	25	—
		Bronchitis (500-502) TOTAL	M.	671	12	6	—	—	1	2	16	74	202	213	145	—
			F.	329	10	—	—	—	1	1	12	20	50	95	140	—
500	92	Acute	M.	48	12	6	—	—	—	—	1	1	6	11	11	—
			F.	61	10	—	—	—	—	—	2	—	11	5	33	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	411	—	—	—	—	—	1	10	52	127	134	87	—
			F.	170	—	—	—	—	—	1	5	12	28	62	62	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	212	—	—	—	—	1	1	5	21	69	68	47	—
			F.	98	—	—	—	—	1	—	5	8	11	28	45	—
510	94	Hypertrophy of tonsils and adenoids	M.	3	—	2	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	6	—	—	—	—	—	—	—	—	2	3	1	—
			F.	6	—	—	—	—	—	—	1	1	—	1	3	—
519	96	Pleurisy	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
			F.	3	—	—	—	—	—	—	—	—	1	—	2	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	90	3	1	—	—	2	2	4	13	28	23	14	—
			F.	36	3	—	—	—	—	2	1	4	4	11	11	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	63	—	—	—	—	—	—	5	5	18	24	11	—
			F.	43	—	—	—	—	—	—	1	4	6	11	21	—
541	100	Ulcer of duodenum	M.	90	—	—	—	—	—	—	4	13	21	33	19	—
			F.	32	—	—	—	—	1	1	—	3	5	10	12	—
543	101	Gastritis and duodenitis	M.	2	—	—	—	—	—	—	—	—	2	—	—	—
			F.	2	—	—	—	—	—	—	—	1	—	1	—	—
550-553	102	Appendicitis	M.	15	1	1	—	—	—	1	2	3	2	1	4	—
			F.	14	—	—	1	—	—	—	—	1	6	3	3	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	72	8	1	—	—	1	2	—	2	11	23	24	—
			F.	79	4	—	—	—	2	—	4	5	8	21	35	—
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	M.	19	18	1	—	—	—	—	—	—	—	—	—	—
			F.	17	17	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	9	—	—	—	—	—	1	—	3	1	4	—	—
			F.	15	—	2	—	1	—	—	—	—	—	3	9	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	21	—	—	—	—	—	—	3	6	5	3	4	—
			F.	46	—	—	—	—	2	4	2	8	7	14	9	—
581	105	Cirrhosis of liver	M.	49	—	—	—	1	—	1	4	7	13	14	9	—
			F.	33	—	—	—	—	—	—	2	8	13	8	2	—
584,585	106	Cholelithiasis and cholecystitis	M.	21	—	—	—	—	—	—	—	—	6	7	8	—
			F.	49	—	—	—	—	—	—	1	4	6	15	23	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	8	—	—	—	—	—	1	1	4	1	1	—	—
			F.	14	—	—	—	1	—	—	2	2	4	4	1	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	33	2	—	—	—	3	—	1	1	8	3	15	—
			F.	39	5	2	—	—	1	—	1	6	3	10	11	—
590	108	Acute nephritis	M.	4	1	—	1	—	—	—	—	—	—	1	1	—
			F.	6	—	—	—	—	1	—	—	—	2	3	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	94	1	—	1	1	7	8	13	14	21	22	6	—
			F.	83	—	—	1	1	3	9	10	14	13	16	16	—

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	31	1	—	—	—	—	1	2	3	5	3	16	—
			F.	51	—	1	—	—	—	1	1	8	13	15	12	—
602, 604	111	Calculi of urinary system	M.	11	—	—	—	—	—	—	—	1	3	5	2	—
			F.	4	—	—	—	—	—	—	2	—	1	—	1	—
610	112	Hyperplasia of prostate	M.	145	—	—	—	—	—	—	—	1	12	36	96	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	11	—	—	—	—	—	—	—	—	2	5	4	—
			F.	9	—	—	—	—	—	—	—	1	2	3	3	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	13	—	—	—	—	—	—	—	—	—	5	8	—
			F.	17	—	1	—	—	—	1	—	6	4	2	3	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	2	—	—	—	—	—	1	1	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	4	—	—	—	—	2	1	1	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	6	—	—	—	—	1	2	3	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	2	—	—	—	—	2	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	5	—	—	—	—	1	2	2	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	5	—	—	—	—	—	—	—	1	1	3	—	—
			F.	6	—	—	—	—	—	—	—	2	1	1	2	—
720-725	122	Arthritis and spondylitis	M.	25	—	—	—	—	1	1	1	—	9	8	5	—
			F.	64	—	—	—	—	—	—	—	4	14	25	21	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
730	124	Osteomyelitis and periostitis	M.	2	—	—	—	—	1	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	12	—	—	—	—	—	—	1	1	2	4	4	—
			F.	8	1	—	—	—	—	2	—	—	1	—	4	—
		Congenital malformations and certain diseases of early infancy (750-776)	TOTAL M.	463	433	11	—	3	5	3	1	2	3	2	—	—
			TOTAL F.	342	310	5	3	3	2	1	5	4	2	5	2	—
751	127	Spina bifida and meningocele	M.	30	29	1	—	—	—	—	—	—	—	—	—	—
			F.	31	30	1	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	47	30	7	—	1	4	2	—	1	2	—	—	—
			F.	44	29	1	2	3	2	1	3	2	1	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	59	47	3	—	2	1	1	1	1	1	2	—	—
			F.	45	29	3	1	—	—	—	2	2	1	5	2	—
(a)	(b)			(c)												

762	131	Post-natal asphyxia and atelectasis	M.	116	116	—	—	—	—	—	—	—	—	—	—
			F.	79	79	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	17	17	—	—	—	—	—	—	—	—	—	—
			F.	15	15	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	3	3	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	4	4	—	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	13	13	—	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	19	19	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	90	90	—	—	—	—	—	—	—	—	—	—
			F.	62	62	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	43	—	—	—	—	—	—	—	—	—	6	37
			F.	101	—	—	—	—	—	—	—	—	—	4	97
780-793, 795	137	Ill-defined and unknown causes	M.	60	20	5	—	—	—	2	5	8	11	2	7
			F.	29	11	1	—	—	1	—	—	2	3	4	7
		"E" code.—Alternative classification of accidents, poisonings and violence (external causes)													
		Violence (E800-E999) TOTAL	M.	609	42	23	25	12	35	59	72	105	87	67	82
			F.	405	28	13	11	4	17	8	19	29	51	51	174
E810-E835	138	Motor vehicle accidents	M.	143	—	14	15	5	9	15	24	20	19	9	13
			F.	47	—	6	6	2	4	2	4	2	5	7	9
E840-E845	139*a*	Other road transport accidents	M.	6	—	—	—	—	—	—	—	—	1	3	2
			F.	5	—	—	—	—	1	—	—	—	—	1	3
E800-E802, E850-E866	139*b*	Other transport accidents	M.	32	—	—	—	—	6	8	4	10	3	—	1
			F.	2	—	—	2	—	—	—	—	—	—	—	—
E870-E895	140	Accidental poisoning	M.	49	—	2	—	—	2	8	6	9	9	8	5
			F.	55	—	—	—	—	4	2	1	6	7	10	25
E900-E904	141	Accidental falls	M.	115	—	2	1	1	6	5	9	18	12	13	48
			F.	160	—	2	—	—	—	2	1	2	9	25	119
E912	142	Accident caused by machinery	M.	11	—	—	1	—	—	2	1	4	1	2	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accidents caused by fire and explosion of combustible material	M.	17	—	3	—	—	1	1	3	—	3	2	4
			F.	25	2	2	2	1	—	1	—	1	3	4	9
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	5	1	—	1	—	—	—	—	—	2	—	1
			F.	3	—	—	—	—	—	—	—	—	—	—	3
E919	145	Accident caused by firearm	M.	1	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	37	—	1	5	3	2	5	2	3	7	9	—
			F.	11	—	1	—	1	2	—	3	1	2	1	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	47	39	—	1	—	—	3	1	1	1	1	—
			F.	28	25	—	—	—	1	—	1	1	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	21	1	1	1	3	2	—	3	4	5	1	—
			F.	6	—	2	1	—	1	—	—	—	1	—	1
E963, E970-E979	148	Suicide and self-inflicted injury	M.	116	—	—	—	—	4	12	18	34	22	18	8
			F.	58	—	—	—	—	3	1	9	15	22	3	5
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	5	1	—	—	—	1	—	—	2	1	—	—
			F.	5	1	—	—	—	1	—	—	1	2	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	4	—	—	—	—	1	—	1	—	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44C.—Deaths in Aggregate of Large Burghs in Scotland by Sex and Age Groups—1956

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**9,861**	**511**	**57**	**37**	**23**	**80**	**164**	**307**	**822**	**1,650**	**2,649**	**3,561**	—
		Males		**5,134**	**294**	**26**	**24**	**13**	**56**	**83**	**166**	**524**	**973**	**1,398**	**1,577**	—
		Females		**4,727**	**217**	**31**	**13**	**10**	**24**	**81**	**141**	**298**	**677**	**1,251**	**1,984**	—
		All Tuberculosis (001-019)	Total M.	110	—	—	2	1	2	13	13	28	34	11	6	—
			Total F.	47	1	3	—	—	5	13	8	5	3	9	—	—
001-008	1	Respiratory system	M.	102	—	—	—	—	1	13	13	26	33	11	5	—
			F.	40	1	—	—	—	5	13	7	3	3	8	—	—
010	2	Meninges and central nervous system	M.	3	—	—	1	1	—	—	—	1	—	—	—	—
			F.	3	—	2	—	—	—	—	—	1	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	3	—	—	1	—	—	—	—	1	1	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
014-019	5	All other forms	M.	2	—	—	—	—	1	—	—	—	—	—	1	—
			F.	3	—	1	—	—	—	—	1	—	—	1	—	—
		Syphilis (020-029)	Total M.	9	—	—	—	—	—	—	1	1	5	1	1	—
			Total F.	3	—	—	—	—	—	—	—	2	—	1	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	3	—	—	—	—	—	—	—	—	2	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
022, 023, 026-029	10	All other syphilis	M.	5	—	—	—	—	—	—	1	1	2	1	—	—
			F.	2	—	—	—	—	—	—	—	1	—	1	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	5	2	1	—	—	—	—	1	—	—	1	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	3	1	1	1	—	—	—	—	—	—	—	—	—
			F.	2	1	—	1	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	1	—	—	—	—	—	—	1	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	2	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	2	—	2	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
		Malignant neoplasms (140-205)	TOTAL M.	879	—	2	3	2	13	8	38	119	219	270	205	—
			TOTAL F.	802	1	6	1	2	1	11	41	107	205	218	209	—
140-148	44	Buccal cavity and pharynx	M.	39	—	—	—	—	—	—	—	3	7	16	13	—
			F.	8	—	—	—	—	—	—	1	3	—	1	3	—
150	45	Œsophagus	M.	25	—	—	—	—	—	—	2	2	4	10	7	—
			F.	22	—	—	—	—	—	—	1	—	7	5	9	—
151	46	Stomach	M.	145	—	—	—	—	—	1	9	17	39	39	40	—
			F.	131	—	—	—	—	—	—	1	11	30	40	49	—
152, 153	47	Intestines, except rectum	M.	90	—	—	—	—	—	1	4	9	19	32	25	—
			F.	126	—	—	—	—	—	—	2	8	29	44	43	—
154	48	Rectum	M.	49	—	—	—	—	—	—	—	7	10	19	13	—
			F.	48	—	—	—	—	—	—	3	5	7	14	19	—
161	49	Larynx	M.	11	—	—	—	—	—	—	—	2	2	4	3	—
			F.	3	—	—	—	—	—	—	—	1	1	—	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary...	M.	270	—	—	—	—	1	1	11	59	95	81	22	—
			F.	36	—	—	—	—	—	1	3	4	12	6	10	—
170	51	Breast	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	131	—	—	—	—	—	—	10	29	42	32	18	—
171	52	Cervix uteri	F.	38	—	—	—	—	—	2	8	11	10	6	1	—
172-174	53	Other and unspecified parts of uterus	F.	30	—	—	—	—	—	2	—	3	10	11	4	—
177	54	Prostate	M.	64	—	—	—	—	1	—	1	3	7	15	37	—
190, 191	55	Skin	M.	9	—	—	—	—	—	2	2	—	1	1	3	—
			F.	12	—	—	—	1	—	—	1	—	2	5	3	—
196, 197	56	Bone and connective tissue	M.	11	—	—	—	1	1	1	—	1	3	2	2	—
			F.	6	—	—	—	—	—	—	—	2	2	2	—	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	121	—	1	1	—	3	1	4	15	21	38	37	—
			F.	173	1	4	—	—	—	3	9	21	43	45	47	—
204	58	Leukæmia and aleukæmia	M.	22	—	1	2	1	3	—	3	—	3	7	2	—
			F.	17	—	2	1	1	1	1	2	2	3	2	2	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	22	—	—	—	—	4	1	2	—	8	6	1	—
			F.	21	—	—	—	—	—	2	—	7	7	5	—	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	5	—	—	—	—	1	1	1	—	1	1	—	—
			F.	15	—	—	1	—	—	1	4	3	3	1	2	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
252	62	Thyrotoxicosis with or without goitre	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	3	—	—	—	—	—	—	—	1	—	2	—	—
260	63	Diabetes mellitus	M.	15	—	—	—	—	—	—	—	2	3	4	6	—
			F.	55	—	—	—	—	—	—	—	2	13	26	14	—
280-286	64	Avitaminosis and other deficiency states	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	8	—	—	—	—	—	—	—	—	—	4	4	—
			F.	24	—	—	—	—	—	—	—	—	3	11	10	—
291-293	65*b*	Other anæmias	M.	6	—	—	—	—	—	—	1	—	1	2	2	—
			F.	10	—	—	—	—	—	—	—	—	3	2	5	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	29	1	—	1	—	1	3	—	6	10	6	1	—
			F.	31	—	1	—	1	1	1	2	4	6	10	5	—
300-309	67	Psychoses	M.	5	—	—	—	—	—	—	1	—	—	3	1	—
			F.	7	—	—	—	—	—	—	1	—	1	1	4	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
325	69	Mental deficiency	M.	3	—	—	3	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	20	—	—	—	—	1	1	4	7	7	—	—	—
			F.	14	—	—	—	—	1	1	1	2	4	4	1	—
331	70*b*	Cerebral hæmorrhage	M.	287	—	—	—	—	1	1	6	22	46	99	112	—
			F.	395	—	—	—	—	1	1	5	31	63	134	160	—
332	70*c*	Cerebral embolism and thrombosis	M.	299	—	—	—	—	—	—	1	10	40	97	151	—
			F.	393	—	—	—	—	—	—	4	11	33	102	243	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	46	—	—	—	—	1	—	—	1	4	19	21	—
			F.	49	—	—	—	—	—	—	—	1	3	15	30	—
340	71	Non-meningococcal meningitis	M.	3	—	1	—	1	—	—	—	—	1	—	—	—
			F.	2	1	—	—	—	—	—	—	—	1	—	—	—
345	72	Multiple sclerosis	M.	6	—	—	—	—	—	—	1	3	1	1	—	—
			F.	14	—	—	—	—	—	2	3	5	3	1	—	—
353	73	Epilepsy	M.	6	—	1	—	—	3	—	—	—	2	—	—	—
			F.	5	—	1	1	—	—	3	—	—	—	—	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	9	—	—	—	—	—	—	—	2	2	5	—	—
			F.	9	—	—	—	—	—	—	—	—	2	3	4	—

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs ...	M.	17	—	—	—	—	1	—	1	3	2	7	3	—
			F.	16	—	2	2	—	2	—	—	3	2	2	3	—
400-402	79	Rheumatic fever	M.	6	—	—	—	1	1	1	1	1	1	—	—	—
			F.	3	—	—	—	—	—	1	1	—	1	—	—	—
		Heart disease (410-443) TOTAL	M.	1,763	1	—	1	—	4	15	48	176	369	524	625	—
			F.	1,652	—	—	2	1	4	14	25	65	192	505	844	—
410-416	80	Chronic rheumatic heart disease...	M.	54	—	—	1	—	3	4	13	12	9	9	3	—
			F.	98	—	—	1	1	2	9	16	14	22	18	15	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease) ...	M.	908	—	—	—	—	—	8	30	138	270	296	166	—
			F.	551	—	—	—	—	1	2	6	33	93	238	178	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	19	—	—	—	—	—	—	1	4	6	3	5	—
			F.	26	—	—	—	—	1	—	1	3	7	6	8	—
422.0	81*c*	Fatty degeneration of heart	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
			F.	5	—	—	—	—	—	1	—	—	—	3	1	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	346	—	—	—	—	—	—	—	1	21	77	247	—
			F.	443	—	—	—	—	—	—	—	3	15	85	340	—
422.2	81*e*	Other myocardial degeneration	M.	301	—	—	—	—	—	1	1	10	34	95	160	—
			F.	346	—	—	1	—	—	1	1	3	22	90	228	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	20	—	—	—	—	—	1	1	4	5	4	5	—
			F.	15	—	—	—	—	—	1	—	1	2	6	5	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	33	1	—	—	—	1	1	1	2	4	10	13	—
			F.	37	—	—	—	—	—	—	1	3	8	10	15	—
440-443	83	Hypertension with heart disease	M.	80	—	—	—	—	—	—	1	5	20	30	24	—
			F.	131	—	—	—	—	—	—	—	5	23	49	54	—
444-447	84	Hypertension without mention of heart	M.	37	—	—	—	—	1	—	2	5	8	9	12	—
			F.	63	—	—	—	—	—	2	—	7	10	22	22	—
450	85*a*	General arteriosclerosis	M.	94	—	—	—	—	—	—	—	—	4	21	69	—
			F.	98	—	—	—	—	—	—	1	—	5	9	83	—
451-456	85*b*	Other diseases of arteries	M.	25	—	—	—	—	—	1	—	2	6	11	5	—
			F.	12	—	—	—	—	—	1	—	2	3	2	4	—
460-468	86	Other diseases of circulatory system	M.	17	—	—	—	—	1	—	—	4	6	3	3	—
			F.	26	—	—	—	—	—	1	4	2	3	8	8	—
470-475	87	Acute upper respiratory infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	21	—	1	—	—	1	—	1	2	—	2	14	—
			F.	21	—	1	—	—	—	—	—	—	3	4	13	—
490	89	Lobar pneumonia	M.	33	1	3	—	—	—	—	—	2	2	13	12	—
			F.	25	3	—	—	—	1	1	—	4	2	2	12	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	94	24	1	—	—	—	1	2	6	15	20	25	—
			F.	97	12	6	—	—	—	2	3	5	7	18	44	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	16	2	—	—	—	—	—	1	1	1	5	6	—
			F.	17	4	—	—	—	—	—	—	—	1	7	5	—
		Bronchitis (500-502) TOTAL	M.	269	5	—	—	—	—	—	6	28	69	89	72	—
			F.	105	—	—	—	—	—	—	4	5	17	28	51	—
500	92	Acute	M.	25	5	—	—	—	—	—	—	1	3	6	10	—
			F.	22	—	—	—	—	—	—	1	1	3	4	13	—
501*b*,502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	164	—	—	—	—	—	—	6	19	48	58	33	—
			F.	56	—	—	—	—	—	—	3	3	11	17	22	—
501*a*,502*a*	93*b*	Chronic and unqualified otherwise defined	M.	80	—	—	—	—	—	—	—	8	18	25	29	—
			F.	27	—	—	—	—	—	—	—	1	3	7	16	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	2	—	—	—	—	—	—	—	—	—	1	1	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
519	96	Pleurisy	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	62	—	—	—	—	—	—	2	3	22	20	15	—
			F.	18	—	—	—	—	—	—	1	3	5	3	6	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	27	—	—	—	—	—	2	1	5	5	6	8	—
			F.	10	—	—	—	—	—	3	1	—	1	3	2	—
541	100	Ulcer of duodenum	M.	52	—	—	—	—	—	—	2	12	14	20	4	—
			F.	11	—	—	—	—	—	1	—	1	3	4	2	—
543	101	Gastritis and duodenitis	M.	4	—	—	—	—	—	—	—	—	1	1	2	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
550-553	102	Appendicitis	M.	13	—	—	—	—	1	—	2	2	2	3	3	—
			F.	2	—	—	—	—	—	—	—	—	1	1	—	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	31	3	1	1	—	—	—	1	5	4	5	11	—
			F.	35	2	—	—	—	—	—	2	2	4	7	18	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	14	13	1	—	—	—	—	—	—	—	—	—	—
			F.	11	9	2	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	4	—	—	—	—	—	—	1	1	1	—	1	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	15	—	—	—	—	—	—	1	4	2	3	5	—
			F.	8	—	—	—	—	—	—	1	—	2	3	2	—
581	105	Cirrhosis of liver	M.	23	—	1	1	—	—	—	1	4	7	4	5	—
			F.	20	—	—	—	—	—	—	4	2	9	5	—	—
584-585	106	Cholelithiasis and cholecystitis	M.	4	—	—	—	—	—	—	—	1	—	2	1	—
			F.	20	—	—	—	—	—	—	—	1	2	9	8	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	4	—	—	—	—	—	1	1	—	—	1	1	—
			F.	5	—	—	—	—	—	1	2	—	1	1	—	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	17	3	—	—	—	—	—	1	1	2	7	3	—
			F.	18	2	—	—	—	—	—	—	2	6	6	2	—
590	108	Acute nephritis	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	34	—	—	—	—	3	3	3	3	5	13	4	—
			F.	33	—	—	—	1	1	2	—	4	6	5	14	—

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	10	—	—	—	—	—	—	—	—	—	4	6	—
			F.	17	—	—	—	1	—	1	—	1	4	6	4	—
602, 604	111	Calculi of urinary system	M.	2	—	—	—	—	—	1	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
610	112	Hyperplasia of prostate	M.	82	—	—	—	—	—	—	—	—	2	28	52	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	7	—	—	—	—	—	—	1	—	—	2	4	—
			F.	3	—	—	—	—	—	—	—	—	1	1	1	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	9	—	—	—	—	—	—	—	2	3	1	3	—
			F.	3	—	—	—	—	—	—	1	—	—	—	2	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	5	—	—	—	—	—	4	1	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	3	—	—	—	—	1	2	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
720-725	122	Arthritis and spondylitis	M.	4	—	—	—	—	—	—	—	—	1	3	—	—
			F.	24	—	—	—	—	—	—	3	—	4	9	8	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
730	124	Osteomyelitis and periostitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	13	—	—	—	—	—	1	2	—	3	4	3	—
		Congenital malformations and certain diseases of early infancy (750-776)	TOTAL M.	230	216	3	—	1	3	2	2	2	1	—	—	—
			TOTAL F.	161	155	—	3	2	1	—	—	—	—	—	—	—
751	127	Spina bifida and meningocele	M.	7	7	—	—	—	—	—	—	—	—	—	—	—
			F.	15	15	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	23	17	1	—	—	2	2	—	1	—	—	—	—
			F.	12	9	—	2	1	—	—	—	—	—	—	—	—
750, 752, 753																

		[illegible]	F.	40	40	—	—	—	—	—	—	—	—	—	—	—
			M.	13	13	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	F.	10	10	—	—	—	—	—	—	—	—	—	—	—
			M.	2	2	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	F.	2	2	—	—	—	—	—	—	—	—	—	—	—
			M.	3	3	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	11	11	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	F.	7	7	—	—	—	—	—	—	—	—	—	—	—
			M.	2	2	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	F.	6	6	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	56	56	—	—	—	—	—	—	—	—	—	—	—
			F.	40	40	—	—	—	—	—	—	—	—	—	—	—
			M.	47	—	—	—	—	—	—	—	—	—	6	41	—
794	136	Senility without mention of psychosis	F.	78	—	—	—	—	—	—	—	—	—	3	75	—
			M.	28	5	—	—	—	—	1	1	3	3	9	6	—
780-793, 795	137	Ill-defined and unknown causes	F.	16	4	1	—	—	—	—	—	—	4	5	2	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	249	15	8	11	7	16	26	16	43	35	29	43	—
			F.	169	19	5	2	2	5	9	13	13	22	25	54	—
			M.	57	—	2	7	2	5	8	4	10	6	7	6	—
E810-E835	138	Motor vehicle accidents	F.	18	—	4	1	—	—	5	—	—	3	3	2	—
			M.	6	—	—	—	—	1	—	—	2	—	1	2	—
E840-E845	139*a*	Other road transport accidents	F.	3	—	—	—	—	1	—	—	—	1	1	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	8	—	—	—	1	1	1	—	1	2	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	25	—	—	—	—	—	2	4	4	6	5	4	—
E870-E895	140	Accidental poisoning	F.	33	—	—	—	1	—	—	4	3	5	6	14	—
			M.	46	—	—	1	1	1	2	1	5	6	6	23	—
E900-E904	141	Accidental falls	F.	36	—	—	—	—	—	—	—	—	—	4	32	—
			M.	3	—	—	—	—	2	—	1	—	—	—	—	—
E912	142	Accident caused by machinery	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	7	—	1	1	1	—	—	—	1	—	—	3	—
E916	143	Accident caused by fire and explosion of combustible material	F.	12	—	—	1	1	—	—	—	1	2	2	5	—
			M.	2	—	—	—	—	—	—	—	—	2	—	—	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	F.	1	—	—	—	—	—	—	—	—	—	1	—	—
			M.	1	—	—	—	—	1	—	—	—	—	—	—	—
E919	145	Accident caused by firearm	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
			M.	13	—	3	2	—	2	—	2	2	1	1	—	—
E929	146	Accidental drowning and submersion	F.	6	—	1	—	—	1	—	—	2	—	2	—	—
			M.	19	14	1	—	—	—	1	—	2	1	—	—	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	F.	21	19	—	—	—	—	—	1	—	1	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	20	1	1	—	1	1	4	3	6	3	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E963, E970-E979	148	Suicide and self inflicted injury	M.	40	—	—	—	1	2	8	1	10	7	8	3	—
			F.	39	—	—	—	—	3	4	8	7	10	6	1	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44D.—Deaths in Aggregate of Small Burghs in Scotland by Sex and Age Groups—1956

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
		ALL CAUSES—Both Sexes		**11,010**	**405**	**62**	**20**	**21**	**58**	**156**	**276**	**827**	**1,661**	**2,866**	**4,658**	—
		Males		**5,313**	**238**	**35**	**15**	**16**	**44**	**99**	**136**	**471**	**936**	**1,421**	**1,902**	—
		Females		**5,697**	**167**	**27**	**5**	**5**	**14**	**57**	**140**	**356**	**725**	**1,445**	**2,756**	—
		All Tuberculosis (001-019)	Total M.	61	—	2	—	2	2	9	8	10	17	10	1	—
			Total F.	23	—	—	—	—	2	6	6	2	4	2	1	—
001-008	1	Respiratory system	M.	53	—	—	—	1	2	9	7	10	15	8	1	—
			F.	18	—	—	—	—	2	5	5	2	2	1	1	—
010	2	Meninges and central nervous system	M.	2	—	2	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	1	—	—	—	1	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	1	1	—	—
014-019	5	All other forms	M.	4	—	—	—	—	—	—	1	—	1	2	—	—
			F.	2	—	—	—	—	—	—	1	—	1	—	—	—
		Syphilis (020-029)	Total M.	13	—	—	—	—	—	1	—	2	6	3	1	—
			Total F.	2	—	—	—	—	—	—	—	—	1	1	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
025	9	General paralysis of insane	M.	2	—	—	—	—	—	—	—	1	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
022, 023, 026-029	10	All other syphilis	M.	10	—	—	—	—	—	1	—	—	5	3	1	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	4	2	2	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	4	—	—	—	—	—	4	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	4	—	—	—	—	—	—	—	1	2	1	—	—
			F.	2	—	—	—	—	—	—	1	1	—	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	2	—	—	—	—	1	—	1	—	—	—	—	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	4	—	—	—	—	—	—	1	1	2	—	—	—
		Malignant neoplasms (140-205)	TOTAL M.	906	—	1	1	1	4	11	25	117	210	308	228	—
			TOTAL F.	982	—	—	2	2	1	13	41	152	183	286	302	—
140-148	44	Buccal cavity and pharynx	M.	28	—	—	—	—	—	—	—	2	2	13	11	—
			F.	23	—	—	-	—	—	—	—	1	5	4	13	—
150	45	Œsophagus	M.	29	—	—	—	—	—	—	2	2	8	10	7	—
			F.	33	—	—	—	—	—	—	—	3	9	8	13	—
151	46	Stomach	M.	143	—	—	—	—	—	1	4	15	35	52	36	—
			F.	148	—	—	—	—	-	—	3	12	15	50	68	—
152, 153	47	Intestines, except rectum	M.	96	—	-	—	—	—	2	2	7	8	43	34	—
			F.	147	—	—	—	—	—	—	5	12	18	54	58	—
154	48	Rectum	M.	52	—	—	—	—	—	—	1	3	6	26	16	—
			F.	40	—	—	—	—	—	—	—	6	7	14	13	—
161	49	Larynx	M.	14	—	—	—	—	—	—	1	1	5	4	3	—
			F.	6	—	—	—	—	—	—	—	1	—	4	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	222	—	—	—	—	—	1	4	47	89	62	19	—
			F.	47	—	—	—	—	—	1	4	10	12	7	13	—
170	51	Breast	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	175	—	—	—	—	—	2	11	42	39	41	40	—
171	52	Cervix uteri	F.	41	—	—	—	—	—	2	5	11	11	7	5	—
172-174	53	Other and unspecified parts of uterus	F.	52	—	—	—	—	—	—	1	11	12	17	11	—
177	54	Prostate	M.	87	—	—	—	—	—	—	—	1	8	32	46	—
190, 191	55	Skin	M.	12	—	—	—	—	—	—	—	—	1	2	9	—
			F.	13	—	—	—	—	—	1	—	—	2	5	5	—
196, 197	56	Bone and connective tissue	M.	10	—	—	—	1	—	—	1	2	2	1	3	—
			F.	9	—	—	—	—	—	—	—	1	4	1	3	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	156	—	1	1	—	3	3	8	19	34	50	37	—
			F.	203	—	—	—	—	—	6	7	34	41	62	53	—
204	58	Leukæmia and aleukæmia	M.	25	—	—	—	—	1	1	—	11	4	6	2	—
			F.	21	—	—	2	1	1	—	2	3	3	6	3	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	31	—	—	—	—	—	3	2	7	8	7	4	—
			F.	24	—	—	—	1	—	1	3	5	5	6	3	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	5	—	—	—	1	1	—	—	2	—	1	—	—
			F.	19	—	—	—	—	—	1	1	3	4	6	4	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	2	—	—
252	62	Thyrotoxicosis with or without goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	4	—	—	—	—	—	—	—	—	1	2	1	—
260	63	Diabetes mellitus	M.	25	—	—	—	1	—	3	—	1	5	11	4	—
			F.	64	—	—	—	—	—	1	2	1	12	27	21	—
280-286	64	Avitaminosis and other deficiency states	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
290	65a	Pernicious and other hyperchromic anæmias	M.	15	—	—	—	—	—	—	—	—	2	4	9	—
			F.	15	—	—	—	—	—	—	—	—	2	5	8	—
291-293	65b	Other anæmias	M.	5	—	—	—	—	1	—	—	—	2	1	1	—
			F.	10	—	—	—	—	—	1	—	—	—	3	6	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	28	1	1	—	1	1	2	3	4	8	6	1	—
			F.	45	1	—	—	—	1	1	3	5	10	15	9	—
300-309	67	Psychoses	M.	7	—	—	—	—	—	—	2	1	1	2	1	—
			F.	11	—	—	—	—	—	1	—	1	1	4	4	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
			F.	3	—	—	—	—	1	—	—	1	1	—	—	—
325	69	Mental deficiency	M.	2	—	—	—	—	1	—	—	1	—	—	—	—
			F.	3	—	1	—	—	—	—	1	1	—	—	—	—
330	70a	Subarachnoid hæmorrhage	M.	16	—	—	—	—	—	2	1	1	6	4	2	—
			F.	28	—	—	—	—	1	4	5	8	5	2	3	—
331	70b	Cerebral hæmorrhage	M.	322	—	—	—	—	—	2	3	19	60	112	126	—
			F.	529	—	—	—	—	—	1	4	37	93	165	229	—
332	70c	Cerebral embolism and thrombosis	M.	344	—	—	—	—	1	1	—	11	40	95	196	—
			F.	537	—	1	—	—	—	—	1	4	44	148	339	—
333, 334	70d	Other vascular lesions affecting central nervous system ...	M.	49	—	—	—	—	—	1	—	1	6	13	28	—
			F.	58	—	—	—	—	—	—	—	1	1	14	42	—
340	71	Non-meningococcal meningitis	M.	3	1	1	—	—	—	—	—	—	1	—	—	—
			F.	2	—	—	—	—	—	—	1	—	—	1	—	—
345	72	Multiple sclerosis	M.	9	—	—	—	—	—	3	—	2	2	2	—	—
			F.	11	—	—	—	—	—	1	1	5	2	—	2	—
353	73	Epilepsy	M.	7	1	—	—	—	—	1	1	3	—	—	1	—
			F.	10	—	2	1	—	—	2	2	—	2	1	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	4	—	1	—	—	—	—	—	1	1	1	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
350	78a	Paralysis agitans	M.	14	—	—	—	—	—	—	—	1	1	6	6	—
			F.	21	—	—	—	—	—	—	—	1	1	13	6	—

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	30	2	2	2	1	2	—	1	5	7	4	4	—
			F.	21	1	1	—	—	—	—	1	3	6	5	4	—
400-402	79	Rheumatic fever	M.	1	—	—	—	1	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
		Heart disease (410-443) TOTAL	M.	1,898	1	—	—	1	3	10	39	166	334	536	808	—
			F.	2,012	—	—	1	1	1	6	29	63	225	502	1,184	—
410-416	80	Chronic rheumatic heart disease	M.	55	—	—	—	—	—	—	9	14	7	12	13	—
			F.	71	—	—	—	—	1	4	10	18	16	10	12	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	1,046	—	—	—	—	—	8	28	133	269	335	273	—
			F.	684	—	—	—	—	—	1	11	28	131	241	272	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	28	—	—	—	—	—	1	—	3	5	9	10	—
			F.	37	—	—	—	—	—	—	1	—	11	8	17	—
422.0	81*c*	Fatty degeneration of heart	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	4	—	—	—	—	—	—	—	—	—	1	3	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	388	—	—	—	—	—	—	—	1	15	75	297	—
			F.	607	—	—	—	—	—	—	—	5	19	95	488	—
422.2	81*e*	Other myocardial degeneration	M.	239	—	—	—	—	1	—	—	6	15	58	159	—
			F.	402	—	—	—	—	—	—	4	8	22	75	293	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	10	1	—	—	1	1	—	—	1	2	3	1	—
			F.	7	—	—	1	—	—	—	—	—	1	4	1	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	34	—	—	—	—	—	1	1	1	5	10	16	—
			F.	54	—	—	—	1	—	1	1	2	6	19	24	—
440-443	83	Hypertension with heart disease	M.	97	—	—	—	—	1	—	1	7	15	34	39	—
			F.	146	—	—	—	—	—	—	2	2	19	49	74	—
444-447	84	Hypertension without mention of heart	M.	70	—	—	—	—	1	—	1	7	13	20	28	—
			F.	64	—	—	—	—	—	—	—	5	11	15	33	—
450	85*a*	Genera larteriosclerosis	M.	103	—	—	—	—	—	—	—	—	—	24	79	—
			F.	133	—	—	—	—	—	—	—	—	2	16	115	—
451-456	85*b*	Other diseases of arteries	M.	19	—	—	—	—	—	—	1	2	5	5	6	—
			F.	19	—	—	—	—	—	—	2	—	2	8	7	—
460-468	86	Other diseases of circulatory system	M.	19	—	—	—	—	—	—	—	4	3	8	4	—
			F.	25	—	—	—	—	—	—	—	2	6	11	6	—
470-475	87	Acute upper respiratory infections	M.	2	—	1	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	1	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	23	—	1	—	—	—	—	2	2	4	6	8	—
			F.	34	—	—	—	—	—	—	1	1	2	9	21	—
490	89	Lobar pneumonia	M.	20	1	—	—	—	—	—	1	1	3	4	10	—
			F.	28	—	—	—	—	—	—	2	1	5	13	7	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	86	8	5	—	1	3	1	—	3	7	13	45	—
			F.	84	16	3	—	—	1	—	1	1	7	19	36	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	11	1	—	—	—	1	—	—	—	1	4	4	—
			F.	15	—	1	—	—	—	—	—	1	—	7	6	—
		Bronchitis (500-502) TOTAL	M.	223	2	—	—	—	—	—	1	20	61	69	70	—
			F.	91	—	2	—	—	1	—	2	1	12	21	52	—
500	92	Acute	M.	28	2	—	—	—	—	—	—	1	3	6	16	—
			F.	27	—	2	—	—	—	—	1	1	—	4	19	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	119	—	—	—	—	—	—	1	14	39	41	24	—
			F.	36	—	—	—	—	—	—	—	—	8	9	19	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	76	—	—	—	—	—	—	—	5	19	22	30	—
			F.	28	—	—	—	—	1	—	1	—	4	8	14	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
519	96	Pleurisy	M.	2	—	—	—	—	—	—	—	—	—	1	1	—
			F.	2	—	—	—	—	—	—	1	—	—	—	1	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	68	1	1	—	—	—	1	—	8	25	17	15	—
			F.	15	—	—	—	—	—	—	3	2	3	3	4	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	26	—	—	—	—	—	—	—	5	3	10	8	—
			F.	18	—	—	—	—	—	2	1	4	3	3	5	—
541	100	Ulcer of duodenum	M.	48	—	—	—	—	—	—	2	6	10	15	15	—
			F.	11	—	—	—	—	—	—	—	2	3	3	3	—
543	101	Gastritis and duodenitis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
550-553	102	Appendicitis	M.	13	—	—	1	—	—	1	1	2	1	2	5	—
			F.	3	—	—	—	—	—	—	—	—	1	2	—	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	34	5	1	—	—	—	—	—	3	6	8	11	—
			F.	36	1	—	—	—	—	—	—	2	5	12	16	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	8	7	1	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	4	—	1	—	—	—	—	—	—	—	—	3	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	10	—	—	—	—	—	2	1	—	4	2	1	—
			F.	19	—	—	—	—	—	—	4	—	1	6	8	—
581	105	Cirrhosis of liver	M.	20	—	—	—	—	—	1	2	3	5	7	2	—
			F.	13	—	—	—	1	—	—	—	2	2	6	2	—
584,585	106	Cholelithiasis and cholecystitis	M.	5	—	—	—	—	—	—	—	1	1	1	2	—
			F.	35	—	—	—	—	—	—	—	2	5	6	22	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	4	—	—	—	1	—	—	1	—	1	1	—	—
			F.	5	—	—	—	—	—	1	—	—	1	2	1	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	18	—	—	—	—	—	—	—	4	4	6	4	—
			F.	14	1	—	—	—	—	—	—	—	2	4	7	—
590	108	Acute nephritis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	3	—	—	—	—	—	—	—	—	—	1	2	—
591-594	109	Chronic, other and unspecified nephritis	M.	54	1	—	—	—	2	3	5	8	12	11	12	—
			F.	46	—	—	—	1	—	1	1	5	10	11	17	—

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	13	—	—	—	—	—	—	—	1	3	6	3	—
			F.	27	1	—	—	—	—	2	1	2	8	5	8	—
602, 604	111	Calculi of urinary system	M.	11	—	—	—	—	—	—	2	1	—	5	3	—
			F.	5	—	—	—	—	—	—	—	2	1	2	—	—
610	112	Hyperplasia of prostate	M.	63	—	—	—	—	—	—	—	—	3	15	45	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	4	—	—	—	—	—	—	—	2	—	1	1	—
			F.	3	—	—	—	—	—	—	—	—	—	1	2	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	13	—	—	—	—	—	—	—	2	2	4	5	—
			F.	8	—	—	—	—	—	—	2	2	—	2	2	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	3	—	—	—	—	1	1	1	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	2	—	—	—	—	—	1	1	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
645-649, 660, 673, 680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	3	—	—	—	—	1	1	1	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	5	—	—	—	—	—	—	—	—	1	2	2	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
720-725	122	Arthritis and spondylitis	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	29	—	—	—	—	—	—	2	3	2	10	12	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	2	—	—
730	124	Osteomyelitis and periostitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	9	—	1	—	—	—	1	—	2	2	1	2	—
			F.	11	—	—	—	—	—	—	1	2	6	1	1	—
		Congenital malformations and certain diseases of early infancy (750-776) Total	M.	200	189	5	1	—	1	1	2	1	—	—	—	—
			F.	152	137	5	—	—	2	3	1	1	1	2	—	—
751	127	Spina bifida and meningocele	M.	12	12	—	—	—	—	—	—	—	—	—	—	—
			F.	7	7	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	28	22	2	1	—	1	—	2	—	—	—	—	—
			F.	12	11	—	—	—	1	—	—	—	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	28	23	3	—	—	—	1	—	1	—	—	—	—
			F.	32	18	5	—	—	1	3	1	1	1	2	—	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

762	131	Postnatal asphyxia and atelectasis	M.	39	39	—	—	—	—	—	—	—	—	—	—
			F.	23	23	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	11	11	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	3	3	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	7	7	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	6	6	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	39	39	—	—	—	—	—	—	—	—	—	—
			F.	43	43	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	48	—	—	—	—	—	—	—	—	—	3	45
			F.	113	—	—	—	—	—	—	—	—	—	3	110
780-793, 795	137	Ill-defined and unknown causes	M.	17	1	1	—	1	—	—	—	3	1	3	7
			F.	19	1	—	—	—	—	—	1	1	2	7	7
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)													
		Violence (E800-E999) TOTAL	M.	250	12	8	10	4	19	37	30	30	40	21	39
			F.	169	6	8	—	—	1	6	9	18	22	27	72
E810-E835	138	Motor vehicle accidents	M.	69	—	3	4	1	7	13	10	8	9	6	8
			F.	14	—	3	—	—	1	—	—	2	1	2	5
E840-E845	139*a*	Other road transport accidents	M.	2	—	—	1	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	13	—	—	—	1	2	2	1	2	4	—	1
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E870-E895	140	Accidental poisoning	M.	16	—	—	1	—	—	4	—	3	3	3	2
			F.	18	—	—	—	—	—	2	2	5	2	4	3
E900-E904	141	Accidental falls	M.	42	—	—	—	—	4	2	5	1	4	7	19
			F.	65	—	—	—	—	—	—	—	—	1	9	55
E912	142	Accident caused by machinery	M.	5	—	—	—	—	1	1	—	1	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	8	—	1	—	—	—	1	1	1	1	—	3
			F.	10	—	2	—	—	—	—	1	—	—	1	6
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	1	—	—	—	—	—	—	—	—	1	—	—
			F.	4	—	1	—	—	—	—	—	—	1	2	—
E919	145	Accident caused by firearm	M.	1	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	24	—	4	2	2	3	1	2	2	5	3	—
			F.	8	—	—	—	—	—	1	—	4	2	1	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	13	11	—	—	—	—	1	—	—	—	—	1
			F.	7	6	1	—	—	—	—	—	—	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	14	1	—	1	—	1	2	3	4	1	—	1
			F.	4	—	—	—	—	—	—	—	—	—	1	3
E963, E970-E979	148	Suicide and self-inflicted injury	M.	37	—	—	—	—	—	10	6	7	9	1	4
			F.	36	—	—	—	—	—	2	6	6	15	7	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	2	—	—	1	—	1	—	—	—	—	—	—
			F.	3	—	1	—	—	—	1	—	1	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	3	—	—	—	—	—	—	—	1	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44E.—Deaths in Aggregate of Landward Areas in Scotland by Sex and Age Groups—1956

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		17,316	733	119	62	52	193	262	500	1,316	2,525	4,480	7,074	—
		Males		9,094	440	71	32	30	134	163	303	800	1,432	2,420	3,269	—
		Females		8,222	293	48	30	22	59	99	197	516	1,093	2,060	3,805	—
		All Tuberculosis (001-019)	TOTAL M.	107	—	1	—	—	1	16	19	21	17	24	8	—
			TOTAL F.	57	—	1	1	—	3	18	9	6	3	10	6	—
001-008	1	Respiratory system	M.	96	—	—	—	—	1	14	18	20	17	20	6	—
			F.	46	—	—	—	—	3	16	7	5	2	9	4	—
010	2	Meninges and central nervous system	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	2	—	1	1	—	—	—	—	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
012, 013	4	Bones and joints	M.	5	—	—	—	—	—	—	—	—	—	3	2	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
014-019	5	All other forms	M.	5	—	—	—	—	—	2	1	1	—	1	—	—
			F.	7	—	—	—	—	—	2	2	—	1	1	1	—
		Syphilis (020-029)	TOTAL M.	18	—	—	—	1	—	—	2	3	5	5	2	—
			TOTAL F.	5	—	—	—	—	—	—	—	—	3	1	1	—
020	6	Congenital syphilis	M.	1	—	—	—	1	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	6	—	—	—	—	—	—	1	—	1	4	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
022, 023, 026-029	10	All other syphilis	M.	11	—	—	—	—	—	—	1	3	4	1	2	—
			F.	4	—	—	—	—	—	—	—	—	2	1	1	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	3	—	1	—	—	—	—	—	—	1	1	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
055	21	Diphtheria	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	3	1	2	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	5	2	1	2	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	2	—	—	—	—	1	—	—	1	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	2	—	1	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	7	—	—	—	—	—	—	—	2	3	1	1	—
			F.	5	—	—	—	—	—	1	1	1	1	—	1	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	2	1	1	—	—	—	—	—	—	—	—	—	—
			F.	2	1	1	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	2	—	—	—	—	1	1	—	—	—	—	—	—
			F.	5	—	—	—	—	—	—	1	1	2	—	1	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049-054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	5	—	—	—	—	—	—	—	—	2	1	2	—
			F.	4	2	—	—	—	—	—	—	—	—	1	1	—
		Malignant neoplasms (140-205)	TOTAL M.	1,440	1	10	5	5	10	15	57	198	319	459	361	—
			TOTAL F.	1,300	1	3	1	3	10	18	58	183	295	342	386	—
140-148	44	Buccal cavity and pharynx	M.	36	—	—	—	1	—	1	—	4	4	11	15	—
			F.	17	—	—	—	—	—	—	—	3	5	6	3	—
150	45	Œsophagus	M.	40	—	—	—	—	—	—	1	4	12	14	9	—
			F.	28	—	—	—	—	—	1	—	3	10	4	10	—
151	46	Stomach	M.	249	—	—	—	—	—	1	10	36	40	101	61	—
			F.	210	—	—	—	—	—	—	2	18	35	56	99	—
152, 153	47	Intestine, except rectum	M.	176	—	—	—	—	—	1	4	22	23	57	69	—
			F.	211	—	—	—	—	—	1	6	21	34	63	86	—
154	48	Rectum	M.	82	—	—	—	—	—	1	1	3	19	23	35	—
			F.	62	—	—	—	—	—	—	2	9	10	17	24	—
161	49	Larynx	M.	10	—	—	—	—	—	—	—	2	1	6	1	—
			F.	6	—	—	—	—	—	—	—	1	1	4	—	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	309	—	—	—	—	—	1	15	68	124	82	19	—
			F.	62	—	—	—	—	—	1	4	5	12	28	12	—
170	51	Breast	M.	2	—	—	—	—	—	—	—	—	2	—	—	—
			F.	230	—	—	—	—	—	5	17	43	61	49	55	—
171	52	Cervix uteri	F.	64	—	—	—	—	—	1	8	15	15	19	6	—
172-174	53	Other and unspecified parts of uterus	F.	73	—	—	—	—	—	2	3	15	24	16	13	—
177	54	Prostate	M.	138	—	—	—	—	—	—	—	4	9	66	59	—
190, 191	55	Skin	M.	23	—	—	—	—	—	—	—	4	2	9	8	—
			F.	14	—	—	—	—	—	1	1	—	4	2	6	—
196, 197	56	Bone and connective tissue	M.	30	—	—	1	—	2	—	5	3	6	8	5	—
			F.	16	—	—	—	—	2	—	1	2	4	3	4	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	242	—	6	1	1	2	4	10	34	53	66	65	—
			F.	228	—	2	—	—	5	2	9	38	60	55	57	—
204	58	Leukæmia and aleukæmia	M.	43	—	3	3	3	3	2	4	3	6	5	11	—
			F.	33	1	1	1	3	—	1	2	6	7	6	5	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	60	1	1	—	—	3	4	7	11	18	11	4	—
			F.	46	—	—	—	—	3	3	3	4	13	14	6	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	17	—	1	—	1	1	—	2	3	5	3	1	—
			F.	30	1	—	—	—	1	—	4	11	4	7	2	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
252	62	Thyrotoxicosis with or without goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
260	63	Diabetes mellitus	M.	42	—	—	1	1	1	—	3	4	8	8	16	—
			F.	107	—	—	—	—	1	—	1	4	30	35	36	—
280-286	64	Avitaminosis and other deficiency states	M.	7	1	—	—	—	—	—	1	2	—	1	2	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	13	—	—	—	—	—	—	—	—	1	5	7	—
			F.	20	—	—	—	—	—	—	1	—	2	10	7	—
291-293	65*b*	Other anæmias	M.	18	—	—	1	—	—	—	2	3	—	7	5	—
			F.	19	—	—	—	—	1	1	1	—	1	5	10	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	59	3	—	—	—	2	5	4	12	15	13	5	—
			F.	66	1	2	—	—	2	2	7	8	19	14	11	—
300-309	67	Psychoses	M.	11	—	—	—	—	—	1	3	—	3	—	4	—
			F.	19	—	—	—	—	—	—	1	2	2	5	9	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
325	69	Mental deficiency	M.	6	2	—	2	—	1	—	—	—	1	—	—	—
			F.	2	—	—	1	—	—	—	—	1	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	27	—	—	—	—	1	3	3	8	8	1	3	—
			F.	33	—	—	—	1	1	2	3	8	6	7	5	—
331	70*b*	Cerebral hæmorrhage	M.	562	—	—	—	—	2	4	9	38	98	169	242	—
			F.	716	—	—	1	2	—	1	5	44	113	242	308	—
332	70*c*	Cerebral embolism and thrombosis	M.	505	—	—	—	—	—	—	—	21	48	160	276	—
			F.	706	—	—	—	—	—	2	3	16	69	201	415	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	65	—	—	—	—	1	—	—	2	5	18	39	—
			F.	87	—	—	—	—	—	—	—	4	8	18	57	—
340	71	Non-meningococcal meningitis	M.	10	4	2	—	—	1	1	—	—	—	2	—	—
			F.	6	1	—	—	—	—	—	—	3	1	1	—	—
345	72	Multiple sclerosis	M.	19	—	—	—	—	—	3	6	7	3	—	—	—
			F.	26	—	—	—	—	—	3	4	7	9	3	—	—
353	73	Epilepsy	M.	15	—	1	—	—	1	1	4	2	4	—	2	—
			F.	18	2	1	—	1	2	2	3	1	3	2	1	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
385	75	Cataract	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	25	—	—	—	—	—	—	—	—	3	14	8	—
			F.	24	—	—	—	—	—	—	—	—	4	14	6	—

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	40	—	2	—	1	2	1	3	4	8	14	5	—
			F.	37	—	2	2	1	—	1	—	5	6	7	13	—
400-402	79	Rheumatic fever	M.	8	—	1	—	1	3	—	—	2	1	—	—	—
			F.	6	—	—	—	—	2	—	1	3	—	—	—	—
		Heart disease (410-443) TOTAL	M.	3,226	1	—	—	—	8	20	80	246	539	947	1,385	—
			F.	2,902	—	—	—	1	7	16	37	105	330	782	1,624	—
410-416	80	Chronic rheumatic heart disease	M.	75	—	—	—	—	4	6	14	13	15	14	9	—
			F.	127	—	—	—	—	5	12	18	27	23	24	18	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	1,629	—	—	—	—	1	9	54	194	406	543	422	—
			F.	964	—	—	—	—	—	1	10	44	175	374	360	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	57	—	—	—	—	—	1	3	7	11	12	23	—
			F.	53	—	—	—	—	—	1	2	1	12	20	17	—
422.0	81*c*	Fatty degeneration of heart	M.	5	—	—	—	—	—	—	—	1	—	2	2	—
			F.	12	—	—	—	—	—	—	1	2	4	3	2	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	658	—	—	—	—	—	—	1	6	15	157	479	—
			F.	812	—	—	—	—	—	1	2	6	23	122	658	—
422.2	81*e*	Other myocardial degeneration	M.	542	—	—	—	—	—	1	2	13	56	137	333	—
			F.	640	—	—	—	1	—	—	2	17	48	145	427	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	20	—	—	—	—	2	—	2	3	4	5	4	—
			F.	14	—	—	—	—	—	1	1	—	2	4	6	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	75	1	—	—	—	1	2	2	4	7	21	37	—
			F.	86	—	—	—	—	1	—	—	2	13	21	49	—
440-443	83	Hypertension with heart disease	M.	165	—	—	—	—	—	1	2	5	25	56	76	—
			F.	194	—	—	—	—	1	—	1	6	30	69	87	—
444-447	84	Hypertension without mention of heart	M.	111	—	—	—	—	—	3	2	11	22	32	41	—
			F.	108	—	—	—	—	1	—	4	5	16	30	52	—
450	85*a*	General arteriosclerosis	M.	213	—	—	—	—	—	—	—	—	1	40	172	—
			F.	228	1	—	—	—	—	—	—	3	4	30	190	—
451-456	85*b*	Other diseases of arteries	M.	46	—	—	—	—	—	2	—	5	9	14	16	—
			F.	34	—	—	—	—	3	2	1	2	1	11	14	—
460-468	86	Other diseases of circulatory system	M.	30	—	—	—	—	—	—	2	5	3	11	9	—
			F.	34	—	—	—	—	—	2	—	4	10	13	5	—
470-475	87	Acute upper respiratory infections	M.	8	1	2	1	—	—	1	2	—	1	—	—	—
			F.	4	—	3	—	—	—	—	—	—	—	1	—	—
480-483	88	Influenza	M.	30	1	—	1	—	—	—	2	2	3	10	11	—
			F.	50	—	—	—	—	—	1	2	—	—	9	38	—
490	89	Lobar pneumonia	M.	60	2	—	—	—	1	1	2	3	8	17	26	—
			F.	33	3	—	—	—	—	—	1	1	2	9	17	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	142	25	7	—	1	2	1	3	6	13	32	52	—
			F.	150	26	8	1	1	3	3	2	4	9	28	65	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	23	2	2	—	—	—	—	1	1	2	2	13	—
			F.	34	4	—	1	—	—	1	—	1	1	9	17	—
		Bronchitis (500-502) TOTAL	M.	260	4	—	1	—	1	—	3	20	50	94	87	—
			F.	129	3	1	—	—	—	1	—	6	16	37	65	—
500	92	Acute	M.	31	4	—	1	—	1	—	—	1	1	5	18	—
			F.	38	3	1	—	—	—	1	—	—	5	9	19	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	141	—	—	—	—	—	—	2	12	26	54	47	—
			F.	52	—	—	—	—	—	—	—	4	9	18	21	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	88	—	—	—	—	—	—	1	7	23	35	22	—
			F.	39	—	—	—	—	—	—	—	2	2	10	25	—
510	94	Hypertrophy of tonsils and adenoids	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	2	—	1	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
519	96	Pleurisy	M.	2	—	—	—	—	1	—	—	—	—	—	1	—
			F.	5	—	—	—	—	—	—	—	—	—	1	4	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	209	2	—	—	—	1	1	2	14	63	79	47	—
			F.	22	1	—	—	—	1	1	1	2	5	6	5	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	50	—	—	—	—	—	—	2	6	13	16	13	—
			F.	32	—	—	—	—	—	—	1	4	3	13	11	—
541	100	Ulcer of duodenum	M.	77	—	—	—	—	2	—	5	10	17	24	19	—
			F.	18	—	—	—	—	—	—	—	1	5	2	10	—
543	101	Gastritis and duodenitis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	6	—	—	—	—	—	—	—	—	1	2	3	—
550-553	102	Appendicitis	M.	22	—	1	1	—	3	1	1	4	1	5	5	—
			F.	9	—	—	1	—	2	1	1	1	—	2	1	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	63	5	2	1	—	2	1	—	6	9	19	18	—
			F.	53	1	—	—	—	1	—	2	2	6	12	29	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	20	17	3	—	—	—	—	—	—	—	—	—	—
			F.	9	9	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	4	—	—	—	—	—	—	—	1	—	1	2	—
			F.	9	—	—	—	—	—	—	—	—	2	2	5	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	11	—	—	—	—	1	1	—	2	2	2	3	—
			F.	16	—	—	—	—	—	1	—	2	3	5	5	—
581	105	Cirrhosis of liver	M.	36	—	—	—	—	—	—	3	10	13	6	4	—
			F.	19	—	—	—	—	—	—	1	7	5	4	2	—
584-585	106	Cholelithiasis and cholecystitis	M.	19	—	—	—	—	—	—	—	3	5	4	7	—
			F.	35	—	—	—	—	—	—	3	1	6	11	14	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	8	—	—	—	—	—	—	1	2	1	3	1	—
			F.	10	—	—	—	—	—	1	1	2	2	2	2	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	28	4	—	—	—	—	1	5	4	3	4	7	—
			F.	29	1	1	—	—	—	1	4	4	3	8	7	—
590	108	Acute nephritis	M.	7	—	—	—	—	2	1	1	1	1	1	—	—
			F.	2	1	—	—	—	—	1	—	—	—	—	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	69	—	—	2	1	2	7	4	9	7	19	18	—
			F.	90	1	—	—	5	3	2	4	13	18	25	19	—

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	20	2	—	—	1	—	—	2	2	3	2	8	—
			F.	27	—	—	—	—	—	1	4	2	8	7	5	—
602, 604	111	Calculi of urinary system	M.	4	—	—	—	—	—	—	—	1	1	—	2	—
			F.	6	—	—	—	—	—	—	1	1	4	—	—	—
610	112	Hyperplasia of prostate	M.	131	—	—	—	—	—	—	—	1	9	32	89	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	10	—	—	—	—	—	—	—	—	—	4	6	—
			F.	4	—	—	—	—	—	—	—	1	—	—	3	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	8	—	—	—	—	—	—	—	—	—	2	6	—
			F.	18	—	—	1	—	2	1	1	2	3	2	6	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	4	—	—	—	—	1	—	3	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	3	—	—	—	—	—	1	2	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	1	—	—	—	—	1	—	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	2	—	—	—	—	—	1	1	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	4	—	1	—	—	—	—	—	1	—	1	1	—
			F.	4	1	—	—	—	—	—	—	—	2	1	—	—
720-725	122	Arthritis and spondylitis	M.	12	—	—	—	—	—	—	—	2	2	1	7	—
			F.	45	—	—	—	—	—	—	—	4	6	15	20	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	—	—	—	1	2	—
730	124	Osteomyelitis and periostitis	M.	3	1	—	—	1	—	—	—	—	—	1	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	8	—	—	—	2	—	—	—	—	3	1	2	—
			F.	8	—	—	—	—	—	1	1	—	1	3	2	—
		Congenital malformations and certain diseases of early infancy (750-776)	TOTAL M.	345	329	2	1	—	1	1	3	4	2	2	—	—
			TOTAL F.	241	211	6	5	3	3	3	2	2	5	1	—	—
751	127	Spina bifida and meningocele	M.	16	15	—	—	—	—	—	1	—	—	—	—	—
			F.	25	23	2	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	27	19	1	1	—	1	1	2	2	—	—	—	—
			F.	33	21	1	1	1	3	3	1	—	2	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	36	29	1	—	—	—	—	—	2	2	2	—	—
			F.	44	28	3	4	2	—	—	1	2	3	1	—	—
	(*a*)		(*b*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
			F.	[illegible]	[illegible]	—	—	—	—	—	—	—	—	—	—
762	131	Post-natal asphyxia and atelectasis	M.	85	85	—	—	—	—	—	—	—	—	—	—
			F.	46	46	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	25	25	—	—	—	—	—	—	—	—	—	—
			F.	14	14	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	4	4	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	4	4	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	10	10	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	17	17	—	—	—	—	—	—	—	—	—	—
			F.	7	7	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	86	86	—	—	—	—	—	—	—	—	—	—
			F.	51	51	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	132	—	—	—	—	—	—	—	—	—	6	126
			F.	185	—	—	—	—	—	—	—	—	—	8	177
780-793, 795	137	Ill-defined and unknown causes	M.	53	7	—	—	—	—	2	3	8	6	14	13
			F.	28	5	1	—	—	—	—	1	2	2	7	10
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)													
		Violence (E800-E999) TOTAL	M.	537	22	26	12	14	78	68	55	76	61	63	62
			F.	254	15	14	15	4	7	4	11	20	31	36	97
E810-E835	138	Motor vehicle accidents	M.	162	—	12	5	5	35	22	16	25	17	17	8
			F.	48	—	7	8	3	4	2	3	7	8	4	2
E840-E845	139*a*	Other road transport accidents	M.	6	—	—	—	—	2	—	—	1	—	3	—
			F.	2	—	—	—	1	—	—	—	—	1	—	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	51	—	—	—	—	9	17	7	3	8	6	1
			F.	1	—	—	1	—	—	—	—	—	—	—	—
E870-E895	140	Accidental poisonings	M.	12	—	1	—	—	—	1	3	1	1	2	3
			F.	16	—	—	—	—	—	1	2	3	5	5	—
E900-E904	141	Accidental falls	M.	66	—	1	—	1	3	2	2	3	6	14	34
			F.	102	—	1	1	—	—	—	—	—	6	14	80
E912	142	Accident caused by machinery	M.	11	—	—	—	—	3	2	3	2	1	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	15	—	1	2	1	1	1	—	—	2	1	6
			F.	22	1	1	1	—	—	—	1	1	1	6	10
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	1	—	—	—	—	—	—	—	—	—	—	1
			F.	4	—	—	2	—	—	—	—	—	—	1	1
E919	145	Accident caused by firearm	M.	9	—	—	—	—	2	2	2	2	—	1	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	52	—	7	5	3	5	4	2	13	5	6	2
			F.	14	—	4	—	—	—	1	1	3	2	1	2
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	31	20	4	—	2	—	—	2	2	—	1	—
			F.	14	13	—	—	—	—	—	—	—	1	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	58	2	—	—	2	14	7	10	10	8	3	2
			F.	7	1	1	1	—	—	—	—	—	1	1	2
E963, E970-E979	148	Suicide and self-inflicted injury	M.	62	—	—	—	—	4	9	8	14	13	9	5
			F.	15	—	—	—	—	—	—	2	4	6	3	—
E964, E930-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	—	—	—	—	—	—	—	—	—	—	—	—
			F.	7	—	—	1	—	2	—	2	1	—	1	—
E965, E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44F.—Deaths in Central Clydeside Conurbation Area in Scotland by Sex and Age Groups—1956

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		ALL CAUSES—Both Sexes		**21,007**	**1,149**	**128**	**75**	**54**	**188**	**370**	**720**	**1,956**	**3,829**	**5,498**	**7,040**	—
		Males		**11,103**	**672**	**73**	**43**	**33**	**100**	**193**	**401**	**1,211**	**2,299**	**2,938**	**3,140**	—
		Females		**9,904**	**477**	**55**	**32**	**21**	**88**	**177**	**319**	**745**	**1,530**	**2,560**	**3,900**	—
		All Tuberculosis (001-019)	Total M.	296	1	3	—	2	7	34	32	71	78	50	18	—
			Total F.	159	2	4	—	1	14	64	32	16	11	13	2	—
001-008	1	Respiratory system	M.	275	—	—	—	1	4	33	30	68	76	49	14	—
			F.	145	1	—	—	—	14	59	32	15	10	12	2	—
010	2	Meninges and central nervous system	M.	5	1	3	—	—	—	—	1	—	—	—	—	—
			F.	7	1	4	—	1	—	—	—	1	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	7	—	—	—	1	—	—	1	—	1	1	3	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
014-019	5	All other forms	M.	8	—	—	—	—	3	1	—	2	1	—	1	—
			F.	5	—	—	—	—	—	3	—	—	1	1	—	—
		Syphilis (020-029)	Total M.	24	—	—	—	—	—	1	1	1	11	6	4	—
			Total F.	7	—	—	—	—	—	—	—	3	1	2	1	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	7	—	—	—	—	—	—	—	1	4	1	1	—
			F.	2	—	—	—	—	—	—	—	2	—	—	—	—
022, 023, 026-029	10	All other syphilis	M.	15	—	—	—	—	—	1	1	—	6	5	2	—
			F.	5	—	—	—	—	—	—	—	1	1	2	1	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	1	—	—	—	—	—	—	—	—	1	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	5	4	—	—	—	—	—	—	—	—	1	—	—
			F.	2	—	—	—	—	—	1	—	1	—	—	—	—
055	21	Diphtheria	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
056	22	Whooping cough	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	5	2	3	—	—	—	—	—	—	—	—	—	—
			F.	5	2	2	1	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	2	—	1	—	—	1	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	3	1	—	—	—	—	—	—	2	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	4	—	1	—	1	—	—	—	—	—	2	—	—
			F.	7	—	—	—	—	—	—	3	1	2	1	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	2	—	1	—	—	—	—	—	—	1	—	—	—
			F.	4	—	—	—	—	—	1	—	—	2	—	1	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44F—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: −1	1−	5−	10−	15−	25−	35−	45−	55−	65−	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic...	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	2	1	—	—	—	—	—	—	—	—	1	—	—
		Malignant neoplasms (140-205)	TOTAL M.	2,078	2	3	1	3	17	20	86	317	578	600	451	—
			TOTAL F.	1,723	4	1	3	3	8	22	106	260	421	491	404	—
140-148	44	Buccal cavity and pharynx	M.	60	—	—	—	1	—	—	1	4	8	20	26	—
			F.	20	—	—	—	—	—	—	3	8	3	3	3	—
150	45	Œsophagus	M.	54	—	—	—	—	—	—	2	5	12	19	16	—
			F.	36	—	—	—	—	—	1	1	1	11	8	14	—
151	46	Stomach	M.	337	—	—	—	—	—	4	13	49	79	105	87	—
			F.	281	—	—	—	—	—	—	3	29	52	104	93	—
152, 153	47	Intestine, except rectum	M.	207	—	—	—	—	1	—	6	22	42	67	69	—
			F.	251	—	—	—	—	—	—	11	20	48	82	90	—
154	48	Rectum	M.	108	—	—	—	—	—	1	3	15	25	32	32	—
			F.	92	—	—	—	—	—	—	6	10	20	30	26	—
161	49	Larynx	M.	25	—	—	—	—	—	—	—	6	6	8	5	—
			F.	10	—	—	—	—	—	—	—	5	2	1	2	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	729	—	—	—	—	1	6	36	149	297	194	46	—
			F.	130	—	—	—	—	—	2	4	22	46	34	22	—
170	51	Breast	M.	3	—	—	—	—	—	—	—	1	1	—	1	—
			F.	300	—	—	—	—	—	2	25	68	85	78	42	—
171	52	Cervix uteri	F.	96	—	—	—	—	1	3	19	20	29	17	7	—
172-174	53	Other and unspecified parts of uterus	F.	60	—	—	—	—	—	—	9	8	16	19	8	—
177	54	Prostate	M.	131	—	—	—	—	1	—	—	2	12	36	80	—
190, 191	55	Skin	M.	15	—	—	—	—	—	1	1	2	2	4	5	—
			F.	18	—	—	—	—	—	1	2	4	2	3	6	—
196, 197	56	Bone and connective tissue	M.	27	—	—	—	—	3	1	2	3	7	6	5	—
			F.	12	—	—	—	—	1	1	1	1	2	4	2	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	295	—	2	1	1	5	2	12	45	75	83	69	—
			F.	353	3	1	2	2	3	6	17	56	87	96	80	—
204	58	Leukæmia and aleukæmia	M.	39	—	1	—	—	2	2	6	5	3	3	7	—
			F.	29	1	—	1	1	3	2	1	1	8	—	4	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	48	2	—	—	1	4	3	4	9	9	13	3	—
			F.	35	—	—	—	—	—	4	4	7	10	5	5	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	16	1	—	—	—	1	1	4	4	2	2	1	—
			F.	28	1	—	1	2	—	—	3	6	9	4	2	—
250, 251	61	Non-toxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
252	62	Thyrotoxicosis with or without goitre	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	5	—	—	—	—	—	—	1	—	3	—	1	—
260	63	Diabetes mellitus	M.	43	—	1	—	—	—	3	1	5	10	8	15	—
			F.	127	—	—	—	—	—	2	—	6	25	56	38	—
280-286	64	Avitaminosis and other deficiency states	M.	10	—	—	—	—	—	—	—	1	1	3	5	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	15	—	—	—	—	—	—	—	—	1	8	6	—
			F.	41	—	—	—	—	—	—	—	1	4	17	19	—
291-293	65*b*	Other anæmias	M.	12	—	—	1	—	—	1	2	1	—	4	3	—
			F.	15	—	—	—	—	1	1	1	—	3	3	6	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	42	3	1	1	—	1	5	2	6	12	8	3	—
			F.	70	—	1	2	—	3	4	3	6	22	19	10	—
300-309	67	Psychoses	M.	16	—	—	—	—	—	1	—	3	3	4	5	—
			F.	17	—	—	—	—	—	—	—	3	1	4	9	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	4	—	—	—	—	—	—	3	—	1	—	—	—
			F.	7	—	—	—	—	—	1	2	2	1	—	1	—
325	69	Mental deficiency	M.	4	1	—	2	—	1	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	43	—	—	1	—	2	5	7	8	7	8	5	—
			F.	36	—	—	—	—	1	2	2	8	11	11	1	—
331	70*b*	Cerebral hæmorrhage	M.	573	1	—	—	—	2	1	8	44	122	192	203	—
			F.	784	—	—	—	—	2	3	5	64	151	262	297	—
332	70*c*	Cerebral embolism and thrombosis	M.	624	—	—	—	—	—	1	1	13	74	225	310	—
			F.	863	—	—	—	—	—	—	3	22	86	250	502	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	147	—	—	—	—	—	—	1	3	13	40	90	—
			F.	138	—	—	—	—	—	—	—	1	6	34	97	—
340	71	Non-meningococcal meningitis	M.	13	3	2	1	1	1	—	1	2	1	1	—	—
			F.	6	2	—	—	—	—	—	1	2	1	—	—	—
345	72	Multiple sclerosis	M.	21	—	—	—	—	—	1	2	6	7	5	—	—
			F.	39	—	1	—	—	—	2	5	15	11	3	2	—
353	73	Epilepsy	M.	17	—	2	—	—	2	2	—	3	3	4	1	—
			F.	17	—	1	2	—	1	6	1	2	1	2	1	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	4	3	—	—	—	—	—	1	—	—	—	—	—
			F.	2	1	—	—	—	—	1	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	32	—	—	—	—	—	—	1	1	4	12	14	—
			F.	25	—	—	—	—	—	—	—	1	5	10	9	—

TABLE 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	36	2	—	—	1	1	1	3	7	12	5	4	—
			F.	39	—	4	3	—	1	2	1	7	9	9	3	—
400-402	79	Rheumatic fever	M.	13	—	—	—	1	2	5	2	1	1	1	—	—
			F.	6	—	—	1	—	1	—	1	3	—	—	—	—
		Heart disease (410-443) TOTAL	M.	3,497	—	—	—	1	9	34	108	402	766	1,026	1,151	—
			F.	3,193	—	—	1	—	15	22	65	155	440	931	1,564	—
410-416	80	Chronic rheumatic heart disease	M.	102	—	—	—	—	6	12	20	28	21	12	3	—
			F.	254	—	—	—	—	10	17	43	55	65	44	20	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	1,883	—	—	—	—	1	16	71	303	565	598	329	—
			F.	1,041	—	—	—	—	—	2	10	64	221	407	337	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	50	—	—	—	—	—	2	4	10	10	11	13	—
			F.	60	—	—	—	—	1	—	7	4	12	19	17	—
422.0	81*c*	Fatty degeneration of heart	M.	2	—	—	—	—	—	—	1	—	—	1	—	—
			F.	11	—	—	—	—	—	1	1	—	2	5	2	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	597	—	—	—	—	—	1	—	5	37	150	404	—
			F.	824	—	—	—	—	—	1	—	6	27	161	629	—
422.2	81*e*	Other myocardial degeneration	M.	612	—	—	—	—	—	1	4	39	80	170	318	—
			F.	685	—	—	1	—	—	—	3	9	56	183	433	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	19	—	—	—	1	1	—	2	3	4	5	3	—
			F.	15	—	—	—	—	4	1	—	1	1	3	5	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	65	—	—	—	—	1	1	3	5	14	13	28	—
			F.	73	—	—	—	—	—	—	—	5	10	25	33	—
440-443	83	Hypertension with heart disease	M.	167	—	—	—	—	—	1	3	9	35	66	53	—
			F.	230	—	—	—	—	—	—	1	11	46	84	88	—
444-447	84	Hypertension without mention of heart	M.	118	1	—	—	—	2	3	7	14	26	36	29	—
			F.	135	—	—	—	1	1	—	2	14	23	36	58	—
450	85*a*	General arteriosclerosis	M.	184	—	—	—	—	—	—	1	—	8	40	135	—
			F.	193	—	—	—	—	—	—	1	2	8	28	154	—
451-456	85*b*	Other diseases of arteries	M.	44	—	—	—	—	—	—	1	3	12	18	10	—
			F.	26	—	—	—	—	2	—	—	3	2	5	14	—
460-468	86	Other diseases of circulatory system	M.	19	—	—	—	—	1	—	—	4	3	4	7	—
			F.	41	1	—	—	—	—	3	3	5	9	8	12	—
470-475	87	Acute upper respiratory infections	M.	4	2	—	1	—	—	—	—	—	—	1	—	—
			F.	7	2	1	—	1	—	—	—	1	—	1	1	—
480-483	88	Influenza	M.	31	1	1	1	1	1	—	1	6	3	3	13	—
			F.	44	—	3	—	—	—	—	1	3	5	9	23	—
490	89	Lobar pneumonia	M.	105	2	—	1	—	1	1	4	13	15	33	35	—
			F.	63	2	—	—	2	1	2	—	6	9	13	28	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	236	56	10	1	—	—	1	5	10	50	53	100	—
			F.	251	32	9	1	1	1	1	3	11	26	42	124	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	34	4	—	—	—	—	—	2	4	4	8	12	—
			F.	47	10	3	—	—	—	—	—	1	3	11	19	—
		Bronchitis (500-502) TOTAL	M.	689	9	1	—	—	1	2	15	93	201	223	144	—
			F.	308	7	—	—	—	1	1	9	20	49	95	126	—
500	92	Acute	M.	42	9	1	—	—	—	—	1	2	5	8	16	—
			F.	52	7	—	—	—	—	—	1	—	8	10	26	—
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	433	—	—	—	—	—	1	10	67	129	144	82	—
			F.	160	—	—	—	—	—	1	4	10	33	56	56	—
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	M.	214	—	—	—	—	1	1	4	24	67	71	46	—
			F.	96	—	—	—	—	1	—	4	10	8	29	44	—
510	94	Hypertrophy of tonsils and adenoids	M.	3	—	2	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	4	—	—	—	—	—	—	—	—	2	1	1	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
519	96	Pleurisy	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
			F.	4	—	—	—	—	—	—	—	—	—	—	4	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	130	3	1	—	—	1	2	3	13	40	40	27	—
			F.	33	2	—	—	—	—	1	2	3	6	8	11	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	61	—	—	—	—	—	—	5	7	16	23	10	—
			F.	33	—	—	—	—	—	1	1	4	5	10	12	—
541	100	Ulcer of duodenum	M.	79	—	—	—	—	—	—	5	4	24	30	16	—
			F.	24	—	—	—	—	1	1	—	3	3	7	9	—
543	101	Gastritis and duodenitis	M.	4	—	—	—	—	—	—	—	—	3	—	1	—
			F.	4	—	—	—	—	—	—	—	1	—	2	1	—
550-553	102	Appendicitis	M.	22	1	2	—	—	1	—	3	3	4	5	3	—
			F.	13	—	—	1	—	—	—	1	—	5	5	1	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	70	9	2	—	—	2	3	1	4	11	17	21	—
			F.	58	5	—	—	—	1	—	3	7	7	8	27	—
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	M.	26	24	2	—	—	—	—	—	—	—	—	—	—
			F.	18	18	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	6	—	—	—	—	—	1	—	2	1	2	—	—
			F.	9	—	1	—	—	—	—	—	—	—	3	5	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	21	—	—	—	—	—	1	1	7	4	3	5	—
			F.	33	—	—	—	—	1	3	3	5	4	9	8	—
581	105	Cirrhosis of liver	M.	44	—	—	—	1	—	—	1	8	17	10	7	—
			F.	34	—	—	—	—	—	—	5	7	14	8	—	—
584-585	106	Cholelithiasis and cholecystitis	M.	19	—	—	—	—	—	—	—	—	7	6	6	—
			F.	43	—	—	—	—	—	—	1	5	6	13	18	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	7	—	—	—	1	—	1	1	1	1	1	1	—
			F.	10	—	—	—	1	—	—	2	1	4	1	1	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	36	4	—	—	—	1	—	—	1	10	5	15	—
			F.	37	6	2	—	—	1	—	1	3	9	10	5	—
590	108	Acute nephritis	M.	4	1	—	1	—	—	—	1	—	—	1	—	—
			F.	6	—	—	—	—	1	—	—	1	1	3	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	83	1	—	—	1	5	5	11	10	15	23	9	—
			F.	84	—	—	1	1	4	6	8	13	16	19	16	—

TABLE 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	24	1	—	—	—	—	1	2	2	3	5	10	—
			F.	36	—	—	—	1	—	2	1	6	12	5	9	—
602, 604	111	Calculi of urinary system	M.	9	—	—	—	—	—	—	1	1	3	2	2	—
			F.	6	—	—	—	—	—	—	2	1	2	—	1	—
610	112	Hyperplasia of prostate	M.	112	—	—	—	—	—	—	—	1	7	36	68	—
620, 621	113	Diseases of breast	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	11	—	—	—	—	—	—	1	—	1	4	5	—
			F.	5	—	—	—	—	—	—	—	—	2	2	1	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	11	—	—	—	—	—	—	—	—	—	2	9	—
			F.	12	—	1	—	—	—	1	—	4	3	—	3	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	7	—	—	—	—	1	4	2	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	4	—	—	—	—	2	1	1	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	4	—	—	—	—	1	1	2	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	4	—	—	—	—	1	3	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	1	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	F.	5	—	—	—	—	1	2	2	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	7	—	1	—	—	—	—	—	1	1	2	2	—
			F.	3	—	—	—	—	—	—	—	1	1	—	1	—
720-725	122	Arthritis and spondylitis	M.	18	—	—	—	—	—	1	—	1	5	6	5	—
			F.	60	—	—	—	—	—	—	3	3	13	20	21	—
726, 727	123	Muscular rheumatism and rheumatism, unspecified	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	1	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	6	—	—	—	—	—	—	1	—	1	2	2	—
			F.	8	—	—	—	—	—	—	1	—	3	3	1	—
		Congenital malformations and certain diseases of early infancy (750-776)	Total M.	489	461	9	2	3	6	1	2	3	2	—	—	—
			Total F.	354	331	4	4	2	3	1	3	2	2	1	1	—
751	127	Spina bifida and meningocele	M.	25	24	1	—	—	—	—	—	—	—	—	—	—
			F.	26	25	1	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	46	35	2	2	—	4	1	—	1	1	—	—	—
			F.	36	26	1	2	1	3	1	1	1	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	64	48	6	—	3	2	—	2	2	1	—	—	—
			F.	49	37	2	2	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

762	131	Post-natal asphyxia and atelectasis	F.	106	106	—	—	—	—	—	—	—	—	—	—	—
			M.	19	19	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	F.	17	17	—	—	—	—	—	—	—	—	—	—	—
			M.	5	5	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	F.	1	1	—	—	—	—	—	—	—	—	—	—	—
			M.	5	5	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	F.	3	3	—	—	—	—	—	—	—	—	—	—	—
			M.	13	13	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	F.	8	8	—	—	—	—	—	—	—	—	—	—	—
			M.	12	12	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	F.	9	9	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	87	87	—	—	—	—	—	—	—	—	—	—	—
			F.	58	58	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	73	—	—	—	—	—	—	—	—	—	9	64	—
			F.	108	—	—	—	—	—	—	—	—	—	4	104	—
780-793, 795	137	Ill-defined and unknown causes	M.	74	22	5	—	—	—	—	4	7	12	5	19	—
			F.	38	14	2	—	—	1	—	—	2	6	5	8	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	524	44	18	28	15	31	53	54	86	78	59	58	—
			F.	303	29	10	11	5	15	9	21	20	44	40	99	—
E810-E835	138	Motor vehicle accidents	M.	132	—	12	18	7	13	17	11	14	16	12	12	—
			F.	48	—	6	4	2	6	3	4	2	7	8	6	—
E840-E845	139*a*	Other road transport accidents	M.	7	—	—	—	—	—	—	—	1	1	3	2	—
			F.	5	—	—	—	—	—	—	—	—	1	2	2	—
E800-E802, E850-E866	139*b*	Other transport accidents	M.	26	—	—	—	1	4	6	3	7	4	—	1	—
			F.	2	—	—	2	—	—	—	—	—	—	—	—	—
E870-E895	140	Accidental poisoning	M.	42	—	—	—	—	2	4	5	10	10	5	6	—
			F.	38	—	—	—	—	2	2	2	4	9	7	12	—
E900-E904	141	Accidental falls	M.	84	—	2	2	1	3	5	10	10	15	9	27	—
			F.	91	—	1	1	—	—	2	1	1	5	13	67	—
E912	142	Accident caused by machinery	M.	10	—	—	—	—	3	—	1	3	—	3	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	11	—	2	—	1	1	1	2	—	—	1	3	—
			F.	23	1	2	2	2	—	—	—	—	3	6	7	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	5	1	—	1	—	—	—	—	—	3	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
E919	145	Accident caused by firearm	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	27	—	1	5	—	1	2	1	4	6	7	—	—
			F.	8	—	—	—	1	2	—	3	1	1	—	—	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	51	42	—	1	1	—	2	1	3	1	—	—	—
			F.	31	28	—	—	—	1	—	1	—	1	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	30	1	1	1	3	1	3	5	9	5	1	—	—
			F.	4	—	1	2	—	—	—	—	—	—	—	1	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	89	—	—	—	1	1	13	14	23	14	17	6	—
			F.	44	—	—	—	—	2	2	9	10	16	3	2	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	5	—	—	—	—	1	—	—	2	1	—	1	—
			F.	7	—	—	—	—	2	—	1	2	1	1	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	5	—	—	—	—	1	—	1	—	2	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1956.

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmann'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
		ALL CAUSES	61792	2155	1650	2186	271	962	949	526	564	2769	619	366	312	315	425	337	701	482	273	1138	597	478	551	2451	373	737	334	88	412
		All Tuberculosis (001-019) ... TOTAL	801	18	10	30	2	8	7	4	4	18	1	1	2	2	2	2	4	7	–	12	7	4	7	15	3	12	–	1	1
001-008	1	Respiratory system	715	18	9	25	2	8	7	3	4	16	–	–	2	2	2	2	4	7	–	11	6	2	7	10	2	10	–	1	1
010	2	Meninges and central nervous system ...	22	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
011	3	Intestines, peritoneum and mesenteric glands	7	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
012, 013	4	Bones and joints	21	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
014-019	5	All other forms	36	–	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	5	–	1	–	–	–
		Syphilis (020-029) ... ... TOTAL	88	9	3	2	–	1	–	–	1	6	1	1	–	–	–	1	–	1	–	2	2	–	2	5	1	–	1	–	1
020	6	Congenital syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	10	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
025	9	General paralysis of insane	20	2	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	1	1	–	–	2	–	–	–	–	–
022, 023, 026-029	10	All other syphilis	57	7	2	1	–	1	–	–	–	4	–	1	–	–	–	1	–	–	–	1	–	–	2	3	1	–	1	–	1
030-035	11	Gonococcal infection	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever & other salmonella infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
053	20	Septicæmia and pyæmia	15	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1
055	21	Diphtheria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	14	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
057	23	Meningococcal infections	27	–	–	1	–	–	–	–	2	1	–	–	–	–	1	–	1	–	–	1	1	–	–	1	–	–	1	–	–
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	6	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	9	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
082	29	Acute infectious encephalitis	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	33	1	1	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	3	1	–	–	4	–	1	–	–	–
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	10	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	24	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	2	–	–	–	–	–
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases ...	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1956.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
		ALL CAUSES	**13193**	**355**	**524**	**471**	**786**	**327**	**3531**	**6071**	**1111**	**557**	**96**	**309**	**173**	**502**	**1139**	**917**	**1160**	**191**	**1584**	**867**	**655**	**327**	**440**	**333**	**1354**	**192**	**926**	**374**	**306**
		All Tuberculosis (001-019) ... TOTAL	298	8	7	11	17	6	74	50	6	4	2	1	–	4	8	21	30	9	18	7	3	1	8	3	12	1	5	2	1
001-008	1	Respiratory system	275	8	6	10	16	6	64	42	5	3	2	1	–	4	6	18	29	7	16	7	3	1	6	3	9	1	5	1	–
010	2	Meninges and central nervous system ...	9	–	–	1	–	–	3	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
011	3	Intestines, peritoneum and mesenteric glands	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
012, 013	4	Bones and joints	4	–	–	–	1	–	4	3	–	–	–	–	–	–	1	1	–	–	–	–	–	–	2	–	1	–	–	–	–
014-019	5	All other forms	9	–	1	–	–	–	2	3	1	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	2	–	–	1	1
		Syphilis (020-029) ... ... TOTAL	20	–	–	–	2	–	4	7	2	–	–	–	–	–	1	–	2	1	4	1	1	–	–	1	1	1	–	–	–
020	6	Congenital syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	1	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
025	9	General paralysis of insane	6	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
022, 023, 026-029	10	All other syphilis	13	–	–	–	1	–	2	3	2	–	–	–	–	–	–	–	1	–	4	1	1	–	–	1	1	1	–	–	–
030-035	11	Gonococcal infection	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
*040	12	Typhoid fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever & other salmonella infections	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
053	20	Septicæmia and pyæmia	2	1	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
055	21	Diphtheria	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	2	1	2	1	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
057	23	Meningococcal infections	8	–	–	–	–	–	1	2	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	–	1	–	–
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	2	–	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1
082	29	Acute infectious encephalitis	2	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
081,083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	8	–	–	–	1	–	1	3	1	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–
084	31	Smallpox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	5	–	–	–	–	–	–	4	1	–	–	–	–	–	1	–	–	–	–	1	1	–	2	–	–	–	–	–	–
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases ...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
110-117	37	Malaria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1956.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	39	Hydatid disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	42	Other diseases due to helminths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	18	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	2
		Malignant neoplasms (140-205) TOTAL	10754	387	270	417	47	172	169	75	92	451	111	61	49	50	67	58	111	86	47	208	102	81	83	408	69	135	45	16	65
140-148	44	Buccal cavity and pharynx	234	6	2	6	1	5	4	2	3	15	3	3	–	1	2	1	–	1	1	3	1	3	2	13	1	4	1	–	2
150	45	Œsophagus	298	15	6	12	3	10	3	3	3	16	7	–	1	2	2	1	3	3	1	5	1	2	3	10	–	4	–	1	2
151	46	Stomach	1757	61	50	102	6	25	30	10	18	75	13	6	11	11	9	11	28	16	11	29	16	11	15	75	13	26	3	3	7
152, 153	47	Intestine (except rectum)	1354	44	43	45	5	32	28	5	17	51	18	8	9	4	11	6	9	11	1	31	13	7	11	48	13	14	6	1	11
154	48	Rectum	562	28	26	10	4	7	8	2	1	24	4	6	2	1	2	6	7	6	1	8	3	3	4	23	3	5	2	–	3
161	49	Larynx	94	3	1	3	–	1	3	–	–	2	1	–	–	–	–	1	1	1	1	2	1	1	–	6	1	2	–	–	1
162, 163	50	Trachea, bronchus and lung not specified as secondary	1983	74	29	81	8	14	15	20	22	66	13	9	4	2	17	10	19	19	12	42	15	18	20	48	10	15	8	1	5
170	51	Breast	903	35	14	33	4	18	13	2	8	40	6	5	7	7	2	5	8	8	5	19	12	3	5	33	6	11	5	2	3
171	52	Cervix uteri	254	7	8	11	–	2	1	1	1	9	5	2	1	6	1	3	3	2	–	2	2	1	2	7	4	2	2	1	2
172-174	53	Other and unspecified parts of uterus ...	233	7	12	10	2	3	5	4	–	14	5	2	3	–	1	–	1	1	1	6	1	4	–	19	1	2	1	–	2
177	54	Prostate	418	7	12	8	3	10	12	4	–	23	6	3	1	3	2	1	4	4	5	10	1	2	3	20	3	10	4	3	4
190, 191	55	Skin	112	–	1	1	–	4	2	2	1	4	2	1	–	2	–	–	–	2	2	2	2	3	–	3	–	1	–	–	–
196, 197	56	Bone and connective tissue	135	5	1	4	1	3	2	1	1	9	–	1	1	1	–	1	1	–	–	–	3	1	3	5	1	4	2	–	1
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	1875	70	48	71	7	29	31	11	15	76	17	11	6	7	15	11	23	11	4	37	22	18	10	78	9	24	10	3	16
204	58	Leukæmia and aleukæmia	241	15	6	9	1	4	4	2	1	8	6	1	1	1	2	1	3	–	–	2	6	1	3	9	1	3	–	1	3
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	301	10	11	11	2	5	3	6	1	19	5	3	2	2	1	–	1	1	2	10	3	3	2	11	3	8	1	–	3
210-239	60	Benign neoplasms and neoplasms of unspecified nature	146	6	8	5	1	1	4	1	1	2	2	1	1	–	–	1	3	2	–	4	–	–	–	5	1	5	1	1	1
250-251	61	Nontoxic goitre	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
252	62	Thyrotoxicosis with or without goitre ...	16	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	1	–	1	–	–	1	1	–	–	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1956.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	39	Hydatid disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	42	Other diseases due to helminths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	2	–	–	–	–	–	1	2	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
		Malignant neoplasms (140-205) TOTAL	2446	60	105	82	136	50	536	1195	201	81	14	56	38	76	179	156	220	38	281	153	89	43	67	53	183	25	154	59	46
140-148	44	Buccal cavity and pharynx	50	3	4	3	3	1	11	21	6	–	–	–	1	3	4	6	4	–	3	4	2	–	3	2	8	–	2	3	1
150	45	Œsophagus	56	2	4	4	5	2	10	38	3	3	–	1	2	2	6	3	5	–	6	4	3	2	–	1	4	–	5	2	1
151	46	Stomach	411	8	17	13	18	6	83	157	32	11	2	6	6	9	31	23	38	11	44	22	12	7	17	5	34	5	21	10	7
152, 153	47	Intestine (except rectum)	273	6	8	6	21	9	74	146	24	16	5	13	7	8	28	29	34	5	40	22	15	3	6	8	13	2	16	10	5
154	48	Rectum	122	4	13	1	6	2	26	69	4	2	–	3	2	4	11	8	15	3	10	7	9	3	6	5	12	1	9	2	4
161	49	Larynx	22	1	–	1	1	1	3	16	–	2	–	–	–	–	1	2	2	–	3	1	–	–	–	1	1	1	1	2	–
162, 163	50	Trachea, bronchus and lung not specified as secondary	634	7	18	14	17	10	91	248	39	4	–	6	4	9	25	33	37	4	47	15	13	5	8	10	26	3	32	3	5
170	51	Breast	181	9	11	11	9	4	47	114	15	9	2	8	3	7	12	7	18	2	28	21	8	4	5	3	14	4	16	7	5
171	52	Cervix uteri	65	1	1	2	4	1	14	28	9	2	–	–	–	3	6	3	6	2	6	4	2	–	1	–	3	1	1	1	–
172-174	53	Other and unspecified parts of uterus ...	35	1	1	1	3	1	11	26	2	3	–	3	–	2	5	1	4	–	5	3	1	1	–	3	6	1	3	3	1
177	54	Prostate	77	4	3	2	10	2	23	37	8	3	2	5	1	4	9	4	3	3	10	15	4	3	2	2	8	1	2	1	2
190, 191	55	Skin	20	1	1	1	1	1	5	8	2	–	–	3	–	–	8	2	1	1	2	7	3	1	1	1	4	–	1	1	1
196, 197	56	Bone and connective tissue	30	–	1	–	2	–	6	14	6	–	–	–	1	1	1	4	–	–	4	2	–	–	–	–	5	–	2	2	2
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	391	9	19	19	32	8	104	220	39	18	2	5	9	22	23	24	38	4	52	17	15	13	11	12	30	4	26	10	9
204	58	Leukæmia and aleukæmia	36	1	1	3	3	1	9	20	7	4	–	1	1	1	4	5	8	1	9	4	–	–	5	–	8	2	10	1	2
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	43	3	3	1	1	1	19	33	5	4	1	2	1	1	5	2	7	2	12	5	2	1	2	–	7	–	7	1	1
210-239	60	Benign neoplasms and neoplasms of unspecified nature	28	1	3	–	–	1	6	16	1	1	–	3	1	3	4	1	3	1	4	2	1	1	–	–	2	2	2	1	1
250-251	61	Nontoxic goitre	1	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre ...	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1956.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co
260	63	Diabetes mellitus	473	15	13	18	–	9	4	1	3	21	4	1	4	1	5	2	5	3	4	9	7	4	3	28	1	3	4	–	2
280-286	64	Avitaminosis and other deficiency states ...	25	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	1	–	1
290	65*a*	Pernicious and other hyperchromic anæmias	149	2	3	7	1	4	2	2	2	7	1	1	–	2	1	1	2	1	–	2	–	–	6	10	1	–	1	–	1
291-293	65*b*	Other anæmias	96	3	1	6	–	1	5	3	–	5	–	2	–	–	–	–	1	–	–	3	3	–	–	6	–	2	–	–	–
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	386	12	11	13	1	6	5	3	1	22	7	6	4	3	2	3	4	3	2	5	2	4	3	14	3	8	1	–	3
300-309	67	Psychoses	111	6	4	3	–	–	1	1	2	3	3	–	2	1	–	–	1	1	–	1	2	1	1	2	–	–	1	–	–
310-324, 326	68	Psychoneuroses and disorders of personality	23	–	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
325	69	Mental deficiency	19	–	2	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
330	70*a*	Subarachnoid hæmorrhage	243	9	11	10	1	5	1	–	1	8	1	1	1	2	3	2	–	1	2	6	3	1	–	11	1	2	1	–	2
331	70*b*	Cerebral hæmorrhage	4168	127	110	94	14	78	69	34	51	213	37	22	28	28	44	22	57	35	16	81	39	26	44	200	28	57	15	7	41
332	70*c*	Cerebral embolism and thrombosis	4541	203	141	173	25	84	70	36	30	227	44	21	24	16	17	31	62	32	19	83	50	47	24	189	27	45	21	10	27
333, 334	70*d*	Other vascular lesions affecting central nervous system	728	20	18	23	5	7	11	5	10	25	5	5	2	1	1	10	8	6	3	9	5	5	10	25	1	12	4	–	5
340	71	Non-meningococcal meningitis	45	–	–	2	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–
345	72	Multiple sclerosis	149	5	5	8	1	1	2	2	1	6	3	2	1	–	–	–	2	2	1	6	1	–	2	5	1	6	–	–	1
353	73	Epilepsy	102	3	3	3	–	2	–	–	1	2	2	–	–	2	1	–	3	1	–	1	–	1	2	3	2	1	–	–	–
370-379	74	Inflammatory diseases of eye	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
387	76	Glaucoma	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391-393	77	Otitis media and mastoiditis	14	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
350	78*a*	Paralysis agitans	173	10	8	9	1	3	3	2	1	5	1	–	–	1	2	1	2	–	1	4	1	–	–	5	–	3	–	2	1
341-344, 351, 352, 354-369, 380-384, 386,388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	259	7	8	4	1	2	12	3	5	9	4	3	2	–	2	1	3	–	–	5	5	1	4	11	1	4	2	–	1
400-402	79	Rheumatic fever	48	1	1	4	–	–	–	1	1	3	1	–	1	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–
		Heart Disease (410-443) ... Total	21151	805	570	741	95	322	352	222	201	1015	221	154	103	104	126	101	259	151	84	424	191	173	212	858	145	223	143	29	144
410-416	80	Chronic rheumatic heart disease	819	34	15	27	1	2	6	5	8	39	4	5	5	6	6	7	7	9	5	15	5	2	7	26	2	8	4	–	3
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	9430	433	271	380	56	177	150	93	72	427	80	66	28	31	70	58	109	62	45	192	85	80	93	337	64	90	69	11	49
421	81*b*	Chronic endocarditis not specified as rheumatic	347	14	20	12	3	3	5	–	–	15	11	4	–	2	2	1	3	5	–	8	3	2	–	16	2	7	2	–	2
422.0	81*c*	Fatty degeneration of heart	42	–	–	4	–	1	1	1	–	2	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	1	–	–	2

International Classification: Detailed Nos.	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
260	63	Diabetes mellitus	101	3	7	2	6	3	43	31	4	3	1	5	1	2	9	9	6	2	11	5	2	1	4	5	22	–	5	2	4
280-286	64	Avitaminosis and other deficiency states ...	8	–	–	–	–	–	1	4	1	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
290	65a	Pernicious and other hyperchromic anæmias	35	–	1	1	2	2	9	10	–	3	–	–	–	3	–	2	4	–	5	2	–	2	1	2	2	–	2	1	–
291-293	65b	Other anæmias	14	–	1	1	3	2	8	5	2	1	–	–	–	1	–	2	2	1	–	2	4	–	–	–	4	–	1	1	–
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	69	2	1	1	8	2	24	34	11	3	1	1	–	5	5	6	8	3	7	9	9	5	–	1	9	3	6	1	1
300-309	67	Psychoses	27	–	–	–	–	–	3	15	2	–	–	–	1	2	2	1	1	–	5	2	7	–	1	1	2	1	1	–	1
310-324, 326	68	Psychoneuroses and disorders of personality	9	–	–	–	–	1	1	4	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
325	69	Mental deficiency	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	2	1	–	1	1	–	1	–	–
330	70a	Subarachnoid hæmorrhage	55	3	2	5	3	–	7	31	3	–	–	1	2	2	3	4	2	–	2	1	1	3	1	3	12	1	6	1	3
331	70b	Cerebral hæmorrhage...	801	21	21	39	57	34	261	335	84	35	3	26	13	20	95	66	81	10	116	60	51	21	32	31	110	13	71	19	25
332	70c	Cerebral embolism and thrombosis	945	15	28	25	64	15	207	436	78	45	13	28	18	45	77	54	99	11	131	62	54	38	37	28	75	8	62	38	27
333, 334	70d	Other vascular lesions affecting central nervous system	224	1	1	–	6	5	26	107	21	9	1	2	1	6	6	4	9	1	11	7	8	4	3	4	6	3	5	2	4
340	71	Nonmeningococcal meningitis	13	–	2	–	–	–	3	4	1	1	–	–	–	–	2	–	1	–	2	–	–	–	–	–	1	–	1	1	1
345	72	Multiple sclerosis	36	–	1	–	3	–	9	15	2	–	1	–	–	–	–	2	3	–	5	–	–	1	–	1	3	1	1	1	–
353	73	Epilepsy	26	–	–	–	2	–	6	9	3	1	–	–	1	–	1	1	–	1	3	2	–	–	–	–	12	–	–	–	1
370-379	74	Inflammatory diseases of eye	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
387	76	Glaucoma	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391-393	77	Otitis media and mastoiditis	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
350	78a	Paralysis agitans	37	–	2	–	3	1	11	15	2	4	–	3	–	–	2	4	1	–	4	3	2	3	–	1	3	1	3	1	1
341-344, 351, 352, 354-369, 380-384, 386,388-390, 394-398	78b	All other diseases of the nervous system and sense organs	52	2	1	2	1	–	16	35	6	4	–	–	–	4	5	3	2	–	5	3	3	–	2	–	6	1	3	2	1
400-402	79	Rheumatic fever	14	–	–	–	–	–	3	4	2	–	–	–	–	1	–	2	1	–	2	–	–	–	1	–	–	–	–	–	–
		Heart Disease (410-443) ... Total	4059	138	184	152	263	103	1191	2093	388	219	35	88	68	184	425	298	385	66	575	327	253	123	159	99	502	63	298	145	100
410-416	80	Chronic rheumatic heart disease	217	2	13	3	12	8	58	61	7	6	2	4	–	7	6	14	32	5	26	6	2	4	7	3	22	4	12	9	4
420	81a	Arteriosclerotic heart disease (including coronary disease)	1792	57	56	66	133	43	480	1043	188	90	13	41	34	97	188	85	150	27	283	125	108	60	71	51	199	18	145	74	35
421	81b	Chronic endocarditis not specified as rheumatic...	72	2	2	5	3	4	19	29	11	4	–	–	–	2	8	6	3	1	3	7	2	2	3	1	12	1	2	1	–
422.0	81c	Fatty degeneration of heart	6	–	1	–	–	–	5	3	1	–	–	2	–	–	1	–	1	–	–	–	–	–	1	–	3	–	–	1	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1956.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dumb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
422.1	81*d*	Myocardial degeneration with arteriosclerosis	4828	187	159	135	17	57	54	35	58	257	69	27	37	37	21	16	61	37	11	97	26	15	59	217	53	46	46	12	41
422.2	81*e*	Other myocardial degeneration	3795	69	58	141	11	58	99	66	40	166	43	38	28	22	16	12	49	19	19	81	45	46	31	175	14	54	16	4	37
430-432	82*a*	Acute non-rheumatic heart disease ...	122	5	5	2	–	–	–	1	2	7	–	1	–	–	–	1	–	1	1	–	–	12	5	5	–	–	1	–	1
433, 434	82*b*	Other and unspecified diseases of heart ...	486	12	7	15	2	6	15	5	3	26	4	3	2	4	4	1	7	3	–	11	11	2	3	21	4	12	1	2	5
440-443	83	Hypertension with heart disease ...	1282	51	35	25	5	18	22	16	18	76	10	10	3	2	7	4	23	14	3	20	16	14	13	60	6	5	4	–	4
444-447	84	Hypertension without mention of heart ...	709	25	26	15	4	14	11	6	12	43	8	4	2	5	3	1	10	9	4	9	10	1	7	25	6	11	7	2	10
450	85*a*	General arteriosclerosis	1312	51	55	22	3	21	17	16	7	46	15	8	6	7	10	12	12	10	5	30	18	5	9	41	5	12	22	1	11
451-456	85*b*	Other diseases of arteries	248	6	11	13	3	1	4	2	1	9	2	2	2	1	1	1	3	–	2	5	2	5	–	11	1	4	1	–	1
460-468	86	Other diseases of circulatory system ...	235	14	6	10	1	8	2	2	1	5	–	4	3	–	1	1	3	1	1	1	3	2	3	6	2	2	4	–	2
470-475	87	Acute upper respiratory infections	31	1	–	1	–	1	1	–	–	2	–	–	–	–	2	–	–	–	–	2	–	–	–	2	–	–	–	–	–
480-483	88	Influenza	262	4	9	5	–	1	18	1	7	12	4	2	–	1	1	–	5	4	–	6	–	–	5	15	2	7	–	–	2
490	89	Lobar pneumonia	391	11	11	26	1	7	4	1	–	7	2	3	3	1	3	3	1	4	4	3	2	3	4	4	4	10	2	1	4
491	90	Bronchopneumonia	1324	44	44	88	7	13	12	7	9	23	18	3	5	4	12	12	16	10	7	21	9	7	6	28	2	14	3	–	7
492, 493	91	Primary atypical, other and unspecified pneumonia	201	2	4	8	1	–	1	1	2	3	1	1	1	1	2	2	2	1	3	4	5	1	1	4	–	2	1	1	2
		Bronchitis (500-502) ... ... TOTAL	2077	57	26	54	5	22	12	14	20	73	7	6	15	9	13	11	20	22	9	23	15	10	20	85	8	6	4	1	7
500	92	Acute...	280	9	7	4	–	4	2	1	1	10	–	1	7	1	1	3	2	1	2	–	3	1	2	12	2	2	1	–	4
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary	1149	26	9	31	4	9	7	10	11	47	4	4	6	2	4	5	9	15	4	15	6	6	11	41	4	3	2	1	1
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	648	22	10	19	1	9	3	3	8	16	3	1	2	6	8	3	9	6	3	8	6	3	7	32	2	1	1	–	2
510	94	Hypertrophy of tonsils and adenoids ...	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518, 521	95	Empyema and abscess of lung	20	3	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
519	96	Pleurisy	19	1	1	–	1	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
511-517, 520, 522-527	97	All other respiratory diseases	520	17	11	11	–	4	4	1	5	30	1	3	2	5	3	2	5	1	3	5	15	5	3	31	2	2	–	–	–
530-535	98	Diseases of teeth and supporting structures...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	269	7	8	10	2	3	3	3	1	15	–	1	2	5	3	1	4	–	2	4	–	3	3	15	1	2	2	1	4
541	100	Ulcer of duodenum	339	8	21	16	1	7	1	2	5	13	2	–	1	2	6	3	1	4	1	2	8	5	3	7	3	4	3	–	3
543	101	Gastritis and duodenitis	18	–	1	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	102	Appendicitis	91	–	3	4	–	1	2	–	1	4	–	–	–	1	–	–	1	1	–	1	3	2	–	8	–	–	2	–	–
560,561, 570	103	Intestinal obstruction and hernia	403	11	11	19	4	13	8	3	4	13	7	4	2	1	5	–	7	5	2	7	1	3	4	13	5	5	1	1	1
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	100	3	1	7	1	1	1	1	1	6	–	–	–	–	1	2	1	2	1	1	–	1	2	5	–	–	1	–	–
571.1	104*b*	Gastro-enteritis over 2 years	48	–	–	4	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1
572	104*c*	Chronic enteritis and ulcerative colitis ...	146	7	6	7	–	2	–	1	3	9	–	–	–	1	1	–	3	3	–	1	3	–	3	2	–	–	–	2	–
581	105	Cirrhosis of liver	213	7	9	13	1	4	2	–	3	12	5	1	–	–	3	1	–	5	–	4	2	2	2	8	4	–	1	–	4
584-585	106	Cholelithiasis and cholecystitis	188	9	6	7	1	4	1	2	2	8	4	–	2	2	–	3	3	–	–	7	1	2	1	4	1	3	1	–	4
580, 582, 583, 586	107*a*	Other diseases of liver	58	1	–	3	–	1	1	–	–	3	1	–	–	1	–	–	–	1	1	1	–	–	1	3	–	1	–	–	1
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	196	7	4	9	1	4	4	1	1	10	2	2	–	–	2	1	1	3	1	3	2	2	3	9	–	1	1	–	1
[illegible]	108	Acute nephritis	25	–	–	–	–	–	1	1	–	2	1	–	1	–	1	–	–	–	–	–	1	–	–	1	–	–	1	–	–

International Classification: Detailed List	International Classification: Inter-mediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
422.1	81*d*	Myocardial degeneration with arterio-sclerosis	760	38	79	40	36	25	283	492	103	54	5	21	22	41	120	82	93	9	158	81	90	34	32	13	128	10	44	19	29
422.2	81*e*	Other myocardial degeneration	850	30	22	29	54	14	235	265	48	46	10	10	5	29	82	68	77	15	66	60	28	19	28	23	88	29	63	21	24
430-432	82*a*	Acute non-rheumatic heart disease ...	23	1	–	–	1	1	10	6	1	–	–	1	3	–	1	4	1	2	3	2	–	1	2	–	5	–	3	–	1
433, 434	82*b*	Other and unspecified diseases of heart ...	89	2	2	1	9	2	35	51	9	7	4	2	2	2	8	13	8	3	7	6	9	1	3	2	9	–	3	4	2
440-443	83	Hypertension with heart disease ...	250	6	9	8	15	6	66	143	20	12	1	7	2	6	11	26	20	4	29	40	14	2	12	6	36	1	26	16	4
444-447	84	Hypertension without mention of heart ...	162	4	4	5	7	3	36	54	11	4	–	3	3	2	6	2	11	2	25	12	14	2	5	5	14	1	13	6	3
450	85*a*	General arteriosclerosis	182	8	4	12	15	20	99	188	26	9	4	15	1	6	20	15	30	–	41	23	14	7	5	5	21	11	44	3	7
451-456	85*b*	Other diseases of arteries	44	–	–	–	4	2	18	30	5	1	1	1	1	–	7	7	3	–	3	2	–	1	2	4	7	1	10	–	–
460-468	86	Other diseases of circulatory system ...	34	–	3	4	3	2	8	26	6	1	1	1	–	7	4	2	3	–	5	5	7	5	4	1	4	–	9	–	2
470-475	87	Acute upper respiratory infections	9	–	–	–	–	–	2	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–
480-483	88	Influenza	43	1	3	1	4	3	13	31	3	2	–	1	1	1	3	4	1	–	6	2	5	–	2	3	4	5	2	6	1
490	89	Lobar pneumonia	127	1	4	2	7	2	24	28	5	2	–	–	1	3	6	6	1	2	4	5	4	3	3	3	7	–	4	5	3
491	90	Bronchopneumonia	392	8	14	10	7	6	76	147	16	11	1	5	4	13	19	17	21	3	16	6	10	3	8	17	29	3	22	5	4
492, 493	91	Primary atypical, other and unspecified pneumonia	55	1	1	1	1	–	10	20	5	1	1	1	–	2	5	2	7	1	5	3	3	–	4	1	6	2	6	–	–
		Bronchitis (500-502) ... ... TOTAL	697	12	17	28	35	16	109	192	29	7	1	4	1	23	29	43	41	9	49	16	18	13	26	5	30	3	34	13	3
500	92	Acute...	60	1	3	6	6	1	12	36	8	2	1	–	–	2	5	5	1	1	10	4	7	1	6	2	6	–	8	2	1
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary	423	9	8	16	19	10	49	101	13	1	–	4	1	17	16	24	31	5	26	8	7	8	10	1	15	1	17	11	1
501*a*, 502*a*	93*b*	Chronic and unqualified otherwise defined	214	2	6	6	10	5	48	55	8	4	–	–	–	4	8	14	9	3	13	4	4	4	10	2	9	2	9	–	1
510	94	Hypertrophy of tonsils and adenoids ...	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518, 521	95	Empyema and abscess of lung	4	–	–	–	–	–	–	1	1	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	1	–	–
519	96	Pleurisy	3	–	–	–	1	–	2	1	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–
511-517, 520, 522-527	97	All other respiratory diseases	63	12	8	5	8	1	108	35	5	2	1	1	–	4	3	8	7	–	10	4	4	–	3	2	34	–	19	2	–
530-535	98	Diseases of teeth and supporting structures...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	69	1	4	2	–	2	8	20	5	1	–	1	1	3	4	1	4	2	11	5	5	3	1	1	4	1	1	1	3
541	100	Ulcer of duodenum	60	4	3	2	3	1	11	38	5	5	–	2	–	3	8	7	10	–	11	5	3	1	2	1	12	–	4	2	4
543	101	Gastritis and duodenitis	4	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	1	–	2	–	–	–	–
550-553	102	Appendicitis	20	1	–	1	1	–	7	5	3	1	–	1	–	2	1	–	4	–	2	–	2	1	1	1	1	–	–	–	2
560, 561, 570	103	Intestinal obstruction and hernia	86	–	3	4	8	–	23	35	5	3	2	2	2	4	8	7	4	–	10	6	5	1	3	3	6	1	9	–	3
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	24	–	2	2	4	–	10	2	2	–	–	–	–	–	1	4	1	–	3	2	–	–	–	1	1	–	1	1	–
571.1	104*b*	Gastro-enteritis over 2 years	12	–	–	–	–	–	4	8	–	–	–	–	–	1	4	2	–	1	1	–	1	–	–	1	–	–	1	–	–
572	104*c*	Chronic enteritis and ulcerative colitis ...	35	2	1	–	1	1	5	18	1	3	–	–	–	1	3	4	1	–	7	2	–	–	2	–	1	1	2	–	1
581	105	Cirrhosis of liver	42	1	4	–	4	3	11	20	1	1	–	–	–	3	3	1	3	–	8	1	1	–	3	3	2	–	2	2	1
584-585	106	Cholelithiasis and cholecystitis	39	–	2	2	4	–	13	15	2	2	2	–	1	–	3	1	2	–	7	1	1	1	1	–	5	1	1	2	2
580, 582, 583, 586	107*a*	Other diseases of liver	8	1	–	–	–	–	3	10	–	1	–	–	–	1	2	1	3	–	1	1	–	–	–	–	2	1	2	1	–
536-539, 542, 544-545, 573-578, 587	107*b*	Other diseases of digestive system	40	–	7	–	2	4	8	16	1	–	–	3	–	1	5	3	2	1	9	1	1	–	1	1	8	4	–	2	1
590	108	Acute nephritis	8	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1956.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
591-594	109	Chronic, other and unspecified nephritis ...	503	15	13	11	4	6	5	2	3	24	6	3	1	7	5	1	4	6	3	12	6	4	4	22	1	12	5	5	7
600	110	Infections of kidney	196	4	4	10	4	5	1	–	–	13	1	–	1	1	–	3	2	1	1	3	1	3	3	10	2	1	3	–	1
602, 604	111	Calculi of urinary system	43	1	1	1	–	1	1	–	–	4	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
610	112	Hyperplasia of prostate	421	19	19	27	2	5	5	6	5	20	4	1	5	1	3	5	5	8	2	4	2	7	2	10	3	14	5	1	1
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	51	1	–	3	–	–	2	2	–	–	–	1	–	–	–	–	1	–	–	–	1	–	1	3	–	–	–	–	–
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system ...	89	3	2	2	–	3	–	2	–	5	–	1	–	1	1	1	1	–	–	1	1	2	–	3	–	1	3	–	–
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	14	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	10	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth ...	7	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	6	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	119	Abortion with sepsis	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, child birth and the puerperium	11	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
690-698	121	Infections of skin and subcutaneous tissue ...	27	2	1	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	1	–	–	–	1	1	–	1	–	–
720-725	122	Arthritis and spondylitis	205	9	4	4	1	3	4	1	–	5	1	–	1	1	3	–	1	–	2	4	1	1	–	14	–	3	1	–	–
726, 727	123	Muscular rheumatism and rheumatism unspecified	8	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
730	124	Osteomyelitis and periostitis	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	70	4	2	3	1	3	–	–	–	4	1	1	–	–	1	–	1	–	–	3	–	1	3	4	–	–	–	–	–
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	2134	52	44	81	10	23	19	22	26	115	17	8	6	11	18	14	12	24	10	37	20	21	17	92	13	14	5	2	5
751	127	Spina bifida and meningocele	143	4	2	7	–	1	–	2	4	3	–	–	1	1	–	–	1	1	–	5	4	–	3	6	1	1	–	–	–
754	128	Congenital malformations of circulatory system	226	4	5	12	1	1	2	4	4	17	1	–	–	3	–	2	2	–	2	9	2	2	1	7	1	1	2	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1956.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
591-594	109	Chronic, other and unspecified nephritis ...	109	5	3	3	5	1	37	42	10	4	–	9	–	4	4	10	5	2	10	8	4	1	–	1	12	1	7	7	2
600	110	Infections of kidney	44	–	1	–	2	1	8	24	3	–	–	1	1	2	6	2	1	–	5	2	2	2	–	1	4	–	5	1	–
602, 604	111	Calculi of urinary system	10	–	–	–	1	–	1	3	3	–	–	–	–	–	1	–	–	–	4	2	1	–	1	–	–	–	–	2	1
610	112	Hyperplasia of prostate	63	2	4	1	4	2	23	36	2	7	–	2	–	4	6	8	12	1	10	4	5	2	–	4	11	4	4	1	8
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	11	–	–	1	3	–	3	5	–	–	1	–	–	–	3	2	1	–	–	2	–	1	–	–	3	–	–	–	–
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system ...	13	–	–	–	–	–	7	12	1	2	–	–	–	1	3	2	3	1	2	1	1	–	–	–	3	–	4	–	–
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	2	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth ...	4	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	119	Abortion with sepsis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
690-698	121	Infections of skin and subcutaneous tissue ...	5	–	–	–	–	1	1	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2
720-725	122	Arthritis and spondylitis	53	2	3	1	4	2	11	23	–	2	–	1	–	2	5	2	7	–	6	3	6	2	–	–	3	2	1	–	–
726, 727	123	Muscular rheumatism and rheumatism unspecified	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
730	124	Osteomyelitis and periostitis	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	8	–	–	–	1	–	2	5	2	–	–	–	–	2	1	1	3	–	2	2	–	–	2	–	4	–	2	–	1
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	521	11	27	19	31	10	163	151	49	19	7	4	4	13	37	51	46	7	51	19	17	6	9	10	54	2	33	17	8
751	127	Spina bifida and meningocele	37	–	1	–	–	1	13	13	5	–	2	–	–	–	3	7	1	1	–	1	–	–	–	–	4	–	5	2	–
754	128	Congenital malformations of circulatory system	56	–	2	1	2	–	15	19	3	3	–	–	1	3	5	3	5	–	6	–	3	–	1	1	3	1	6	2	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1956.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Dundee Co. of C.	Arbroath B.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Dumfries B.	Remainder of Dumfries Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
750, 752, 753, 755-759	129	All other congenital malformations ...	293	7	4	12	4	6	3	2	2	19	3	1	2	–	5	2	1	5	2	2	2	4	–	14	–	2	1	–	–
760, 761	130	Birth injuries	251	6	7	16	1	5	2	3	5	8	2	–	1	–	2	2	1	4	–	3	2	2	3	4	2	2	–	1	1
762	131	Postnatal asphyxia and atelectasis ...	476	8	11	15	1	4	1	5	3	28	3	2	1	–	2	2	2	2	4	7	5	3	2	17	1	4	–	–	2
763	132*a*	Pneumonia of newborn	111	2	2	6	1	–	1	–	–	5	1	1	–	2	2	1	2	1	–	3	–	3	3	11	1	–	–	–	1
764	132*b*	Diarrhœa of newborn	15	1	–	–	–	–	–	–	1	1	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
765-768	132*c*	Other infections of newborn	18	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
770	133	Hæmolytic disease of newborn	66	3	1	2	–	1	1	1	1	3	–	–	–	1	–	–	–	1	2	–	–	–	–	1	2	–	1	–	–
769, 771, 772	134	All other defined diseases of early infancy	68	–	1	3	–	–	–	1	–	9	–	–	–	1	–	–	–	1	–	2	1	2	–	4	–	2	–	–	–
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified ...	467	17	11	7	2	5	9	3	5	22	6	4	1	3	7	4	2	8	–	6	3	5	5	28	5	2	1	1	1
794	136	Senility without mention of psychosis ...	747	5	25	10	8	14	29	6	8	20	15	7	10	11	6	3	11	4	13	12	4	2	3	21	2	43	4	2	22
780-793, 795	137	Ill-defined and unknown causes	250	4	1	2	–	1	9	2	5	14	4	2	5	4	7	–	2	3	1	–	–	1	1	1	1	8	–	–	–
	E Code	Alternative classification of accidents, poisonings and violence (external cause)																													
		Violence (800-999) ... ... Total	2642	84	53	100	9	57	44	20	20	120	36	10	11	15	28	15	32	12	16	45	34	25	31	115	16	30	8	2	10
E810-E835	138	Motor vehicle accidents	558	13	8	16	–	11	4	5	7	30	8	3	1	4	5	4	13	3	4	9	5	4	5	24	2	6	1	2	3
E840-E845	139*a*	Other road transport accidents	30	–	–	1	–	–	1	–	–	1	–	1	–	1	–	1	–	1	–	–	2	–	1	1	1	–	1	–	–
E800-E802, E850-E866	139*b*	Other transport accidents	107	3	2	1	–	–	18	1	1	9	4	1	–	–	1	–	–	–	–	–	–	–	1	8	–	1	–	–	–
E870-E895	140	Accidental poisoning	224	10	2	19	2	3	–	2	2	6	–	2	–	1	3	1	–	–	2	5	1	5	5	8	1	–	1	–	–
E900-E904	141	Accidental falls	632	20	18	23	3	18	10	4	2	26	13	2	5	2	7	4	7	2	3	9	11	3	4	26	4	7	1	–	1
E912	142	Accident caused by machinery	31	2	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–
E916	143	Accident caused by fire and explosion of combustible material	116	3	2	5	–	3	2	1	1	4	1	–	1	–	2	1	2	–	–	2	–	3	1	2	–	3	–	–	–
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	21	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	3	–	–	1	–	–	–	–	–
E919	145	Accident caused by firearm	13	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1
E929	146	Accidental drowning and submersion ...	165	7	9	3	1	3	3	3	1	10	4	–	–	1	3	1	3	–	2	6	1	1	1	7	1	3	–	–	2
E921-E925	147*a*	Accidental mechanical suffocation, etc. ...	180	7	–	8	1	3	–	–	–	7	1	1	–	1	4	1	–	3	1	1	3	1	3	7	3	1	2	–	–
E910, E911, E913-E915, E920, E926-E928, E930-E962, E963,	147*b*	All other accidental causes	130	3	5	3	–	2	1	–	1	12	3	–	1	–	3	–	4	1	–	–	3	1	1	7	–	6	–	–	1
E970-E979, E964,	148	Suicide and self-inflicted injury	403	13	3	19	2	13	4	4	5	13	1	–	3	4	–	2	3	2	3	9	3	6	8	21	4	2	2	–	2
E980-E985, E965,	149	Homicide and injury purposely inflicted by other persons (not in war)	23	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–
E990-E999	150	Injury resulting from operations of war ...	9	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1956.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Glasgow Co. of C.	Airdrie B.	Coatbridge B.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
750, 752, 753, 755-759	129	All other congenital malformations ...	64	4	3	3	5	1	22	21	4	5	1	–	–	2	4	2	4	2	8	4	4	2	2	–	9	1	10	1	–
760, 761	130	Birth injuries	73	–	4	4	3	2	17	19	5	–	3	1	–	2	3	5	2	–	11	3	2	–	–	1	–	–	3	3	–
762	131	Postnatal asphyxia and atelectasis ...	151	5	10	7	10	3	46	21	10	1	1	1	2	3	6	9	14	3	11	5	3	–	–	1	11	–	1	3	3
763	132*a*	Pneumonia of newborn	18	–	1	1	–	–	9	6	2	–	–	–	–	–	1	3	6	–	4	–	–	–	2	–	7	–	1	1	–
764	132*b*	Diarrhœa of newborn	2	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
765-768	132*c*	Other infections of newborn	5	–	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	1	–	1	–	–
770	133	Hæmolytic disease of newborn	14	–	1	–	2	–	2	2	3	2	–	–	1	1	–	4	1	–	2	3	1	–	–	2	1	–	2	1	–
769, 771, 772	134	All other defined diseases of early infancy	14	–	–	–	2	–	4	8	2	1	–	–	–	–	1	2	–	–	2	1	1	1	–	–	2	–	–	–	–
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified ...	87	1	5	3	7	3	30	41	15	7	–	2	–	2	14	15	13	1	5	1	2	2	4	5	16	–	4	4	5
794	136	Senility without mention of psychosis ...	95	1	7	17	11	3	46	34	2	18	–	22	1	3	19	14	3	3	11	34	7	13	4	10	16	13	6	3	11
780-793, 795	137	Ill-defined and unknown causes	74	–	5	5	2	1	14	9	2	4	1	–	–	–	12	11	2	–	3	3	2	1	1	3	4	4	6	–	3
	E Code	Alternative classification of accidents, poisonings, and violence (external cause)																													
		Violence (800-999) ... ... TOTAL	535	21	19	18	21	15	141	295	71	26	2	14	6	30	63	36	51	7	45	31	18	10	26	10	67	4	40	11	11
E810-E835	138	Motor vehicle accidents	122	4	2	3	4	2	44	39	18	5	1	4	–	3	19	6	6	3	11	8	4	1	7	1	24	1	12	4	–
E840-E845	139*a*	Other road transport accidents	8	–	–	–	–	1	1	2	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	1	–	–	1	–	–
E800-E802, E850-E866	139*b*	Other transport accidents	21	–	–	1	–	–	6	9	3	2	–	–	–	1	2	1	2	–	1	1	1	–	–	–	3	–	–	–	2
E870-E895	140	Accidental poisoning	45	3	1	3	1	–	7	30	2	–	1	1	4	10	1	4	11	1	6	–	4	1	4	–	2	–	–	1	–
E900-E904	141	Accidental falls	124	4	5	2	4	5	20	108	14	10	–	1	2	7	10	6	8	2	13	7	4	2	7	3	16	1	6	3	3
E912	142	Accident caused by machinery	4	–	–	2	–	–	5	4	2	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
E916	143	Accident caused by fire and explosion of combustible material	23	1	–	1	1	1	11	11	4	–	–	–	–	2	4	2	3	–	1	3	–	–	1	–	5	–	3	–	–
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	6	–	–	–	–	–	–	2	1	–	–	–	–	–	2	–	1	–	–	2	–	–	1	–	–	–	–	–	–
E919	145	Accident caused by firearm	–	–	–	–	–	–	–	1	–	1	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E929	146	Accidental drowning and submersion ...	30	1	1	–	–	–	3	8	2	5	–	4	–	2	8	1	–	–	2	3	1	1	2	1	3	1	3	2	5
E921-E925	147*a*	Accidental mechanical suffocation, etc. ...	46	3	5	1	3	1	15	14	4	1	–	2	–	–	1	6	4	–	3	–	–	–	2	2	4	–	4	–	–
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	15	2	4	1	5	–	9	6	9	–	–	–	–	1	1	1	2	–	1	3	1	–	–	–	3	–	6	1	1
E963, E970-E979	148	Suicide and self-inflicted injury	82	3	–	4	3	5	15	60	12	1	–	2	–	4	11	8	11	1	7	4	2	4	2	2	4	1	4	–	–
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	6	–	–	–	–	–	5	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–
E965, E990-E999	150	Injury resulting from operations of war ...	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956

International Classification		Causes of Death		ABERDEEN Co. of C. (inc. part in Kincardine Co.)														ABERDEEN COUNTY (excluding County of City)													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		2155	45	28	9	7	4	12	19	64	174	364	566	650	213	1650	36	17	10	4	4	15	21	35	108	206	401	546	247
		Males		1058	23	16	5	6	4	8	11	40	100	219	290	266	70	811	25	9	6	2	2	13	16	22	55	115	203	255	88
		Females		1097	22	12	4	1	–	4	8	24	74	145	276	381	143	839	11	8	4	2	2	2	5	13	53	91	198	291	159
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	–	–	–	–	2	2	2	1	1	–	8	–	–	–	–	–	–	–	2	1	2	2	1	–
			F.	10	–	–	–	–	–	1	1	3	2	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	7	–	–	–	–	–	–	–	–	1	4	1	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	3	–	–	–	–	–	1	–	–	–	1	–	–	1
			F.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	203	–	1	–	1	1	1	2	13	27	54	60	37	6	132	–	–	–	–	–	–	5	3	10	30	51	27	6
			F.	184	–	–	1	–	–	1	2	10	29	40	48	43	10	138	–	–	1	–	–	–	1	5	19	24	38	34	16
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	–	–	–	2	–	–	1	–
			F.	4	–	–	–	–	–	–	–	–	–	2	1	1	–	5	–	–	–	–	–	–	–	1	3	–	1	–	–
260	20	Diabetes mellitus	M.	7	–	–	–	–	–	–	–	–	1	3	3	–	–	3	–	–	–	–	–	–	–	–	–	1	–	1	1
			F.	8	–	–	–	–	–	–	–	–	–	3	3	2	–	10	–	–	–	–	–	–	–	–	–	3	7	–	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	7	–	–	–	–	–	–	1	2	–	2	1	1	–	5	–	–	–	–	–	–	–	–	1	1	2	1	–
			F.	6	–	–	–	–	–	–	–	–	2	–	4	–	–	7	–	–	–	–	–	–	–	–	1	2	2	2	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	140	–	–	–	–	–	–	1	1	3	20	52	53	10	100	–	–	–	–	–	–	1	–	3	12	28	39	17
			F.	219	–	–	–	–	–	–	1	1	4	22	73	94	24	180	–	–	–	–	1	–	–	3	6	24	44	75	27
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	14	–	–	–	–	–	1	–	1	3	1	5	3	–	17	–	–	1	1	–	–	–	2	5	5	–	3	–
			F.	17	–	–	1	1	–	–	–	1	2	–	4	5	3	15	–	1	–	1	1	–	–	–	3	2	4	3	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	9	–	–	–	–	–	–	–	1	4	3	1	–	–	7	–	–	–	–	–	–	–	–	2	3	1	1	–
			F.	25	–	–	–	–	–	–	2	4	9	1	6	3	–	8	–	–	–	–	–	–	–	–	3	4	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	353	–	–	–	–	–	–	–	9	30	80	99	100	35	273	–	–	–	–	–	–	2	9	14	35	77	106	30
			F.	350	–	–	–	–	–	–	–	–	11	41	84	148	66	235	–	–	–	–	–	–	–	–	8	14	54	104	55
430-434	27	Other diseases of heart ...	M.	8	–	–	–	–	–	1	–	–	2	3	–	2	–	5	–	–	–	–	–	1	–	–	1	1	1	1	–
			F.	9	–	–	–	–	–	–	–	1	1	–	1	4	2	7	–	–	–	–	–	–	1	–	–	–	4	1	1
440-443	28	Hypertension with heart disease	M.	18	–	–	–	–	–	–	–	–	–	2	7	9	–	12	–	–	–	–	–	1	–	–	–	2	4	3	2
			F.	33	–	–	–	–	–	–	–	–	–	3	15	11	4	23	–	–	–	–	–	–	–	–	–	4	8	10	1
444-447	29	Hypertension without heart	M.	10	–	–	–	–	–	–	–	–	–	5	1	2	2	15	–	–	–	–	–	–	–	–	1	1	5	[illegible]	[illegible]

450-468	46.3	Other circulatory disease	F.	47	–	–	–	–	–	–	–	–	–	4	6	23	14	34	–	–	–	–	–	–	–	–	2	–	7	12	16
			M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
480-483	30	Influenza	F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	8	–	–	–	–	–	–	–	1	–	–	3	–	4
			M.	24	–	6	–	–	–	–	–	–	–	3	7	5	3	24	–	4	1	–	1	1	–	1	–	–	3	9	4
490-493	31	Pneumonia (except of newborn)	F.	33	–	5	2	–	–	–	–	1	–	2	4	15	4	35	–	5	–	–	–	1	1	–	–	3	7	7	11
			M.	39	–	1	–	–	–	–	–	–	3	9	16	10	–	13	–	–	–	–	–	–	–	–	1	1	3	5	3
500-502	32	Bronchitis	F.	18	–	1	–	–	–	–	–	–	–	6	3	6	2	13	–	–	–	–	–	1	–	–	–	–	3	5	4
			M.	19	–	–	–	–	–	1	–	1	1	2	8	4	2	9	–	–	–	–	–	–	–	–	2	1	1	5	–
470-475, 510-527	46.4	Other respiratory diseases ...	F.	3	–	–	–	–	–	–	–	–	1	–	1	–	1	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			M.	13	–	–	–	–	–	–	–	1	1	4	4	3	–	20	–	–	–	–	–	–	–	–	2	6	7	3	2
540, 541	33	Ulcer of stomach and duodenum	F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	9	–	–	–	–	–	–	–	–	1	1	1	4	2
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
550-553	34	Appendicitis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			M.	5	1	–	–	–	–	–	–	–	–	2	1	1	–	6	–	–	–	–	–	–	–	–	1	–	2	2	1
560, 561, 570	35	Intestinal obstruction and hernia	F.	6	–	–	–	–	–	–	–	–	1	1	2	1	1	5	–	–	–	–	–	–	–	–	–	1	–	3	1
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			M.	4	–	1	–	–	–	–	–	1	2	–	–	–	–	5	–	–	1	–	–	–	1	–	–	1	–	2	–
571, 572	36.2	Diarrhœa (except of newborn)	F.	6	–	2	–	–	–	–	–	–	1	1	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
581	37	Cirrhosis of liver	F.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	6	–	–	–	–	–	–	–	–	2	–	2	2	–
			M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	F.	8	–	–	–	–	–	–	–	–	–	2	1	5	–	5	–	–	–	–	–	–	–	–	–	–	–	4	1
			M.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	–	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	F.	5	–	–	–	–	–	–	–	–	2	–	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			M.	10	–	–	–	1	–	–	2	–	2	2	3	–	–	7	–	–	–	–	–	1	1	1	–	–	–	3	1
590-594	38	Nephritis and nephrosis ...	F.	5	–	–	–	–	–	–	1	–	–	1	1	1	1	6	–	–	–	–	–	–	–	1	–	3	2	–	–
610	39	Hyperplasia of prostate ...	M.	19	–	–	–	–	–	–	–	–	–	2	2	13	2	19	–	–	–	–	–	–	–	–	–	2	1	11	5
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	5	–	–	–	–	–	–	–	1	–	–	1	3	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	4	–	–	–	–	–	–	–	–	–	1	2	–	1	5	–	–	–	–	–	–	–	1	1	–	1	1	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	9	–	–	–	–	–	–	–	–	2	4	1	1	1	4	–	–	–	–	–	–	–	–	–	2	1	1	–
			F.	7	–	–	–	–	–	–	1	–	1	1	2	2	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
750-759	41	Congenital malformations ...	M.	7	2	2	1	–	–	–	–	–	–	1	1	–	–	7	2	4	–	–	–	1	–	–	–	–	–	–	–
			F.	8	2	3	–	–	–	1	–	–	–	–	2	–	–	4	1	2	–	–	–	–	1	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	10	9	1	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	4	1
			F.	5	–	–	–	–	–	–	–	–	–	–	–	–	5	20	–	–	–	–	–	–	–	–	–	–	–	8	12
780-793, 795	45.1	Cause ill-defined and unknown	M.	4	1	–	–	–	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	7	–	–	–	–	–	–	1	–	4	1	1	–	–	3	–	–	–	–	–	–	–	1	1	1	–	–	–
			F.	6	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	13	–	–	3	2	–	–	2	1	3	1	–	1	–	6	–	–	–	–	–	3	1	1	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	39	2	4	1	2	3	2	1	5	5	5	4	3	2	21	–	1	2	1	1	4	4	–	2	–	2	4	–
			F.	19	1	1	–	–	–	1	–	–	3	3	2	6	2	21	–	–	3	1	–	–	–	1	–	–	4	5	7

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956 —*continued*

International Classification		Causes of Death		DUNDEE COUNTY OF CITY															ARBROATH BURGH														
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	2186	66	40	11	4	5	12	32	58	170	354	567	661	206	271	7	7	1	2	1	3	2	1	11	42	78	78	38
		Males	... ...	1056	40	19	6	3	3	5	18	38	100	205	288	261	70	129	3	6	1	1	–	2	1	1	7	23	40	31	13
		Females	... ...	1130	26	21	5	1	2	7	14	20	70	149	279	400	136	142	4	1	–	1	1	1	1	–	4	19	38	47	25
001-008	1	Tuberculosis of respiratory system	M.	14	–	–	–	–	–	–	–	1	3	3	3	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	11	–	–	–	–	–	1	1	–	1	4	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	3	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infections and parasiti diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	191	–	–	1	–	1	–	2	6	24	62	54	37	4	25	–	–	–	1	–	1	–	–	2	7	10	4	–
			F.	226	–	–	–	–	–	1	4	9	26	46	60	63	17	22	–	–	–	–	–	–	1	–	1	6	9	4	1
210-239	19	Benign and unspecified neoplasms	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
260	20	Diabetes mellitus	M.	5	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	13	–	–	–	–	–	1	–	–	–	4	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	–	–	–	3	4	2	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	6	–	–	1	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	1	–	2	1	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	127	–	–	–	–	–	–	1	2	8	18	39	50	9	18	–	–	–	–	–	–	–	–	–	2	8	6	2
			F.	173	–	–	–	–	–	–	1	–	4	22	53	66	27	27	–	–	–	–	–	–	–	–	1	4	4	18	–
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	10	–	–	–	1	–	–	–	–	3	2	3	1	–	3	–	–	–	–	–	–	–	–	1	–	2	–	–
			F.	17	–	–	–	–	–	–	1	2	2	3	4	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	3	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	7	–	–	–	–	–	–	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	20	–	–	–	–	–	1	2	1	4	6	2	3	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	346	–	–	–	–	–	–	–	7	31	65	109	100	34	40	–	–	–	–	–	–	–	1	4	12	11	7	5
			F.	326	–	–	–	–	–	–	–	–	15	35	74	151	51	47	–	–	–	–	–	–	–	–	1	2	16	15	13
430-434	27	Other diseases of heart ...	M.	8	–	–	–	–	–	–	1	–	3	–	–	4	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–
			F.	9	–	–	–	–	–	1	–	–	–	1	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertension with heart disease	M.	10	–	–	–	–	–	–	–	–	–	–	6	2	2	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	15	–	–	–	–	–	–	–	–	–	2	2	11	–	3	–	–	–	–	–	–	–	–	–	1	1	–	1
444-447	29	Hypertension without heart disease	M.	7	–	–	–	–	–	–	–	1	–	2	2	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	8	–	–	–	–	–	–	1	1	–	–	2	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–

(4)	(5)																																
450-468	46.3	Other circulatory disease	M.	18	–	–	–	–	–	–	–	–	–	1	2	1	7	10	5	5	–	–	–	–	–	–	–	–	–	–	–	2	3
			F.	27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480-483	30	Influenza	M.	4	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	59	–	7	–	–	–	–	1	3	6	10	15	12	5	6	–	2	–	–	–	–	–	–	–	1	2	–	1		
			F.	63	–	4	–	–	–	–	1	1	2	2	16	28	9	3	–	–	–	–	–	–	–	–	–	1	1	–	1		
500-502	32	Bronchitis	M.	33	–	–	–	–	–	–	–	1	1	10	12	7	2	4	–	–	–	–	–	–	–	–	–	–	1	2	1		
			F.	21	–	2	–	–	–	–	–	1	1	3	6	4	4	1	–	–	–	–	–	–	–	–	–	–	–	1	–		
470-475, 510-527	46.4	Other respiratory diseases ...	M.	10	–	–	–	1	–	–	–	–	1	2	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	6	–	–	–	–	–	–	–	1	1	–	2	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–		
540, 541	33	Ulcer of stomach and duodenum	M.	17	–	–	–	–	–	–	–	–	4	5	7	1	–	2	–	–	–	–	–	–	–	–	–	2	–	–		
			F.	9	–	–	–	–	–	–	–	–	–	1	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–		
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
560, 561, 570	35	Intestinal obstruction and hernia	M.	10	–	–	–	–	–	–	–	–	–	1	3	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	9	1	–	–	–	–	–	–	1	–	–	2	4	1	4	–	–	–	–	–	–	–	–	–	2	2	–		
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
571, 572	36.2	Diarrhœa (except of newborn)	M.	6	–	3	–	–	–	–	–	–	2	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–		
			F.	12	–	4	–	–	–	–	1	–	2	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
581	37	Cirrhosis of liver	M.	9	–	–	–	–	–	–	1	3	1	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–		
			F.	4	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
580, 582-586	46.5	Other diseases of liver ...	M.	3	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	7	–	–	–	–	–	–	–	–	1	–	2	3	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–		
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–		
			F.	8	–	1	–	–	–	–	–	–	2	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
590-594	38	Nephritis and nephrosis ...	M.	8	–	–	–	–	–	1	2	–	2	3	–	–	–	4	–	–	–	–	–	1	–	–	–	–	1	2	–		
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
610	39	Hyperplasia of prostate ...	M.	27	–	–	–	–	–	–	–	–	–	1	9	14	3	2	–	–	–	–	–	–	–	–	–	–	–	2	–		
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	6	–	–	–	–	–	–	–	–	–	1	1	3	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1		
			F.	10	–	–	1	–	–	–	–	–	2	–	5	–	2	2	–	–	–	–	–	–	–	–	–	2	–	–		
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	6	–	–	–	–	–	–	–	–	–	1	3	2	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1		
750-759	41	Congenital malformations ...	M.	17	10	4	1	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	14	7	3	–	1	–	–	–	1	–	1	1	–	–	4	1	1	–	1	1	–	–	–	–	–	–	–	–		
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	18	17	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	13	13	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–		
763	43.1	Pneumonia of the newborn ...	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–		
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
769-776	44	Other diseases peculiar to early infancy	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1		
			F.	9	–	–	–	–	–	–	–	–	–	–	–	3	6	5	–	–	–	–	–	–	–	–	–	–	–	2	3		
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E963, E970-979	49	Suicide	M.	15	–	–	–	–	–	2	1	2	3	5	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–		
			F.	4	–	–	–	–	–	–	–	–	–	3	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–		
E810-835	47	Motor vehicle accidents ...	M.	13	–	–	1	1	–	–	1	5	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	20	–	2	2	–	–	1	1	3	1	3	2	3	2	5	–	1	1	–	–	–	1	–	–	–	–	1	1		
			F.	44	–	4	3	–	–	1	–	1	2	4	8	13	8	2	–	–	–	–	–	–	–	–	–	–	–	–	2		

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		ANGUS COUNTY (ex. Co. of City and Large Burgh)														ARGYLL COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		962	19	7	7	4	1	2	10	24	62	139	240	329	118	949	17	7	7	1	1	11	21	15	62	117	245	320	125
		Males		439	8	5	5	2	1	1	6	17	28	76	108	142	40	464	7	3	3	1	1	8	17	7	35	70	127	139	46
		Females		523	11	2	2	2	–	1	4	7	34	63	132	187	78	485	10	4	4	–	–	3	4	8	27	47	118	181	79
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	–	1	2	–	2	1	–	–	5	–	–	–	–	–	–	3	–	–	1	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	75	–	–	–	–	–	–	–	5	5	16	25	20	4	82	–	–	–	–	–	–	1	1	8	20	24	25	3
			F.	97	–	–	–	–	–	–	1	1	13	24	22	29	7	87	–	–	–	–	–	1	1	2	8	14	24	30	7
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	7	–	–	–	–	–	–	–	–	–	2	1	3	1	3	–	–	–	–	–	–	–	–	–	1	–	2	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	1	–	2	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	4	–	–	–	–	–	1	1	–	–	–	2	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–
			F.	5	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	64	–	–	–	–	–	–	1	–	3	12	13	27	8	59	–	–	–	–	–	–	–	–	4	9	15	26	5
			F.	110	–	–	–	–	–	–	–	–	9	12	29	48	12	92	–	–	–	–	–	–	–	1	6	7	28	38	12
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	7	–	1	1	–	–	–	–	–	–	–	2	2	1
			F.	5	–	–	–	1	–	–	–	–	–	1	2	1	–	11	–	–	–	–	–	–	1	1	2	1	3	3	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	1	1	1	
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	
420-422	26	Arteriosclerotic and degenerative heart disease	M.	144	–	–	–	–	–	–	–	3	10	27	41	47	16	161	–	–	–	–	–	–	–	–	13	21	55	54	8
			F.	152	–	–	–	–	–	–	–	1	2	14	43	56	36	148	–	–	–	–	–	–	1	1	5	16	35	59	31
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	1	1	2	1
			F.	5	–	–	–	–	–	–	–	–	–	–	2	3	–	10	–	–	–	–	–	–	–	–	–	–	3	6	1
440-443	28	Hypertension with heart disease	M.	10	–	–	–	–	–	–	–	–	–	1	4	4	1	10	–	–	–	–	–	–	–	–	–	3	2	3	2
			F.	8	–	–	–	–	–	–	–	–	–	–	6	2	–	12	–	–	–	–	–	–	–	–	–	1	2	7	2
444-447	29	Hypertension without heart disease	M.	6	–	–	–	–	–	–	–	–	–	–	1	1	3	7	–	–	–	–	–	–	–	–	–	1	2	3	1
			F.	8	–	–	–	–	–	–	–	–	1	1	1	3	2	4	–	–	–	–	–	–	–	–	–	–	2	2	
(a)	(b)		(c)																												

480-483	30	Influenza	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	12	–	–	–	–	–	–	–	–	–	–	3	6	3
			M.	13	–	–	1	–	–	–	–	–	1	1	2	8	–	8	–	1	1	–	–	–	–	–	–	–	4	1
490-493	31	Pneumonia (except of newborn)	F.	7	–	–	–	–	–	–	–	–	–	1	1	4	1	9	–	3	1	–	–	–	–	–	1	–	2	2	–
			M.	15	–	–	–	–	–	–	–	–	2	3	5	4	1	8	–	–	–	–	–	–	–	–	–	2	3	2	1
500-502	32	Bronchitis	F.	7	–	–	1	–	–	–	–	–	1	1	2	2	4	–	–	1	–	–	–	–	–	–	–	1	1	1
			M.	3	–	–	1	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	F.	2	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	1	–	–	–	–	–	–	1	–	1	–
540-541	33	Ulcer of stomach and duodenum	M.	7	–	–	–	–	–	–	–	–	1	1	–	4	1	3	–	–	–	–	–	–	–	–	1	2	–	–
			F.	3	–	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	6	–	1	–	1	–	–	–	–	–	–	–	4	–	5	–	–	–	–	–	–	–	–	–	–	1	3	1
			F.	7	–	–	–	–	–	–	–	–	–	1	3	2	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	1	–	–	–	1	–	1	–
			F.	4	–	–	–	–	–	–	–	1	–	–	2	1	–	3	–	–	–	–	–	1	–	–	–	1	–	1	–
610	39	Hyperplasia of prostate. ...	M.	5	–	–	–	–	–	–	–	–	–	–	2	3	–	5	–	–	–	–	–	–	–	–	–	–	3	2	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	3	–	–	–	–	–	–	–	–	1	–	1	–	1
			F.	5	–	–	–	–	–	–	–	–	2	–	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652 680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	6	–	–	–	–	–	–	–	1	1	–	2	1	1	3	–	–	–	–	–	–	–	–	–	1	2	–
750-759	41	Congenital malformations ...	M.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–
			F.	5	2	1	–	–	–	1	1	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–
			F.	6	5	1	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	4	–	–	–	–	–	–	–	–	–	–	–	3	1	10	–	–	–	–	–	–	–	–	–	1	1	8
			F.	10	–	–	–	–	–	–	–	–	–	–	1	3	6	19	–	–	–	–	–	–	–	–	–	–	7	12
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	–	1	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	4	1	1
E963, E970-979	49	Suicide	M.	9	–	–	–	–	–	–	3	2	1	1	1	–	1	2	–	–	–	–	–	–	–	1	1	–	–	–
			F.	4	–	–	–	–	–	–	1	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	10	–	–	1	–	1	–	–	–	2	1	2	3	–	4	–	–	–	1	–	–	–	2	1	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	14	–	2	1	–	–	1	–	2	2	1	3	2	–	24	–	–	–	–	–	6	13	1	–	3	–	–	1
			F.	19	–	–	1	–	–	–	–	–	1	3	5	4	5	11	–	–	–	–	–	–	–	–	–	1	1	4	5

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		AYR BURGH														KILMARNOCK BURGH														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		526	17	6	4	1	–	5	9	11	45	77	152	155	44	564	22	6	3	3	–	5	12	18	48	96	158	146	47
		Males		253	10	3	–	1	–	3	3	6	29	47	82	57	12	277	13	2	–	2	–	4	8	11	30	57	76	64	10
		Females		273	7	3	4	–	–	2	6	5	16	30	70	98	32	287	9	4	3	1	–	1	4	7	18	39	82	82	37
Detailed List	Abbreviated List "B"																															
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	–	–	1	3	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	40	–	–	–	–	–	2	1	2	5	9	12	8	1	46	–	–	–	–	–	–	–	4	4	18	11	8	1
			F.	35	–	–	–	–	–	–	1	2	4	4	8	12	4	46	–	–	1	–	–	–	–	1	8	8	15	12	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	30	–	–	–	–	–	–	–	–	1	7	11	9	2	41	–	–	–	–	–	–	1	–	3	5	15	14	3
			F.	45	–	–	–	–	–	–	–	–	2	4	15	20	4	51	–	–	–	–	–	–	–	–	3	11	14	13	10
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	7	–	–	–	1	–	–	–	–	1	2	2	1	–
			F.	5	–	–	1	–	–	–	1	1	1	–	–	1	–	4	–	–	–	–	–	–	–	1	1	2	–	–	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	7	–	–	–	1	–	–	–	1	1	3	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	95	–	–	–	–	–	–	1	1	10	17	35	27	4	79	–	–	–	–	–	–	–	–	6	18	29	22	4
			F.	100	–	–	–	–	–	1	1	–	3	11	24	44	16	91	–	–	–	–	–	–	–	–	3	8	35	29	16
430-434	27	Other diseases of heart ...	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	3	–	–	–	–	–	–	1	–	–	–	2	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	3	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
440-443	28	Hypertension with heart	M.	6	–	–	–	–	–	–	–	1	–	2	2	1	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–

			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	[illegible]	1
490-493	31	Pneumonia (except of newborn)	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	6	–	1	–	–	–	–	–	–	2	–	1	1	1
			F.	6	–	–	–	–	–	–	–	–	–	1	4	–	1	5	–	2	–	–	–	–	–	–	–	–	–	2	1
500-502	32	Bronchitis	M.	10	–	–	–	–	–	–	–	–	1	2	7	–	–	14	–	–	–	–	–	–	–	2	1	2	7	2	–
			F.	4	–	–	–	–	–	–	–	–	–	2	1	1	–	6	–	–	–	–	–	–	–	1	–	2	2	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	2	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
540-541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	–	1	–	1	2	–	6	–	–	–	–	–	–	1	1	2	2	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	3	–	–	–	–	–	1	1	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	–	1	3	2	5	–	–	–	–	–	–	–	–	–	–	2	2	1
600-609, 611-637	46.7	Other diseases of genito-urinary system ...	M.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	6	2	3	–	–	–	–	–	–	1	–	–	–	–	4	2	–	–	–	–	1	–	1	–	–	–	–	–
			F.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	6	4	2	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new born	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	–	–	–	–	–	–	–	–	–	–	2	3	7	–	–	–	–	–	–	–	–	–	–	1	3	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	1	–	2	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
E963, E970-979	49	Suicide	M.	2	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	4	–	–	–	–	–	1	–	2	–	–	1	–	–
E810-835	47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	5	–	–	–	–	–	1	2	–	1	1	–	–	–
			F.	3	–	–	1	–	–	–	2	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	5	–	–	–	1	–	–	–	–	1	1	–	–	2	7	–	–	–	–	–	1	1	1	–	1	–	3	–
			F.	6	–	–	–	–	–	1	–	–	–	–	2	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		AYR COUNTY (excluding Large Burghs)														BANFF COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes ...		2769	93	47	20	10	6	22	42	85	229	457	736	781	241	619	16	6	3	2	1	5	6	15	44	74	134	221	92
		Males		1418	52	30	14	6	3	16	28	43	137	257	377	369	86	310	12	4	2	–	–	4	4	10	28	40	74	99	33
		Females		1351	41	17	6	4	3	6	14	42	92	200	359	412	155	309	4	2	1	2	1	1	2	5	16	34	60	122	59
001-008	1	Tuberculosis of respiratory system	M.	11	–	–	–	–	–	–	1	1	4	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	6	–	–	–	–	–	–	–	1	2	1	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	–	1	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	242	–	–	2	1	–	–	2	8	32	51	74	62	10	54	–	–	–	–	–	–	1	2	9	9	19	14	–
			F.	209	–	–	1	–	–	3	2	10	38	45	60	44	6	57	–	–	–	–	–	–	2	2	5	9	16	19	4
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
260	20	Diabetes mellitus	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			F.	18	–	–	–	–	–	–	–	–	–	8	7	3	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
290-293	21	Anæmias	M.	6	–	–	–	–	–	–	–	–	1	–	3	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	6	–	–	–	–	–	–	1	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	14	–	2	–	–	–	1	1	2	1	4	3	–	–	3	–	–	–	–	–	1	1	–	–	–	1	–	–
			F.	10	1	–	1	–	–	–	–	–	1	6	–	1	–	4	–	–	–	–	–	–	–	–	2	1	–	–	1
330-334	22	Vascular lesions affecting central nervous system ...	M.	174	–	–	–	–	–	–	–	1	7	36	56	59	15	34	–	–	–	–	–	–	–	–	1	7	8	14	4
			F.	299	–	–	–	–	–	–	1	5	14	39	95	110	35	53	–	–	–	–	–	–	–	–	1	8	13	26	5
340	23	Non-meningococcal meningitis	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	18	–	–	–	1	1	1	–	2	3	2	6	2	–	9	1	–	1	–	–	1	–	1	1	1	2	1	–
			F.	12	–	–	–	1	–	–	–	–	3	3	4	1	–	7	–	–	–	1	–	–	–	2	–	2	1	–	1
400-402	24	Rheumatic fever	M.	3	–	–	–	–	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	14	–	–	–	–	–	–	1	4	3	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	25	–	–	–	–	–	1	2	5	5	6	3	3	–	4	–	–	–	–	–	–	–	–	1	1	1	–	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	443	–	–	–	–	–	1	3	3	40	91	132	134	39	100	–	–	–	–	–	–	–	2	5	11	26	38	18
			F.	424	–	–	–	–	–	–	–	5	12	52	113	165	77	103	–	–	–	–	–	–	–	–	1	11	20	47	24
430-434	27	Other diseases of heart ...	M.	16	–	1	–	–	–	1	–	2	1	1	2	7	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	17	–	–	–	–	–	–	1	–	–	4	7	4	1	2	–	–	–	–	–	1	–	–	–	–	–	1	–
440-443	28	Hypertension with heart disease	M.	39	–	–	–	–	–	–	–	–	5	3	9	19	3	4	–	–	–	–	–	–	–	–	–	–	1	3	–
			F.	37	–	–	–	–	–	–	–	1	3	8	9	13	3	6	–	–	–	–	–	–	–	–	–	–	1	3	2

480-483	30	Influenza	M.	6	–	–	–	–	–	–	–	–	–	1	2	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	6	–	–	–	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
490-493	31	Pneumonia (except of newborn)	M.	18	–	3	–	–	–	–	–	1	3	4	7	–	11	–	1	–	–	–	–	–	–	1	–	–	–	9	–
			F.	15	–	5	1	–	–	–	–	1	–	5	1	2	10	–	1	1	–	–	–	–	–	1	1	1	3	2
500-502	32	Bronchitis	M.	50	–	1	–	–	–	–	–	2	7	11	13	3	4	–	–	–	–	–	–	–	–	–	1	–	2	1
			F.	23	–	–	–	–	–	–	1	–	–	3	7	10	2	3	–	–	–	–	–	–	–	–	–	1	2	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	30	–	–	1	–	–	–	1	–	1	11	10	6	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540-541	33	Ulcer of stomach and duodenum	M.	19	–	–	–	–	–	–	–	1	5	3	8	1	1	2	–	–	–	–	–	–	–	–	–	2	–	–
			F.	9	–	–	–	–	–	–	–	1	1	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	3	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	7	–	1	–	–	–	–	–	–	–	1	4	1	–	5	1	1	–	–	–	–	–	1	–	1	1	–
			F.	6	–	–	–	–	–	–	–	–	1	1	–	4	–	2	–	–	–	–	–	–	–	–	–	1	–	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	11	–	4	2	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	10	–	–	–	–	–	–	1	–	2	3	2	2	–	2	–	–	–	–	–	–	1	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	1	–	–	2	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	4	–	–	–	–	–	–	–	1	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–	2	–	–
			F.	7	–	–	–	–	–	–	–	1	–	–	4	2	–	3	–	–	–	–	–	–	–	–	–	1	1	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	7	–	1	–	–	–	–	1	1	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1
590-594	38	Nephritis and nephrosis ...	M.	11	–	–	–	1	1	–	–	–	2	2	1	3	1	6	–	–	–	–	–	–	–	–	1	2	2	1
			F.	15	–	–	–	–	2	–	–	–	2	4	3	4	–	1	–	–	–	–	–	–	–	–	–	1	–	–
610	39	Hyperplasia of prostate ...	M.	20	–	–	–	–	–	–	–	–	–	2	7	11	–	4	–	–	–	–	–	–	–	–	–	–	4	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	8	–	2	–	–	–	–	–	–	–	1	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1
			F.	14	–	–	–	–	–	–	–	2	3	3	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	3	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	4	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	1	1	4	–	1	2	–	–	–	–	–	–	–	1	–	1	–	–
750-759	41	Congenital malformations ...	M.	19	8	8	–	–	–	–	–	1	1	–	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
			F.	20	9	5	1	1	1	–	–	2	–	1	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	22	21	1	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–
			F.	14	13	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	20	20	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–
			F.	14	13	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	8	–	–	–	–	–	–	–	–	–	–	2	5	1	5	–	–	–	–	–	–	–	–	–	–	1	4
			F.	12	–	–	–	–	–	–	–	–	–	–	2	3	7	10	–	–	–	–	–	–	–	–	–	–	3	7
780-793, 795	45.1	Cause ill-defined and unknown	M.	6	–	1	–	–	–	–	1	2	–	–	–	2	–	3	–	–	–	–	–	–	–	2	–	1	–	–
			F.	8	–	–	–	–	–	–	–	–	1	1	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1
E963, E970-979	49	Suicide	M.	7	–	–	–	–	–	–	1	–	1	4	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	1	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	25	–	–	3	1	–	4	3	4	4	5	1	–	–	8	–	–	–	–	–	1	–	1	2	3	1	–
			F.	5	–	–	2	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	49	–	2	3	1	–	7	8	4	7	6	6	4	1	18	–	1	–	–	–	–	–	2	4	4	2	2	3
			F.	27	1	4	–	–	–	–	–	1	1	1	2	10	7	9	–	–	–	–	–	–	–	–	1	–	1	5	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.– Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		BERWICK COUNTY														BUTE COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes ...		366	8	3	–	–	–	2	8	4	33	49	107	116	36	312	5	1	–	–	1	1	2	8	19	42	72	110	51
		Males		187	5	2	–	–	–	2	4	2	22	29	59	52	10	139	4	1	–	–	–	–	1	5	13	24	36	43	12
		Females		179	3	1	–	–	–	–	4	2	11	20	48	64	26	173	1	–	–	–	1	1	1	3	6	18	36	67	39
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	35	–	–	–	–	–	–	–	–	10	4	11	10	–	17	–	–	–	–	–	–	–	1	4	3	7	1	1
			F.	26	–	–	–	–	–	–	–	–	7	3	10	4	2	32	–	–	–	–	–	–	1	1	2	8	5	12	3
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	4	–	1	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	2	–	–	3	–	–	–	–	–	–	–	1	–	–	1	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	24	–	–	–	–	–	–	1	–	–	5	12	5	1	14	–	–	–	–	–	–	–	–	1	3	2	8	–
			F.	25	–	–	–	–	–	–	–	–	1	4	4	13	3	41	–	–	–	–	–	–	–	–	1	3	13	15	9
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	3	–	–	–	–	–	–	1	–	–	1	–	1	–	4	–	–	–	–	–	–	–	–	–	1	–	1	2
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	1	–	1	1	1	–
			F.	4	–	–	–	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	66	–	–	–	–	–	–	–	–	8	15	19	16	8	42	–	–	–	–	–	–	–	–	–	9	12	19	2
			F.	69	–	–	–	–	–	–	–	–	1	4	24	26	14	51	–	–	–	–	–	–	–	–	2	3	8	25	13
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
440-443	28	Hypertension with heart disease	M.	5	–	–	–	–	–	–	–	–	–	–	3	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	5	–	–	–	–	–	–	–	–	–	1	2	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–

480-483	30	Influenza	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	4	–	–	–	–	–	–	–	–	–	–	–	–	3	1
			F.	4	–	1	–	–	–	–	–	–	–	–	1	1	1	5	–	–	–	–	–	–	–	–	–	–	–	3	1	1
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	–	1	–	1	2	–	11	–	–	–	–	–	–	–	–	–	3	3	3	2
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
540, 541	33	Ulcer of stomach and duodenum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	–	1	2	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	4	–	–	–	–	–	–	–	–	–	–	–	–	4
			F.	4	–	–	–	–	–	–	–	–	–	–	–	1	3	6	–	–	–	–	–	–	–	–	–	–	–	1	5
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	–	–	–	1	1	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	2	–	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–
			F.	4	–	–	–	–	–	–	1	–	–	1	–	1	1	5	–	–	–	–	–	–	–	–	1	1	1	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		CAITHNESS COUNTY															CLACKMANNAN COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		315	9	6	–	1	–	5	6	11	24	40	74	100	39	425	17	10	7	2	–	2	12	10	36	72	106	115	36
		Males		155	4	2	–	–	–	4	4	6	14	22	38	45	16	227	10	9	7	–	–	2	7	6	25	47	48	55	11
		Females		160	5	4	–	1	–	1	2	5	10	18	36	55	23	198	7	1	–	2	–	–	5	4	11	25	58	60	25
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	25	–	–	–	–	–	1	–	2	4	4	6	7	1	38	–	–	1	–	–	–	–	–	8	14	11	4	–
			F.	25	–	–	–	–	–	–	–	–	5	3	8	6	3	29	–	–	–	–	–	–	–	1	6	6	8	6	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	18	–	–	–	–	–	–	–	–	2	2	7	6	1	22	–	–	–	–	–	–	–	–	1	1	7	10	3
			F.	29	–	–	–	–	–	–	–	–	2	5	6	15	1	43	–	–	–	–	–	–	–	1	3	6	13	14	6
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	4	–	–	–	–	–	–	1	–	–	–	3	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	–	1	–	–	1	2	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	4	–	–	–	–	–	–	3	1	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	49	–	–	–	–	–	–	1	–	4	5	12	21	6	56	–	–	–	–	–	–	–	2	5	16	15	15	3
			F.	43	–	–	–	–	–	–	–	1	1	2	12	16	11	53	–	–	–	–	–	–	1	–	–	9	18	16	9
430-434	27	Other diseases of heart	M.	3	–	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–

450-468	46.3	Other respiratory diseases																														
[illegible]	[illegible]	Influenza	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	7	–	2	–	–	–	–	–	–	–	–	–	–	5	–
			F.	5	–	3	–	–	–	–	–	–	1	–	1	–	10	–	1	–	–	–	–	–	–	1	1	2	4	1
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	–	1	–	1	2	11	–	1	–	–	–	–	–	–	1	3	1	4	1
			F.	5	–	–	–	–	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	2	1	–	–	5	–	–	2	–	–	–	–	–	–	2	1	–	–
			F.	3	–	–	–	–	1	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	1	1	1	1	–	9	–	–	–	–	–	1	–	–	2	1	4	1	–
			F.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	1	–	1	–	1	–	3	–	–	–	–	–	–	1	–	1	1	–	–	–
			F.	4	–	–	–	–	–	–	1	–	–	–	3	–	3	–	–	–	–	–	–	–	–	1	–	–	1	1
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	1	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	4	–	–	–	–	–	–	–	–	–	–	–	4	–
750-759	41	Congenital malformations ...	M.	3	1	1	–	–	–	–	–	1	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–	–	1	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	3	1	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	6	–	–	–	–	–	–	–	–	–	–	2	4	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	5	–	–	–	–	–	–	–	–	–	–	3	2	4	–	–	–	–	–	–	–	–	–	–	1	1	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	4	–	1	1	–	–	–	–	–	–	–	2	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	2	–	3	1	–	–	–	–	–	–	–	–	–	–	2	–
E963, E970-979	49	Suicide	M.	4	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	4	–	–	–	–	–	2	2	–	–	–	–	–	5	–	–	–	–	–	–	1	–	1	2	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	3	–	1	–	–	–	–	–	–	–	2	–	–	15	–	3	2	–	–	1	1	2	2	2	–	1	–
			F.	3	–	–	–	1	–	–	1	–	–	1	–	–	8	–	–	–	–	–	–	–	–	–	–	2	3	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		DUMFRIES BURGH														DUMFRIES COUNTY (excluding Large Burgh)													
				All Ages	under 4 weeks	4 w'ks-	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks-	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		**337**	**11**	**5**	**5**	–	**1**	**2**	**1**	**6**	**29**	**50**	**108**	**87**	**32**	**701**	**11**	**7**	**3**	**1**	**2**	**8**	**12**	**13**	**43**	**107**	**194**	**231**	**69**
		Males		**168**	**6**	**4**	**2**	–	–	–	–	**5**	**16**	**30**	**60**	**32**	**13**	**378**	**7**	**4**	–	**1**	**2**	**6**	**8**	**11**	**30**	**72**	**111**	**108**	**18**
		Females		**169**	**5**	**1**	**3**	–	**1**	**2**	**1**	**1**	**13**	**20**	**48**	**55**	**19**	**323**	**4**	**3**	**3**	–	–	**2**	**4**	**2**	**13**	**35**	**83**	**123**	**51**
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	50	–	–	1	–	–	–	1	2	7	16	22	12	1
140-205	18	Malignant neoplasms	M.	25	–	–	–	–	–	–	–	3	3	8	7	2	2	61	–	–	–	–	–	–	–	–	7	11	19	12	4
			F.	33	–	–	1	–	–	–	–	–	8	6	5	9	4	50	–	–	1	–	–	–	–	–	3	11	19	12	4
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	31	–	–	–	–	–	–	–	1	2	4	15	7	2	51	–	–	–	–	–	–	–	–	3	13	14	20	1
			F.	34	–	–	–	–	–	–	–	–	–	3	13	15	3	76	–	–	–	–	–	–	1	–	4	10	23	30	8
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	1	2	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	6	–	2	–	–	–	–	1	–	–	1	1	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	6	–	–	–	–	–	–	–	–	1	–	5	–	–
			F.	6	–	–	–	–	1	–	–	–	–	2	2	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	44	–	–	–	–	–	–	–	1	3	10	19	10	1	125	–	–	–	–	–	–	–	4	8	13	46	39	10
			F.	44	–	–	–	–	–	–	–	–	3	6	13	18	4	97	–	–	–	–	–	–	–	1	–	6	22	41	27
430-434	27	Other diseases of heart	M.	2	–	–	–	–	–	–	–	–	1	–	–	–	1	5	–	1	–	–	–	–	–	–	–	–	3	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	9	–	–	–	–	–	–	–	–	–	2	4	3	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	14	–	–	–	–	–	–	–	–	–	3	3	7	1

480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
490-493	31	Pneumonia (except of newborn)	M.	7	–	1	–	–	–	–	–	–	–	3	2	1	7	–	–	–	–	–	–	–	–	–	–	2	4	1
			F.	10	–	–	–	–	–	–	–	–	1	4	2	3	12	–	–	1	–	–	–	–	–	–	–	3	7	1
500-502	32	Bronchitis	M.	9	–	–	–	–	–	–	–	–	2	3	1	3	18	–	–	–	–	–	–	–	–	2	9	4	3	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	–	–	–	4	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	2	1	1	–	–	3	–	–	–	–	–	–	–	–	1	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	2	2	1
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
581	37	Cirrhosis of liver	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
610	39	Hyperplasia of prostate ...	M.	5	–	–	–	–	–	–	–	–	–	1	2	2	5	–	–	–	–	–	–	–	–	–	1	–	4	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–	–	1	–	–	–	–	–	2	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	1	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	8	–	–	–	–	–	–	–	–	–	–	–	6	2
780-793, 795	48.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	1	1	1	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	12	–	–	–	–	–	4	3	1	3	–	–	1	–
			F.	2	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	4	–	–	1	–	–	–	–	2	–	–	1	–	10	–	–	–	–	1	1	2	–	1	1	1	3	–
			F.	4	–	–	1	–	–	–	–	–	–	–	3	–	6	–	–	1	–	–	–	–	–	1	–	1	1	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		CLYDEBANK BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	DUMBARTON BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	482	20	11	2	–	1	2	13	18	42	85	127	128	33	273	7	8	4	–	1	2	5	5	25	43	66	90	17
		Males	...	262	11	9	2	–	–	2	4	9	25	53	71	62	14	145	4	5	2	–	–	1	1	3	11	29	32	49	8
		Females	...	220	9	2	–	–	1	–	9	9	17	32	56	66	19	128	3	3	2	–	1	1	4	2	14	14	34	41	9
001-008	1	Tuberculosis of respiratory system	M.	3	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	51	–	–	–	–	–	–	–	4	7	8	13	17	2	28	–	–	–	–	–	–	–	2	1	8	6	11	–
			F.	35	–	–	–	–	–	–	1	1	5	8	10	9	1	19	–	–	–	–	–	–	–	–	5	6	3	5	–
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	39	–	–	–	–	–	–	–	1	3	6	13	14	2	15	–	–	–	–	–	–	–	–	2	3	1	7	2
			F.	35	–	–	–	–	–	–	–	1	3	4	11	12	4	25	–	–	–	–	–	–	–	–	3	3	7	9	3
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	4	1	1	–	–	–	4	–	–	–	–	–	1	1	–	–	–	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	69	–	–	–	–	–	–	1	1	7	16	22	17	5	43	–	–	–	–	–	–	–	–	6	10	12	12	3
			F.	55	–	–	–	–	–	–	1	–	1	6	18	20	9	32	–	–	–	–	–	–	–	–	2	4	12	10	4
430-434	27	Other diseases of heart ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
440-443	28	Hypertension with heart disease	M.	5	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	9	–	–	–	–	–	–	–	–	1	1	3	4	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
444-447	29	Hypertension without heart	M.	4	–	–	–	–	–	–	–	1	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–

480-483	30	Influenza	F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
			M.	6	–	2	–	–	–	–	–	–	1	1	2	–	9	–	2	1	–	–	–	–	–	1	–	–	3	2	–
490-493	31	Pneumonia (except of newborn)	F.	9	–	–	–	–	–	–	1	–	1	1	3	2	1	5	–	2	1	–	–	–	–	1	–	–	–	1	–
			M.	19	–	–	–	–	–	–	–	–	4	7	4	4	–	6	–	–	–	–	–	–	–	–	–	2	1	2	1
500-502	32	Bronchitis	F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	1	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	3	–	1	1	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
530-539, 542, 544 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
590-594	38	Nephritis and nephrosis ...	M.	4	–	–	–	–	–	1	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
610	39	Hyperplasia of prostate ...	M.	8	–	–	–	–	–	–	–	–	–	–	4	3	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
750-759	41	Congenital malformations ...	M.	3	–	3	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	6	–	–	–	–	–	–	–	–	–	–	1	5	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	7	–	–	–	–	–	–	–	–	–	–	–	7	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	2	–	1	–	–	–	–	–	–	1	–	–	–	–	6	–	–	1	–	–	–	–	1	1	1	1	1
			F.	4	–	1	–	–	–	–	–	–	–	1	1	–	1	3	–	–	–	–	1	–	–	–	1	–	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		DUNBARTON COUNTY (excluding Large Burghs)															EAST LOTHIAN COUNTY														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		1138	26	15	6	9	2	10	14	42	87	186	292	342	107	597	14	9	5	2	1	7	7	19	40	74	170	180	69
		Males		588	14	8	3	7	2	7	8	24	50	112	172	147	34	290	11	5	5	1	1	3	7	10	15	47	88	77	20
		Females		550	12	7	3	2	–	3	6	18	37	74	120	195	73	307	3	4	–	1	–	4	–	9	25	27	82	103	49
001-008	1	Tuberculosis of respiratory system	M.	9	–	–	–	–	–	1	1	3	2	1	1	–	–	3	–	–	–	–	–	–	1	–	–	–	1	1	–
			F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	3	–	–	–	–	–	1	–	–	2	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	104	–	–	2	–	–	1	1	3	15	32	32	16	2	41	–	–	1	–	1	–	–	1	3	11	14	9	1
			F.	104	–	–	–	–	–	1	3	5	15	23	22	29	6	61	–	–	–	1	3	1	–	1	9	11	17	16	5
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–	1	1	–	1	–
			F.	7	–	–	–	–	–	1	–	–	–	–	4	2	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	2	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
330-334	22	Vascular lesions affecting central nervous system	M.	76	–	–	–	–	–	1	–	4	5	8	24	28	6	39	–	–	–	–	–	1	–	–	3	5	15	13	2
			F.	103	–	–	–	–	–	–	–	–	5	17	25	46	10	58	–	–	–	–	–	–	–	1	1	4	14	25	13
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	12	–	1	–	–	–	–	–	2	–	2	5	2	–	5	–	–	1	–	–	–	1	1	1	1	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	2	–	2	–	6	–	–	–	–	–	–	–	1	2	–	1	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	7	–	–	–	–	–	–	1	1	1	2	2	–	–	3	–	–	–	–	–	1	–	–	1	1	–	–	–
			F.	8	–	–	–	–	–	–	–	2	–	–	5	1	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	212	–	–	–	–	–	–	–	6	14	48	66	67	11	76	–	–	–	–	–	–	2	2	2	7	27	25	11
			F.	166	–	–	–	–	–	–	–	4	7	13	36	69	37	83	–	–	–	–	–	–	–	2	3	7	23	33	15
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	1	–	–	1	1	1	–	5	–	–	–	–	–	–	–	–	–	–	2	2	1
			F.	7	–	–	–	–	–	–	–	–	–	1	1	5	–	6	–	–	–	–	–	–	–	–	–	1	3	1	1
440-443	28	Hypertension with heart disease	M.	9	–	–	–	–	–	–	–	–	–	1	2	4	2	9	–	–	–	–	–	–	–	–	–	2	4	3	–
			F.	11	–	–	–	–	–	–	–	–	–	–	2	8	1	7	–	–	–	–	–	–	–	–	–	1	2	3	1

480-483	30	Influenza	F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	13	–	3	–	–	–	–	–	–	2	2	6	–	8	–	1	1	–	–	–	–	–	–	1	1	3	1	–
			F.	15	–	2	1	–	–	–	1	–	–	2	3	4	2	8	–	–	–	–	–	–	–	–	–	–	4	3	1
500-502	32	Bronchitis	M.	17	–	–	–	–	–	–	–	–	2	2	10	2	1	12	–	–	–	–	–	–	–	–	1	3	6	2	–
			F.	6	–	–	–	–	–	–	–	1	–	1	2	1	1	3	–	–	–	–	–	–	–	–	1	–	1	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	5	–	1	–	–	–	–	–	–	1	2	1	–	–	10	–	–	–	–	–	–	–	–	–	4	4	2	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	5	–	–	–	–	–	–	–	–	1	1	3	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	–	1	1	1	2	–	7	–	–	–	–	–	–	–	1	1	2	3	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	5	1	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	–	2	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	2	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
590-594	38	Nephritis and nephrosis ...	M.	6	–	–	–	1	–	–	–	1	–	1	3	–	–	4	–	–	–	–	–	–	–	–	–	3	1	–	–
			F.	6	–	–	–	–	–	–	–	–	–	2	4	–	–	3	–	1	–	–	–	–	–	–	1	–	1	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	1	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	3	–	–	–	–	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–	1	–	–	1	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	1	1	1	2	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	7	2	2	1	1	–	–	–	1	–	–	–	–	–	5	1	4	–	–	–	–	–	–	–	–	–	–	–
			F.	9	2	4	2	–	–	1	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	4	–	–	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	8	–	–	–	–	–	–	–	–	–	–	–	4	4	3	–	–	–	–	–	–	–	–	–	–	–	1	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	6	–	–	–	–	–	2	–	–	1	1	1	1	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	8	–	–	–	2	–	–	3	1	2	–	–	–	–	4	–	–	–	–	–	–	–	2	1	1	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962 E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	18	–	1	–	2	–	1	1	–	2	2	4	3	2	12	–	–	1	–	–	2	3	–	1	2	3	–
			F.	9	–	–	–	1	–	–	–	–	3	1	–	3	1	12	–	1	–	–	–	–	–	–	1	1	4	2	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		DUNFERMLINE BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	KIRKCALDY BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		478	18	6	2	2	–	4	3	12	44	72	125	135	55	551	16	7	2	1	–	3	12	20	36	90	161	172	31
		Males ...	...	236	11	3	–	2	–	3	2	7	30	42	66	54	16	268	7	4	1	1	–	2	6	11	21	47	83	78	7
		Females ...	...	242	7	3	2	–	–	1	1	5	14	30	59	81	39	283	9	3	1	–	–	1	6	9	15	43	78	94	24
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	5	–	–	–	–	–	–	1	–	2	1	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	43	–	–	–	1	–	1	–	2	7	9	13	9	1	46	–	–	–	–	–	–	1	1	10	12	14	8	–
			F.	38	–	–	–	–	–	–	–	2	6	9	13	5	3	37	–	–	–	–	–	–	1	2	5	11	10	8	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	24	–	–	–	–	–	–	–	–	2	3	7	10	2	30	–	–	–	–	–	–	–	–	–	5	9	15	1
			F.	55	–	–	–	–	–	–	–	–	2	2	20	23	8	48	–	–	–	–	–	–	–	1	2	4	21	15	5
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	2	1	–	–	–	–
			F.	2	–	–	–	–	–	1	1	–	–	–	–	–	–	6	–	–	1	–	–	1	1	–	–	1	1	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	2	2	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	71	–	–	–	–	–	–	–	1	10	16	20	18	6	96	–	–	–	–	–	–	1	2	2	21	38	28	4
			F.	72	–	–	–	–	–	–	–	2	4	9	10	26	21	88	–	–	–	–	–	–	1	1	1	6	28	38	13
430-434	27	Other diseases of heart ...	M.	8	–	–	–	–	–	–	–	–	–	3	3	2	–	4	–	–	–	–	–	–	–	–	2	–	1	1	–
			F.	6	–	–	–	–	–	–	–	–	–	–	1	5	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
440-443	28	Hypertension with heart disease	M.	9	–	–	–	–	–	–	–	–	–	1	4	4	–	5	–	–	–	–	–	–	–	–	–	–	2	3	–
			F.	5	–	–	–	–	–	–	–	–	–	–	–	3	2	8	–	–	–	–	–	–	–	–	–	1	2	4	–

480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	3	–	–	–	–	–	–	–	–	1	–	1	–	1	5	–	1	1	–	–	–	–	–	–	–	2	1	–	–	–
			F.	8	–	–	1	–	–	–	–	1	–	–	1	4	1	6	–	–	–	–	–	–	–	–	–	1	–	4	1	–	–
500-502	32	Bronchitis	M.	8	–	–	–	–	–	–	–	–	1	2	2	1	2	14	–	–	–	–	–	–	–	1	1	3	3	5	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	6	–	–	–	–	–	–	–	–	–	2	–	3	1	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	5	–	–	–	–	–	–	–	–	1	4	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	7	–	–	–	–	–	–	–	–	2	1	3	1	–	5	–	–	–	–	–	–	1	–	–	–	3	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	7	–	–	–	–	–	–	–	–	–	–	4	2	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
750-759	41	Congenital malformations ...	M.	4	3	1	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	4	1	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
780-793, 795	45.1	Causes ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	4	–	–	–	–	–	1	1	1	1	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	6	–	–	–	–	–	–	1	1	1	2	1	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	4	–	–	–	1	–	–	1	1	1	–	–	–	–	5	–	–	–	1	–	1	–	1	1	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	5	–	1	–	–	–	1	–	1	–	1	1	–	–	7	–	1	–	–	–	–	1	1	1	–	2	1	–	–
			F.	10	–	–	–	–	–	–	–	–	2	1	1	6	–	10	–	2	–	–	–	–	–	–	–	–	3	5	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever ,erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		FIFE COUNTY (excluding Large Burghs)														INVERNESS BURGH													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes ...		2451	82	23	15	4	8	12	45	60	190	385	672	738	217	373	12	5	1	1	–	2	4	9	34	51	83	118	53
		Males ...		1245	52	10	8	2	7	11	28	31	117	198	353	350	78	204	8	1	1	–	–	2	4	7	23	37	51	47	23
		Females ...		1206	30	13	7	2	1	1	17	29	73	187	319	388	139	169	4	4	–	1	–	–	–	2	11	14	32	71	30
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	–	1	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	6	–	–	–	–	–	–	2	1	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	3	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	5	–	–	–	–	–	–	–	–	–	4	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	1	–	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	201	–	1	–	–	2	2	–	4	25	46	73	44	4	35	–	–	–	–	–	1	2	1	2	11	11	5	2
			F.	207	–	–	–	1	–	–	4	7	30	49	62	49	5	34	–	–	–	–	–	–	–	2	5	5	10	10	2
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	9	–	–	–	–	1	1	–	–	2	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	19	–	–	–	–	–	–	–	2	–	4	7	5	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	7	–	–	–	–	–	1	–	–	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	–	–	–	–	–	–	–	–	–	1	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	5	–	–	1	–	–	–	1	–	–	–	3	–	–	3	–	–	–	–	–	–	–	–	2	1	–	–	–
			F.	10	–	–	–	–	–	–	1	–	1	4	3	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	210	–	–	–	–	–	–	3	2	11	25	63	93	13	31	–	–	–	–	–	–	–	1	3	3	12	11	1
			F.	215	–	–	–	–	–	–	2	3	11	29	61	83	26	26	–	–	–	–	–	–	–	–	–	1	3	16	6
340	23	Non-meningococcal meningitis	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	19	–	–	1	–	–	2	–	–	5	3	6	2	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	12	–	–	–	–	–	1	–	–	3	2	3	3	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	15	–	–	–	–	–	–	2	2	5	3	2	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	11	–	–	–	–	–	–	–	1	2	4	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	379	–	–	–	–	–	–	3	8	33	61	112	127	35	77	–	–	–	–	–	–	–	2	9	11	21	20	14
			F.	367	–	–	–	–	–	–	–	2	16	43	95	149	62	56	–	–	–	–	–	–	–	–	–	2	9	27	18
430-434	27	Other diseases of heart ...	M.	7	–	–	–	–	–	–	–	–	1	1	2	3	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	19	–	–	–	–	–	–	–	–	–	4	8	6	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
440-443	28	Hypertension with heart disease	M.	16	–	–	–	–	–	–	–	1	2	2	5	6	–	4	–	–	–	–	–	–	–	–	–	1	1	1	1
			F.	44	–	–	–	–	–	–	–	–	1	5	20	12	6	2	–	–	–	–	–	–	–	–	–	–	1	–	1
444-447	29	Hypertension without heart	M.	[illegible]																											

480-483	30	Influenza	M.	*	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	1	1	–	–	2	4	3	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
490-493	31	Pneumonia (except of newborn)	M.	18	–	1	–	–	–	–	1	1	–	2	6	7	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	18	–	2	1	–	–	–	–	1	–	2	5	7	–	5	–	1	–	–	–	–	–	–	–	1	1	2	–
500-502	32	Bronchitis	M.	60	–	–	–	–	–	–	–	1	3	10	24	16	6	4	–	–	–	–	–	–	–	1	–	3	–	–	–
			F.	25	–	1	1	–	–	–	–	–	–	7	5	6	5	4	–	–	–	–	–	–	–	–	1	–	–	3	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	32	–	1	–	–	–	–	–	1	3	8	13	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	1	–	–	–	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	11	–	–	–	–	–	–	–	1	2	2	2	3	1	3	–	–	–	–	–	–	–	–	2	1	–	–	–
			F.	11	–	–	–	–	–	–	–	–	–	1	3	6	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
550-553	34	Appendicitis	M.	7	–	–	–	1	–	–	1	–	1	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	1	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	1	1	–	–
			F.	9	–	1	–	–	–	–	–	–	–	2	2	4	–	3	–	–	–	–	–	–	–	–	1	2	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	4	–	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	4	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	6	–	–	–	–	–	–	–	–	2	2	2	–	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	3	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	6	–	–	–	–	–	–	–	–	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	13	–	–	–	–	–	1	3	–	3	3	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	10	–	–	–	–	–	–	–	–	3	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	10	–	–	–	–	–	–	–	–	–	1	1	5	3	3	–	–	–	–	–	–	–	–	–	–	1	2	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	6	–	–	–	–	–	–	–	–	2	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	10	–	–	–	–	–	–	1	–	1	4	2	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	5	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	16	–	–	–	–	–	–	–	2	1	3	3	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	11	8	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	16	9	2	2	–	–	–	1	–	1	1	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	15	15	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	20	20	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	13	12	1	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	8	–	–	–	–	–	–	–	–	–	–	1	3	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	13	–	–	–	–	–	–	–	–	–	–	–	6	7	1	–	–	–	–	–	–	–	–	–	–	1	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E963, E970-979	49	Suicide	M.	12	–	–	–	–	–	–	2	2	1	4	1	1	1	4	–	–	–	–	–	1	1	–	1	–	1	–	–
			F.	9	–	–	–	–	–	–	–	2	–	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	29	–	–	3	–	–	2	4	2	3	2	2	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	5	–	–	1	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	37	–	–	2	1	3	2	3	3	3	8	3	6	3	5	–	1	–	–	–	–	1	–	–	1	–	1	1
			F.	32	1	4	2	1	–	–	2	1	1	2	7	6	5	4	–	2	–	–	–	–	–	–	–	–	–	1	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		INVERNESS COUNTY (excluding Large Burgh)														INSULAR PORTION OF INVERNESS COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		737	13	4	3	1	3	13	10	24	51	66	170	267	112	322	3	1	–	–	2	3	4	9	19	22	73	132	54
		Males		404	6	3	1	1	2	11	7	14	28	42	102	138	49	182	1	1	–	–	1	2	2	5	9	12	54	73	22
		Females		333	7	1	2	–	1	2	3	10	23	24	68	129	63	140	2	–	–	–	1	1	2	4	10	10	19	59	32
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	–	1	1	–	2	2	–	–	4	–	–	–	–	–	–	1	1	–	–	2	–	–
			F.	4	–	–	–	–	–	–	3	–	1	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	81	–	–	–	–	–	1	1	4	7	10	33	23	2	31	–	–	–	–	–	–	–	1	2	1	17	10	–
			F.	54	–	–	–	–	–	–	–	2	11	8	18	11	4	21	–	–	–	–	–	–	–	–	5	3	4	9	–
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	2	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	1	3	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	56	–	–	–	–	–	1	2	–	2	3	12	26	10	27	–	–	–	–	–	1	1	–	2	2	6	10	5
			F.	60	–	–	–	–	–	1	–	1	1	2	15	32	8	25	–	–	–	–	–	–	–	–	1	1	8	10	5
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	7	–	–	–	–	–	–	–	2	–	2	–	3	–	3	–	–	–	–	–	–	–	1	–	1	–	1	–
			F.	9	–	–	–	–	–	1	–	2	1	1	2	1	1	4	–	–	–	–	–	1	–	2	–	–	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	5	–	–	–	–	–	–	–	–	–	1	1	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	105	–	–	–	–	–	–	–	–	7	16	27	39	16	54	–	–	–	–	–	–	–	–	–	7	12	24	9
			F.	93	–	–	–	–	–	–	–	–	2	5	21	46	19	37	–	–	–	–	–	–	–	–	–	1	6	23	7
430-434	27	Other diseases of heart	M.	9	–	–	–	–	–	–	–	–	–	–	5	3	1	6	–	–	–	–	–	–	–	–	–	–	4	2	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
440-443	28	Hypertension with heart disease	M.	5	–	–	–	–	–	–	–	–	–	2	1	–	2	3	–	–	–	–	–	–	–	–	–	–	1	–	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart	M.	8	–	–	–	–	–	–	–	–	–	–	4	4	–	5	–	–	–	–	–	–	–	–	–	–	2	3	–

			F.	4	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	–	–	–	–	–	–	1	–
490-493	31	Pneumonia (except of newborn)	M.	15	–	1	1	–	–	1	–	–	1	–	1	7	3	6	–	1	–	–	–	1	–	–	–	–	4	–
			F.	11	–	1	1	–	–	–	–	1	–	2	–	3	3	3	–	–	–	–	–	–	–	–	–	–	2	1
500-502	32	Bronchitis	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	–	1	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	8	–	–	–	–	1	–	–	1	–	3	–	3	–	5	–	–	–	–	1	–	–	–	3	–	1	–
610	39	Hyperplasia of prostate ...	M.	14	–	–	–	–	–	–	–	–	–	–	5	6	3	6	–	–	–	–	–	–	–	–	–	2	3	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	18	–	–	–	–	–	–	–	–	–	–	–	11	7	11	–	–	–	–	–	–	–	–	–	–	6	5
			F.	25	–	–	–	–	–	–	–	–	–	–	–	4	21	19	–	–	–	–	–	–	–	–	–	–	4	15
780-793, 795	45.1	Cause ill-defined and unknown	M.	4	–	–	–	–	–	–	–	–	1	–	1	2	–	3	–	–	–	–	–	–	–	–	–	1	2	–
			F.	4	–	–	–	–	–	–	–	–	–	1	–	3	–	3	–	–	–	–	–	–	–	–	1	–	2	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	5	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	17	–	1	–	–	–	5	2	3	1	2	1	2	–	3	–	–	–	–	–	–	–	2	–	–	1	–
			F.	5	–	–	–	–	–	–	–	1	–	–	1	2	1	3	–	–	–	–	–	–	–	1	–	–	1	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		KINCARDINE COUNTY														KINROSS COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		334	2	4	1	–	2	3	1	7	20	45	80	115	54	88	1	1	1	–	–	1	–	–	7	8	26	32	11
		Males		156	1	1	1	–	1	3	1	5	8	29	36	51	19	41	–	1	1	–	–	1	–	–	3	3	16	14	2
		Females		178	1	3	–	–	1	–	–	2	12	16	44	64	35	47	1	–	–	–	–	–	–	–	4	5	10	18	9
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	19	–	–	–	–	–	1	–	–	2	4	4	8	–	9	–	–	–	–	–	–	–	–	1	–	4	4	–
			F.	26	–	–	–	–	–	–	–	1	9	–	8	8	–	7	–	–	–	–	–	–	–	–	1	2	3	1	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	21	–	–	–	–	–	–	–	–	–	5	9	4	3	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	20	–	–	–	–	–	–	–	–	–	–	6	8	6	13	–	–	–	–	–	–	–	–	1	1	3	7	1
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	52	–	–	–	–	–	–	–	1	1	10	11	20	9	11	–	–	–	–	–	–	–	–	–	1	7	2	1
			F.	81	–	–	–	–	–	–	–	–	1	9	15	33	23	16	–	–	–	–	–	–	–	–	–	1	1	7	7
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart	M.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–

			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
500-502	32	Bronchitis	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	1	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
			F.	4	–	–	–	–	1	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
610	39	Hyperplasia of prostate ...	M.	5	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
780-793, 795	45.1	Causes ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		KIRKCUDBRIGHT COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	GLASGOW COUNTY OF CITY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		412	5	4	2	1	1	4	7	6	32	61	97	142	50	13193	455	265	86	50	36	113	231	456	1261	2426	3509	3414	891
		Males ...	...	208	3	1	2	1	–	3	2	4	21	29	53	67	22	6977	272	150	48	28	20	54	125	267	778	1497	1856	1582	300
		Females ...	...	204	2	3	–	–	1	1	5	2	11	32	44	75	28	6216	183	115	38	22	16	59	106	189	483	929	1653	1832	591
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	176	–	–	–	–	1	3	17	19	42	48	35	8	3
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	99	–	–	–	–	–	7	38	24	11	8	9	1	1
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	1	2	–	–	2	1	2	3	1	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	1	2	–	1	–	2	–	1	1	1	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	16	–	–	–	–	–	–	1	–	1	9	3	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	2	–	1	1	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	2	2	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	2	1	1	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	10	–	2	2	1	1	–	–	–	1	1	2	1	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	10	–	–	–	–	–	–	1	3	2	1	2	1	–
140-205	18	Malignant neoplasms	M.	35	–	–	1	–	–	–	–	1	9	8	9	6	1	1379	–	2	2	1	2	11	15	57	209	407	383	265	25
			F.	30	–	–	–	–	1	1	1	1	4	9	6	7	–	1067	–	2	–	2	3	6	11	65	172	243	328	190	45
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	1	–	–	–	1	–	4	3	2	1	1	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	15	1	–	–	–	2	–	–	–	2	6	3	1	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26	–	–	1	–	–	–	2	1	2	7	4	9	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	75	–	–	–	–	–	–	1	–	4	9	37	20	4
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	–	–	–	–	1	–	1	1	5	6	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	34	–	–	–	–	–	1	1	1	1	3	11	12	4
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	31	–	2	1	1	–	–	2	2	2	6	8	7	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	52	–	–	–	2	–	2	2	2	3	18	12	9	2
330-334	22	Vascular lesions affecting central nervous system ...	M.	33	–	–	–	–	–	–	1	–	1	4	10	14	3	880	–	1	–	1	–	1	6	9	29	133	314	321	65
			F.	42	–	–	–	–	–	–	1	–	–	5	12	17	7	1145	–	–	–	–	–	1	2	5	57	151	363	441	125
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	1	1	1	1	–	–	–	1	2	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	2	–	–	–	–	–	–	1	1	1	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	93	–	5	1	–	1	2	3	8	15	24	20	12	2
			F.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	103	–	1	7	3	–	2	9	6	20	18	18	13	6
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	1	1	4	1	1	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	1	–	1	–	1	1	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	66	–	–	–	–	–	2	10	11	23	11	7	2	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	151	–	–	–	–	–	7	10	21	39	43	21	9	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	61	–	–	–	–	–	–	–	–	6	9	17	21	8	1885	–	–	–	–	–	–	13	46	223	422	580	507	94
			F.	70	–	–	–	–	–	–	–	1	–	12	16	30	11	1595	–	–	–	–	–	–	2	10	46	193	483	615	246
430-434	27	Other diseases of heart ...	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	55	–	–	–	–	1	–	–	4	6	14	12	16	2
			F.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	57	–	–	–	–	–	4	1	–	3	8	19	19	3
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	105	–	–	–	–	–	–	–	3	6	21	42	28	5
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	145	–	–	–	–	–	–	–	1	6	29	53	47	9
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27	–	–	2	–	–	–	–	1	2	5	4	9	4
490-493	31	Pneumonia (except of newborn)	M.	9	–	1	–	–	–	–	–	–	–	–	2	3	3	311	–	38	5	2	–	1	2	7	22	52	67	92	23
			F.	4	–	–	–	–	–	–	–	–	–	1	–	2	1	263	–	30	7	–	2	–	1	2	12	29	45	99	36
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	471	–	7	1	–	–	1	2	14	63	147	144	78	14
			F.	3	–	1	–	–	–	–	–	–	–	–	1	1	–	226	–	7	–	–	–	1	1	8	15	36	69	69	20
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	54	1	4	3	–	–	1	2	2	11	15	10	3	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28	–	3	–	–	1	–	1	1	2	3	6	8	3
540-541	33	Ulcer of stomach and duodenum	M.	7	–	–	–	–	–	–	–	1	1	2	2	1		91	–	–	–	–	–	–	–	7	7	25	34	12	6
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38	–	–	–	–	–	1	1	–	5	5	12	13	1
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	1	1	–	–	–	–	1	2	2	1	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	1	–	–	–	–	–	5	3	1	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	44	2	4	1	–	–	1	2	–	1	4	14	11	4
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	42	2	1	–	–	–	1	–	2	4	6	7	16	3
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	30	–	13	1	–	–	–	1	1	5	3	4	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	41	–	10	1	–	–	1	3	1	5	3	9	8	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	23	–	–	–	–	1	–	–	1	3	7	6	5	–
			F.	3	–	–	–	–	–	–	–	–	2	1	–	–	–	19	–	–	–	–	–	–	–	2	5	8	4	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	–	–	–	–	–	–	1	3	6	4	1
			F.	5	–	–	–	–	–	–	–	–	2	–	2	–	1	32	–	–	–	–	1	–	–	2	4	6	10	8	1
530-539, 542, 544, 545 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21	1	1	–	–	–	1	–	–	–	6	1	11	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	19	1	3	1	–	–	1	–	1	2	3	5	2	–
590-594	38	Nephritis and nephrosis ...	M.	4	–	–	–	–	–	–	–	1	–	–	2	1	–	58	–	1	–	1	1	3	2	9	8	13	15	4	1
			F.	3	–	1	–	–	–	–	–	–	–	–	1	1	–	59	–	–	–	1	–	4	4	7	10	9	15	7	2
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	63	–	–	–	–	–	–	–	–	1	6	16	33	7
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	34	1	–	–	–	–	–	1	1	3	5	8	13	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	44	–	–	1	–	–	–	2	2	9	14	7	8	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	–	–	5	5	4	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23	–	–	–	–	–	–	1	1	1	7	7	5	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	46	–	–	–	–	–	–	–	–	4	11	15	14	2
750-759	41	Congenital malformations ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	84	48	18	6	–	2	5	1	1	1	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	73	34	25	4	2	1	1	–	2	1	1	1	1	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	133	132	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	91	89	2	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	72	69	3	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	43	39	4	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	12	–	–	–	–	–	–	–	–	–	–	8	4		32	–	–	–	–	–	–	–	–	–	–	5	14	13
			F.	10	–	–	–	–	–	–	–	–	–	–	5	5		63	–	–	–	–	–	–	–	–	–	–	2	29	32
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	49	–	16	5	–	–	–	–	4	7	10	2	5	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25	1	9	1	–	–	1	–	–	2	3	3	4	1
E963, E970-979	49	Suicide	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	58	–	–	–	–	–	–	8	13	16	8	8	5	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24	–	–	–	–	–	1	–	5	7	9	1	1	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	3	–	–	–	–	–	–	–	86	–	–	9	12	4	7	9	9	10	11	7	7	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36	–	–	6	4	2	4	1	3	2	5	5	4	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	1	2	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	4	–	–	1	–	–	–	1	1	–	–	–	–	1	191	3	23	3	8	4	11	17	19	30	32	20	17	4
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	132	2	13	3	5	2	5	3	4	5	12	20	44	14

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		AIRDRIE BURGH														COATBRIDGE BURGH													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		355	9	7	1	1	–	4	7	14	28	75	96	86	27	524	25	18	4	2	1	4	3	24	52	112	113	130	36
		Males		195	3	4	1	1	–	2	4	7	19	46	51	48	9	296	15	6	3	–	1	4	2	12	33	62	66	77	15
		Females		160	6	3	–	–	–	2	3	7	9	29	45	38	18	228	10	12	1	2	–	–	1	12	19	50	47	53	21
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	–	1	1	1	2	1	–	–	6	–	–	–	–	–	–	–	2	–	3	1	–	–
			F.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
140-205	18	Malignant neoplasms	M.	28	–	–	–	–	–	–	–	2	3	7	11	5	–	61	–	–	–	–	–	–	–	4	11	16	13	16	1
			F.	32	–	–	–	–	–	–	1	3	2	10	10	3	3	44	–	–	–	–	–	–	–	5	8	16	7	7	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	3	–	–	–	1	–	–	–	1	1	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	5	–	–	–	–	–	–	–	–	–	2	1	2	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	20	–	–	–	–	–	1	–	2	3	7	2	4	1	26	–	–	–	–	–	–	–	–	2	3	10	10	1
			F.	20	–	–	–	–	–	–	–	–	1	3	6	6	4	26	–	–	–	–	–	–	–	1	1	7	7	6	4
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	–	–	–	1	–	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	1	2	3	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	7	–	–	–	–	–	–	1	3	–	2	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	71	–	–	–	–	–	–	1	2	6	11	22	23	8	92	–	–	–	–	–	–	1	1	4	18	22	38	8
			F.	56	–	–	–	–	–	1	–	–	3	5	22	17	8	68	–	–	–	–	–	–	–	–	2	9	20	25	12
430-434	27	Other diseases of heart	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	6	–	–	–	–	–	–	–	–	2	1	2	1	–
444-447	29	Hypertension without heart	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1

480-483	30	Influenza	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	5	–	–	–	–	–	–	–	–	1	3	1	–	–	12	–	2	–	–	–	–	–	1	1	2	2	2	2
			F.	5	–	1	–	–	–	1	–	1	–	–	1	–	1	7	–	1	1	–	–	–	–	–	1	–	1	3	–
500-502	32	Bronchitis	M.	10	–	–	–	–	–	–	–	–	–	5	2	3	–	12	–	1	–	–	–	–	–	–	3	2	4	2	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	5	–	–	–	–	–	–	–	–	1	2	2	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	12	–	–	–	–	–	..	–	–	–	3	5	4	–	7	–	–	–	–	–	–	–	1	–	3	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	5	–	–	–	–	–	–	–	–	2	1	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	2	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	–	–	–	3	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	4	–	–	–	–	–	–	1	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
610	39	Hyperplasia of prostate ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	3	–	–	–	–	–	–	–	1	–	1	1	–	–
750-759	41	Congenital malformations ...	M.	3	1	1	1	–	–	–	–	–	–	–	–	–	–	4	3	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	1	–	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	–	1	–	1	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	6	–	1	–	–	–	–	1	–	1	2	–	1	–	10	–	1	2	–	–	–	1	1	2	2	–	–	1
			F.	8	–	2	–	–	–	–	–	–	–	1	1	3	1	7	–	4	–	–	–	–	–	–	–	–	–	3	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		HAMILTON BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	MOTHERWELL AND WISHAW BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**471**	**17**	**11**	**3**	**1**	**2**	**9**	**6**	**18**	**40**	**78**	**114**	**144**	**23**	**786**	**27**	**13**	**6**	**2**	**2**	**6**	**13**	**24**	**74**	**157**	**212**	**205**	**45**
		Males		**260**	**12**	**6**	**1**	–	**2**	**7**	**2**	**9**	**28**	**45**	**64**	**71**	**13**	**435**	**16**	**7**	**2**	**1**	**1**	**4**	**6**	**10**	**44**	**96**	**118**	**110**	**20**
		Females		**211**	**5**	**5**	**2**	**1**	–	**2**	**4**	**9**	**12**	**33**	**50**	**73**	**15**	**351**	**11**	**6**	**4**	**1**	**1**	**2**	**7**	**14**	**30**	**61**	**94**	**95**	**25**
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	–	–	–	3	–	1	1	–	10	–	–	–	–	–	–	1	–	5	3	1	–	–
			F.	5	–	1	–	–	–	2	2	–	–	–	–	–	–	6	–	–	–	–	–	1	3	1	–	–	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
140-205	18	Malignant neoplasms	M.	42	–	–	–	–	2	–	2	6	6	14	11	1		2	–	1	–	–	–	–	–	–	–	1	–	–	–
			F.	40	–	–	–	–	–	1	2	4	16	8	8	1		75	–	–	–	–	–	1	–	–	8	20	29	14	3
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	61	–	–	–	–	–	–	–	5	9	15	18	13	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	1	2	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	–	–	–	1	2	1
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	1	–	–	–	–	1	–	1	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	29	–	–	–	–	–	–	–	2	8	12	7	–		4	–	–	1	–	–	–	–	1	–	2	–	–	–
			F.	40	–	–	–	–	–	–	1	2	9	9	18	1		61	–	–	–	–	–	1	1	3	10	17	21	8	
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		69	–	–	–	–	–	1	–	–	6	10	23	23	6
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	1	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–		3	–	–	–	–	–	1	–	–	–	–	2	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		6	–	–	–	–	–	–	1	–	1	2	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	1	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	–		2	–	–	–	–	–	–	1	–	–	–	1	–	
420-422	26	Arteriosclerotic and degenerative heart disease	M.	78	–	–	–	–	–	–	3	7	18	18	27	5		10	–	–	–	–	–	2	4	1	1	1	1	–
			F.	62	–	–	–	–	–	–	2	3	3	21	25	8		128	–	–	–	–	–	–	6	11	37	32	37	5	
430-434	27	Other diseases of heart ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–		98	–	–	–	1	–	–	1	6	14	33	35	8	
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–		5	–	–	–	–	–	–	–	–	1	2	2	–	
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	1	1	–	1		5	–	–	–	–	–	–	–	1	1	2	1	–	
			F.	5	–	–	–	–	–	–	–	1	1	2	1	–		9	–	–	–	–	–	–	–	1	3	2	3	–	
444-447	29	Hypertension without heart disease	M.	2	–	–	–	–	–	–	–	1	1	–	–	–		6	–	–	–	–	–	–	–	–	2	1	3	–	
			F.	[illegible]	–	–	–	–	–	–	–	1	1	–	–	–		4	–	–	–	–	–	–	–	–	–	1	[illegible]	–	

480-483	30	Influenza	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	6	–	2	–	–	–	–	–	–	–	1	2	–	1	8	–	1	–	–	–	–	–	–	–	2	2	3	–
			F.	7	–	1	1	–	–	–	–	–	–	–	–	3	2	7	–	1	1	–	–	–	–	–	2	1	–	2	–
500-502	32	Bronchitis	M.	23	–	1	–	–	–	–	–	–	4	5	9	4	–	25	–	–	–	–	–	–	–	–	2	8	10	5	–
			F.	5	–	–	–	–	–	–	–	–	–	1	1	3	–	10	–	–	–	–	–	–	–	–	–	2	1	4	3
470-475, 510-527	46.4	Other respiratory diseases ...	M.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	8	–	–	–	–	–	–	–	–	2	2	2	2	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–	–	–	–	–	–	2	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	5	–	1	–	–	–	–	–	–	2	2	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	3	1	–	–	–	–	–	–	–	1	1	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	–	–	1	1	–	1	1
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	1	1	2	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
750-759	41	Congenital malformations ...	M.	4	2	1	–	–	–	1	–	–	–	–	–	–	–	5	2	–	1	–	1	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	6	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	10	–	–	–	–	–	–	–	–	–	–	–	7	3	5	–	–	–	–	–	–	–	–	–	–	4	1
			F.	7	–	–	–	–	–	–	–	–	–	–	–	4	3	6	–	–	–	–	–	–	–	–	–	–	5	1
780-793, 795	45.1	Causes ill-defined and unknown	M.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	3	–	–	–	1	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	4	–	–	–	–	–	–	1	–	–	–	2	–	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	10	–	1	–	–	1	2	1	1	3	–	–	1	–	12	–	1	1	1	–	1	1	–	4	1	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		RUTHERGLEN BURGH															LANARK CO. (ex. County of City and Large Burghs)												
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	327	9	3	-	1	–	4	8	10	30	47	90	93	32	3531	136	81	23	17	12	47	63	127	306	611	905	939	264
		Males	... ...	170	5	2	–	1	–	1	4	4	24	24	47	48	10	1911	85	47	13	9	8	29	30	68	188	345	508	471	110
		Females	... ...	157	4	1	-	–	–	3	4	6	6	23	43	45	22	1620	51	34	10	8	4	18	33	59	118	266	397	468	154
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	–	–	1	3	1	–	–	–	46	–	–	–	–	1	2	8	5	9	9	11	1	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	18	–	–	–	–	–	2	10	2	2	–	2	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	–	–	–	–	–	–	–	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	1	1	–	–	2	–	1	–	–	1	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	–	1	–	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
140-205	18	Malignant neoplasms	M.	27	–	–	–	–	–	–	–	–	3	8	8	8	–	3	–	1	–	–	–	–	1	–	–	1	–	–	–
			F.	23	–	–	–	–	–	–	–	1	3	11	2	5	1	277	–	–	2	1	1	2	3	13	44	74	80	49	8
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	259	–	1	–	–	–	2	4	20	28	67	70	60	7
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	6	–	–	–	–	–	–	–	1	2	1	2	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	–	1	1	–	–	1	1	1	3	3	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	32	–	–	–	–	–	–	–	–	2	10	12	8	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	10	–	–	–	1	–	–	–	2	1	–	4	2	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	1	5	–	1
			F.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	12	–	–	–	–	–	1	2	–	4	2	3	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	22	–	–	–	–	–	1	–	1	3	1	6	10	–	13	–	–	1	–	–	–	1	–	1	6	3	1	–
			F.	32	–	–	–	–	–	–	–	–	1	2	11	13	5	225	–	–	–	–	–	2	1	2	17	36	68	84	15
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	276	–	–	–	–	–	–	3	3	22	46	84	92	26
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	21	–	–	–	–	–	–	1	2	3	6	5	4	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	26	–	–	–	–	1	1	–	4	3	6	6	5	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–
			F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	–	–	–	3	–	5	3	2	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	52	–	–	–	–	–	1	1	1	–	1	3	1	–	43	–	–	–	–	–	3	5	5	12	10	4	2	2
			F.	34	–	–	–	–	–	–	3	1	10	7	16	13	2	569	–	–	–	–	–	1	4	15	59	106	164	178	42
430-434	27	Other diseases of heart ...	M.	1	–	–	–	–	–	–	–	–	–	4	13	9	7	453	–	–	–	–	1	–	–	6	13	72	125	165	71
			F.	2	–	–	–	–	–	–	–	–	1	–	–	–	–	23	–	–	–	–	–	1	–	1	1	4	4	9	3
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	22	–	–	–	–	–	–	–	–	1	3	6	9	3
			F.	4	–	–	–	–	–	–	–	–	–	1	1	–	–	25	–	–	–	–	–	–	1	–	1	3	11	8	1
444-447	29	Hypertension without heart	M.	1	–	–	–	–	–	–	–	–	–	–	3	–	1	41	–	–	–	–	–	1	–	–	2	8	14	15	1

480-483	30	Influenza	F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	67	–	15	4	–	–	–	1	3	3	12	13	13	3
			F.	5	–	1	–	–	–	–	–	–	–	1	–	3	–	43	–	10	2	–	1	3	–	2	–	3	11	6	5
500-502	32	Bronchitis	M.	12	–	–	–	–	–	–	–	3	1	6	1	1	78	–	1	–	–	–	–	–	–	1	6	18	29	19	4
			F.	4	–	–	–	–	–	–	–	–	–	1	1	2	31	–	–	–	–	–	–	–	–	–	4	5	8	13	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	105	–	1	–	1	–	–	–	–	–	5	34	40	21	3
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	7	–	1	1	–	–	–	–	–	1	1	1	2	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	1	–	–	–	–	1	14	–	–	–	–	–	–	–	1	1	5	3	4	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	–	–	4	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	1	–	–	2	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	13	2	–	–	–	–	2	1	–	–	3	2	2	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	–	–	1	1	1	2	4	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	12	–	8	–	–	–	–	–	–	2	–	1	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	2	–	–	–	–	–	–	–	–	3	2	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	8	–	–	–	–	–	–	–	–	–	5	2	–	1
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	1	4	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	–	–	2	1	1	3	1	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	7	–	1	–	–	–	–	–	–	1	1	1	3	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
590-594	38	Nephritis and nephrosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	–	–	1	1	2	3	–	6	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	25	–	–	–	–	–	1	2	1	7	4	6	3	1
610	39	Hyperplasia of prostate ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	23	–	–	–	–	–	–	–	–	–	2	9	8	4
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	10	–	–	–	–	–	–	–	1	1	1	4	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	–	1	3	1	3	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	1	–	–	1	1	2	1	1	–
			F.	3	–	–	–	–	–	–	–	–	2	–	1	–	9	–	–	–	–	–	–	1	–	1	–	3	4	–
750-759	41	Congenital malformations ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	25	11	9	1	1	–	1	–	–	1	–	1	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	25	10	10	–	1	–	–	1	1	1	1	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	40	40	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ..	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	22	22	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	14	14	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	23	–	–	–	–	–	–	–	–	–	–	3	14	6
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	23	–	–	–	–	–	–	–	–	–	–	3	14	6
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	8	–	3	–	–	–	–	–	–	–	1	1	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	3	1	–	–	–	–	–	–	–	1	1	–
E963, E970-979	49	Suicide	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	11	–	–	–	–	–	–	2	2	2	2	2	1	–
			F.	3	–	–	–	–	–	2	–	–	–	1	–	–	4	–	–	–	–	–	–	–	1	–	3	–	–	–
E810-835	47	Motor vehicle accidents ..	M.	2	–	–	–	1	–	–	–	–	–	–	–	1	31	–	–	2	2	1	5	4	2	3	4	7	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	1	4	–	1	1	2	1	1	1	1	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	4	–	–	–	–	–	–	–	–	–	–	3	1	47	–	8	1	2	2	4	1	7	8	2	4	6	2
			F.	3	–	–	–	–	–	–	–	1	–	–	–	2	–	34	–	6	1	2	–	2	1	2	2	4	3	5	6

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		EDINBURGH COUNTY OF CITY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	MIDLOTHIAN COUNTY (excluding County of City): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		6071	131	48	27	9	13	35	79	168	484	944	1552	1939	642	1111	43	14	13	5	4	17	18	37	86	166	318	316	74
		Males		3019	79	26	21	2	7	22	52	83	290	597	801	839	200	601	28	6	9	4	3	13	11	25	53	94	174	152	29
		Females		3052	52	22	6	7	6	13	27	85	194	347	751	1100	442	510	15	8	4	1	1	4	7	12	33	72	144	164	45
001-008	1	Tuberculosis of respiratory system	M.	29	–	–	–	–	–	–	2	–	7	11	7	2	–	3	–	–	–	–	–	–	–	–	2	–	1	–	–
			F.	13	–	–	–	–	–	–	3	4	–	2	2	2	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	3	–	–	–	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	7	–	–	–	–	–	–	–	–	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	4	–	–	–	–	1	1	–	1	–	1	–	–	–	3	–	–	–	–	–	–	–	–	1	1	–	–	1
			F.	7	–	–	–	–	–	–	–	–	2	2	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
140-205	18	Malignant neoplasms	M.	593	–	–	1	2	1	1	5	18	80	175	182	113	15	102	–	–	–	2	1	3	2	7	13	25	31	17	1
			F.	602	–	1	–	2	1	–	5	36	79	124	184	142	28	99	–	–	–	–	–	1	1	6	16	25	28	18	4
210-239	19	Benign and unspecified neoplasms	M.	10	–	–	–	–	–	–	2	1	2	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	1	3	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	9	–	–	–	–	–	–	2	1	2	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	22	–	–	–	–	–	–	–	2	–	8	7	4	1	4	–	–	–	–	–	–	–	–	–	2	1	1	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	12	–	–	–	–	–	–	–	–	–	1	5	4	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	18	–	–	–	–	–	–	2	–	5	4	4	3	–	6	–	–	–	–	–	–	1	–	1	3	1	–	–
			F.	22	–	–	–	–	1	1	–	1	6	2	8	2	1	6	–	–	–	–	–	–	–	–	4	–	1	–	1
330-334	22	Vascular lesions affecting central nervous system ...	M.	387	–	–	–	–	–	–	3	4	19	59	113	148	41	87	–	–	–	–	–	–	1	1	5	10	32	36	2
			F.	522	–	–	–	–	–	–	1	4	18	44	128	247	80	99	–	–	–	–	–	1	–	–	2	11	34	43	8
340	23	Non-meningococcal meningitis	M.	3	1	–	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	44	–	–	1	–	2	–	4	3	5	14	9	5	1	7	–	–	1	–	1	1	1	1	–	1	–	1	–
			F.	51	–	1	–	1	–	–	1	2	7	7	13	13	6	9	–	–	1	–	–	–	2	–	2	–	2	1	1
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
			F.	3	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	26	–	–	–	–	1	–	3	2	10	4	3	3	–	4	–	–	–	–	–	–	–	2	1	–	–	1	–
			F.	35	–	–	–	–	–	–	2	5	6	6	10	6	–	3	–	–	–	–	–	–	1	1	–	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	933	–	–	–	–	–	–	1	19	92	177	262	302	80	198	–	–	–	–	–	–	2	5	14	31	73	59	14
			F.	899	–	–	–	–	–	1	–	3	31	77	237	381	169	153	–	–	–	–	–	–	1	–	3	17	45	68	19
430-434	27	Other diseases of heart ...	M.	29	–	–	–	–	–	–	1	–	2	9	8	5	4	3	–	–	–	–	–	–	–	–	1	–	–	1	1
			F.	28	–	–	–	–	–	1	1	–	1	4	3	12	6	7	–	–	–	–	–	–	–	–	1	3	1	2	–
440-443	28	Hypertension with heart disease	M.	70	–	–	–	–	–	–	–	1	2	13	24	26	4	13	–	–	–	–	–	–	–	1	–	1	6	4	1
			F.	73	–	–	–	–	–	–	–	–	2	4	19	32	16	7	–	–	–	–	–	–	–	1	–	–	–	6	–
444-447	29	**Hypertension without heart**	M.	33	–	–	–	–	–	–	–	–	1	5	7	17	3	7	–	–	–	–	–	–	–	–	–	–	–	–	–

490-493	31	Pneumonia (except of newborn)	M.	94	–	5	5	–	–	1	3	1	2	15	21	34	7	17	–	–	1	–	–	1	–	–	1	1	7	5	1
			F.	101	–	2	–	–	–	1	2	1	1	9	24	45	16	9	–	1	–	–	–	–	–	–	–	–	5	1	2
500-502	32	Bronchitis	M.	128	–	4	5	–	–	–	–	1	7	36	41	29	5	19	–	1	–	–	–	–	–	–	1	6	4	6	1
			F.	64	–	–	–	–	–	–	–	3	4	5	17	21	14	10	–	–	–	–	–	–	–	–	–	1	6	3	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	25	–	–	–	–	–	1	1	1	1	11	6	4	1	6	–	1	–	–	–	–	–	1	–	1	2	1	–
			F.	17	1	3	–	1	–	–	1	–	2	2	4	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	32	–	–	–	–	–	–	–	1	6	5	12	7	1	6	–	–	–	–	–	–	–	–	–	1	4	1	–
			F.	26	–	–	–	–	–	–	–	–	2	5	5	10	4	4	–	–	–	–	–	–	–	–	1	1	1	1	–
550-553	34	Appendicitis	M.	3	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–	–	–	1
560, 561, 570	35	Intestinal obstruction and hernia	M.	13	1	–	–	–	–	–	–	–	1	4	5	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	22	–	–	–	–	–	1	–	1	–	1	10	6	3	3	–	–	–	–	–	1	–	1	–	1	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	9	–	1	–	–	–	–	–	1	–	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	19	–	1	1	–	1	1	–	1	–	2	4	7	1	3	–	2	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	14	–	–	–	–	–	–	–	–	3	3	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	3	1	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	9	–	–	–	–	–	–	–	1	3	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	16	–	–	–	–	–	–	–	1	1	2	6	4	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	9	–	–	–	–	–	1	–	1	–	2	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	1	–	–	–	–	–	–	–	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
590-594	38	Nephritis and nephrosis ...	M.	22	–	1	–	–	–	3	2	4	2	3	5	2	–	7	–	–	–	–	–	–	1	1	1	2	1	1	–
			F.	22	–	–	–	–	1	–	4	3	4	4	2	3	1	3	–	–	–	–	–	–	–	–	–	–	2	1	–
610	39	Hyperplasia of prostate ...	M.	36	–	–	–	–	–	–	–	–	–	3	9	19	5	2	–	–	–	–	–	–	–	–	–	–	–	2	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	21	–	–	–	–	–	–	–	–	1	4	8	7	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	23	–	–	–	–	–	–	–	1	4	5	6	5	2	5	–	–	–	–	–	–	–	–	–	2	2	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	12	–	–	–	–	–	2	–	1	–	2	6	–	1	3	–	1	–	–	–	–	–	–	–	2	–	–	–
			F.	21	–	1	–	–	–	–	1	–	1	4	7	6	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
750-759	41	Congenital malformations ...	M.	28	18	4	3	–	1	–	1	–	1	–	–	–	–	5	3	1	1	–	–	–	–	–	–	–	–	–	–
			F.	25	12	2	1	–	2	–	1	2	3	–	1	1	–	7	3	4	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	23	23	–	–	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–	–	–
			F.	17	17	–	–	–	–	–	–	–	–	–	–	–	–	5	4	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	32	31	1	–	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–	–	–
			F.	19	19	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	10	–	–	–	–	–	–	–	–	–	–	1	3	6	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	24	–	–	–	–	–	–	–	–	–	–	2	9	13	1	–	–	–	–	–	–	–	–	–	–	–	–	1
780-793, 795	45.1	Causes ill-defined and unknown	M.	6	1	1	–	–	–	1	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E963, E970-979	49	Suicide	M.	36	–	–	–	–	–	2	2	3	11	8	8	2	–	7	–	–	–	–	–	–	1	1	3	2	–	–	–
			F.	24	–	–	–	–	–	2	1	4	6	8	2	1	–	5	–	–	–	–	–	–	–	–	3	1	1	–	–
E810-835	47	Motor vehicle accidents ...	M.	31	–	–	1	–	1	2	3	9	5	5	1	4	–	12	–	–	2	1	1	–	1	1	2	2	1	1	–
			F.	8	–	–	–	2	–	–	1	1	–	–	1	2	1	6	–	–	2	1	1	–	–	–	–	1	1	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	94	–	8	3	–	–	8	13	3	15	5	11	23	5	30	–	2	2	1	–	7	1	4	3	3	1	4	2
			F.	100	–	7	1	–	–	2	2	1	2	5	10	45	25	11	–	–	–	–	–	–	–	–	–	2	3	3	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		MORAY COUNTY															NAIRN COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes ...		**557**	**14**	**10**	**5**	**1**	**1**	**10**	**7**	**6**	**28**	**76**	**131**	**159**	**79**	**96**	**5**	**2**	**–**	**1**	**–**	**1**	**1**	**1**	**3**	**5**	**24**	**39**	**14**
		Males ...	...	**282**	**13**	**7**	**4**	**1**	**–**	**7**	**5**	**3**	**17**	**47**	**56**	**89**	**33**	**48**	**4**	**2**	**–**	**1**	**–**	**–**	**1**	**1**	**1**	**3**	**10**	**19**	**6**
		Females ...	...	**275**	**1**	**3**	**1**	**–**	**1**	**3**	**2**	**3**	**11**	**29**	**75**	**100**	**46**	**48**	**1**	**–**	**–**	**–**	**–**	**1**	**–**	**–**	**2**	**2**	**14**	**20**	**8**
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	36	–	–	–	–	–	1	–	3	3	8	12	8	1	9	–	–	–	–	–	–	–	–	–	–	5	4	–
			F.	45	–	–	–	–	1	–	–	2	5	7	14	9	7	5	–	–	–	–	–	–	–	–	1	1	1	2	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	40	–	–	–	–	–	–	–	–	2	6	10	17	5	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	49	–	–	–	–	–	–	–	–	2	3	17	24	3	15	–	–	–	–	–	–	–	–	–	–	3	7	5
340	23	Non-meningococcal meningitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	7	–	–	1	–	–	1	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	4	–	–	–	–	–	–	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	99	–	–	–	–	–	–	–	–	4	21	19	40	15	15	–	–	–	–	–	–	–	–	–	2	2	9	2
			F.	95	–	–	–	–	–	–	–	–	1	6	24	43	21	13	–	–	–	–	–	–	–	–	–	1	3	7	2
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	1	–	–	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	2
			F.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
440-443	28	Hypertension with heart disease ...	M.	8	–	–	–	–	–	–	–	–	–	1	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483	30	Influenza	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	6	–	2	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	2	–	–	–	–	–	–	–	1	2	3	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
500-502	32	Bronchitis	M.	6	–	–	–	–	–	–	–	–	–	2	2	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	7	–	–	–	–	–	–	–	–	–	–	–	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	7	3	2	1	–	–	–	–	–	1	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	4	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	14	–	–	–	–	–	–	–	–	–	–	–	5	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	1	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50)	M.	13	–	1	2	–	–	3	3	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	1	1	1	–	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		ORKNEY COUNTY														PEEBLES COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes ...		309	6	2	1	–	–	1	5	7	18	38	75	111	45	173	3	–	–	1	–	1	1	–	8	28	55	53	23
		Males		159	4	1	–	–	–	–	2	4	12	17	43	57	19	80	2	–	–	–	–	1	1	–	4	15	24	26	7
		Females		150	2	1	1	–	–	1	3	3	6	21	32	54	26	93	1	–	–	1	–	–	–	–	4	13	31	27	16
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	26	–	–	–	–	–	–	–	–	4	4	9	7	2	21	–	–	–	–	–	–	–	–	–	4	10	6	1
			F.	30	–	–	–	–	–	–	1	1	3	6	12	4	3	17	–	–	–	–	–	–	–	–	–	5	5	4	3
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	31	–	–	–	–	–	–	–	–	–	3	10	14	4	9	–	–	–	–	–	–	–	–	–	3	2	3	1
			F.	26	–	–	–	–	–	–	1	–	–	5	4	10	6	25	–	–	–	–	–	–	–	–	1	2	11	9	2
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	1	–	1	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	39	–	–	–	–	–	–	–	4	2	3	13	13	4	30	–	–	–	–	–	–	1	–	3	5	7	11	3
			F.	35	–	–	–	–	–	–	–	2	–	3	8	18	4	31	–	–	–	–	–	–	–	–	–	4	10	9	8
430-434	27	Other diseases of heart ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–	3	–
440-443	28	Hypertension with heart disease	M.	5	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
444-447	29	Hypertension without heart	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–

490-493	31	Pneumonia (except of newborn)	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	5	–	–	–	–	–	–	–	–	–	–	1	3	1
			F.	3	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
500-502	32	Bronchitis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	5	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	12	–	–	–	–	–	–	–	–	–	–	6	6	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	10	–	–	–	–	–	–	–	–	–	–	4	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	5	2	–	–	–	–	–	–	3	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	2	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	2	–	3	–	–	–	–	–	–	–	–	2	–	–	–	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		PERTH BURGH: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	PERTH COUNTY (excluding Large Burgh): All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	502	9	5	2	3	4	6	6	16	33	70	128	160	60	1139	32	11	7	3	5	6	10	27	61	156	284	384	153
		Males	...	249	8	5	..	2	3	6	3	9	23	33	60	73	24	550	14	5	4	2	3	4	7	15	40	88	145	173	50
		Females	...	253	1	–	2	1	1	–	3	7	10	37	68	87	36	589	18	6	3	1	2	2	3	12	21	68	139	211	103
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	1	–	1	2	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infections and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
140-205	18	Malignant neoplasms	M.	35	–	–	–	1	–	–	–	2	3	6	14	7	2	91	–	–	–	–	–	1	1	4	6	19	32	25	3
			F.	41	–	–	–	–	–	–	–	2	5	17	10	6	1	88	–	–	–	–	–	–	2	3	6	15	26	27	9
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	3	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	–	1	1	1	1	1
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	4	–	–	–	1	–	–	1	–	1	1	–	–	–	3	–	1	–	–	–	–	–	1	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	38	–	–	–	–	–	–	–	–	2	2	16	14	4	67	–	–	–	–	–	–	–	–	6	9	19	28	5
			F.	35	–	–	–	–	–	–	–	–	1	3	10	17	4	114	–	–	–	–	–	–	–	–	2	13	26	60	13
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	–	1	1	–	1
			F.	7	–	–	1	–	–	–	–	–	1	–	3	1	1	7	–	–	–	–	–	–	–	–	2	–	2	2	1
400-402	24	Rheumatic fever	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	1	2	–	–	1	1	5	–	–	–	–	–	–	–	2	–	1	1	–	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	76	–	–	–	–	–	–	–	2	6	13	16	29	10	207	–	–	–	–	–	–	–	1	14	33	45	81	33
			F.	93	–	–	–	–	–	–	1	–	–	8	25	40	19	192	–	–	–	–	–	–	–	2	1	19	45	78	47
430-434	27	Other diseases of heart ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	5	–	–	–	–	–	–	–	–	–	–	1	2	2
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	5	–	–	–	–	–	–	–	–	–	1	1	3	–	9	–	–	–	–	–	–	–	–	–	–	4	5	–

			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
490-493	31	Pneumonia (except of newborn)	M.	12	–	2	–	–	–	–	–	1	2	–	7	–	15	–	–	1	–	–	–	–	1	–	–	2	5	4	2
			F.	6	–	–	1	–	–	–	1	–	–	–	4	–	15	–	3	–	–	–	–	–	–	–	–	–	2	10	–
500-502	32	Bronchitis	M.	16	–	–	–	–	–	–	–	1	5	3	5	2	20	–	–	–	–	–	–	–	–	–	–	3	11	6	–
			F.	7	–	–	–	–	–	–	1	–	1	1	2	2	9	–	–	–	–	–	–	–	–	1	2	2	–	4
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	–	–	1	3	–	7	–	–	–	–	–	–	–	–	1	–	4	2	–
			F.	2	–	–	–	–	–	1	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	–	–	4	–	1
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	.
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5 0, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	1	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	–	–	1	2	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	–	–	3	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	3	–	1	–	–	–	–	–	–	–	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	1	–	–	–	–	–	–	1	–	–	3
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1	–	–
530-539, 542, 544, 545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	2	–	–
	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	1	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	1	1	2	6	–	–	–	–	–	–	–	–	–	1	1	4	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	5	–	–	–	–	–	–	–	–	2	–	2	1	–
			F.	2	–	–	–	–	–	–	1	–	–	1	–	–	8	–	–	–	–	–	–	–	–	–	2	2	4	–
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	6	–	–	–	–	–	–	–	–	–	–	2	4	–
750-759	41	Congenital malformations ...	M.	5	1	2	–	–	–	1	1	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	9	5	2	.	–	1	–	–	–	–	1	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	10	9	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	–	–	2	2
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	15	–	–	–	–	–	–	–	–	–	–	–	4	11
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	8	1	–	–	–	–	–	–	–	1	1	3	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	1	.	–	–	–	6	–	–	–	–	–	–	–	1	4	1	–	–	–
			F.	3	–	–	–	–	–	–	1	–	–	2	–	–	5	–	–	–	–	–	–	–	1	1	2	1	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	1	–	1	1	–	–	–	13	–	–	–	1	1	2	3	2	2	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	1	–	1	–	–	–	2	1	1	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	13	–	–	–	–	2	1	1	3	2	–	3	1	–	22	–	1	2	1	1	1	1	2	2	4	2	4	1
			F.	10	–	–	–	–	–	–	–	–	1	–	4	3	2	11	–	–	–	1	–	1	–	1	–	1	1	1	5

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		GREENOCK BURGH														PAISLEY BURGH													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**917**	**44**	**23**	**7**	**5**	**3**	**4**	**15**	**41**	**70**	**140**	**270**	**213**	**77**	**1160**	**45**	**14**	**4**	**3**	**2**	**9**	**23**	**31**	**98**	**207**	**298**	**324**	**102**
		Males		**504**	**23**	**10**	**4**	**4**	**2**	**3**	**9**	**23**	**44**	**86**	**157**	**109**	**30**	**570**	**26**	**8**	**3**	**1**	**1**	**5**	**12**	**17**	**61**	**121**	**144**	**135**	**36**
		Females		**413**	**21**	**13**	**3**	**1**	**1**	**1**	**6**	**18**	**26**	**54**	**113**	**109**	**47**	**590**	**19**	**6**	**1**	**2**	**1**	**4**	**11**	**14**	**37**	**86**	**154**	**189**	**66**
001-008	1	Tuberculosis of respiratory system	M.	16	–	–	–	–	–	–	6	1	7	2	–	–	19	–	–	–	–	–	–	6	1	2	7	2	1	–
			F.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	10	–	–	–	–	–	–	5	3	1	–	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020 029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
140-205	18	Malignant neoplasms	M.	89	–	–	1	–	1	1	1	4	18	20	35	6	2	102	–	–	–	–	–	2	1	2	17	26	30	22	2
			F.	67	–	–	2	–	1	–	1	9	7	11	20	8	8	118	–	1	1	1	–	1	2	1	13	32	32	26	8
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	1	–	1	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	1	–	1	2	–
			F.	8	–	–	–	–	–	–	–	–	–	4	4	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	–	1	6	–	–	–	–	–	–	–	–	–	2	3	–	1
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	3	–	–	–	–	–	–	1	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	6	–	–	–	–	–	–	–	–	3	–	3	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	61	–	–	–	–	–	–	–	1	2	8	22	24	4	70	–	–	–	–	–	–	–	2	3	12	18	31	4
			F.	67	–	–	–	–	–	–	1	2	6	7	21	24	6	121	–	–	–	–	–	1	1	1	6	15	29	61	7
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	7	–	–	–	–	–	1	–	–	3	1	2	–	–	3	–	–	–	1	–	–	–	–	–	1	1	–	–
			F.	4	–	–	–	–	–	–	–	1	–	1	–	2	–	5	–	–	–	–	–	–	1	1	1	1	–	1	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	8	–	–	–	1	–	–	1	2	2	1	1	–	–	12	–	–	–	–	–	1	2	1	3	3	–	–
			F.	6	–	–	–	–	–	–	2	1	1	1	1	–	–	20	–	–	–	–	–	–	–	1	3	6	6	4	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	144	–	–	–	–	–	–	–	3	9	24	55	40	13	165	–	–	–	–	–	–	–	–	–	27	34	45	13
			F.	97	–	–	–	–	–	–	–	–	2	9	35	36	15	159	–	–	–	–	–	–	–	–	4	13	46	60	36
430-434	27	Other diseases of heart ...	M.	9	–	–	–	–	–	–	1	–	1	1	1	4	1	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	8	–	–	–	–	–	–	–	1	–	3	1	3	–	6	–	–	–	–	–	–	–	–	–	–	3	2	1
440-443	28	Hypertension with heart disease	M.	7	–	–	–	–	–	–	–	–	1	2	2	1	1	10	–	–	–	–	–	–	–	–	1	2	4	2	1
			F.	19	–	–	–	–	–	–	–	–	–	3	7	6	3	10	–	–	–	–	–	–	–	–	–	3	4	2	1

480-483	30	Influenza	M.	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	12	–	3	–	–	–	–	1	–	–	1	4	2	1	15	–	4	1	–	–	–	–	1	–	2	3	1	3
			F.	13	–	3	–	–	–	–	–	–	1	1	2	3	3	14	–	3	–	–	–	–	1	–	2	1	2	3	2
500-502	32	Bronchitis	M.	26	–	–	–	–	–	–	–	1	1	11	6	5	2	28	–	–	–	–	–	–	–	–	4	4	12	6	2
			F.	17	–	–	–	–	–	–	–	–	2	2	3	8	2	13	–	–	–	–	–	–	–	–	–	–	7	5	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	8	–	–	–	–	–	–	–	1	–	2	4	1	–	4	–	–	–	–	–	–	–	–	–	–	1	2	1
			F.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	4	–	–	–	–	–	–	–	1	–	1	–	1	1
540,541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	–	2	1	1	–	–	13	–	–	–	–	–	–	–	1	1	4	4	3	–
			F.	4	–	–	–	–	–	–	1	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	–	–	1	–	–	–	–	1	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	7	–	3	–	–	–	–	2	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	1	–	–	–	–	–	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	4	–	–	–	–	–	–	–	1	–	1	–	2	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	1	1	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	1	–	1	–	–		–	4	–	–	–	–	–	–	–	1	–	3	–	–
			F.	8	–	–	–	–	–	–	–	–	2	1	2	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–
610	39	Hyperplasia of prostate ...	M.	8	–	–	–	–	–	–	–	–	–	–	3	4	1	12	–	–	–	–	–	–	–	–	–	–	5	3	4
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–	–	–	–	–	–	–	–	2	1	1
			F.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	–	2	–	9	–	–	–	–	–	–	–	–	–	2	6	–	1
750-759	41	Congenital malformations ...	M.	3	1	1	–	–	–	–	–	–	–	–	–	–	–	6	5	1	–	–	–	–	–	–	–	–	–	–	–
			F.	9	5	3	–	1	–	–	–	–	–	–	–	–	–	4	3	–	–	1	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	9	9	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	11	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	5	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	–	–	–	–	–	–	–	–	–	–	–	5	4	3	–	–	–	–	–	–	–	–	–	–	–	2	1
780-793, 795	45.1	Cause ill-defined and unknown	M.	9	–	1	–	–	–	–	–	–	1	1	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	1	–	–
E963, E970-979	49	Suicide	M.	4	–	–	–	–	–	2	–	–	–	1	–	1	–	7	–	–	–	–	–	–	1	–	1	2	3	–	–
			F.	4	–	–	–	–	–	–	–	–	2	2	–	–	–	4	–	–	–	–	–	1	–	1	–	1	–	1	–
E810-835	47	Motor vehicle accidents ...	M.	5	–	–	1	1	1	–	–	–	–	–	1	1	–	5	–	–	1	–	1	–	2	–	–	–	–	1	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	10	–	1	–	–	–	–	1	1	–	1	3	2	1	21	1	3	–	–	–	2	–	2	1	7	2	2	1
			F.	11	–	4	–	–	–	–	–	2	1	1	1	1	1	11	–	1	–	–	1	–	–	1	–	1	1	6	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		PORT GLASGOW BURGH														RENFREW COUNTY (excluding Large Burghs													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes		**191**	**7**	**2**	**3**	**3**	**4**	**4**	**10**	**11**	**21**	**33**	**42**	**41**	**10**	**1584**	**42**	**16**	**6**	**4**	**4**	**9**	**23**	**45**	**133**	**268**	**444**	**433**	**157**
		Males		**112**	**4**	**1**	**2**	**2**	**3**	**3**	**4**	**7**	**14**	**24**	**22**	**23**	**3**	**788**	**24**	**12**	**4**	**2**	**3**	**3**	**15**	**22**	**78**	**150**	**231**	**189**	**55**
		Females		**79**	**3**	**1**	**1**	**1**	**1**	**1**	**6**	**4**	**7**	**9**	**20**	**18**	**7**	**796**	**18**	**4**	**2**	**2**	**1**	**6**	**8**	**23**	**55**	**118**	**213**	**244**	**102**
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	–	2	1	–	3	–	–	–	12	–	–	–	–	–	–	1	4	2	5	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–	2	–	2	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	2	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	22	–	–	–	–	1	–	–	2	2	6	4	7	–	144	–	–	1	–	–	–	3	7	25	36	46	20	6
			F.	16	–	–	–	–	–	–	1	1	4	3	5	1	1	137	–	–	–	–	–	–	4	10	24	26	33	33	7
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	1	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	9	–	–	–	–	–	–	1	–	–	2	3	3	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	1	2	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	2	–	–	–	–	1	–	–	1	–	–	–	–	–	6	–	–	–	–	–	–	–	1	–	1	2	2	–
330-334	22	Vascular lesions affecting central nervous system	M.	12	–	–	–	–	–	1	–	–	–	3	3	4	1	105	–	–	–	–	–	–	–	1	7	18	32	37	10
			F.	10	–	–	–	–	–	–	–	–	1	1	3	3	2	155	–	–	–	1	–	–	–	1	7	20	53	49	24
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	11	–	–	–	1	–	–	1	–	2	2	2	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	–	1	–	3	3	5	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
410 416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	1	–	1	1	–	–	–	–	7	–	–	–	–	–	–	1	–	2	1	2	1	–
			F.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	19	–	–	–	–	–	–	–	3	2	6	6	2	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	31	–	–	–	–	–	–	1	1	4	6	11	7	1	270	–	–	–	–	–	–	–	4	23	55	94	70	24
			F.	21	–	–	–	–	–	–	–	–	1	2	7	7	4	240	–	–	–	–	–	–	1	2	7	30	62	96	42
430-434	27	Other diseases of heart	M.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	4	–	–	–	–	–	–	–	1	–	–	1	2	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	6	–	–	–	–	–	–	–	–	–	–	2	3	1
440-443	28	Hypertension with heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	13	–	–	–	–	–	–	–	–	–	2	7	3	1
			F.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	16	–	–	–	–	–	–	–	–	–	3	7	6	–

480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	–	2	1
490-493	31	Pneumonia (except of newborn)	M.	4	–	–	1	–	–	–	–	–	1	1	1	–	–	9	–	–	–	–	–	–	–	–	1	–	3	2	3
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	16	–	–	–	1	–	–	–	–	–	2	8	3	2
500-502	32	Bronchitis	M.	7	–	1	–	–	–	–	–	1	–	1	2	2	–	28	–	–	–	–	–	–	–	–	4	5	12	7	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	21	–	–	–	–	–	–	–	–	–	2	8	7	4
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	1	–	2	–	3	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	13	–	–	–	–	–	–	–	1	1	4	5	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	–	–	1	2	1	2	3	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	1	–	–	–	–	–	–	1	1	1	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	3	1
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	2	–	–	–	–	1	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	1	–	–	–	–	–	1	–	–	1	4	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	1	2	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	2	1	1	2
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	1	–	1	–	–	–	–	–	–	1	2	2	–
590-594	38	Nephritis and nephrosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	1	–	–	–	–	1	1
			F.	2	–	–	–	–	–	1	–	–	–	–	–	1	–	6	–	–	–	–	1	–	–	–	1	1	3	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	10	–	–	–	–	–	–	–	–	–	1	1	6	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	7	–	–	–	–	–	–	–	1	1	1	2	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	–	–	–	–	–	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	4	–	2	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	10	4	4	1	–	–	–	–	–	–	1	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	4	1	2	–	–	–	1	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	10	10	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	–	–	3	1
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	7	–	–	–	–	–	–	–	–	–	–	–	3	4
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	1	–	1	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–	–	–	2	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
E810-835	47	Motor vehicle accidents ...	M.	2	–	–	–	1	–	–	–	–	1	–	–	–	–	7	–	–	–	–	1	–	1	1	2	–	–	2	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	–	–	–	1	2	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	2	–	–	–	–	1	–	–	–	1	–	–	–	–	13	–	2	–	–	1	2	–	2	1	2	2	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	14	–	1	–	–	–	–	–	–	2	1	2	5	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		ROSS & CROMARTY COUNTY															INSULAR PORTION OF ROSS AND CROMARTY COUNTY														
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	**ALL CAUSES**—Both Sexes	...	**867**	**16**	**5**	**3**	**2**	**4**	**3**	**10**	**15**	**57**	**113**	**212**	**258**	**169**	**340**	**9**	**4**	**–**	**2**	**–**	**1**	**5**	**11**	**26**	**41**	**75**	**98**	**68**
		Males	... ...	**416**	**10**	**3**	**–**	**1**	**1**	**2**	**8**	**10**	**30**	**58**	**110**	**116**	**67**	**166**	**5**	**3**	**–**	**1**	**–**	**1**	**5**	**7**	**18**	**21**	**41**	**37**	**27**
		Females	... ...	**451**	**6**	**2**	**3**	**1**	**3**	**1**	**2**	**5**	**27**	**55**	**102**	**142**	**102**	**174**	**4**	**1**	**–**	**1**	**–**	**–**	**–**	**4**	**8**	**20**	**34**	**61**	**41**
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	–	–	2	1	2	1	–	–	5	–	–	–	–	–	–	–	1	1	2	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
140-205	18	Malignant neoplasms	M.	79	–	–	–	–	–	–	1	1	13	16	23	23	2	23	–	–	–	–	–	–	1	1	6	3	4	8	–
			F.	74	–	–	–	1	1	–	–	2	12	16	16	19	7	27	–	–	–	1	–	–	–	1	5	4	7	6	3
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	4	–	–	–	–	–	–	–	1	3	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	7	–	–	–	–	–	1	–	1	1	2	–	1	1	4	–	–	–	–	–	–	–	1	–	1	–	1	1
330-334	22	Vascular lesions affecting central nervous system ...	M.	51	–	–	–	–	–	–	–	1	1	3	16	24	6	14	–	–	–	–	–	–	–	1	–	2	5	5	1
			F.	79	–	–	–	–	–	–	–	–	3	11	18	29	18	30	–	–	–	–	–	–	–	–	–	6	4	14	6
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	5	–	–	–	1	–	–	1	–	–	–	1	2	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	1	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	1	3	–	1	–	–	4	–	–	–	–	–	–	–	1	2	–	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	135	–	–	–	–	–	–	1	1	4	20	33	44	32	61	–	–	–	–	–	–	–	1	2	7	17	18	16
			F.	138	–	–	–	–	–	–	–	–	2	12	38	51	35	51	–	–	–	–	–	–	–	–	–	4	11	19	17
430-434	27	Other diseases of heart ...	M.	6	–	–	–	–	–	–	1	–	1	2	1	–	1	4	–	–	–	–	–	–	1	–	1	1	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
440-443	28	Hypertension with heart disease	M.	20	–	–	–	–	–	–	–	1	–	4	8	4	3	14	–	–	–	–	–	–	–	1	–	2	6	2	3
			F.	20	–	–	–	–	–	–	–	–	–	1	8	8	3	15	–	–	–	–	–	–	–	–	–	–	4	8	3

480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	7	–	2	–	–	–	–	–	–	–	–	2	2	1	3	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	7	–	–	1	–	–	–	–	–	–	–	3	1	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3
500-502	32	Bronchitis	M.	6	–	–	–	–	–	–	–	–	–	2	–	1	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	–	–	–	–	–	–	–	–	–	1	3	2	4	5	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	1	–	–	2	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	–	2	2	2	–	–	3	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	1	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	1	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
			F.	5	–	–	–	–	1	–	–	–	–	3	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	4	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	2	–	1	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	10	–	–	–	–	–	–	–	–	–	–	–	3	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	24	–	–	–	–	–	–	–	–	–	–	–	10	14	8	–	–	–	–	–	–	–	–	–	–	–	2	6	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	4	–	–	–	–	–	–	–	1	1	–	–	1	1	3	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ..	M.	7	–	–	–	–	–	1	2	1	–	–	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	10	–	–	–	1	1	1	–	1	1	2	1	2	4	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
			F.	9	–	–	1	–	–	–	–	–	–	1	4	3	4	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		ROXBURGH COUNTY															SELKIRK COUNTY													
Detailed List	Abbreviated List "B"			All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 w'ks–	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**655**	**12**	**4**	**3**	–	–	**1**	**12**	**16**	**52**	**83**	**179**	**223**	**70**	**327**	**6**	-	**2**	**1**	**1**	**3**	**1**	**6**	**22**	**43**	**80**	**130**	**32**
		Males		**305**	**5**	**1**	**2**	–	–	–	**6**	**12**	**27**	**50**	**84**	**90**	**28**	**138**	**5**	–	–	**1**	**1**	**1**	**1**	**2**	**12**	**20**	**33**	**49**	**13**
		Females		**350**	**7**	**3**	**1**	–	–	**1**	**6**	**4**	**25**	**33**	**95**	**133**	**42**	**189**	**1**	–	**2**	–	–	**2**	–	**4**	**10**	**23**	**47**	**81**	**19**
001-008	1	Tuberculosis of respiratory system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	43	–	–	–	–	–	–	–	1	6	7	20	8	1	19	–	–	–	–	–	–	–	–	1	4	6	5	3
			F.	46	–	–	–	–	–	–	2	1	11	5	15	10	2	24	–	–	–	–	–	1	–	1	5	3	8	6	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
240-254, 270-289, 294-299	46.1	Other general diseases	M.	3	–	–	–	–	–	–	1	1	–	1	–	–	–	4	–	–	–	–	1	–	–	1	–	2	–	–	–
			F.	8	–	–	–	–	–	1	–	–	–	1	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
330 334	22	Vascular lesions affecting central nervous system	M.	42	–	–	–	–	–	–	1	–	3	7	17	12	2	22	–	–	–	–	–	–	–	–	2	2	4	12	2
			F.	72	–	–	–	–	–	–	–	–	4	5	20	32	11	44	–	–	1	–	–	–	–	–	2	9	12	15	5
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	1	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	10	–	–	–	–	–	–	1	–	1	3	3	1	1	4	–	–	–	–	–	–	–	1	–	–	2	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	114	–	–	–	–	–	–	1	5	12	16	24	38	18	47	–	–	–	–	–	–	–	–	7	6	10	18	6
			F.	114	–	–	–	–	–	–	–	1	3	6	31	52	21	68	–	–	–	–	–	–	–	–	2	7	15	38	6
430 434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	1	–	–	–	3	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertension with heart disease	M.	7	–	–	–	–	–	–	–	–	2	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	7	–	–	–	–	–	–	–	1	–	1	2	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
444-447	29	Hypertension without heart	M.	7	–	–	–	–	–	–	–	–	–	1	3	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–

480-483	30	Influenza	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	7	–	–	–	–	–	–	–	–	3	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	10	–	2	–	–	–	–	–	–	2	2	4	–	5	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–	–	–	–	–	–
500-502	32	Bronchitis	M.	15	–	1	–	–	–	–	–	1	5	4	3	1	8	–	–	–	–	–	–	–	–	1	3	1	3	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	5	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	–	–	2	3	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	5	–	–	–	–	–	–	–	–	–	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	1	2	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	2	1	–	–	–	–	–	1	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	1	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	4	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	11	–	–	–	–	–	–	–	–	–	–	–	–	5	6	–	–	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	3	–	–	1	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	4	–	–	–	–	–	–	2	–	1	–	–	1	–	2	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	–	1	1	–	5	1	3	–	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–

Note.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		FALKIRK BURGH														STIRLING BURGH													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		440	7	5	1	4	1	2	10	9	36	74	119	129	43	333	10	10	2	2	–	–	2	9	26	51	109	79	33
		Males		231	5	4	1	3	–	2	7	3	24	42	56	68	16	170	8	6	–	2	–	–	1	5	18	29	52	36	13
		Females		209	2	1	–	1	1	–	3	6	12	32	63	61	27	163	2	4	2	–	–	–	1	4	8	22	57	43	20
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	–	1	–	2	–	1	–	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	–	–	–	–	–	–	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	33	–	–	1	–	–	2	2	–	2	7	8	8	3	26	–	–	–	–	–	–	–	1	5	7	7	3	3
			F.	34	–	–	–	–	1	–	1	2	3	5	10	10	2	27	–	–	1	–	–	–	–	–	2	6	13	5	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	
			F.	4	–	–	–	–	–	–	–	–	–	1	1	1	1	3	–	–	–	–	–	–	–	–	1	–	1	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
240-254, 270-289, 294-299	46.1	Other general diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	26	–	–	–	–	–	–	–	–	2	1	7	14	2	28	–	–	–	–	–	–	–	1	2	4	11	7	3
			F.	47	–	–	–	–	–	–	–	1	4	7	13	17	5	38	–	–	–	–	–	–	–	2	–	3	15	14	4
340	23	Non-meningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	1	–	–	–	2	–	–	4	–	–	1	–	–	–	1	–	1	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	–	1	1	–	1	1	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	78	–	–	–	–	–	–	–	1	8	16	19	28	6	47	–	–	–	–	–	–	–	–	4	7	19	14	3
			F.	57	–	–	–	–	–	–	–	–	2	9	17	17	12	41	–	–	–	–	–	–	–	1	1	7	18	10	4
430-434	27	Other diseases of heart	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	9	–	–	–	–	–	–	–	–	–	1	6	2	–	5	–	–	–	–	–	–	–	–	–	2	1	1	1
444-447	29	Hypertension without heart	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	–	–	–	3	–	–	–	–

[illegible]	[illegible]	Influenza	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia (except of newborn)	M.	8	–	–	–	–	–	–	–	–	–	2	2	4	–	12	–	4	–	–	–	–	–	1	1	–	4	2	–
			F.	7	–	–	–	–	–	–	–	–	1	–	2	4	–	9	–	2	–	–	–	–	–	–	1	–	4	1	1
500-502	32	Bronchitis	M.	18	–	1	–	–	–	–	–	–	2	3	7	4	1	4	–	1	–	–	–	–	–	–	–	1	–	2	–
			F.	8	–	–	–	–	–	–	–	1	–	–	5	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	–	3	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	3	1	1	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	9	–	–	–	–	–	–	–	–	–	–	4	5
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	4	–	–	–	1	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	9	–	1	–	1	–	–	–	–	1	2	1	1	2	3	–	–	–	1	–	–	–	–	–	2	–	–	–
			F.	8	–	1	–	1	–	–	–	1	1	1	1	1	1	3	–	1	–	–	–	–	–	–	–	–	–	1	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification		Causes of Death		STIRLING COUNTY (excluding Large Burghs)															SUTHERLAND COUNTY													
				All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Abbreviated List "B"	ALL CAUSES—Both Sexes		1354	44	20	10	2	4	14	18	65	138	216	355	350	118	192	–	2	3	–	–	1	2	3	15	16	42	75	33
		Males		733	30	8	3	1	2	11	11	38	83	125	184	187	50	101	–	1	–	–	–	–	2	2	12	8	24	39	13
		Females		621	14	12	7	1	2	3	7	27	55	91	171	163	68	91	–	2	2	–	–	1	–	1	3	8	18	36	20
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	–	–	1	3	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	102	–	–	–	1	1	1	3	5	20	23	26	19	3	15	–	–	–	–	–	–	–	1	2	1	6	3	2
			F.	81	–	–	–	1	–	–	–	6	16	24	18	14	2	10	–	–	–	–	–	–	–	1	–	3	1	4	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
260	20	Diabetes mellitus	M.	5	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	17	–	–	–	–	–	–	–	1	–	3	8	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	7	–	1	–	–	–	–	–	3	–	1	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	91	–	–	–	–	–	1	2	5	11	32	35	5		12	–	–	–	–	–	–	–	–	–	–	4	6	2
			F.	112	–	–	–	–	2	–	–	1	7	11	45	36	10	13	–	–	–	–	–	–	–	–	–	1	7	3	2
340	23	Non-meningococcal meningitis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	13	–	–	–	–	–	1	2	2	4	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	14	–	–	4	–	–	–	–	2	–	5	1	1	1	3	–	–	–	–	–	–	–	–	–	2	1	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	5	–	–	–	–	–	–	–	2	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	17	–	–	–	–	1	2	4	6	–	1	3	–		3	–	–	–	–	–	–	–	–	1	–	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	236	–	–	–	–	–	–	–	8	24	44	64	67	29	32	–	–	–	–	–	–	–	–	3	1	10	15	3
			F.	194	–	–	–	–	–	–	–	–	14	26	53	65	36	26	–	–	–	–	–	–	–	–	–	2	3	12	9
430-434	27	Other diseases of heart	M.	6	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	1	–	2	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertension with heart disease	M.	12	–	–	–	–	–	–	–	–	2	3	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	24	–	–	–	–	–	–	–	–	–	4	11	9	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–

480-483	30	Influenza	M.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–	2	2
490-493	31	Pneumonia (except of newborn)	M.	20	–	1	1	–	–	3	–	1	1	3	4	5	1	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	22	–	4	–	–	–	–	1	1	2	1	5	5	3	4	–	1	–	–	–	–	–	–	–	2	1	–
500-502	32	Bronchitis	M.	27	–	1	–	–	–	–	–	–	2	5	11	6	2	2	–	–	–	–	–	–	–	–	1	–	1	–
			F.	3	–	1	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	33	–	–	1	–	–	1	–	–	3	12	8	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	14	–	–	–	–	–	–	–	3	1	4	3	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	–	1	–	–	–	–	–	–	2	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	6	–	–	–	–	–	–	1	1	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	4	–	–	–	–	–	–	–	1	1	–	–	2	–	2	–	–	–	–	–	–	–	1	–	–	–	1
			F.	4	–	–	–	–	–	–	–	1	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1
590-594	38	Nephritis and nephrosis ...	M.	10	–	–	–	–	–	2	–	1	4	–	2	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	11	–	–	–	–	–	–	–	–	1	–	7	3	–	4	–	–	–	–	–	–	–	–	–	–	2	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	1	1	–	1	1	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	3	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–
750-759	41	Congenital malformations ...	M.	4	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	4	4	2	–	–	–	–	–	–	–	2	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	7	–	–	–	–	–	–	–	–	–	–	–	4	3	6	–	–	–	–	–	–	–	–	–	–	4	2
			F.	9	–	–	–	–	–	–	–	–	–	–	1	2	6	7	–	–	–	–	–	–	–	–	–	–	2	5
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	1	–	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
E963, E970-979	49	Suicide	M.	3	–	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	18	–	–	–	–	–	3	2	3	4	2	1	3	–	1	–	–	–	–	–	–	1	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	25	1	3	–	–	–	2	5	1	3	4	4	2	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	14	–	–	1	–	–	–	–	2	–	1	2	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		WEST LOTHIAN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	WIGTOWN COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	926	28	11	12	3	3	7	15	30	76	158	253	252	78	374	14	4	2	–	1	6	3	7	31	46	107	114	39
		Males	...	500	20	5	8	1	2	5	7	14	49	98	125	136	30	192	9	3	–	–	1	6	2	3	23	23	54	57	11
		Females	...	426	8	6	4	2	1	2	8	16	27	60	128	116	48	182	5	1	2	–	–	–	1	4	8	23	53	57	28
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	–	1	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	83	–	–	1	1	–	–	–	3	12	24	25	14	3	26	–	–	–	–	–	–	–	–	3	1	10	9	3
			F.	71	–	–	–	–	1	–	1	6	14	15	19	12	3	33	–	–	–	–	–	–	–	–	5	7	12	8	1
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	5	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	65	–	–	–	–	–	–	–	–	2	10	18	33	2	20	–	–	–	–	–	–	–	–	3	3	6	7	1
			F.	79	–	–	–	–	–	–	1	1	3	14	31	25	4	40	–	–	–	–	–	–	–	–	–	5	15	15	5
340	23	Non-meningococcal meningitis	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	7	1	–	–	–	–	–	1	1	–	1	2	1	–	4	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	6	–	–	–	–	–	–	1	1	2	1	1	–	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–
			F.	6	–	–	–	–	–	1	1	1	–	2	1	–	–	5	–	–	–	–	–	–	–	1	1	–	–	2	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	144	–	–	–	–	–	–	–	4	16	33	35	38	18	66	–	–	–	–	–	–	–	1	8	10	23	19	5
			F.	110	–	–	–	–	–	–	–	2	2	12	41	35	18	50	–	–	–	–	–	–	–	–	–	5	17	17	11
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	1	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	2	–	–	–	1	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
440-443	28	Hypertension with heart disease	M.	9	–	–	–	–	–	–	–	–	–	2	3	4	–	9	–	–	–	–	–	–	–	–	–	2	2	5	–
			F.	17	–	–	–	–	–	–	–	–	1	4	3	8	1	7	–	–	–	–	–	–	–	–	–	1	2	4	–
444-447	29	Hypertension without heart	M.	6	–	–	–	–	–	–	–	–	2	–	1	3	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–

480-483	30	Influenza	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	1	–	–	1	1	1
490-493	31	Pneumonia (except of newborn)	M.	13	–	1	1	–	–	–	–	–	–	3	6	2	–	5	–	–	–	–	1	–	–	–	–	–	–	4	–
			F.	19	–	1	1	1	–	–	1	–	1	–	3	7	4	5	–	1	–	–	–	–	–	–	1	1	–	2	–
500-502	32	Bronchitis	M.	23	–	–	–	–	–	1	–	–	1	10	7	4	–	11	–	–	–	–	–	–	–	–	3	–	4	4	–
			F.	11	–	–	–	–	–	–	–	1	–	1	4	4	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	17	–	–	–	–	–	1	–	–	3	2	7	4	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	–	1	2	1	1	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	5	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
590-594	38	Nephritis and nephrosis ...	M.	5	–	–	–	–	–	–	–	1	–	1	1	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	2	–	–	–	1	–	–	6	–	–	–	–	–	–	–	–	–	–	1	2	3
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	5	–	–	–	–	–	–	–	1	–	–	1	2	1	2	–	–	–	–	–	–	–	–	1	–	–	–	1
			F.	4	–	–	–	–	–	–	1	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
750-759	41	Congenital malformations ...	M.	14	9	3	–	–	–	–	–	1	1	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	7	4	1	–	–	–	–	–	–	1	1	–	–	–	3	1	–	1	–	–	–	1	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	5	–	–	–	–	–	–	–	–	–	–	1	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1
780-793, 795	45.1	Cause ill-defined and unknown	M.	5	–	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	49	Suicide	M.	3	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	9	–	–	2	–	–	2	1	1	–	1	1	1	–	3	–	–	–	–	–	3	–	–	–	–	–	–	–
			F.	3	–	–	1	–	–	1	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	14	1	–	2	–	1	1	1	–	3	2	–	3	–	4	–	–	–	–	–	1	–	–	1	1	1	–	–
			F.	9	–	3	–	–	–	–	–	–	–	–	2	1	3	3	–	–	–	–	–	–	–	–	–	–	1	1	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"	Causes of Death		ZETLAND COUNTY: All Ages	under 4 weeks	4 w'ks–	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		306	8	2	1	–	1	1	5	6	22	35	66	115	44
		Males		143	4	2	–	–	–	1	5	3	13	15	35	52	13
		Females		163	4	–	1	–	1	–	–	3	9	20	31	63	31
001-008	1	Tuberculosis of respiratory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	22	–	–	–	–	–	–	1	–	4	5	7	5	–
			F.	24	–	–	–	–	–	–	–	1	4	4	4	11	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–
260	20	Diabetes mellitus	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	22	–	–	–	–	–	–	–	2	1	–	5	13	1
			F.	37	–	–	–	–	–	–	–	–	1	7	13	12	4
340	23	Non-meningococcal meningitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	2	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	37	–	–	–	–	–	–	–	–	1	7	10	13	6
			F.	52	–	–	–	–	–	–	–	–	2	2	8	24	16
430-434	27	Other diseases of heart	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	1	–	–	–	–	–	–	1	–
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	–	1	–

480-483	30	Influenza	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			M.	3	–	–	–	–	–	1	–	–	2	–	–	–	–
490-493	31	Pneumonia (except of newborn)	F.	4	–	–	–	–	–	–	–	–	1	–	1	2	–
			M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1
500-502	32	Bronchitis	F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	5	–	–	–	–	–	–	–	–	–	2	2	1
540,541	33	Ulcer of stomach and duodenum	F.	2	–	–	–	–	–	–	–	–	1	–	1	–
			M.	1	–	–	–	–	–	–	–	–	–	–	1	–
550-553	34	Appendicitis	F.	1	–	–	–	–	–	–	–	–	–	1	–	–
			M.	2	–	–	–	–	–	–	–	1	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	F.	1	–	–	–	–	–	–	–	–	–	–	1	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	1	–	–	–	–	–	–	–	–	–	1	–	–
571, 572	36.2	Diarrhœa (except of newborn)	F.	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	F.	1	–	–	–	–	–	–	1	–	–	–	–	–
			M.	1	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	F.	1	–	–	–	–	–	–	–	–	1	–	–	–
			M.	1	–	–	–	–	–	–	–	1	–	–	–	–
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	1	–	–	–	–	–	–	–	–	–	–	1	–
590-594	38	Nephritis and nephrosis ...	F.	1	–	–	–	–	–	–	–	–	1	–	–	–
610	39	Hyperplasia of prostate ...	M.	8	–	–	–	–	–	–	–	–	–	3	4	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	2	–	–	–	–	–	–	–	1	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–
750-759	41	Congenital malformations ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	–	–	–	–	–	–	1	1
			F.	9	–	–	–	–	–	–	–	–	–	–	2	7
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	–	1	–	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–
E963, E970-979	49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	47	Motor vehicle accidents ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	48.1	Other violence (BE 50) ...	M.	7	–	–	–	–	–	2	1	–	2	2	–	–
			F.	4	–	–	1	–	–	–	–	–	–	–	1	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956

International Classification: Detailed List	Abbreviated List "B"		Scotland	Counties of Cities	Large Burghs	Counties, ex Counties of Cities and Large Burghs	Small Burghs	Landward	Aberdeen County: Aberdeen County	Aberdeen County: Aberdeen County of City
		Population (Estimated), 30th June, 1956	5,144,578	1,913,486	855,019	2,376,073	848,290	1,527,783	328,756	186,396
		Total Live Births Registered (including Illegitimate)	95,313	40,246	20,845	34,222	13,520	20,702	6,116	4,062
		„ Corr. for Mother's Resid. („) ...	95,313	36,052	16,938	42,323	15,004	27,319	5,780	3,271
		„ „ „ Male ...	48,951	18,525	8,616	21,810	7,640	14,170	3,004	1,717
		„ „ „ Female ...	46,362	17,527	8,322	20,513	7,364	13,149	2,776	1,554
		„ „ „ Illegitimate ...	4,069	1,763	626	1,680	529	1,151	305	172
		Stillbirths Registered (including Illegitimate) ...	2,329	1,077	456	796	269	527	144	116
		„ Corrected for Mother's Residence ...	2,329	904	421	1,004	368	636	134	71
		Marriages Registered	43,971	19,299	8,227	16,445	7,708	8,737	2,930	1,965
		Deaths Registered	61,792	25,729	10,448	25,615	8,893	16,722	4,001	2,712
		„ Corrected for Residence	61,792	23,605	9,861	28,326	11,010	17,316	3,805	2,155
		„ „ Male	31,651	12,110	5,134	14,407	5,313	9,094	1,869	1,058
		„ „ Female	30,141	11,495	4,727	13,919	5,697	8,222	1,936	1,097
		CAUSES OF DEATH								
001-008	1	Tuberculosis of respiratory system	715	360	142	213	71	142	27	18
010-019	2	Tuberculosis, other forms	86	36	15	35	13	22	1	—
020-029	3	Syphilis and its sequelæ	88	38	12	38	15	23	12	9
040	4	Typhoid fever	2	1	—	1	1	—	—	—
045-048	6	Dysentery, all forms	3	3	—	—	—	—	—	—
050-051	7	Scarlet fever and streptococcal sore throat	2	1	—	1	1	—	—	—
055	8	Diphtheria	2	—	—	2	—	2	—	—
056	9	Whooping cough	14	5	4	5	1	4	—	—
057	10	Meningococcal infections	27	11	5	11	5	6	—	—
080	12	Acute poliomyelitis	9	2	1	6	4	2	—	—
085	14	Measles	10	3	3	4	—	4	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	106	37	17	52	15	37	9	5
140-205	18	Malignant neoplasms	10,754	4,445	1,681	4,628	1,888	2,740	657	387
210-239	19	Benign and unspecified neoplasms	146	55	20	71	24	47	14	6
260	20	Diabetes mellitus	473	165	70	238	89	149	28	15
290-293	21	Anæmias	245	82	48	115	45	70	9	5
240-254, 270-289, 294-299	46.1	Other general diseases	434	149	69	216	81	135	25	13
330-334	22	Vascular lesions affecting central nervous system ...	9,680	3,593	1,503	4,584	1,883	2,701	639	359
340	23	Nonmeningococcal meningitis	45	19	5	21	5	16	—	—
300-326, 341-398	46.2	Other diseases of nervous system	858	349	100	409	159	250	63	31
400-402	24	Rheumatic fever	48	23	9	16	2	14	2	1
410-416	25	Chronic rheumatic heart disease	819	339	152	328	126	202	49	34
420-422	26	Arteriosclerotic and degenerative heart disease ...	18,442	6,687	2,947	8,808	3,436	5,372	1,211	703
430-434	27	Other diseases of heart	608	203	105	300	105	195	29	17
440-443	28	Hypertension with heart disease	1,282	469	211	602	243	359	86	51
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)
444-447	29	Hypertension without heart disease	709	256	100	353	134	219	51	25
450-468	46.3	Other circulatory disease	1,795	620	272	903	318	585	143	71
480-483	30	Influenza	262	83	42	137	57	80	13	4
490-493	31	Pneumonia (except of newborn)	1,916	948	282	686	244	442	116	57
500-502	32	Bronchitis	2,077	1,000	374	703	314	389	83	57
470-475, 510-527	46.4	Other respiratory diseases	594	162	86	346	93	253	34	22
540, 541	33	Ulcer of stomach and duodenum	608	228	100	280	103	177	44	15
550-553	34	Appendicitis	91	29	15	47	16	31	3	—
560, 561, 570	35	Intestinal obstruction and hernia	403	151	66	186	70	116	22	11
543	36.1	Gastritis and duodenitis	18	4	5	9	2	7	1	—
571, 572	36.2	Diarrhœa (except of newborn)	294	127	54	113	44	69	17	10
581	37	Cirrhosis of liver	213	82	43	88	33	55	16	7
580, 582-586	46.5	Other diseases of liver	246	92	33	121	49	72	16	10
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	196	72	35	89	32	57	11	7
590-594	38	Nephritis and nephrosis	528	187	69	272	104	168	28	15
610	39	Hyperplasia of prostate	421	145	82	194	63	131	38	19
600-609, 611 637	46.7	Other diseases of genito-urinary system	379	147	51	181	84	97	16	9
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	15	2	5	8	3	5	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	36	18	5	13	6	7	1	1
690-749	46.8	Diseases of skin and organs of locomotion	320	125	45	150	61	89	23	16
750-759	41	Congenital malformations	662	256	106	300	119	181	26	15
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	727	309	133	285	104	181	32	14
763	43.1	Pneumonia of newborn	111	32	23	56	17	39	4	2
764	43.2	Diarrhœa of newborn	15	3	4	8	3	5	1	1
765-768	43.3	Other infections of the newborn	18	7	3	8	4	4	—	—
769-776	44	Other diseases peculiar to early infancy	601	198	122	281	105	176	33	20
794	45.0	Senility	747	144	125	478	161	317	30	5
780-793, 795	45.1	Cause ill-defined and unknown	250	89	44	117	36	81	5	4
E963, E970-E979	49	Suicide	403	174	79	150	73	77	16	13
E810-E835	47	Motor vehicle accidents	558	190	75	293	83	210	21	13
E840-E845	48.0	Other road transport accidents	30	11	9	10	2	8	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)...	1,651	639	255	757	261	496	100	58
		ALL CAUSES	61,792	23,605	9,861	28,326	11,010	17,316	3,805	2,155
		AGES AT DEATH								
		Under 1	2,727	1,078	511	1,138	405	733	126	73
		1– 4	371	133	57	181	62	119	19	9
		5– 9	189	70	37	82	20	62	11	7
		10–14	154	58	23	73	21	52	8	4
		15–24	503	172	80	251	58	193	27	12
		25–34	943	361	164	418	156	262	40	19
		35–44	1,829	746	307	776	276	500	99	64
		45–54	5,054	2,089	822	2,143	827	1,316	282	174
		55–64	9,924	4,088	1,650	4,186	1,661	2,525	570	364
		65–74	16,189	6,194	2,649	7,346	2,866	4,480	967	566
		75–84	18,048	6,664	2,718	8,666	3,433	5,233	1,196	650
		85 and over	5,861	1,952	843	3,066	1,225	1,841	460	213
		Not stated	—	—	—	—	—	—	—	—
		ALL AGES	61,792	23,605	9,861	28,326	11,010	17,316	3,805	2,155

*Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

See footnote Table 35 (Page 130)

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Aberdeen County—*cont.*: Ballater Burgh	Ellon Burgh	Fraserburgh Burgh	Huntly Burgh	Inverurie Burgh	Kintore Burgh	Oldmeldrum Burgh	Peterhead Burgh	Rosehearty Burgh	Turriff Burgh	Landward
		Population (Estimated), 30th June, 1956	1,173	1,483	10,484	4,009	5,039	874	1,102	12,675	1,186	2,885	101,450
		Total Live Births Registered (including Illegitimate)	3	1	466	226	16	7	7	83	—	143	1,102
		,, Corr. for Mother's Resid. (,,) ...	17	23	205	65	81	15	17	273	18	34	1,761
		,, ,, ,, Male ...	10	9	101	37	47	9	7	122	7	19	919
		,, ,, ,, Female ...	7	14	104	28	34	6	10	151	11	15	842
		,, ,, ,, Illegitimate ...	—	1	4	3	2	—	1	17	—	1	104
		Stillbirths Registered (including Illegitimate) ...	—	—	10	5	—	—	—	—	—	1	12
		,, Corrected for Mother's Residence ...	—	—	9	1	1	2	—	4	1	—	45
		Marriages Registered	10	53	93	49	62	12	19	125	8	39	495
		Deaths Registered	8	23	123	61	55	7	16	102	6	39	849
		,, Corrected for Residence	13	30	135	55	69	13	25	150	14	45	1,101
		,, ,, Male	5	11	70	19	35	5	14	67	6	22	557
		,, ,, Female	8	19	65	36	34	8	11	83	8	23	544
		CAUSES OF DEATH											
001-008	1	Tuberculosis of respiratory system	—	—	1	—	—	—	—	1	1	—	6
010-019	2	Tuberculosis, other forms	—	—	1	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	3
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—
050-051	7	Scarlet fever and streptococcal sore throat .	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	4
140-205	18	Malignant neoplasms	2	2	27	12	15	1	8	31	2	5	165
210-239	19	Benign and unspecified neoplasms	—	1	—	—	1	—	—	2	—	—	4
260	20	Diabetes mellitus	—	—	1	1	1	—	—	1	1	—	8
290-293	21	Anæmias	—	—	—	—	1	—	—	—	—	—	3
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	3	—	—	—	—	—	—	—	9
330-334	22	Vascular lesions affecting central nervous system ...	5	10	19	15	5	4	3	29	1	6	183
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	—	—	2	—	3	—	—	6	—	—	21
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	1
410-416	25	Chronic rheumatic heart disease	—	—	3	—	—	—	—	2	—	1	9
420-422	26	Arteriosclerotic and degenerative heart disease ...	2	8	41	16	16	5	9	30	6	22	353
430-434	27	Other diseases of heart	—	—	—	—	2	—	—	4	—	—	6
440-443	28	Hypertension with heart disease	2	—	5	—	2	1	—	3	1	2	19
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
444-447	29	Hypertension without heart disease	—	—	—	1	3	—	—	2	—	—	20
450-468	46.3	Other circulatory disease	—	3	3	1	3	—	—	3	1	—	58
480-483	30	Influenza	—	—	2	3	1	—	—	—	—	—	3
490-493	31	Pneumonia (except of newborn)	—	3	2	3	6	—	2	3	1	2	37
500-502	32	Bronchitis	—	1	2	—	—	—	—	3	—	1	19
470-475, 510-527	46.4	Other respiratory diseases	—	—	1	—	—	—	—	2	—	—	9
540, 541	33	Ulcer of stomach and duodenum	1	—	2	1	1	—	—	2	—	1	21
550-553	34	Appendicitis	—	—	—	1	—	—	—	—	—	—	2
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	—	1	—	—	10
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	1
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	1	—	—	1	—	—	5
581	37	Cirrhosis of liver	—	—	—	—	1	—	—	2	—	1	5
580, 582-586	46.5	Other diseases of liver	—	—	2	—	—	1	—	1	—	—	2
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	1	—	—	—	2	—	—	1	—	—	—
590-594	38	Nephritis and nephrosis	—	—	1	—	1	—	—	3	—	—	8
610	39	Hyperplasia of prostate	—	1	2	—	—	—	—	—	—	1	15
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	2	—	1	—	—	1	—	—	3
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	3	—	—	4
750-759	41	Congenital malformations	—	1	2	—	—	—	—	—	—	—	8
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	—	2	—	—	1	—	4	—	2	9
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	1	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	—	3	—	—	—	—	3	—	1	6
794	45.0	Senility	—	—	—	1	2	—	2	4	—	—	16
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	—	—	—	—	—	—	1
E963, E970-E979	49	Suicide	—	—	—	—	—	—	—	—	—	—	3
E810-E835	47	Motor vehicle accidents	—	—	—	—	—	—	—	1	—	—	7
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	—	—	6	—	1	—	—	1	—	—	34
		ALL CAUSES	13	30	135	55	69	13	25	150	14	45	1,101
		AGES AT DEATH											
		Under 1	—	2	8	1	—	1	2	8	1	3	27
		1– 4	—	—	1	—	—	—	—	—	—	—	9
		5– 9	—	—	1	—	—	—	—	—	—	—	3
		10–14	—	—	1	—	—	—	—	—	—	—	3
		15–24	—	1	—	—	1	—	—	3	—	—	10
		25–34	—	—	2	1	1	—	—	2	—	—	15
		35–44	—	—	3	—	2	—	—	5	1	1	23
		45–54	1	2	10	2	6	1	1	22	—	2	61
		55–64	2	2	33	4	6	—	1	30	3	5	120
		65–74	6	7	29	20	20	1	8	31	4	7	268
		75–84	2	10	36	16	18	5	10	40	4	14	391
		85 and over	2	6	11	11	15	5	3	9	1	13	171
		Not stated	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	13	30	135	55	69	13	25	150	14	45	1,101

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Angus County: Angus County	Angus County: Dundee County of City	Angus County: Arbroath Burgh	Angus County: Brechin Burgh	Angus County: Carnoustie Burgh	Angus County: Forfar Burgh	Angus County: Kirriemuir Burgh	Angus County: Monifieth Burgh	Angus County: Montrose Burgh	Angus County: Landward	Argyll County: Argyll County	Argyll County: Campbeltown Burgh	Argyll County: Dunoon Burgh
		Population (Estimated), 30th June, 1956	275,929	178,536	19,859	7,414	5,250	9,989	3,525	3,412	10,810	37,134	57,839	7,048	9,105
		Total Live Births Registered (including Illegitimate)	5,244	4,023	323	9	9	422	4	5	12	437	819	181	203
		,, Corr. for Mother's Resid. (,,) ...	4,955	3,429	347	104	76	154	63	44	169	569	925	140	132
		,, ,, ,, Male ...	2,539	1,776	172	59	38	70	36	20	75	293	484	57	66
		,, ,, ,, Female ...	2,416	1,653	175	45	38	84	27	24	94	276	441	83	66
		,, ,, ,, Illegitimate ...	248	180	14	4	1	7	3	1	9	29	62	8	7
		Stillbirths Registered (including Illegitimate) ...	124	103	6	—	1	8	—	—	—	6	15	6	5
		,, Corrected for Mother's Residence ...	118	81	9	4	2	2	1	—	7	12	22	6	4
		Marriages Registered	2,413	1,770	155	79	25	103	32	21	101	127	324	53	71
		Deaths Registered	3,579	2,273	232	91	47	134	33	37	100	632	913	100	159
		,, Corrected for Residence	3,419	2,186	271	103	95	143	54	58	165	344	949	98	171
		,, ,, Male	1,624	1,056	129	53	36	61	25	27	75	162	464	50	75
		,, ,, Female	1,795	1,130	142	50	59	82	29	31	90	182	485	48	96
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	35	25	2	1	—	3	—	2	1	1	7	1	—
010-019	2	Tuberculosis, other forms	5	5	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	3	2	—	—	1	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	1	1	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	1	1	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	2	1	—	—	—	1	—	—	—	—	1	—	—
140-205	18	Malignant neoplasms	636	417	47	18	24	16	12	9	31	62	169	25	32
210-239	19	Benign and unspecified neoplasms	7	5	1	—	—	1	—	—	—	—	4	2	—
260	20	Diabetes mellitus	27	18	—	—	1	1	—	—	1	6	4	—	2
290-293	21	Anæmias	19	13	1	—	3	—	—	2	—	—	7	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	20	13	1	1	—	1	1	—	1	2	5	—	—
330-334	22	Vascular lesions affecting central nervous system ...	519	300	45	21	18	39	6	8	26	56	151	14	37
340	23	Nonmeningococcal meningitis	3	2	—	—	—	—	—	1	—	—	2	1	—
300-326, 341-398	46.2	Other diseases of nervous system	38	27	3	1	—	—	—	1	2	4	18	2	—
400-402	24	Rheumatic fever	4	4	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	30	27	1	1	—	1	—	—	—	—	6	2	1
420-422	26	Arteriosclerotic and degenerative heart disease ...	1,055	672	87	26	28	35	28	17	53	109	309	31	46
430-434	27	Other diseases of heart	25	17	2	—	—	1	—	—	2	3	15	2	4
440-443	28	Hypertension with heart disease	48	25	5	4	1	3	1	1	2	6	22	1	6
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	33	15	4	3	1	2	1	2	3	2	11	1	—
450-468	46.3	Other circulatory disease	82	45	7	4	1	12	1	2	3	7	23	4	5
480-483	30	Influenza	6	5	—	1	—	—	—	—	—	—	18	1	1
490-493	31	Pneumonia (except of newborn)	151	122	9	1	1	6	—	2	3	7	17	1	1
500-502	32	Bronchitis	81	54	5	6	1	1	—	1	6	7	12	1	2
470-475, 510-527	46.4	Other respiratory diseases	22	16	1	—	1	—	—	—	—	4	5	—	—
540, 541	33	Ulcer of stomach and duodenum	39	26	3	3	2	3	—	1	—	1	4	1	—
550-553	34	Appendicitis	5	4	—	—	—	—	—	—	—	1	2	1	—
560, 561, 570	35	Intestinal obstruction and hernia	36	19	4	2	1	2	1	2	2	3	8	—	1
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	22	18	1	—	1	—	—	—	1	1	1	—	1
581	37	Cirrhosis of liver	18	13	1	—	—	1	1	—	1	1	2	—	—
580, 582-586	46.5	Other diseases of liver	16	10	1	—	1	1	—	1	—	2	2	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	14	9	1	—	—	—	—	—	—	4	4	1	—
590-594	38	Nephritis and nephrosis	21	11	4	2	—	—	—	—	1	3	6	1	1
610	39	Hyperplasia of prostate	34	27	2	—	—	3	—	—	—	2	5	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	29	16	4	—	—	1	1	—	2	5	4	1	2
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	2	1	—	—	—	—	—	—	1	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	15	7	2	—	—	1	—	—	2	3	4	1	—
750-759	41	Congenital malformations	44	31	5	1	—	—	—	1	3	3	5	—	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	42	31	2	—	1	3	—	—	3	2	3	—	1
763	43.1	Pneumonia of newborn	7	6	1	—	—	—	—	—	—	—	1	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	1	1	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	20	12	2	—	—	—	—	—	3	3	10	1	3
794	45.0	Senility	32	10	8	2	1	1	1	—	4	5	29	2	10
780-793, 795	45.1	Cause ill-defined and unknown	3	2	—	—	—	—	—	—	1	—	9	—	2
E963, E970-E979	49	Suicide	34	19	2	2	3	1	—	—	1	6	4	—	—
E810-E835	47	Motor vehicle accidents	27	16	—	—	1	—	—	—	3	7	4	—	1
E840-E845	48.0	Other road transport accidents	1	1	—	—	—	—	—	—	—	—	1	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	104	64	7	3	3	3	—	5	3	16	35	—	10
		ALL CAUSES	3,419	2,186	271	103	95	143	54	58	165	344	949	98	171
		AGES AT DEATH													
		Under 1	146	106	14	1	1	4	1	—	9	10	24	3	6
		1– 4	19	11	1	1	1	1	—	—	1	3	7	—	1
		5– 9	10	4	2	—	—	—	—	—	—	4	1	—	1
		10–14	7	5	1	—	—	—	—	—	—	1	1	—	1
		15–24	17	12	3	—	—	—	—	—	1	1	11	1	2
		25–34	44	32	2	4	1	1	—	1	—	3	21	2	2
		35–44	83	58	1	2	3	7	1	—	5	6	15	2	2
		45–54	243	170	11	9	3	8	2	4	9	27	62	11	10
		55–64	535	354	42	18	15	19	9	7	22	49	117	20	17
		65–74	885	567	78	26	28	31	13	18	49	75	245	18	43
		75–84	1,068	661	78	33	31	56	19	21	53	116	320	31	57
		85 and over	362	206	38	9	12	16	9	7	16	49	125	10	29
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	3,419	2,186	271	103	95	143	54	58	165	344	949	98	171

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Argyll County—*cont.*: Inveraray Burgh	Lochgilphead Burgh	Oban Burgh	Tobermory Burgh	Landward	Ayr County: Ayr County	Ardrossan Burgh	Ayr Burgh	Cumnock and Holmhead Burgh	Darvel Burgh	Galston Burgh	Girvan Burgh	Irvine Burgh	Kilmarnock Burgh
		Population (Estimated), 30th June, 1956	522	1,202	6,083	677	33,202	331,673	9,439	43,448	5,077	3,275	4,595	5,932	15,668	43,864
		Total Live Births Registered (including Illegitimate)	1	6	266	10	152	6,143	73	659	50	5	12	140	58	1,094
		" Corr. for Mother's Resid. (") ...	10	15	123	12	493	6,166	219	796	101	44	66	96	328	908
		" " " Male ...	4	7	69	6	275	3,091	108	416	43	28	33	46	156	455
		" " " Female ...	6	8	54	6	218	3,075	111	380	58	16	33	50	172	453
		" " " Illegitimate ...	—	2	4	2	39	207	4	43	—	1	2	5	7	27
		Stillbirths Registered (including Illegitimate) ...	—	—	3	—	1	137	—	5	—	—	—	2	—	11
		" Corrected for Mother's Residence ...	—	—	3	—	9	139	3	14	2	2	1	1	2	17
		Marriages Registered	6	10	72	2	110	2,778	59	465	87	20	55	75	160	430
		Deaths Registered	1	3	152	5	493	3,726	50	624	33	23	39	72	123	590
		" Corrected for Residence	5	10	101	8	556	3,859	72	526	56	45	55	81	170	564
		" " Male	1	3	57	3	275	1,948	39	253	30	21	27	37	83	277
		" " Female	4	7	44	5	281	1,911	33	273	26	24	28	44	87	287
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	—	—	—	1	5	23	1	3	1	1	1	—	—	4
010-019	2	Tuberculosis, other forms	—	—	—	—	—	3	—	1	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	7	—	—	—	—	—	—	—	1
040	4	Typhoid fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	1	—	—	—	—	—	—	1	—
057	10	Meningococcal infections	—	—	—	—	—	3	—	—	—	—	—	—	1	2
080	12	Acute poliomyelitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	1	—	1	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	1	—	—	4	1	—	—	—	—	—	1	—
140-205	18	Malignant neoplasms	1	4	14	—	93	618	9	75	8	4	6	12	29	92
210-239	19	Benign and unspecified neoplasms	—	—	—	—	2	4	—	1	—	—	—	—	—	1
260	20	Diabetes mellitus	—	—	—	—	2	25	1	1	1	—	—	—	1	3
290-293	21	Anæmias	—	—	2	—	5	19	2	5	—	—	—	2	—	2
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	—	—	5	29	3	3	2	1	—	—	1	2
330-334	22	Vascular lesions affecting central nervous system ...	—	2	10	1	87	640	9	75	8	5	13	22	32	92
340	23	Nonmeningococcal meningitis	—	—	—	—	1	2	—	—	—	—	—	1	—	—
300-326, 341-398	46.2	Other diseases of nervous system	—	—	4	—	12	49	1	8	—	—	2	1	2	11
400-402	24	Rheumatic fever	—	—	—	—	—	5	—	1	—	—	—	—	—	1
410-416	25	Chronic rheumatic heart disease	—	—	—	—	3	52	5	5	—	—	1	1	2	8
420-422	26	Arteriosclerotic and degenerative heart disease ...	1	1	41	3	186	1,232	16	195	20	19	14	21	49	170
430-434	27	Other diseases of heart	2	—	2	—	5	44	2	6	—	—	1	1	4	5
440-443	28	Hypertension with heart disease	—	1	1	—	13	110	1	16	—	3	1	1	7	18
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	—	—	1	—	9	61	1	6	2	1	—	2	6	12
450-468	46.3	Other circulatory disease	—	—	2	—	12	89	5	20	2	—	1	—	2	9
480-483	30	Influenza	1	—	2	—	13	20	1	1	—	—	—	1	—	7
490-493	31	Pneumonia (except of newborn)	—	—	2	1	12	53	—	9	1	1	—	—	1	11
500-502	32	Bronchitis	—	—	3	—	6	107	3	14	4	1	7	4	7	20
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	5	39	1	1	1	1	2	—	2	5
540, 541	33	Ulcer of stomach and duodenum	—	—	—	—	3	39	2	5	1	—	1	—	1	6
550-553	34	Appendicitis	—	—	1	—	—	5	—	—	—	—	—	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	7	20	1	3	—	1	—	—	—	4
543	36.1	Gastritis and duodenitis	—	—	—	—	—	3	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	—	22	—	2	—	—	—	—	1	4
581	37	Cirrhosis of liver	—	—	—	—	2	15	—	—	—	—	—	—	—	3
580, 582-586	46.5	Other diseases of liver	—	—	—	—	2	15	—	2	—	—	—	1	—	2
530-539, 542, 544	46.6	Other digestive diseases	—	—	1	—	2	12	—	1	—	—	—	—	—	1
545, 573-578, 587																
590-594	38	Nephritis and nephrosis	—	—	1	—	3	32	—	3	—	2	—	—	1	3
610	39	Hyperplasia of prostate	—	—	1	—	3	31	—	6	1	—	—	3	3	5
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	1	26	1	4	—	—	—	—	—	—
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	3	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	5	—	1	—	1	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	3	11	1	2	1	1	—	1	—	—
750-759	41	Congenital malformations	—	1	1	—	2	57	2	8	—	1	—	—	3	10
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	—	1	—	1	52	1	8	1	—	1	—	4	8
763	43.1	Pneumonia of newborn	—	—	—	—	1	5	—	—	—	—	—	—	1	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	2	—	—	—	—	—	—	—	1
765-768	43.3	Other infections of the newborn	—	—	—	—	—	2	—	1	—	—	—	—	—	1
769-776	44	Other diseases peculiar to early infancy	—	1	1	—	4	45	1	5	—	—	—	2	1	6
794	45.0	Senility	—	—	5	2	10	34	—	6	2	—	1	—	1	8
780-793, 795	45.1	Cause ill-defined and unknown	—	—	1	—	6	21	—	2	—	—	—	2	—	5
E963, E970-E979	49	Suicide	—	—	2	—	2	22	—	4	—	2	1	—	3	5
E810-E835	47	Motor vehicle accidents	—	—	—	—	3	42	—	5	—	—	1	1	—	7
E840-E845	48.0	Other road transport accidents	—	—	—	—	1	1	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	—	—	1	—	24	95	1	11	—	—	1	2	3	8
		ALL CAUSES	5	10	101	8	556	3,859	72	526	56	45	55	81	170	564
		AGES AT DEATH														
		Under 1	—	2	4	—	9	191	5	23	1	1	1	2	11	28
		1– 4	—	—	2	1	3	27	—	4	—	—	1	1	—	3
		5– 9	—	—	—	—	—	14	—	1	—	—	—	—	1	3
		10–14	—	—	—	—	—	6	—	—	—	1	—	—	—	—
		15–24	—	—	—	—	8	32	—	5	—	—	—	1	—	5
		25–34	—	—	1	—	16	63	1	9	—	1	1	2	4	12
		35–44	—	—	4	—	7	114	3	11	—	—	4	—	6	18
		45–54	—	—	5	—	36	322	4	45	4	3	5	6	14	48
		55–64	—	—	15	1	64	630	17	77	10	10	8	11	30	96
		65–74	3	2	26	2	151	1,046	13	152	16	11	18	19	49	158
		75–84	2	3	28	2	197	1,082	23	155	25	15	13	26	39	146
		85 and over	—	3	16	2	65	332	6	44	—	3	4	13	16	47
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	5	10	101	8	556	3,859	72	526	56	45	55	81	170	564

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Ayr County—*continued*: Kilwinning Burgh	Largs Burgh	Maybole Burgh	Newmilns and Greenholm B.	Prestwick Burgh	Saltcoats Burgh	Stevenston Burgh	Stewarton Burgh	Troon Burgh	Landward	Banff County: Banff County	Aberchirder Burgh	Aberlour Burgh	Banff Burgh
		Population (Estimated), 30th June, 1956	7,040	7,743	4,943	4,053	11,436	13,625	9,708	3,340	9,956	128,531	**50,859**	783	1,153	3,255
		Total Live Births Registered (including Illegitimate)	867	12	44	4	109	61	35	18	23	2,879	**799**	4	2	250
		" Corr. for Mother's Resid. (") ...	142	86	85	51	207	262	186	68	150	2,371	**838**	12	17	54
		" " " Male ...	60	38	42	28	113	134	93	37	65	1,196	**425**	5	7	27
		" " " Female ...	82	48	43	23	94	128	93	31	85	1,175	**413**	7	10	27
		" " " Illegitimate ...	2	5	5	—	10	6	6	2	2	80	**41**	1	—	6
		Stillbirths Registered (including Illegitimate) ...	8	—	1	—	1	—	—	—	1	108	**9**	—	—	3
		" Corrected for Mother's Residence ...	7	1	3	2	4	8	5	1	5	61	**15**	—	—	1
		Marriages Registered	66	62	47	24	104	95	81	30	73	845	**349**	15	14	41
		Deaths Registered	59	141	28	43	126	105	75	28	80	1,487	**551**	18	24	105
		" Corrected for Residence	94	171	44	61	201	160	104	39	118	1,298	**619**	15	11	36
		" " Male	45	86	23	30	72	72	73	17	52	711	**310**	7	4	12
		" " Female	49	85	21	31	129	88	31	22	66	587	**309**	8	7	24
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	1	—	1	1	—	3	—	—	1	5	—	—	—	—
010-019	2	Tuberculosis, other forms	—	—	1	—	—	—	—	—	1	—	1	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	1	1	—	1	—	—	3	1	—	—	—
040	4	Typhoid fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050-051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	2	**1**	—	—	—
140-205	18	Malignant neoplasms	11	31	8	10	45	29	18	4	20	207	**111**	3	2	9
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	—	2	**2**	—	—	—
260	20	Diabetes mellitus	1	—	—	—	1	1	—	—	—	15	**4**	—	1	—
290-293	21	Anæmias	1	2	—	—	—	—	—	—	—	5	**1**	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	—	2	—	1	—	—	2	—	1	11	**7**	—	—	—
330-334	22	Vascular lesions affecting central nervous system ...	21	30	3	17	36	33	16	8	14	206	**87**	—	4	3
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	—	1	—	—	2	2	1	1	1	16	**16**	—	—	3
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	3	**1**	—	—	—
410-416	25	Chronic rheumatic heart disease	2	1	1	—	3	1	1	4	1	16	**4**	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	24	71	13	17	66	44	34	14	50	395	**203**	3	1	10
430-434	27	Other diseases of heart	1	—	—	1	—	3	1	—	1	18	**4**	—	—	—
440-443	28	Hypertension with heart disease	3	2	2	1	8	3	1	2	3	38	**10**	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	1	—	1	—	3	3	4	—	1	18	8	—	—	—
450-468	46.3	Other circulatory disease	2	6	3	1	2	1	—	—	2	33	17	—	—	—
480-483	30	Influenza	1	1	—	—	2	1	—	1	—	4	4	—	—	2
490-493	31	Pneumonia (except of newborn)	1	2	—	—	1	1	2	—	—	23	21	—	1	1
500-502	32	Bronchitis	1	1	4	4	3	5	4	—	4	21	7	2	1	—
470-475, 510-527	46.4	Other respiratory diseases	1	1	—	—	—	—	1	—	1	22	1	—	—	—
540, 541	33	Ulcer of stomach and duodenum	1	1	2	—	1	—	—	—	2	16	2	—	1	—
550-553	34	Appendicitis	—	1	—	—	—	—	—	—	—	3	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	1	1	—	1	1	—	—	1	6	7	1	—	1
543	36.1	Gastritis and duodenitis	—	1	—	—	—	—	—	—	—	2	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	1	1	1	—	—	2	4	—	—	6	—	—	—	—
581	37	Cirrhosis of liver	2	—	1	3	—	1	—	—	—	5	5	—	—	—
580, 582-586	46.5	Other diseases of liver	—	—	—	—	2	—	—	—	—	8	5	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	2	—	2	—	—	6	2	—	—	1
590-594	38	Nephritis and nephrosis	3	1	—	—	1	2	3	2	—	11	7	—	—	2
610	39	Hyperplasia of prostate	—	2	—	—	1	—	—	—	—	10	4	—	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system ...	1	3	—	—	1	5	—	—	2	9	1	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	1	—	—	—	—	—	—	—	—	2	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	1	—	—	—	—	2	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	3	—	1	—	—	1	3	—	—	—
750-759	41	Congenital malformations	3	1	1	—	—	6	1	—	—	21	4	—	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	1	—	—	—	4	3	—	—	1	20	5	—	—	1
763	43.1	Pneumonia of newborn	1	—	—	—	—	—	—	—	—	3	1	—	—	—
764	43.2	Diarrhœa of newborn	1	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	1	—	—	—
769-776	44	Other diseases peculiar to early infancy	2	—	—	—	3	4	1	2	—	18	6	—	—	—
794	45.0	Senility	—	1	—	1	—	—	1	—	1	12	15	3	—	2
780-793, 795	45.1	Cause ill-defined and unknown	—	2	—	1	—	1	—	—	—	8	4	—	—	—
E963, E970-E979	49	Suicide	—	—	1	—	1	—	—	—	1	4	1	—	—	1
E810-E835	47	Motor vehicle accidents	1	1	—	1	1	2	—	—	3	19	8	—	—	—
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	1	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	4	4	—	1	5	3	4	1	5	42	27	3	—	—
		ALL CAUSES	94	171	44	61	201	160	104	39	118	1,298	619	15	11	36
		AGES AT DEATH														
		Under 1	11	2	1	—	7	13	4	2	1	78	22	1	—	2
		1– 4	1	—	1	—	—	2	—	—	2	12	3	—	—	1
		5– 9	—	1	—	—	1	—	1	—	—	6	2	—	—	—
		10–14	—	—	—	—	—	—	—	—	—	5	1	—	—	—
		15–24	1	1	—	—	1	2	1	—	1	14	5	—	—	—
		25–34	1	1	3	1	3	1	—	—	2	21	6	—	1	1
		35–44	3	2	—	—	6	11	4	1	3	42	15	—	—	2
		45–54	9	13	5	8	16	11	7	4	12	108	44	2	—	3
		55–64	15	25	5	12	17	28	22	5	20	222	74	1	1	3
		65–74	26	44	15	13	67	35	30	10	26	344	134	2	4	4
		75–84	18	59	11	17	59	45	30	12	41	348	221	6	5	16
		85 and over	9	23	3	10	24	12	5	5	10	98	92	3	—	4
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	94	171	44	61	201	160	104	39	118	1,298	619	15	11	36

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Banff County—*continued*: Buckie Burgh	Cullen Burgh	Dufftown Burgh	Findochty Burgh	Keith Burgh	Macduff Burgh	Portknockie Burgh	Portsoy Burgh	Landward	Berwick County: Berwick County	Coldstream Burgh	Duns Burgh	Eyemouth Burgh	Lauder Burgh	Landward
		Population (Estimated), 30th June, 1956	7,796	1,630	1,496	1,513	4,355	3,295	1,480	1,747	22,356	24,295	1,289	1,998	2,175	595	18,238
		Total Live Births Registered (including Illegitimate)	272	2	73	1	151	1	2	8	33	224	40	127	3	2	52
		,, Corr. for Mother's Resid. (,,) ...	159	18	23	30	63	55	20	35	352	330	31	28	12	5	254
		,, ,, ,, Male ...	73	8	8	15	34	27	11	20	190	171	17	16	6	2	130
		,, ,, ,, Female ...	86	10	15	15	29	28	9	15	162	159	14	12	6	3	124
		,, ,, ,, Illegitimate ...	4	—	1	2	—	—	2	2	23	14	—	1	—	—	13
		Stillbirths Registered (including Illegitimate) ...	2	—	1	—	2	—	—	—	1	6	1	3	1	—	1
		,, Corrected for Mother's Residence ...	4	—	—	1	1	1	—	—	7	7	1	2	1	—	3
		Marriages Registered	74	8	8	4	35	21	5	17	107	124	8	16	10	2	88
		Deaths Registered	101	19	16	17	60	20	10	22	139	246	21	39	25	11	150
		,, Corrected for Residence	114	27	15	22	50	55	16	34	224	366	26	34	34	15	257
		,, ,, Male	59	13	8	16	23	32	7	14	115	187	10	16	19	10	132
		,, ,, Female	55	14	7	6	27	23	9	20	109	179	16	18	15	5	125
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
020-029	3	Syphilis and its sequelæ	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050,051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1
140-205	18	Malignant neoplasms	22	4	2	8	12	7	2	4	36	61	4	4	4	5	44
210-239	19	Benign and unspecified neoplasms	1	—	—	—	—	—	—	—	1	1	—	1	—	—	—
260	20	Diabetes mellitus	2	—	—	—	—	1	—	—	—	1	—	—	—	—	1
290-293	21	Anæmias	—	—	—	—	—	1	—	—	—	3	—	—	1	—	2
240-254, 270-289, 294-299	46.1	Other general diseases	1	1	—	—	—	1	—	1	3	7	—	—	2	—	5
330-334	22	Vascular lesions affecting central nervous system ...	9	4	1	4	11	9	4	7	31	49	2	6	6	3	32
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	1	—	—	1	1	1	—	—	9	5	—	1	1	—	3
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	3	—	—	—	—	—	—	—	1	5	2	—	1	—	2
420-422	26	Arteriosclerotic and degenerative heart disease ...	42	8	8	6	16	21	7	12	69	135	8	13	11	7	96
430-434	27	Other diseases of heart	2	—	—	—	—	—	—	—	2	4	—	1	—	—	3
440-443	28	Hypertension with heart disease	3	—	—	—	—	—	1	—	6	10	—	3	—	—	7
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	2	1	—	1	1	—	—	—	3	4	2	—	—	—	2
450-468	46.3	Other circulatory disease	1	2	1	—	1	—	1	2	9	14	—	2	1	—	11
480-483	30	Influenza	1	—	—	—	—	—	—	—	1	2	—	—	—	—	2
490-493	31	Pneumonia (except of newborn)	2	2	1	—	—	3	1	2	8	7	1	1	—	—	5
500-502	32	Bronchitis	3	—	—	—	—	—	—	1	—	6	2	—	—	—	4
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	1	—	—	—	—	—	4	2	—	1	—	1
540, 541	33	Ulcer of stomach and duodenum	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	1	—	—	1	—	—	3	4	—	—	2	—	2
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
581	37	Cirrhosis of liver	1	—	—	—	1	—	—	1	2	1	—	—	—	—	1
580, 582-586	46.5	Other diseases of liver	3	—	—	—	1	—	—	—	1	—	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	1	2	—	—	—	—	2
590-594	38	Nephritis and nephrosis	2	—	1	—	—	1	—	—	1	3	—	—	—	—	3
610	39	Hyperplasia of prostate	3	—	—	—	—	—	—	1	—	1	—	—	—	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	—	—	—	—	1	2	—	1	—	—	1
640, 641, 651, 681,682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	1	—	—	—	1	—	—	1	—	2	1	—	—	—	1
750-759	41	Congenital malformations	—	1	—	—	—	1	—	—	2	1	—	—	—	—	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	1	—	—	—	1	1	—	—	1	2	—	—	—	—	2
763	43.1	Pneumonia of newborn	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	—	—	—	—	1	—	—	5	4	—	—	—	—	4
794	45.0	Senility	1	—	—	—	—	—	—	2	7	7	—	—	3	—	4
780-793, 795	45.1	Cause ill-defined and unknown	1	—	—	—	—	1	—	—	2	2	—	—	—	—	2
E963, E970-E979	49	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E810-E835	47	Motor vehicle accidents	1	1	—	—	1	1	—	—	4	3	—	—	—	—	3
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	4	1	—	—	3	4	—	—	12	6	1	—	1	—	4
		ALL CAUSES	114	27	15	22	50	55	16	34	224	366	26	34	34	15	257
		AGES AT DEATH															
		Under 1	2	2	—	1	1	3	1	—	9	11	—	—	—	—	11
		1– 4	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
		5– 9	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
		10–14	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		15–24	—	—	—	—	—	2	—	—	3	2	—	—	—	—	2
		25–34	3	—	—	—	—	—	—	—	1	8	1	1	2	—	4
		35–44	1	2	—	1	—	—	—	—	9	4	1	—	1	—	2
		45–54	9	—	1	3	5	4	—	2	15	33	2	3	2	—	26
		55–64	19	3	1	2	9	4	4	2	25	49	5	3	7	2	32
		65–74	18	5	6	6	14	15	4	10	46	107	6	7	13	3	78
		75–84	45	11	3	7	15	22	4	13	74	116	8	14	8	8	78
		85 and over	17	4	4	2	5	5	3	7	38	36	3	6	1	2	24
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	114	27	15	22	50	55	16	34	224	366	26	34	34	15	257

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Bute County: Bute County	Bute County: Millport Burgh	Bute County: Rothesay Burgh	Bute County: Landward	Caithness County: Caithness County	Caithness County: Thurso Burgh	Caithness County: Wick Burgh	Caithness County: Landward	Clackmannan County: Clackmannan County	Clackmannan County: Alloa Burgh	Clackmannan County: Alva Burgh	Clackmannan County: Dollar Burgh	Clackmannan County: Tillicoultry Burgh	Clackmannan County: Landward
		Population (Estimated), 30th June, 1956	**17,271**	1,692	9,386	6,193	**24,454**	3,582	7,517	13,355	**39,413**	13,931	4,019	1,603	3,924	15,936
		Total Live Births Registered (including Illegitimate)	**208**	16	146	46	**382**	11	214	157	**259**	72	14	10	28	135
		,, Corr. for Mother's Resid. (,,) ...	**232**	15	132	85	**417**	86	139	192	**762**	287	48	21	69	337
		,, ,, ,, Male ...	**128**	8	69	51	**212**	46	73	93	**372**	140	24	10	30	168
		,, ,, ,, Female ...	**104**	7	63	34	**205**	40	66	99	**390**	147	24	11	39	169
		,, ,, ,, Illegitimate ...	**16**	—	9	7	**28**	3	9	16	**37**	19	—	1	2	15
		Stillbirths Registered (including Illegitimate) ...	**5**	—	4	1	**11**	—	8	3	**5**	2	1	—	—	2
		,, Corrected for Mother's Residence ...	**5**	—	4	1	**13**	1	7	5	**14**	5	2	—	2	5
		Marriages Registered	**86**	5	60	21	**181**	45	90	46	**309**	169	42	14	13	71
		Deaths Registered	**270**	41	131	98	**299**	33	76	190	**321**	140	40	6	26	109
		,, Corrected for Residence	**312**	45	142	125	**315**	47	90	178	**425**	167	53	17	45	143
		,, ,, Male	**139**	17	68	54	**155**	25	43	87	**227**	86	27	10	24	80
		,, ,, Female	**173**	28	74	71	**160**	22	47	91	**198**	81	26	7	21	63
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	**2**	—	1	1	**2**	1	—	1	**2**	—	—	—	—	2
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelae	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat... ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	**1**	1	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	**1**	—	1	—	—	—
140-205	18	Malignant neoplasms	**49**	7	18	24	**50**	7	16	27	**67**	27	7	3	10	20
210-239	19	Benign and unspecified neoplasms	1	—	—	1	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	**4**	1	1	2	**1**	—	—	1	**5**	3	1	—	—	1
290-293	21	Anæmias	—	—	—	—	**2**	—	1	1	**1**	1	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	**4**	—	2	2	**3**	—	1	2	**2**	—	—	—	—	2
330-334	22	Vascular lesions affecting central nervous system...	**55**	10	29	16	**47**	7	14	26	**65**	25	11	1	6	22
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**5**	—	1	4	**4**	1	2	1	**5**	1	1	—	2	1
400-402	24	Rheumatic fever	1	—	—	1	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**5**	2	2	1	**6**	1	4	1	**6**	2	—	—	1	3
420-422	26	Arteriosclerotic and degenerative heart disease ...	**93**	16	37	40	**92**	12	21	59	**109**	38	13	10	10	38
430-434	27	Other diseases of heart	**2**	—	1	1	**4**	—	2	2	**4**	4	—	—	—	—
440-443	28	Hypertension with heart disease	**3**	—	1	2	**2**	—	—	2	**7**	3	1	—	1	2
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	2	—	—	2	5	2	2	1	3	3	—	—	—	—
450-468	46.3	Other circulatory disease	11	1	6	4	8	3	—	5	12	8	2	—	—	2
480-483	30	Influenza	—	—	—	—	1	—	1	—	1	1	—	—	—	—
490-493	31	Pneumonia (except of newborn)	9	1	7	1	6	—	3	3	17	8	3	—	2	4
500-502	32	Bronchitis	15	1	12	2	9	2	1	6	13	3	—	—	—	10
470-475, 510-527	46.4	Other respiratory diseases	2	—	1	1	6	1	3	2	6	2	—	—	1	3
540, 541	33	Ulcer of stomach and duodenum	3	—	1	2	7	—	1	6	9	1	1	2	1	4
550-553	34	Appendicitis	—	—	—	—	1	—	—	1	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	2	—	1	1	1	—	—	1	5	2	—	—	1	2
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	1	—	—	1	1	—	1	—	2	1	1	—	—	—
581	37	Cirrhosis of liver	—	—	—	—	—	—	—	—	3	2	—	—	1	—
580, 582-586	46.5	Other diseases of liver	2	1	1	—	3	—	—	3	—	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	2	—	1	—	1	—
590-594	38	Nephritis and nephrosis	2	1	1	—	7	1	5	1	6	2	1	—	—	3
610	39	Hyperplasia of prostate	5	—	2	3	1	—	—	1	3	—	—	—	2	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	—	1	—	3	2	—	1	2	1	—	—	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	1	1	—	—	2	1	—	1	7	3	—	—	1	3
750-759	41	Congenital malformations	3	1	2	—	4	—	—	4	5	2	—	—	—	3
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	2	—	2	—	—	—	—	—	4	2	—	—	1	1
763	43.1	Pneumonia of newborn	—	—	—	—	2	1	1	—	2	1	—	—	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	1	—	—	1	5	3	1	1	7	6	—	—	—	1
794	45.0	Senility	10	—	3	7	11	—	5	6	6	—	2	—	2	2
780-793, 795	45.1	Cause ill-defined and unknown	5	1	2	2	4	1	—	3	7	2	2	—	—	3
E963, E970-E979	49	Suicide	3	1	2	—	4	—	—	4	—	—	—	—	—	—
E810-E835	47	Motor vehicle accidents	1	—	—	1	4	—	2	2	5	2	2	—	—	1
E840-E845	48.0	Other road transport accidents	—	—	—	—	1	—	—	1	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	7	—	5	2	6	1	3	2	23	10	3	1	2	7
		All Causes	312	45	142	125	315	47	90	178	425	167	53	17	45	143
		Ages at Death														
		Under 1	6	1	4	1	15	5	6	4	27	16	—	—	1	10
		1– 4	—	—	—	—	—	—	—	—	7	—	2	—	—	5
		5– 9	—	—	—	—	1	—	—	1	2	—	—	—	—	2
		10–14	1	—	—	1	—	—	—	—	—	—	—	—	—	—
		15–24	1	—	—	1	5	—	1	4	2	1	—	—	—	1
		25–34	2	—	1	1	6	—	3	3	12	4	—	—	1	7
		35–44	8	1	3	4	11	3	4	4	10	5	—	1	1	3
		45–54	19	2	9	8	24	3	9	12	36	4	10	1	7	14
		55–64	42	5	23	14	40	5	12	23	72	31	7	3	8	23
		65–74	72	16	28	28	74	7	25	42	106	41	15	5	11	34
		75–84	110	19	47	44	100	15	22	63	115	50	13	6	12	34
		85 and over	51	1	27	23	39	9	8	22	36	15	6	1	4	10
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	312	45	142	125	315	47	90	178	425	167	53	17	45	143

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Dumfries County: Dumfries County	Annan Burgh	Dumfries Burgh	Langholm Burgh	Lochmaben Burgh	Lockerbie Burgh	Moffat Burgh	Sanquhar Burgh	Landward	Dunbarton County: Dunbarton County	Clydebank Burgh	Cove and Kilcreggan Burgh	Dumbarton Burgh
		Population (Estimated), 30th June, 1956	87,216	4,983	26,683	2,380	1,183	2,665	2,052	2,518	44,752	171,675	48,780	824	25,885
		Total Live Births Registered (including Illegitimate)	1,931	47	1,599	8	7	7	70	18	175	2,652	370	4	912
		" Corr. for Mother's Resid. (") ...	1,524	110	529	25	23	33	27	42	735	3,517	1,043	11	677
		" " " Male ...	819	65	268	9	10	19	13	30	405	1,819	536	3	359
		" " " Female ...	705	45	261	16	13	14	14	12	330	1,698	507	8	318
		" " " Illegitimate ...	74	5	34	1	—	—	4	—	30	110	24	—	22
		Stillbirths Registered (including Illegitimate) ...	49	—	43	—	—	—	2	—	4	64	7	—	15
		" Corrected for Mother's Residence ...	35	1	6	—	1	2	1	3	21	88	26	—	20
		Marriages Registered	906	91	366	15	21	36	12	13	352	1,165	328	7	192
		Deaths Registered	1,164	35	546	38	8	25	16	29	467	1,721	411	11	255
		" Corrected for Residence	1,038	60	337	35	11	30	31	35	499	1,893	482	18	273
		" " Male	546	34	168	16	7	16	17	16	272	995	262	3	145
		" " Female	492	26	169	19	4	14	14	19	227	898	220	15	128
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	6	—	2	—	—	—	—	—	4	18	7	—	—
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	1	—	—	—
020-029	3	Syphilis and its sequelæ	1	—	1	—	—	—	—	—	—	3	1	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	1	—	—	—	—	—	—	—	1	1	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	2	—	2	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	1	6	1	—	—
140-205	18	Malignant neoplasms	169	10	58	8	4	8	3	4	74	341	86	5	47
210-239	19	Benign and unspecified neoplasms	4	—	1	—	—	—	—	—	3	6	2	—	—
260	20	Diabetes mellitus	7	1	2	1	—	—	—	—	3	16	3	—	4
290-293	21	Anæmias	4	1	1	—	—	—	—	—	2	6	1	1	—
240-254, 270-289, 294-299	46.1	Other general diseases	8	2	3	—	—	—	—	—	3	13	5	—	2
330-334	22	Vascular lesions affecting central nervous system ...	192	10	65	6	2	6	7	6	90	293	74	7	40
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	13	—	2	1	1	—	1	1	7	23	4	—	2
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	3	1	—	—
410-416	25	Chronic rheumatic heart disease	14	1	7	—	—	—	—	—	6	29	9	—	5
420-422	26	Arteriosclerotic and degenerative heart disease ...	310	17	88	16	1	4	14	15	155	577	124	3	75
430-434	27	Other diseases of heart	9	—	2	—	—	1	—	—	6	16	4	—	1
440-443	28	Hypertension with heart disease	27	1	4	—	2	2	2	2	14	37	14	—	3
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	11	1	1	—	1	1	—	—	7	22	9	—	4
450-468	46.3	Other circulatory disease	32	2	14	—	—	1	—	—	15	55	11	1	8
480-483	30	Influenza	5	—	—	—	—	1	—	—	4	10	4	—	—
490-493	31	Pneumonia (except of newborn)	36	1	17	—	—	2	2	1	13	57	15	—	14
500-502	32	Bronchitis	31	3	11	1	—	2	—	3	11	54	22	—	9
470-475, 510-527	46.4	Other respiratory diseases	7	—	2	—	—	—	—	—	5	11	1	—	3
540, 541	33	Ulcer of stomach and duodenum	9	2	4	—	—	—	—	—	3	13	4	—	3
550-553	34	Appendicitis	1	—	—	—	—	—	—	—	1	2	1	—	—
560, 561, 570	35	Intestinal obstruction and hernia	7	1	—	1	—	—	—	1	4	14	5	—	2
543	36.1	Gastritis and duodenitis	1	—	1	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	6	—	2	—	—	—	—	1	3	8	5	—	1
581	37	Cirrhosis of liver	1	—	1	—	—	—	—	—	—	9	5	—	—
580, 582-586	46.5	Other diseases of liver	6	—	3	—	—	1	—	—	2	10	1	—	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	2	—	1	—	—	—	—	—	1	7	3	—	1
590-594	38	Nephritis and nephrosis	5	—	1	—	—	—	—	—	4	21	6	1	3
610	39	Hyperplasia of prostate	10	1	5	—	—	—	—	—	4	14	8	—	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	9	—	4	—	—	—	1	—	4	6	1	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	1	1	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	3	1	—	—
690-749	46.8	Diseases of skin and organs of locomotion	2	—	—	—	—	—	1	—	1	10	—	—	2
750-759	41	Congenital malformations	8	1	4	—	—	—	—	1	2	26	6	—	4
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	7	—	4	—	—	—	—	—	3	20	6	—	4
763	43.1	Pneumonia of newborn	3	—	1	—	—	—	—	—	2	4	1	—	—
764	43.2	Diarrhœa of newborn	2	—	1	—	—	—	—	—	1	1	1	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	6	—	4	—	—	—	—	—	2	20	10	—	2
794	45.0	Senility	14	3	3	—	—	—	—	—	8	29	4	—	13
780-793, 795	45.1	Cause ill-defined and unknown	2	—	—	—	—	—	—	—	2	4	3	—	1
E963, E970-E979	49	Suicide	5	1	2	—	—	—	—	—	2	14	2	—	3
E810-E835	47	Motor vehicle accidents	17	—	4	1	—	—	—	—	12	16	3	—	4
E840-E845	48.0	Other road transport accidents	1	—	1	—	—	—	—	—	—	1	1	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	24	1	8	—	—	1	—	—	14	42	6	—	9
		ALL CAUSES	1,038	60	337	35	11	30	31	35	499	1,893	482	18	273
		AGES AT DEATH													
		Under 1	34	1	16	—	—	—	—	1	16	87	31	—	15
		1– 4	8	—	5	—	—	—	1	—	2	12	2	—	4
		5– 9	1	—	—	—	—	—	—	—	1	9	—	—	—
		10–14	3	—	1	—	—	—	—	—	2	4	1	—	1
		15–24	10	1	2	—	—	—	—	—	7	14	2	—	2
		25–34	13	1	1	1	—	—	1	1	8	32	13	—	5
		35–44	19	—	6	—	1	2	1	1	8	65	18	—	5
		45–54	72	4	29	2	—	3	1	2	31	154	42	2	25
		55–64	157	8	50	3	1	6	6	5	78	314	85	5	43
		65–74	302	17	108	12	2	4	5	15	139	485	127	3	66
		75–84	318	21	87	11	7	13	9	8	162	560	128	5	90
		85 and over	101	7	32	6	—	2	7	2	45	157	33	3	17
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	1,038	60	337	35	11	30	31	35	499	1,893	482	18	273

* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Dunbarton County—*continued*: Helensburgh Burgh	Kirkintilloch Burgh	Milngavie Burgh	Landward	East Lothian County: East Lothian County	Cockenzie and Port Seton B.	Dunbar Burgh	East Linton Burgh	Haddington Burgh	North Berwick Burgh	Prestonpans Burgh	Tranent Burgh	Landward
		Population (Estimated), 30th June, 1956	8,575	15,687	8,081	63,843	51,538	3,331	4,190	955	4,689	3,795	3,094	5,955	25,529
		Total Live Births Registered (including Illegitimate)	695	127	84	490	572	9	22	2	386	5	16	15	117
		" Corr. for Mother's Resid. (") ...	145	303	143	1,195	902	61	71	13	84	43	50	113	467
		" " " Male ...	77	168	84	592	478	26	31	7	42	23	32	59	258
		" " " Female ...	68	135	59	603	424	35	40	6	42	20	18	54	209
		" " " Illegitimate ...	10	4	2	48	37	5	7	—	2	1	1	3	18
		Stillbirths Registered (including Illegitimate) ...	34	2	—	6	10	—	—	1	5	—	—	1	3
		" Corrected for Mother's Residence ...	2	13	1	26	19	—	2	2	4	—	1	2	8
		Marriages Registered	61	153	45	379	432	16	49	1	54	27	73	98	114
		Deaths Registered	146	111	52	735	508	21	75	9	105	52	26	37	183
		" Corrected for Residence	148	149	73	750	597	39	63	13	58	68	39	58	259
		" " Male	72	74	36	403	290	17	36	6	22	27	19	30	133
		" " Female	76	75	37	347	307	22	27	7	36	41	20	28	126
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	1	2	—	8	6	1	1	—	1	—	—	1	2
010-019	2	Tuberculosis, other forms	—	1	—	—	1	—	—	1	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	2	2	—	1	—	1	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	1	1	—	1	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	1	—	—	—	—	—	—	—	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	2	—	2	2	—	—	—	—	—	—	—	2
140-205	18	Malignant neoplasms	34	21	20	128	102	4	6	3	15	11	9	8	46
210-239	19	Benign and unspecified neoplasms	2	1	—	1	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	—	2	1	6	7	1	—	—	—	—	—	1	5
290-293	21	Anæmias	—	1	—	3	3	—	—	—	—	—	—	—	3
240-254, 270-289, 294-299	46.1	Other general diseases	1	2	—	3	2	—	—	—	—	—	—	—	2
330-334	22	Vascular lesions affecting central nervous system ...	23	26	18	105	97	7	9	3	4	16	3	15	40
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	2	6	—	9	11	—	—	1	—	2	2	3	3
400-402	24	Rheumatic fever	—	—	—	2	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	2	1	—	12	5	—	1	—	—	—	1	1	2
420-422	26	Arteriosclerotic and degenerative heart disease ...	50	35	21	269	159	16	18	1	17	18	14	10	65
430-434	27	Other diseases of heart	—	2	—	9	11	2	—	—	2	1	—	1	5
440-443	28	Hypertension with heart disease	2	3	—	15	16	—	3	1	2	—	1	2	7
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	1	—	—	8	10	—	4	—	2	1	—	1	2
450-468	46.3	Other circulatory disease	6	2	1	26	23	3	2	—	2	4	1	1	10
480-483	30	Influenza	—	1	—	5	—	—	—	—	—	—	—	—	—
490-493	31	Pneumonia (except of newborn)	3	3	2	20	16	2	1	1	2	1	1	1	7
500-502	32	Bronchitis	2	10	—	11	15	—	3	—	—	4	—	2	6
470-475, 510-527	46.4	Other respiratory diseases	—	2	—	5	15	2	—	—	1	—	1	5	6
540, 541	33	Ulcer of stomach and duodenum	1	—	—	5	8	—	2	—	1	—	—	—	5
550-553	34	Appendicitis	—	—	—	1	3	—	—	—	—	—	—	—	3
560, 561, 570	35	Intestinal obstruction and hernia	1	1	—	5	1	—	—	—	—	—	—	—	1
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	2	3	—	—	—	—	—	1	—	2
581	37	Cirrhosis of liver	1	1	—	2	2	—	—	—	—	1	—	1	—
580, 582-586	46.5	Other diseases of liver	1	2	—	5	1	—	—	—	—	—	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	1	—	2	2	—	—	—	—	—	—	—	2
590-594	38	Nephritis and nephrosis	—	2	—	9	7	—	2	—	—	—	1	1	3
610	39	Hyperplasia of prostate	—	—	1	3	2	—	—	1	1	—	—	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	1	2	1	4	—	1	—	—	—	—	—	3
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	1	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	2	—	6	1	—	—	—	—	1	—	—	—
750-759	41	Congenital malformations	3	2	1	10	8	—	1	—	2	1	1	2	1
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	1	2	1	6	7	—	1	—	—	2	—	—	4
763	43.1	Pneumonia of newborn	—	—	—	3	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	1	—	—	—	—	—	—	—	1
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	1	1	6	4	—	1	—	—	—	—	—	3
794	45.0	Senility	1	3	—	8	4	—	—	1	1	2	—	—	—
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	—	—	—	—	—	—	—	—	—
E963, E970-E979	49	Suicide	2	1	—	6	3	—	3	—	—	—	—	—	—
E810-E835	47	Motor vehicle accidents	1	2	2	4	5	1	—	—	—	1	—	—	3
E840-E845	48.0	Other road transport accidents	—	—	—	—	2	—	—	—	—	—	—	—	2
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	5	4	2	16	24	—	2	—	4	2	3	2	11
		All Causes	148	149	73	750	597	39	63	13	58	68	39	58	259
		Ages at Death													
		Under 1	4	6	2	29	23	—	3	—	2	3	1	4	10
		1– 4	1	1	—	4	5	—	1	—	—	—	1	1	2
		5– 9	—	1	2	6	2	—	—	—	1	—	—	1	—
		10–14	—	2	—	—	1	—	—	—	—	—	—	—	1
		15–24	4	1	—	5	7	—	—	—	—	—	—	1	6
		25–34	1	4	2	7	7	1	1	—	—	—	—	1	4
		35–44	2	7	1	32	19	2	1	—	1	1	2	4	8
		45–54	7	11	5	62	40	1	4	1	2	4	7	3	18
		55–64	25	24	9	123	74	5	14	3	9	3	7	7	26
		65–74	30	36	18	205	170	9	18	4	17	16	7	15	84
		75–84	56	44	28	209	180	17	17	1	17	30	10	15	73
		85 and over	18	12	6	68	69	4	4	4	9	11	4	6	27
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	148	149	73	750	597	39	63	13	58	68	39	58	259

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Fife County	Auchtermuchty Burgh	Buckhaven and Methil Burgh	Burntisland Burgh	Cowdenbeath Burgh	Crail Burgh	Culross Burgh	Cupar Burgh	Dunfermline Burgh	Elie and Earlsferry B.	Falkland Burgh	Inverkeithing Burgh	Kilrenny and Anstruther B.	Kinghorn Burgh
			Fife County													
		Population (Estimated), 30th June, 1956	317,321	1,341	21,304	5,982	13,566	1,174	605	5,676	45,654	930	1,070	3,930	3,372	2,325
		Total Live Births Registered (including Illegitimate)	5,609	3	145	15	47	—	1	10	1,642	1	7	26	2	10
		" Corr. for Mother's Resid. (") ...	5,777	14	425	83	241	16	10	80	809	11	16	95	50	48
		" " " Male ...	2,980	6	212	42	131	7	4	36	407	6	10	59	25	25
		" " " Female ...	2,797	8	213	41	110	9	6	44	402	5	6	36	25	23
		" " " Illegitimate ...	221	—	18	1	9	1	1	6	38	—	2	5	3	1
		Stillbirths Registered (including Illegitimate) ...	122	—	7	—	1	—	—	1	32	—	1	1	—	—
		" Corrected for Mother's Residence ...	128	—	19	—	4	—	—	2	19	—	—	1	1	1
		Marriages Registered	2,510	14	184	47	142	11	24	56	445	4	4	29	12	10
		Deaths Registered	3,096	12	167	47	102	12	1	62	572	30	17	35	29	23
		" Corrected for Residence	3,480	17	239	69	162	23	3	67	478	21	19	49	39	30
		" " Male	1,749	7	114	35	88	12	1	27	236	8	10	26	16	19
		" " Female	1,731	10	125	34	74	11	2	40	242	13	9	23	23	11
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	19	—	1	—	1	—	—	—	2	—	—	—	—	—
010-019	2	Tuberculosis, other forms	7	—	—	—	—	—	—	—	2	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	7	—	—	—	1	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	1	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	1	—	1	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	10	—	1	—	—	—	—	—	1	—	—	—	—	—
140-205	18	Malignant neoplasms	572	3	52	13	28	2	2	15	81	4	5	11	9	7
210-239	19	Benign and unspecified neoplasms	5	—	—	—	—	—	—	1	—	1	—	—	—	—
260	20	Diabetes mellitus	35	—	3	1	2	—	—	3	4	—	—	—	—	1
290-293	21	Anæmias	22	—	1	—	—	—	—	—	—	—	1	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	23	—	2	—	1	—	—	1	4	—	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system ...	582	2	29	14	32	4	1	11	79	1	5	5	8	7
340	23	Non-meningococcal meningitis	5	—	—	—	1	—	—	—	2	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	43	1	2	—	—	1	—	—	3	—	—	—	—	—
400-402	24	Rheumatic fever	2	—	—	—	—	—	—	—	—	—	—	—	—	1
410-416	25	Chronic rheumatic heart disease	35	—	2	1	1	—	—	—	2	1	—	1	1	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	1,073	8	60	20	49	9	—	20	143	10	5	14	14	5
430-434	27	Other diseases of heart	48	—	1	1	2	—	—	—	14	2	—	—	—	3
440-443	28	Hypertension with heart disease	87	—	13	3	5	1	—	2	14	—	—	1	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	33	—	4	—	2	—	—	—	1	—	1	4	—	—
450-468	46.3	Other circulatory disease	82	—	2	2	4	1	—	1	12	—	1	1	2	1
480-483	30	Influenza	20	—	—	—	—	—	—	—	—	1	—	—	—	1
490-493	31	Pneumonia (except of newborn)	58	—	7	1	5	—	—	1	11	—	—	1	—	—
500-502	32	Bronchitis	115	1	13	—	5	—	—	2	10	—	—	—	—	—
470-475, 510-527	46.4	Other respiratory diseases	45	—	2	2	7	1	—	—	6	—	—	—	—	1
540, 541	33	Ulcer of stomach and duodenum	36	1	2	—	—	—	—	1	8	—	—	—	—	—
550-553	34	Appendicitis	10	—	2	—	1	—	—	1	2	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	20	—	1	—	—	—	—	—	3	—	—	1	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	14	—	1	1	1	—	—	1	1	—	1	—	—	—
581	37	Cirrhosis of liver	12	—	—	—	—	—	—	—	2	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	11	—	—	—	1	—	—	—	2	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	14	—	2	1	—	—	—	—	2	—	—	—	—	—
590-594	38	Nephritis and nephrosis	31	—	4	1	1	—	—	1	4	—	—	—	1	1
610	39	Hyperplasia of prostate	19	—	1	2	1	—	—	—	7	—	—	—	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	25	—	—	—	1	—	—	—	5	1	—	—	1	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	2	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	26	—	3	—	1	—	—	—	2	—	—	—	—	—
750-759	41	Congenital malformations	37	—	2	—	2	—	—	2	6	—	—	1	1	—
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	31	—	4	—	1	—	—	—	5	—	—	1	—	—
763	43.1	Pneumonia of newborn	17	—	—	—	1	—	—	—	3	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	45	—	3	—	1	1	—	—	7	—	—	—	—	—
794	45.0	Senility	26	1	3	4	—	1	—	1	2	—	—	4	1	—
780-793, 795	45.1	Cause ill-defined and unknown	3	—	—	—	—	—	—	—	1	—	—	—	—	—
E963, E970-E979	49	Suicide	35	—	4	—	1	1	—	—	6	—	—	1	1	2
E810-E835	47	Motor vehicle accidents	33	—	1	—	1	1	—	1	4	—	—	1	—	—
E840-E845	48.0	Other road transport accidents	2	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	101	—	10	2	2	—	—	2	15	—	—	2	—	—
		All Causes	3,480	17	239	69	162	23	3	67	478	21	19	49	39	30
		Ages at Death														
		Under 1	152	—	12	—	6	1	—	3	24	—	—	2	1	—
		1– 4	19	—	5	—	—	—	—	—	2	—	—	—	—	—
		5– 9	7	—	1	—	—	—	—	—	2	—	—	1	—	—
		10–14	8	—	—	—	—	—	—	—	—	—	—	—	—	2
		15–24	19	—	—	—	—	—	—	—	4	—	—	—	—	—
		25–34	60	—	2	—	3	—	—	—	3	—	—	4	—	1
		35–44	92	—	6	2	3	—	—	1	12	—	1	1	1	—
		45–54	270	3	16	6	18	—	1	4	44	—	2	4	1	2
		55–64	547	—	48	8	28	5	1	9	72	—	2	9	10	6
		65–74	958	3	74	21	45	7	1	19	125	12	5	10	6	5
		75–84	1,045	7	61	25	55	6	—	22	135	6	8	17	12	10
		85 and over	303	4	14	7	4	4	—	9	55	3	1	1	8	4
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	3,480	17	239	69	162	23	3	67	478	21	19	49	39	30

Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Fife County—*continued*: Kirkcaldy Burgh	Ladybank Burgh	Leslie Burgh	Leven Burgh	Lochgelly Burgh	Markinch Burgh	Newburgh Burgh	Newport-on-Tay Burgh	Pittenweem Burgh	St. Andrews Burgh	St. Monance Burgh	Tayport Burgh	Landward
		Population (Estimated), 30th June, 1956	51,475	1,170	2,776	8,910	9,371	2,428	2,443	3,330	1,550	9,559	1,459	3,316	112,605
		Total Live Births Registered (including Illegitimate)	1,557	4	13	16	53	8	7	361	9	13	4	6	1,649
		,, Corr. for Mother's Resid. (,,) ...	901	22	57	126	184	58	26	50	24	115	16	56	2,244
		,, ,, ,, Male ...	440	10	38	65	101	32	19	22	11	61	12	31	1,168
		,, ,, ,, Female ...	461	12	19	61	83	26	7	28	13	54	4	25	1,076
		,, ,, ,, Illegitimate ...	27	1	—	3	6	1	1	—	3	3	—	3	88
		Stillbirths Registered (including Illegitimate) ...	42	—	1	1	1	—	—	4	—	—	—	—	30
		,, Corrected for Mother's Residence ...	21	—	1	1	2	1	—	2	1	—	—	—	52
		Marriages Registered	493	7	25	86	94	32	14	19	11	95	6	20	626
		Deaths Registered	572	14	30	74	57	17	7	50	16	107	18	30	995
		,, Corrected for Residence	551	22	41	102	100	37	14	78	23	132	26	44	1,094
		,, ,, Male	268	14	23	56	54	22	5	37	9	59	16	23	564
		,, ,, Female	283	8	18	46	46	15	9	41	14	73	10	21	530
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	7	—	—	1	—	—	—	—	—	—	1	—	6
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	5
020-029	3	Syphilis and its sequelæ	2	—	—	—	—	—	—	—	—	2	—	—	2
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	—	—	—	—	—	—	—	—	7
140-205	18	Malignant neoplasms	83	5	7	12	16	9	1	7	4	18	4	6	168
210-239	19	Benign and unspecified neoplasms	—	—	—	1	—	—	—	—	1	—	—	—	1
260	20	Diabetes mellitus	3	—	3	—	—	—	1	—	—	—	—	1	13
290-293	21	Anæmias	6	—	—	—	1	—	1	2	—	1	—	—	9
240-254, 270-289, 294-299	46.1	Other general diseases	4	—	—	—	—	—	—	—	—	2	2	1	6
330-334	22	Vascular lesions affecting central nervous system ...	78	4	10	24	24	11	2	13	5	32	4	6	171
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	2
300-326, 341-398	46.2	Other diseases of nervous system	9	—	—	2	3	2	—	2	1	1	—	—	16
400-402	24	Rheumatic fever	1	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	7	—	2	1	1	—	—	—	1	2	—	1	11
420-422	26	Arteriosclerotic and degenerative heart disease ...	184	6	11	31	22	6	5	33	4	42	8	21	343
430-434	27	Other diseases of heart	8	—	—	1	1	—	1	—	—	1	—	—	13
440-443	28	Hypertension with heart disease	13	—	—	5	1	—	—	—	—	3	—	1	25
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	7	1	2	1	1	—	—	—	—	—	—	—	9
450-468	46.3	Other circulatory disease	12	1	—	3	2	2	—	2	3	7	2	—	21
480-483	30	Influenza	5	—	1	1	1	—	—	1	1	—	1	1	6
490-493	31	Pneumonia (except of newborn)	11	1	—	—	2	1	—	—	—	3	—	—	14
500-502	32	Bronchitis	20	1	1	2	7	1	—	3	—	6	1	—	42
470-475, 510-527	46.4	Other respiratory diseases	3	—	—	3	2	—	—	—	—	1	—	2	15
540, 541	33	Ulcer of stomach and duodenum	6	—	—	1	—	—	—	1	2	1	—	—	13
550-553	34	Appendicitis	—	1	—	—	—	—	—	1	—	—	—	—	2
560, 561, 570	35	Intestinal obstruction and hernia	4	—	—	2	—	—	—	2	—	—	—	—	7
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	5	—	—	—	—	—	—	—	—	—	—	1	2
581	37	Cirrhosis of liver	2	—	—	—	—	—	—	—	—	3	—	—	5
580, 582-586	46.5	Other diseases of liver	2	—	—	—	1	—	—	1	—	—	—	—	4
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	3	—	—	—	—	—	—	1	—	—	—	—	5
590-594	38	Nephritis and nephrosis	4	—	—	—	5	—	—	—	—	—	—	—	9
610	39	Hyperplasia of prostate	2	—	—	—	1	1	—	—	—	—	—	—	4
600-609, 611-637	46.7	Other diseases of genito-urinary system	4	1	—	—	1	—	1	—	—	—	—	—	10
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	2
690-749	46.8	Diseases of skin and organs of locomotion	3	1	—	—	—	—	1	2	—	2	—	—	11
750-759	41	Congenital malformations	4	—	1	1	2	2	—	1	—	—	2	—	10
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	5	—	—	1	1	1	—	—	—	—	—	—	12
763	43.1	Pneumonia of newborn	3	—	—	—	1	—	—	1	—	—	—	—	8
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	5	—	—	1	—	—	—	2	—	2	—	1	22
794	45.0	Senility	3	—	—	—	—	—	—	—	—	—	—	—	6
780-793, 795	45.1	Cause ill-defined and unknown	1	—	—	—	—	—	—	—	—	—	—	—	1
E963, E970-E979	49	Suicide	8	—	—	3	—	—	1	—	—	1	—	—	6
E810-E835	47	Motor vehicle accidents	5	—	1	1	—	—	—	2	—	—	—	1	14
E840-E845	48.0	Other road transport accidents	1	—	1	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	17	—	1	4	4	1	—	1	1	2	1	1	35
		All Causes	551	22	41	102	100	37	14	78	23	132	26	44	1,094
		Ages at Death													
		Under 1	23	—	1	5	2	2	—	3	—	3	1	2	61
		1– 4	2	—	—	1	3	1	—	—	—	—	—	1	4
		5– 9	1	—	—	1	—	—	—	—	—	—	—	—	1
		10–14	—	—	—	—	1	—	—	—	—	—	—	—	5
		15–24	3	—	—	1	3	—	—	1	—	—	—	—	7
		25–34	12	1	2	2	2	—	—	1	—	—	1	—	26
		35–44	20	—	2	1	1	1	—	2	—	4	—	1	33
		45–54	36	3	5	8	7	5	1	4	2	11	2	4	81
		55–64	90	5	7	12	14	4	3	8	1	20	4	9	172
		65–74	161	4	10	24	33	11	4	12	8	38	11	11	298
		75–84	172	7	10	38	28	7	6	26	8	36	5	10	328
		85 and over	31	2	4	9	6	6	—	21	4	20	2	6	78
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	551	22	41	102	100	37	14	78	23	132	26	44	1,094

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Inverness County: Inverness County	Fort William Burgh	Inverness Burgh	Kingussie Burgh	Landward	Kincardine County: Kincardine County	Banchory Burgh	Inverbervie Burgh	Laurencekirk Burgh	Stonehaven Burgh	Landward	Kinross County: Kinross County	Kinross Burgh	Landward
		Population (Estimated), 30th June, 1956	84,784	2,859	28,302	1,054	52,569	27,767	1,903	949	1,432	4,481	19,002	7,195	2,506	4,689
		Total Live Births Registered (including Illegitimate)	1,694	25	1,324	6	339	174	—	6	2	127	39	41	15	26
		,, Corr. for Mother's Resid. (,,) ...	1,476	59	568	15	834	423	28	21	16	73	285	126	52	74
		,, ,, ,, Male ...	768	25	301	11	431	211	9	14	7	38	143	66	29	37
		,, ,, ,, Female ...	708	34	267	4	403	212	19	7	9	35	142	60	23	37
		,, ,, ,, Illegitimate ...	103	3	34	—	66	17	—	—	1	4	12	6	—	6
		Stillbirths Registered (including Illegitimate) ...	45	1	34	1	9	2	—	—	—	1	1	—	—	—
		,, Corrected for Mother's Residence ...	30	3	8	1	18	8	1	1	1	—	5	3	1	2
		Marriages Registered	646	39	464	5	138	171	15	10	23	39	84	47	30	17
		Deaths Registered	1,312	42	630	22	618	231	18	8	13	91	101	69	22	47
		,, Corrected for Residence	1,110	31	373	27	679	334	39	11	21	72	191	88	30	58
		,, ,, Male	608	13	204	6	385	156	17	5	10	24	100	41	13	28
		,, ,, Female	502	18	169	21	294	178	22	6	11	48	91	47	17	30
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	12	—	2	1	9	—	—	—	—	—	—	1	—	1
010-019	2	Tuberculosis, other forms	3	—	1	—	2	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	1	—	1	—	—	1	1	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	1	—	—	—	—	1	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-071, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	2	—	—	—	2	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	204	7	69	6	122	45	5	2	2	14	22	16	8	8
210-239	19	Benign and unspecified neoplasms	6	1	1	—	4	1	—	—	—	1	—	1	—	1
260	20	Diabetes mellitus	4	—	1	—	3	4	1	—	1	1	1	—	—	—
290-293	21	Anæmias	3	—	1	—	2	1	—	—	1	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	13	—	5	1	7	2	—	—	—	—	2	—	—	—
330-334	22	Vascular lesions affecting central nervous system ...	173	6	57	6	104	41	6	1	5	11	18	17	4	13
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	20	—	4	1	15	3	1	—	—	—	2	2	1	1
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	10	—	2	—	8	4	1	1	—	1	1	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	331	9	133	6	183	133	9	4	9	31	80	27	9	18
430-434	27	Other diseases of heart	16	—	4	—	12	2	—	—	—	—	2	2	2	—
440-443	28	Hypertension with heart disease	11	—	6	—	5	4	—	—	1	2	1	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	17	—	6	—	11	7	—	—	—	—	7	2	—	2
450-468	46.3	Other circulatory disease	26	—	8	—	18	27	3	—	1	4	19	1	1	—
480-483	30	Influenza	9	1	2	1	5	—	—	—	—	—	—	—	—	—
490-493	31	Pneumonia (except of newborn)	32	1	6	—	25	6	2	—	—	2	2	2	—	2
500-502	32	Bronchitis	14	—	8	2	4	4	2	—	1	1	—	1	1	—
470-475, 510-527	46.4	Other respiratory diseases	4	—	2	—	2	—	—	—	—	—	—	—	—	—
540, 541	33	Ulcer of stomach and duodenum	10	—	4	—	6	5	—	—	—	—	5	1	1	—
550-553	34	Appendicitis	—	—	—	—	—	2	1	—	—	—	1	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	10	—	5	—	5	1	—	—	—	—	1	1	—	1
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	3	—	1	—	2	1	—	—	—	—	1	2	—	2
581	37	Cirrhosis of liver	4	—	4	—	—	1	—	—	—	—	1	—	—	—
580, 582-586	46.5	Other diseases of liver	5	—	1	—	4	1	—	—	—	—	1	—	—	—
530-539, 542, 544 } 545, 573-578, 587 }	46.6	Other digestive diseases	1	—	—	—	1	1	—	—	—	1	—	—	—	—
590-594	38	Nephritis and nephrosis	13	—	1	1	11	6	—	—	—	2	4	5	1	4
610	39	Hyperplasia of prostate	17	—	3	1	13	5	3	—	—	—	2	1	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	4	—	2	—	2	6	3	1	—	—	2	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, } 683, 685-689 }	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	5	1	1	—	3	2	—	—	—	—	2	—	—	—
750-759	41	Congenital malformations	6	—	2	—	4	3	—	1	—	—	2	—	—	—
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	9	1	3	—	5	—	—	—	—	—	—	1	1	—
763	43.1	Pneumonia of newborn	1	—	1	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	11	2	7	—	2	2	—	—	—	—	2	1	—	1
794	45.0	Senility	45	2	2	1	40	4	—	1	—	—	3	2	—	2
780-793, 795	45.1	Cause ill-defined and unknown	9	—	1	—	8	—	—	—	—	—	—	—	—	—
E963, E970-E979	49	Suicide	6	—	4	—	2	2	1	—	—	—	1	—	—	—
E810-E835	47	Motor vehicle accidents	8	—	2	—	6	1	—	—	—	—	1	2	1	1
E840-E845	48.0	Other road transport accidents	1	—	1	—	—	1	—	—	—	—	1	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	31	—	9	—	22	4	—	—	—	1	3	—	—	—
		ALL CAUSES	1,110	31	373	27	679	334	39	11	21	72	191	88	30	58
		AGES AT DEATH														
		Under 1	34	3	17	—	14	6	1	1	—	—	4	2	1	1
		1– 4	4	—	1	—	3	1	—	—	—	—	1	1	—	1
		5– 9	2	—	1	—	1	—	—	—	—	—	—	—	—	—
		10–14	3	—	—	—	3	2	—	—	—	—	2	—	—	—
		15–24	15	—	2	—	13	3	—	—	—	—	3	1	—	1
		25–34	14	—	4	1	9	1	1	—	—	—	—	—	—	—
		35–44	33	—	9	—	24	7	2	1	—	—	4	—	—	—
		45–54	85	3	34	2	46	20	4	1	2	3	10	7	4	3
		55–64	117	5	51	2	59	45	4	2	5	10	24	8	3	5
		65–74	253	3	83	8	159	80	8	1	8	20	43	26	11	15
		75–84	385	11	118	11	245	115	11	3	2	30	69	32	9	23
		85 and over	165	6	53	3	103	54	8	2	4	9	31	11	2	9
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	1,110	31	373	27	679	334	39	11	21	72	191	88	30	58

* Including paratyphoid fever erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Kirkcudbright County: Kirkcudbright County	Castle Douglas Burgh	Dalbeattie Burgh	Gatehouse of Fleet Burgh	Kirkcudbright Burgh	New Galloway Burgh	Landward	Lanark County: Lanark County	Glasgow County of City	Airdrie Burgh	Biggar Burgh	Coatbridge Burgh	Hamilton Burgh
		Population (Estimated), 30th June, 1956	30,153	3,334	3,432	844	2,537	291	19,715	1,621,329	1,081,665	32,208	1,465	51,114	41,207
		Total Live Births Registered (including Illegitimate)	186	21	27	4	13	1	120	32,741	22,622	593	8	474	1,110
		" Corr. for Mother's Resid. (") ...	519	46	50	19	49	4	351	32,890	21,885	655	16	1,249	827
		" " " Male ...	283	27	33	13	30	2	178	16,837	11,183	322	10	626	435
		" " " Female ...	236	19	17	6	19	2	173	16,053	10,702	333	6	623	392
		" " " Illegitimate ...	22	2	—	2	1	—	17	1,388	1,051	15	—	23	35
		Stillbirths Registered (including Illegitimate) ...	3	—	—	—	—	—	3	874	612	8	—	7	14
		" Corrected for Mother's Residence ...	12	1	—	—	3	—	8	858	576	11	—	37	25
		Marriages Registered	190	21	25	4	22	—	118	15,592	11,072	330	17	432	465
		Deaths Registered	330	61	42	8	30	6	183	19,592	14,034	256	8	354	300
		" Corrected for Residence	412	52	56	17	31	7	249	19,187	13,193	355	23	524	471
		" " Male	208	18	22	10	13	4	141	10,244	6,977	195	13	296	260
		" " Female	204	34	34	7	18	3	108	8,943	6,216	160	10	228	211
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	1	—	—	—	—	—	1	385	275	8	—	6	10
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	36	23	—	—	1	1
020-029	3	Syphilis and its sequelæ	1	—	—	—	—	—	1	26	20	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	1	1	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	2	2	—	—	—	—
050,051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	1	1	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	2	—	—	—	—	—
056	9	Whooping cough	1	—	—	—	—	—	1	6	2	1	—	2	1
057	10	Meningococcal infections	—	—	—	—	—	—	—	9	8	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	3	2	—	—	1	—
085	14	Measles	—	—	—	—	—	—	—	1	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	3	1	1	—	—	—	1	30	20	1	—	1	—
140-205	18	Malignant neoplasms	65	7	7	2	6	—	43	3,415	2,446	60	5	105	82
210-239	19	Benign and unspecified neoplasms	1	—	—	—	—	1	—	39	28	1	—	3	—
260	20	Diabetes mellitus	2	—	—	1	—	1	—	165	101	3	2	7	2
290-293	21	Anæmias	1	—	—	—	—	—	1	79	49	—	—	2	2
240-254, 270-289, 294-299	46.1	Other general diseases	4	—	—	—	—	—	4	123	83	2	—	1	2
330-334	22	Vascular lesions affecting central nervous system ...	75	8	9	4	6	1	47	2,871	2,025	40	4	52	69
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	18	13	—	—	2	—
300-326, 341-398	46.2	Other diseases of nervous system	3	—	—	—	—	1	2	262	196	2	—	4	2
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	17	14	—	—	—	—
410-416	25	Chronic rheumatic heart disease	3	1	—	—	1	—	1	313	217	2	—	13	3
420-422	26	Arteriosclerotic and degenerative heart disease ...	131	24	20	3	11	2	71	5,241	3,480	127	10	160	140
430-434	27	Other diseases of heart	6	—	1	—	2	—	3	176	112	3	—	2	1
440-443	28	Hypertension with heart disease	4	—	—	—	1	—	3	360	250	6	—	9	8
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	10	1	—	1	—	—	8	221	162	4	—	4	5
450-468	46.3	Other circulatory disease	14	3	2	2	—	—	7	462	260	8	—	7	16
480-483	30	Influenza	2	1	—	—	—	—	1	68	43	1	—	3	1
490-493	31	Pneumonia (except of newborn)	13	1	1	1	1	—	9	749	574	10	—	19	13
500-502	32	Bronchitis	7	—	—	—	—	1	6	914	697	12	—	17	28
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	—	—	—	229	82	12	—	8	5
540, 541	33	Ulcer of stomach and duodenum	7	—	2	—	1	—	4	170	129	5	—	7	4
550-553	34	Appendicitis	—	—	—	—	—	—	—	30	20	1	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	1	—	1	—	—	—	—	124	86	—	—	3	4
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	6	4	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	1	—	—	—	—	—	1	103	71	2	—	3	2
581	37	Cirrhosis of liver	4	1	—	—	—	—	3	65	42	1	—	4	—
580, 582-586	46.5	Other diseases of liver	5	2	1	1	—	—	1	72	47	1	1	2	2
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	1	—	—	—	1	—	—	61	40	—	—	7	—
590-594	38	Nephritis and nephrosis	7	—	—	—	—	—	7	174	117	5	—	3	3
610	39	Hyperplasia of prostate	1	—	—	—	—	—	1	99	63	2	—	4	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	—	1	—	—	—	—	106	78	—	1	1	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	6	2	—	—	—	2
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	15	14	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	99	69	2	—	3	1
750-759	41	Congenital malformations	—	—	—	—	—	—	—	230	157	4	—	6	4
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	3	1	—	—	—	—	2	335	224	5	—	14	11
763	43.1	Pneumonia of newborn	1	—	1	—	—	—	—	29	18	—	—	1	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	6	2	1	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	7	5	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	1	—	—	1	—	—	—	175	115	1	—	6	3
794	45.0	Senility	22	—	7	—	—	—	15	180	95	1	—	7	17
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	—	—	—	101	74	—	—	5	5
E963, E970-E979	49	Suicide	2	—	—	—	1	—	1	112	82	3	—	—	4
E810-E835	47	Motor vehicle accidents	3	1	—	1	—	—	1	181	122	4	—	2	3
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	10	8	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	5	—	2	—	—	—	3	467	323	14	—	17	11
		All Causes	412	52	56	17	31	7	249	19,187	13,193	355	23	524	471
		Ages at Death													
		Under 1	9	1	1	1	—	—	6	1,076	720	16	—	43	28
		1– 4	2	—	—	—	—	—	2	123	86	1	—	4	3
		5– 9	1	—	1	—	—	—	—	74	50	1	—	2	1
		10–14	1	—	—	—	—	—	1	53	36	—	—	1	2
		15–24	4	1	—	1	—	—	2	187	113	4	—	4	9
		25–34	7	—	—	1	1	1	4	331	231	7	—	3	6
		35–44	6	1	1	—	1	—	3	673	456	14	—	24	18
		45–54	32	2	5	—	2	—	23	1,791	1,261	28	1	52	40
		55–64	61	9	11	2	5	1	33	3,506	2,426	75	5	112	78
		65–74	97	18	7	3	6	2	61	5,039	3,509	96	6	113	114
		75–84	142	11	22	8	12	2	87	5,011	3,414	86	10	130	144
		85 and over	50	9	8	1	4	1	27	1,323	891	27	1	36	28
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	412	52	56	17	31	7	249	19,187	13,193	355	23	524	471

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Lanark County—*continued*: Lanark Burgh	Motherwell and Wishaw Burgh	Rutherglen Burgh	Landward	Midlothian County: Midlothian County	Edinburgh County of City	Bonnyrigg and Lasswade B.	Dalkeith Burgh	Loanhead Burgh	Musselburgh Burgh	Penicuik Burgh	Landward
		Population (Estimated), 30th June, 1956	8,166	70,717	24,633	310,154	574,003	466,889	5,763	9,117	5,193	18,124	5,789	63,128
		Total Live Births Registered (including Illegitimate)	916	1,350	115	5,553	10,516	9,539	48	57	26	373	48	425
		" Corr. for Mother's Resid. (") ...	142	1,445	436	6,235	9,686	7,467	104	154	83	319	130	1,349
		" " " Male ...	71	747	219	3,224	4,994	3,849	60	89	48	171	59	718
		" " " Female ...	71	698	217	3,011	4,612	3,618	44	65	35	148	71	631
		" " " Illegitimate ...	3	51	11	199	426	360	2	3	2	16	2	41
		Stillbirths Registered (including Illegitimate) ...	18	35	1	179	271	246	1	1	—	11	—	12
		" Corrected for Mother's Residence ...	3	38	8	160	243	176	5	4	1	11	1	45
		Marriages Registered	90	676	224	2,286	5,299	4,492	41	83	45	159	60	419
		Deaths Registered	82	668	192	3,688	7,520	6,710	39	73	44	126	35	493
		" Corrected for Residence	94	786	327	3,414	7,182	6,071	70	101	54	196	59	631
		" " Male	43	435	170	1,855	3,620	3,019	33	56	20	110	39	343
		" " Female	51	351	157	1,559	3,562	3,052	37	45	34	86	20	288
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	2	16	6	62	47	42	1	—	—	2	1	1
010-019	2	Tuberculosis, other forms	—	1	—	10	9	8	1	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	2	—	4	9	7	—	—	—	—	—	2
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	1	1	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	2	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	4	2	—	—	—	—	—	2
057	10	Meningococcal infections	—	—	—	1	2	2	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	1	3	3	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	4	—	4	15	11	1	—	—	—	—	3
140-205	18	Malignant neoplasms	14	136	50	517	1,396	1,195	7	30	10	35	11	108
210-239	19	Benign and unspecified neoplasms	—	—	1	6	17	16	—	—	—	—	—	1
260	20	Diabetes mellitus	—	6	3	41	35	31	1	—	—	1	—	2
290-293	21	Anæmias	—	5	4	17	17	15	—	—	—	—	—	2
240-254, 270-289, 294-299	46.1	Other general diseases	—	8	2	25	52	40	1	1	—	3	1	6
330-334	22	Vascular lesions affecting central nervous system ...	7	130	54	490	1,095	909	10	15	14	36	4	107
340	23	Non-meningococcal meningitis	—	—	—	3	5	4	—	—	—	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	—	9	2	47	111	95	2	—	—	3	1	10
400-402	24	Rheumatic fever	—	—	—	3	6	4	—	—	—	—	—	2
410-416	25	Chronic rheumatic heart disease	2	12	8	56	68	61	—	—	1	1	—	5
420-422	26	Arteriosclerotic and degenerative heart disease ...	39	226	86	973	2,183	1,832	26	28	20	70	16	191
430-434	27	Other diseases of heart	—	10	3	45	67	57	—	—	—	2	1	7
440-443	28	Hypertension with heart disease	1	15	6	65	163	143	2	3	—	3	2	10
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	—	7	3	36	65	54	—	2	—	2	1	6
450-468	46.3	Other circulatory disease	6	22	24	119	281	244	3	1	2	11	1	19
480-483	30	Influenza	—	4	3	13	34	31	—	—	—	1	1	1
490-493	31	Pneumonia (except of newborn)	2	15	8	108	221	195	1	4	1	2	3	15
500-502	32	Bronchitis	4	35	16	105	221	192	4	1	1	8	3	12
470-475, 510-527	46.4	Other respiratory diseases	1	9	1	111	48	42	—	1	—	1	1	3
540, 541	33	Ulcer of stomach and duodenum	2	3	3	17	68	58	1	—	—	2	—	7
550-553	34	Appendicitis	—	1	—	7	8	5	—	—	—	—	—	3
560, 561, 570	35	Intestinal obstruction and hernia	1	8	—	22	40	35	—	1	—	—	—	4
543	36.1	Gastritis and duodenitis	—	—	—	2	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	5	1	19	31	28	—	—	—	—	—	3
581	37	Cirrhosis of liver	—	4	3	11	21	20	—	—	—	—	—	1
580, 582-586	46.5	Other diseases of liver	1	4	—	14	27	25	1	—	—	1	—	—
530-539, 542, 544 } 545, 573-578, 587 }	46.6	Other digestive diseases	—	2	4	8	17	16	1	—	—	—	—	—
590-594	38	Nephritis and nephrosis	1	6	1	38	54	44	—	—	—	3	1	6
610	39	Hyperplasia of prostate	—	4	2	23	38	36	—	—	—	—	—	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	6	1	17	51	44	1	1	—	1	—	4
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	1	—	1	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	1	2	2	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	5	3	16	37	33	—	—	—	1	1	2
750-759	41	Congenital malformations	2	7	2	48	65	53	—	1	—	1	—	10
760-762	42	Birth injuries, post-natal asphyxia and atelectasis ...	1	13	5	62	55	40	1	2	1	—	2	9
763	43.1	Pneumonia of newborn	—	—	—	9	8	6	1	—	—	—	—	1
764	43.2	Diarrhœa of newborn	1	—	—	2	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	2	1	1	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	2	11	3	34	71	51	2	5	—	1	—	12
794	45.0	Senility	—	11	3	46	36	34	—	—	—	—	—	2
780-793, 795	45.1	Cause ill-defined and unknown	—	2	1	14	11	9	—	—	—	—	—	2
E963, E970-E979	49	Suicide	1	3	5	14	72	60	—	1	2	1	2	6
E810-E835	47	Motor vehicle accidents	1	4	2	43	57	39	1	1	—	2	3	11
E840-E845	48.0	Other road transport accidents	—	—	1	1	2	2	—	—	—	—	—	—
E800-802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	2	14	7	79	235	194	1	3	2	2	3	30
		ALL CAUSES	94	786	327	3,414	7,182	6,071	70	101	54	196	59	631
		AGES AT DEATH												
		Under 1	7	40	12	210	236	179	4	7	2	2	2	40
		1– 4	—	6	—	23	40	27	—	1	—	—	1	11
		5– 9	—	2	1	17	14	9	—	—	—	—	—	5
		10–14	1	2	—	11	17	13	1	—	1	1	—	1
		15–24	2	6	4	45	52	35	—	2	1	2	—	12
		25–34	1	13	8	62	97	79	—	1	2	2	2	11
		35–44	2	24	10	125	205	168	—	1	1	5	3	27
		45–54	7	74	30	298	570	484	9	9	9	15	3	41
		55–64	15	157	47	591	1,110	944	8	11	7	36	11	93
		65–74	18	212	90	881	1,870	1,552	21	34	11	59	23	170
		75–84	34	205	93	895	2,255	1,939	20	31	16	55	12	182
		85 and over	7	45	32	256	716	642	7	4	4	19	2	38
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	94	786	327	3,414	7,182	6,071	70	101	54	196	59	631

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Moray County: Moray County	Burghead Burgh	Elgin Burgh	Forres Burgh	Grantown-on-Spey Burgh	Lossiemouth & Branderburgh Burgh	Rothes Burgh	Landward	Nairn County: Nairn County	Nairn Burgh	Landward	Orkney County: Orkney County	Kirkwall Burgh	Stromness Burgh	Landward
		Population (Estimated), 30th June, 1956	49,569	1,362	11,277	5,008	1,575	5,163	1,220	23,964	8,299	4,675	3,624	20,143	4,296	1,510	14,337
		Total Live Births Registered (including Illegitimate)	894	5	444	276	1	33	1	134	117	8	109	302	174	10	118
		" Corr. for Mother's Resid. (") ...	1,000	30	272	100	26	134	17	421	131	77	54	314	75	25	214
		" " " Male ...	540	18	142	57	14	77	6	226	76	48	28	149	36	12	101
		" " " Female ...	460	12	130	43	12	57	11	195	55	29	26	165	39	13	113
		" " " Illegitimate ...	43	—	10	4	3	2	1	23	5	4	1	11	2	2	7
		Stillbirths Registered (including Illegitimate) ...	16	—	11	3	—	—	—	2	—	—	—	7	4	—	3
		" Corrected for Mother's Residence ...	19	—	5	1	1	3	—	9	1	1	—	8	2	—	6
		Marriages Registered	364	6	178	54	12	45	14	55	59	43	16	136	39	10	87
		Deaths Registered	507	13	166	61	11	45	14	197	73	31	42	298	115	26	157
		" Corrected for Residence	557	21	148	58	18	60	25	227	96	61	35	309	56	30	223
		" " Male	282	13	75	26	10	36	8	114	48	25	23	159	26	15	118
		" " Female	275	8	73	32	8	24	17	113	48	36	12	150	30	15	105
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	3	—	2	—	—	—	—	1	2	1	1	1	1	—	—
010-019	2	Tuberculosis, other forms	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	81	2	23	4	3	7	8	34	14	11	3	56	7	9	40
210-239	19	Benign and unspecified neoplasms	1	—	—	—	—	—	—	1	—	—	—	3	1	—	2
260	20	Diabetes mellitus	3	—	1	—	—	2	—	—	1	1	—	5	1	1	3
290-293	21	Anæmias	4	—	—	1	—	—	—	3	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	3	—	—	—	—	—	1	2	1	1	—	1	—	—	1
330-334	22	Vascular lesions affecting central nervous system ...	89	6	15	13	3	7	4	41	17	11	6	57	9	5	43
340	23	Non-meningococcal meningitis	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	10	—	5	1	1	—	—	3	1	1	—	4	2	—	2
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	6	—	—	1	—	1	—	4	2	—	2	4	1	—	3
420-422	26	Arteriosclerotic and degenerative heart disease ...	194	8	57	25	8	22	8	66	28	17	11	74	13	7	54
430-434	27	Other diseases of heart	7	—	3	—	—	—	1	3	4	1	3	3	1	—	2
440-443	28	Hypertension with heart disease	12	1	2	2	—	—	1	4	1	1	—	7	1	—	6
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	4	1	—	—	—	—	—	3	—	—	—	3	1	—	2
450-468	46.3	Other circulatory disease	11	—	4	1	—	2	—	4	6	4	2	17	—	5	12
480-483	30	Influenza	2	—	1	—	—	—	—	1	—	—	—	1	1	—	—
490-493	31	Pneumonia (except of newborn)	14	—	3	2	1	2	—	6	2	2	—	6	1	—	5
500-502	32	Bronchitis	7	—	4	—	—	1	—	2	1	—	1	4	1	1	2
470-475, 510-527	46.4	Other respiratory diseases	3	—	—	2	—	—	—	1	1	1	—	1	—	—	1
540, 541	33	Ulcer of stomach and duodenum	6	—	1	—	—	2	1	2	—	—	—	3	2	—	1
550-553	34	Appendicitis	1	—	—	—	—	1	—	—	—	—	—	1	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	3	1	—	—	—	—	—	2	2	2	—	2	1	1	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	3	—	—	—	—	1	—	2	—	—	—	—	—	—	—
581	37	Cirrhosis of liver	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	3	—	1	—	—	—	—	2	2	1	1	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	—	—	—	3	—	—	3
590-594	38	Nephritis and nephrosis	4	—	2	1	—	—	—	1	—	—	—	9	4	—	5
610	39	Hyperplasia of prostate	7	—	3	—	—	—	1	3	—	—	—	2	—	—	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	2	—	1	—	—	1	—	—	1	1	—	1	—	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	3	—	2	—	—	—	—	1	—	—	—	1	—	—	1
750-759	41	Congenital malformations	8	1	4	—	—	—	—	3	3	2	1	—	—	—	—
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	1	1	—	—	—	—	—	—	4	2	2	2	—	—	2
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	10	—	2	—	1	2	—	5	—	—	—	2	—	—	2
794	45.0	Senility	18	—	4	3	—	3	—	8	—	—	—	22	5	—	17
780-793, 795	45.1	Cause ill-defined and unknown	4	—	1	1	—	—	—	2	1	—	1	—	—	—	—
E963, E970-E979	49	Suicide	1	—	1	—	—	—	—	—	—	—	—	2	2	—	—
E810-E835	47	Motor vehicle accidents	5	—	1	—	—	—	—	4	1	—	1	4	—	—	4
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	20	—	5	1	—	2	—	12	1	1	—	8	1	1	6
		ALL CAUSES	557	21	148	58	18	60	25	227	96	61	35	309	56	30	223
		AGES AT DEATH															
		Under 1	24	2	6	1	1	3	—	11	7	4	3	8	1	1	6
		1– 4	5	—	3	1	—	—	—	1	—	—	—	1	—	—	1
		5– 9	1	—	—	—	—	—	—	1	1	—	1	—	—	—	—
		10–14	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		15–24	10	—	—	1	—	—	1	8	1	1	—	1	—	—	1
		25–34	7	—	1	—	—	3	—	3	1	1	—	5	3	—	2
		35–44	6	—	1	1	—	—	1	3	1	—	1	7	2	3	2
		45–54	28	—	8	5	1	3	2	9	3	3	—	18	4	2	12
		55–64	76	2	22	7	2	8	3	32	5	2	3	38	11	2	25
		65–74	131	6	32	12	4	15	8	54	24	17	7	75	12	7	56
		75–84	189	10	52	22	7	20	5	73	39	22	17	111	17	8	86
		85 and over	79	—	23	8	3	8	5	32	14	11	3	45	6	7	32
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	557	21	148	58	18	60	25	227	96	61	35	309	56	30	223

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Peebles County: Peebles County	Peebles County: Innerleithen Burgh	Peebles County: Peebles Burgh	Peebles County: Landward	Perth County: Perth County	Perth County: Aberfeldy Burgh	Perth County: Abernethy Burgh	Perth County: Alyth Burgh	Perth County: Auchterarder Burgh	Perth County: Blairgowrie and Rattray Burgh	Perth County: Callander Burgh	Perth County: Coupar Angus Burgh	Perth County: Crieff Burgh	Perth County: Doune Burgh	Perth County: Dunblane Burgh
		Population (Estimated), 30th June, 1956	14,272	2,383	5,654	6,235	127,577	1,522	665	2,019	2,397	5,297	1,643	2,170	5,383	879	2,794
		Total Live Births Registered (including Illegitimate)	174	1	156	17	1,762	100	—	176	10	19	5	1	26	3	8
		" Corr. for Mother's Resid. (") ...	217	32	76	109	1,991	19	5	14	39	99	23	22	76	12	26
		" " " Male ...	104	12	31	61	1,003	7	3	7	20	46	13	11	37	9	11
		" " " Female ...	113	20	45	48	988	12	2	7	19	53	10	11	39	3	15
		" " " Illegitimate ...	6	—	3	3	115	3	—	—	2	8	1	—	6	—	3
		Stillbirths Registered (including Illegitimate) ...	3	—	3	—	34	3	—	2	—	1	—	—	—	—	1
		" Corrected for Mother's Residence ...	4	—	4	—	42	2	1	—	1	4	1	—	—	—	3
		Marriages Registered	103	16	46	41	958	11	14	16	38	62	13	13	43	13	21
		Deaths Registered	128	20	67	41	1,724	24	1	18	34	80	22	15	75	5	34
		" Corrected for Residence	173	35	76	62	1,641	23	3	28	38	113	32	32	78	8	54
		" " Male	80	16	28	36	799	5	2	11	13	57	15	16	31	2	29
		" " Female	93	19	48	26	842	18	1	17	25	56	17	16	47	6	25
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	—	—	—	—	10	—	—	—	—	2	—	—	—	—	—
010-019	2	Tuberculosis, other forms	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	1	3	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	38	6	13	19	255	5	1	3	6	22	6	5	12	2	12
210-239	19	Benign and unspecified neoplasms	1	—	—	1	7	—	—	—	—	1	—	—	1	—	—
260	20	Diabetes mellitus	1	—	1	—	11	—	—	—	—	2	—	—	1	—	2
290-293	21	Anæmias	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	—	—	12	—	—	—	—	1	1	—	—	—	—
330-334	22	Vascular lesions affecting central nervous system ...	34	7	16	11	254	3	—	5	9	17	3	5	13	1	6
340	23	Non-meningococcal meningitis	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	2	—	1	1	18	—	—	1	—	2	—	—	1	1	1
400-402	24	Rheumatic fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	—	—	—	—	13	—	—	1	1	1	—	—	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	61	13	25	23	568	6	—	6	9	44	11	15	31	4	16
430-434	27	Other diseases of heart	5	3	1	1	11	—	—	1	—	—	—	1	1	—	—
440-443	28	Hypertension with heart disease	2	—	1	1	17	1	—	1	2	1	1	—	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	3	1	2	—	8	—	—	—	1	—	—	—	1	—	—
450-463	46.3	Other circulatory disease	2	—	2	—	44	1	—	3	—	2	—	—	2	—	1
480-483	30	Influenza	1	—	1	—	4	—	—	—	—	—	—	1	—	—	—
490-493	31	Pneumonia (except of newborn)	5	—	5	—	48	—	—	1	—	1	1	—	—	—	4
500-502	32	Bronchitis	1	1	—	—	52	1	—	—	2	6	1	2	1	—	3
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	8	—	—	—	—	—	—	—	1	—	—
540, 541	33	Ulcer of stomach and duodenum	1	—	—	1	18	—	—	—	2	2	—	—	—	—	1
550-553	34	Appendicitis	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	2	1	1	—	12	—	—	—	—	—	—	1	—	—	2
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	10	—	—	—	—	—	1	—	—	—	1
581	37	Cirrhosis of liver	—	—	—	—	6	—	—	—	1	—	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	1	1	—	—	6	1	—	—	—	—	1	—	1	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	6	—	—	—	—	2	—	—	—	—	—
590-594	38	Nephritis and nephrosis	—	—	—	—	8	—	—	1	—	—	1	—	—	—	—
610	39	Hyperplasia of prostate	—	—	—	—	10	—	—	1	—	—	—	—	—	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	1	—	—	16	1	—	1	1	—	—	1	2	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	11	—	—	—	—	—	—	—	—	—	—
750-759	41	Congenital malformations	1	—	—	1	17	—	—	—	—	1	—	—	2	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	2	—	1	1	14	1	—	—	1	2	—	—	—	—	—
763	43.1	Pneumonia of newborn	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	1	—	1	—	18	1	2	—	1	—	—	—	2	—	—
794	45.0	Senility	1	—	1	—	22	—	—	1	—	—	2	—	1	—	—
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	12	2	—	—	—	—	2	—	2	—	—
B963, E970-E979	49	Suicide	—	—	—	—	15	—	—	—	1	1	—	1	2	—	1
E810-E835	47	Motor vehicle accidents	—	—	—	—	22	—	—	1	1	—	—	—	—	—	1
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	6	1	4	1	56	—	—	1	—	2	1	—	—	—	3
		ALL CAUSES	173	35	76	62	1,641	23	3	28	38	113	32	32	78	8	54
		AGES AT DEATH															
		Under 1	3	—	2	1	57	2	2	—	2	5	—	—	4	—	1
		1– 4	—	—	—	—	9	—	—	—	—	—	1	—	1	—	—
		5– 9	1	—	—	1	6	—	—	—	—	—	—	—	—	—	—
		10–14	—	—	—	—	9	—	—	—	—	1	—	—	—	—	—
		15–24	1	—	1	—	12	—	—	—	—	—	—	—	—	—	1
		25–34	1	1	—	—	16	—	—	—	1	—	—	1	—	—	1
		35–44	—	—	—	—	43	—	—	1	1	2	—	—	2	2	—
		45–54	8	1	6	1	94	2	—	—	—	6	1	1	2	—	1
		55–64	28	6	12	10	226	4	—	5	4	13	2	8	12	1	3
		65–74	55	12	21	22	412	8	1	12	11	33	10	4	15	2	15
		75–84	53	12	21	20	544	6	—	6	15	39	12	13	32	1	21
		85 and over	23	3	13	7	213	1	—	4	4	14	6	5	10	2	11
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	173	35	76	62	1,641	23	3	28	38	113	32	32	78	8	54

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Perth County—*cont.*: Perth Burgh	Pitlochry Burgh	Landward	Renfrew County: Renfrew County	Barrhead Burgh	Gourock Burgh	Greenock Burgh	Johnstone Burgh	Paisley Burgh	Port Glasgow Burgh	Renfrew Burgh	Landward
		Population (Estimated), 30th June, 1956	41,072	2,281	59,455	331,440	13,700	9,164	77,748	16,372	95,524	23,024	17,681	78,227
		Total Live Births Registered (including Illegitimate)	1,132	15	267	6,239	163	53	1,856	157	1,967	257	159	1,627
		" Corr. for Mother's Resid. (") ...	642	38	976	6,389	315	156	1,627	328	1,863	531	318	1,251
		" " " Male ...	315	18	506	3,221	160	71	835	165	945	242	159	644
		" " " Female ...	327	20	470	3,168	155	85	792	163	918	289	159	607
		" " " Illegitimate ...	32	4	56	203	4	2	62	15	70	14	3	33
		Stillbirths Registered (including Illegitimate) ...	24	—	3	149	1	—	53	3	35	4	3	50
		" Corrected for Mother's Residence ...	13	1	16	159	5	2	38	11	54	19	7	23
		Marriages Registered	446	11	257	2,578	101	55	693	137	838	192	108	454
		Deaths Registered	594	38	784	3,684	97	57	1,043	108	1,338	124	107	810
		" Corrected for Residence	502	34	696	3,852	157	115	917	169	1,160	191	190	953
		" " Male	249	15	354	1,974	82	62	504	87	570	112	92	465
		" " Female	253	19	342	1,878	75	53	413	82	590	79	98	488
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	4	—	4	70	—	3	18	6	29	7	3	4
010-019	2	Tuberculosis, other forms	—	—	2	8	1	1	3	—	1	2	—	—
020-029	3	Syphilis and its sequelæ	—	—	1	7	1	—	—	1	2	1	1	1
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—
050-051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	1	—	—	4	—	—	2	1	—	—	1	—
080	12	Acute poliomyelitis	—	—	1	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	3	4	—	—	—	—	1	3	—	—
140-205	18	Malignant neoplasms	76	8	97	695	33	16	156	25	220	38	34	173
210-239	19	Benign and unspecified neoplasms	3	—	2	9	—	—	1	—	3	1	—	4
260	20	Diabetes mellitus	2	—	4	28	1	—	9	4	6	2	3	3
290-293	21	Anæmias	4	—	—	16	1	3	4	—	6	1	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	6	1	3	27	1	2	7	1	8	3	2	3
330-334	22	Vascular lesions affecting central nervous system ...	73	4	115	601	27	15	128	29	191	22	24	165
340	23	Non-meningococcal meningitis	—	—	2	3	—	—	—	—	1	—	—	2
300-326, 341-398	46.2	Other diseases of nervous system	7	1	4	44	2	2	11	1	8	1	1	18
400-402	24	Rheumatic fever	1	—	—	5	—	1	2	—	1	—	—	1
410-416	25	Chronic rheumatic heart disease	7	—	3	77	—	3	14	1	32	5	4	18
420-422	26	Arteriosclerotic and degenerative heart disease ...	169	12	245	1,127	45	33	241	50	324	52	72	310
430-434	27	Other diseases of heart	2	—	6	41	—	1	17	—	9	5	—	9
440-443	28	Hypertension with heart disease	6	2	3	79	—	5	26	1	20	4	7	16
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	2	—	4	40	—	5	2	5	11	2	1	14
450-468	46.3	Other circulatory disease	13	2	20	109	7	—	24	6	36	—	—	36
480-483	30	Influenza	1	—	2	11	1	1	4	—	1	—	1	3
490-493	31	Pneumonia (except of newborn)	18	—	23	85	1	1	25	2	29	6	3	18
500-502	32	Bronchitis	23	—	13	142	8	4	43	6	41	9	6	25
470-475, 510-527	46.4	Other respiratory diseases	4	—	3	28	1	2	10	—	8	—	1	6
540, 541	33	Ulcer of stomach and duodenum	6	—	7	46	1	—	8	5	14	2	3	13
550-553	34	Appendicitis	2	—	1	6	1	—	—	—	4	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	4	—	5	21	1	2	7	1	4	—	—	6
543	36.1	Gastritis and duodenitis	—	—	—	4	1	—	—	—	2	1	—	—
571, 572	36.2	Diarrhœa (except of newborn)	2	—	6	24	1	1	10	2	2	1	5	2
581	37	Cirrhosis of liver	3	—	2	12	1	—	1	1	3	—	—	6
580, 582-586	46.5	Other diseases of liver	1	—	2	15	2	—	2	2	5	—	—	4
530-539, 542, 544 } 545, 573-578, 587 }	46.6	Other digestive diseases	1	—	3	15	1	1	3	—	2	1	2	5
590-594	38	Nephritis and nephrosis	4	—	2	27	—	1	10	1	5	2	1	7
610	39	Hyperplasia of prostate	4	1	4	31	—	2	8	1	12	1	—	7
600-609, 611-637	46.7	Other diseases of genito-urinary system	3	—	7	23	2	2	6	1	5	1	2	4
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	2	1	—	—	—	—	1	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	2	2	—	—	—	—	2	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	4	—	7	23	—	2	3	1	10	—	1	6
750-759	41	Congenital malformations	5	1	8	39	3	1	12	3	10	3	2	5
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	5	—	5	55	3	—	14	3	16	3	5	11
763	43.1	Pneumonia of newborn	—	—	—	13	1	—	3	—	6	—	1	2
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	3	2	—	1	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	3	1	8	45	—	1	21	2	14	1	1	5
794	45.0	Senility	3	—	15	31	—	1	14	—	3	3	—	10
780-793, 795	45.1	Cause ill-defined and unknown	—	1	5	16	1	—	11	—	2	—	—	2
E963, E970-E979	49	Suicide	4	—	5	27	1	—	8	1	11	1	1	4
E810-E835	47	Motor vehicle accidents	3	—	16	26	1	1	6	1	6	3	1	7
E840-E845	48.0	Other road transport accidents	—	—	—	3	—	—	1	—	2	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	23	—	26	83	3	2	21	5	32	3	1	16
		All Causes	502	34	696	3,852	157	115	917	169	1,160	191	190	953
		Ages at Death												
		Under 1	14	2	25	193	9	2	67	11	59	9	10	26
		1– 4	2	—	5	20	—	—	7	2	4	3	1	3
		5– 9	3	—	3	15	—	—	5	—	3	3	—	4
		10–14	4	—	4	13	—	—	3	1	2	4	—	3
		15–24	6	—	5	26	1	1	4	1	9	4	2	4
		25–34	6	—	7	71	3	1	15	5	23	10	3	11
		35–44	16	—	19	128	5	4	41	3	31	11	9	24
		45–54	33	2	46	322	15	11	70	12	98	21	13	82
		55–64	70	4	100	648	29	23	140	32	207	33	40	144
		65–74	128	9	164	1,054	42	35	270	44	298	42	48	275
		75–84	160	14	225	1,016	38	31	218	39	324	41	50	275
		85 and over	60	3	93	346	15	7	77	19	102	10	14	102
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	502	34	696	3,852	157	115	917	169	1,160	191	190	953

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Ross and Cromarty County: Ross and Cromarty County	Cromarty Burgh	Dingwall Burgh	Fortrose Burgh	Invergordon Burgh	Stornoway Burgh	Tain Burgh	Landward	Roxburgh County: Roxburgh County	Hawick Burgh	Jedburgh Burgh	Kelso Burgh	Melrose Burgh	Landward
		Population (Estimated), 30th June, 1956	59,399	696	3,548	846	1,514	5,199	1,618	45,978	45,426	16,789	4,123	4,228	2,134	18,152
		Total Live Births Registered (including Illegitimate)	895	2	335	10	—	169	4	285	524	291	87	93	2	51
		,, Corr. for Mother's Resid. (,,) ...	997	7	84	18	28	95	35	730	678	240	74	75	26	263
		,, ,, ,, Male ...	503	3	40	7	15	41	13	384	320	117	39	33	14	117
		,, ,, ,, Female ...	494	4	44	11	13	54	22	346	358	123	35	42	12	146
		,, ,, ,, Illegitimate ...	50	1	6	—	—	4	1	38	34	9	3	2	2	18
		Stillbirths Registered (including Illegitimate) ...	14	—	3	—	—	8	—	3	7	7	—	—	—	—
		,, Corrected for Mother's Residence ...	24	—	1	1	—	2	1	19	14	10	—	—	—	4
		Marriages Registered	250	7	34	6	16	25	19	143	298	129	39	42	9	79
		Deaths Registered	714	19	52	8	14	97	17	507	619	245	33	86	106	149
		,, Corrected for Residence	867	23	45	12	20	55	25	687	655	267	49	73	40	226
		,, ,, Male	416	8	23	5	10	31	10	329	305	124	26	33	16	106
		,, ,, Female	451	15	22	7	10	24	15	358	350	143	23	40	24	120
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	7	—	1	—	—	1	—	5	3	2	—	—	—	1
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	1	—	—	—	—	—	—	1	1	—	1	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	3	—	1	—	—	—	—	1	1	1	—	—	—	—
140-205	18	Malignant neoplasms	153	5	9	5	6	8	2	118	89	30	6	9	8	36
210-239	19	Benign and unspecified neoplasms	2	—	—	—	—	—	—	2	1	—	—	—	—	1
260	20	Diabetes mellitus	5	—	—	—	1	—	—	4	2	1	1	—	—	—
290-293	21	Anæmias	4	1	—	—	—	—	1	2	4	2	—	—	—	2
240-254, 270-289, 294-299	46.1	Other general diseases	11	—	—	—	—	1	—	10	11	7	1	1	—	2
330-334	22	Vascular lesions affecting central nervous system ...	130	3	6	—	7	10	3	101	114	42	7	11	6	48
340	23	Non-meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	10	1	1	—	—	1	1	6	14	6	—	1	5	2
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	6	—	—	—	—	2	—	4	2	1	1	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	273	5	20	3	2	16	8	219	228	101	17	23	12	75
430-434	27	Other diseases of heart	8	—	—	—	—	—	1	7	9	2	1	—	—	6
440-443	28	Hypertension with heart disease	40	—	1	—	—	1	—	38	14	5	3	1	—	5
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	12	—	—	—	1	—	—	11	14	5	1	2	—	6
450-468	48.3	Other circulatory disease	30	—	—	—	—	2	3	25	21	10	1	2	1	7
480-483	30	Influenza	2	—	—	—	—	—	—	2	5	3	1	—	—	1
490-493	31	Pneumonia (except of newborn)	14	1	1	—	—	2	2	8	17	5	1	2	2	7
500-502	32	Bronchitis	16	2	1	—	—	2	—	11	18	6	2	5	1	4
470-475, 510-527	46.4	Other respiratory diseases	6	—	—	—	—	—	—	6	4	2	—	1	—	1
540, 541	33	Ulcer of stomach and duodenum	10	—	—	—	—	2	—	8	8	4	1	2	—	1
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	2	1	—	1	—	—
560, 561, 570	35	Intestinal obstruction and hernia	6	—	—	—	—	1	—	5	5	4	—	1	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	4	—	—	—	—	1	—	3	1	—	—	—	—	1
581	37	Cirrhosis of liver	1	—	—	—	—	—	—	1	1	—	—	—	—	1
580, 582-586	46.5	Other diseases of liver	2	—	—	1	—	—	—	1	1	—	—	—	1	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	1	—	—	—	—	—	—	1	1	—	—	1	—	—
590-594	38	Nephritis and nephrosis	8	1	—	—	—	2	—	5	4	—	1	—	1	2
610	39	Hyperplasia of prostate	4	—	—	—	—	—	1	3	5	1	1	—	—	3
600-609, 611-637	46.7	Other diseases of genito-urinary system	7	1	—	—	—	—	1	5	4	1	1	2	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	1	1	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	5	—	—	—	—	—	1	4	6	3	—	1	—	2
750-759	41	Congenital malformations	5	—	1	—	—	—	—	4	7	2	1	1	—	3
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	8	—	—	—	—	1	—	7	5	1	—	2	—	2
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	1	—	—	—	—	—	—	1	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	1	1	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	5	—	—	—	—	—	—	5	4	3	—	1	—	—
794	45.0	Senility	34	3	—	3	2	—	—	26	7	6	—	—	1	—
780-793, 795	45.1	Cause ill-defined and unknown	3	—	—	—	—	—	—	3	2	—	—	1	—	1
E963, E970-E979	49	Suicide	4	—	—	—	—	1	—	3	2	1	—	—	—	1
E810-E835	47	Motor vehicle accidents	8	—	1	—	1	1	—	5	4	2	—	1	1	—
E840-E845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	19	—	2	—	—	—	1	16	12	5	—	1	1	5
		All Causes	867	23	45	12	20	55	25	687	655	267	49	73	40	226
		Ages at Death														
		Under 1	21	—	1	—	—	2	—	18	16	5	2	3	—	6
		1– 4	3	—	1	—	—	—	—	2	3	1	—	2	—	—
		5– 9	2	—	—	—	—	1	—	1	—	—	—	—	—	—
		10–14	4	—	—	—	—	—	—	4	—	—	—	—	—	—
		15–24	3	—	—	—	—	—	—	3	1	—	—	—	—	1
		25–34	10	1	1	—	—	1	1	6	12	5	1	1	2	3
		35–44	15	—	1	—	—	2	—	12	16	8	2	2	2	2
		45–54	57	1	2	1	4	8	1	40	52	21	2	6	8	15
		55–64	113	4	3	1	1	10	9	85	83	31	11	4	3	34
		65–74	212	6	12	2	5	9	4	174	179	83	15	13	7	61
		75–84	258	7	13	4	4	14	7	209	223	89	13	33	10	78
		85 and over	169	4	11	4	6	8	3	133	70	24	3	9	8	26
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	867	23	45	12	20	55	25	687	655	267	49	73	40	226

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Selkirk County: Selkirk County	Galashiels Burgh	Selkirk Burgh	Landward	Stirling County: Stirling County	Bridge of Allan Burgh	Denny and Dunipace Burgh	Falkirk Burgh	Grangemouth Burgh	Kilsyth Burgh	Stirling Burgh	Landward
		Population (Estimated), 30th June, 1956	21,171	12,235	5,823	3,113	190,499	3,261	7,317	37,064	16,415	10,303	26.758	89,381
		Total Live Births Registered (including Illegitimate)	389	285	100	4	5,403	100	43	1,410	92	44	1,101	2,613
		" Corr. for Mother's Resid. (") ...	330	193	88	49	3,376	51	167	558	367	191	527	1,515
		" " " Male ...	186	116	48	22	1,752	26	85	299	185	94	277	786
		" " " Female ...	144	77	40	27	1,624	25	82	259	182	97	250	729
		" " " Illegitimate ...	9	6	3	—	110	1	3	18	8	5	32	43
		Stillbirths Registered (including Illegitimate) ...	7	4	3	—	129	1	2	38	1	—	42	45
		" Corrected for Mother's Residence ...	8	3	3	2	85	3	5	19	6	2	19	31
		Marriages Registered	160	104	41	15	1,495	21	50	348	129	95	245	607
		Deaths Registered	421	176	80	165	2,377	40	29	615	114	78	532	969
		" Corrected for Residence	327	174	116	37	2,127	47	50	440	185	93	333	979
		" " Male	138	78	45	15	1,134	14	26	231	100	45	170	548
		" " Female	189	96	71	22	993	33	24	209	85	48	163	431
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	1	1	—	—	18	—	—	6	3	—	3	6
010-019	2	Tuberculosis, other forms	—	—	—	—	5	—	1	2	2	—	—	—
020-029	3	Syphilis and its sequelæ	—	—	—	—	2	—	—	—	—	—	1	1
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	1	—	—	—	—	—	—	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	5	—	—	3	1	—	1	—
140-205	18	Malignant neoplasms	43	24	15	4	303	4	8	67	23	19	53	129
210-239	19	Benign and unspecified neoplasms	1	—	—	1	2	—	—	—	—	—	—	2
260	20	Diabetes mellitus	1	—	1	—	31	—	—	4	3	3	5	16
290-293	21	Anæmias	2	1	1	—	9	—	—	1	—	1	2	5
240-254, 270-289, 294-299	46.1	Other general diseases	5	4	—	1	10	—	1	—	2	—	1	6
330-334	22	Vascular lesions affecting central nervous system ...	66	36	23	7	342	13	9	73	26	6	66	149
340	23	Non-meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	5	4	1	—	35	2	1	4	4	3	4	17
400 402	24	Rheumatic fever	—	—	—	—	1	—	—	1	—	—	—	—
410-416	25	Chronic rheumatic heart disease	4	3	1	—	32	—	—	7	3	4	3	15
420-422	26	Arteriosclerotic and degenerative heart disease ...	115	56	47	12	653	12	10	135	65	23	88	320
430-434	27	Other diseases of heart	2	2	—	—	21	1	—	5	1	2	2	10
440-443	28	Hypertension with heart disease	2	1	1	—	54	1	3	12	7	6	6	19
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	2	2	—	—	24	—	—	5	3	—	5	11
450-468	46.3	Other circulatory disease	13	9	2	2	53	2	2	11	1	3	10	24
480-483	30	Influenza	—	—	—	—	9	1	—	2	1	—	3	2
490-493	31	Pneumonia (except of newborn)	6	3	2	1	78	4	3	15	4	4	21	27
500-502	32	Bronchitis	13	7	5	1	61	—	—	26	2	4	5	24
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	41	—	1	3	—	3	2	32
540, 541	33	Ulcer of stomach and duodenum	4	2	2	—	21	1	—	3	—	1	2	14
550-553	34	Appendicitis	1	—	1	—	3	—	—	1	—	—	1	1
560, 561, 570	35	Intestinal obstruction and hernia	1	—	1	—	12	—	—	3	1	1	3	4
543	36.1	Gastritis and duodenitis	—	—	—	—	3	—	—	1	—	—	—	2
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	6	—	—	2	1	—	2	1
581	37	Cirrhosis of liver	—	—	—	—	8	—	—	3	—	—	3	2
580, 582-586	46.5	Other diseases of liver	1	1	—	—	8	1	1	1	—	1	—	4
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	10	—	—	1	1	1	1	6
590-594	38	Nephritis and nephrosis	1	1	—	—	14	—	2	—	2	2	1	7
610	39	Hyperplasia of prostate	2	—	2	—	15	—	—	—	2	—	4	9
600-609, 611-637	46.7	Other diseases of genito-urinary system	3	1	1	1	12	2	—	1	—	2	1	6
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	1	—	—	1	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	1	—	—	—	—	—	1	—
690-749	46.8	Diseases of skin and organs of locomotion	2	2	—	—	9	—	2	2	1	—	—	4
750-759	41	Congenital malformations	2	—	2	—	20	1	1	3	5	—	1	9
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	—	—	—	—	13	—	2	—	2	—	2	7
763	43.1	Pneumonia of newborn	—	—	—	—	9	—	—	2	—	—	—	7
764	43.2	Diarrhœa of newborn	1	—	1	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	1	—	—	—	—	—	—	1
769-776	44	Other diseases peculiar to early infancy	3	2	—	1	30	—	—	4	3	3	7	13
794	45.0	Senility	13	7	4	2	30	—	—	4	1	1	10	14
780-793, 795	45.1	Cause ill-defined and unknown	1	1	—	—	8	—	—	1	—	—	3	4
E963, E970-E979	49	Suicide	4	3	—	1	8	—	—	2	1	—	2	3
E810-E835	47	Motor vehicle accidents	1	—	—	1	32	2	1	7	5	—	1	16
E840-E845	48.0	Other road transport accidents	—	—	—	—	1	—	—	—	—	—	1	—
E800-E802, E850-E962, E964, E965, E980-E999	48.1	Other violence (BE50)	5	1	3	1	62	—	2	17	9	—	6	28
		ALL CAUSES	327	174	116	37	2,127	47	50	440	185	93	333	979
		AGES AT DEATH												
		Under 1	6	2	3	1	96	—	3	12	11	3	20	47
		1– 4	2	—	1	1	13	—	—	1	4	1	2	5
		5– 9	1	—	1	—	8	—	—	4	—	1	2	1
		10–14	1	1	—	—	5	—	—	1	—	—	—	4
		15–24	3	—	—	3	16	1	1	2	2	—	—	10
		25–34	1	1	—	—	30	—	1	10	1	2	2	14
		35–44	6	4	2	—	83	—	5	9	11	1	9	48
		45–54	22	12	9	1	200	2	5	36	22	12	26	97
		55–64	43	22	16	5	341	6	9	74	33	14	51	154
		65–74	80	46	25	9	583	13	4	119	50	33	109	255
		75–84	130	72	46	12	558	19	17	129	37	20	79	257
		85 and over	32	14	13	5	194	6	5	43	14	6	33	87
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	327	174	116	37	2,127	47	50	440	185	93	333	979

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	International Classification: Abbreviated List "B"		Sutherland County: Sutherland County	Sutherland County: Dornoch Burgh	Sutherland County: Landward	West Lothian County: West Lothian County	West Lothian County: Armadale Burgh	West Lothian County: Bathgate Burgh	West Lothian County: Bo'ness Burgh	West Lothian County: Linlithgow Burgh	West Lothian County: Queensferry Burgh	West Lothian County: Whitburn Burgh	West Lothian County: Landward
		Population (Estimated), 30th June, 1956	13,329	860	12,469	91,145	6,107	11,887	10,216	4,222	2,744	5,649	50,320
		Total Live Births Registered (including Illegitimate)	168	9	159	1,545	47	71	74	19	29	55	1,250
		" Corr. for Mother's Resid. (") ...	243	17	226	1,698	115	233	202	90	70	128	860
		" " " Male ...	125	9	116	898	59	115	105	51	33	70	465
		" " " Female ...	118	8	110	800	56	118	97	39	37	58	395
		" " " Illegitimate ...	15	—	15	49	2	6	3	2	4	3	29
		Stillbirths Registered (including Illegitimate) ...	3	—	3	45	2	1	4	1	—	2	35
		" Corrected for Mother's Residence ...	5	1	4	43	4	5	6	3	1	6	18
		Marriages Registered	61	10	51	718	71	113	112	20	17	45	340
		Deaths Registered	178	6	172	995	31	80	61	17	14	32	760
		" Corrected for Residence	192	8	184	926	56	136	97	36	30	45	526
		" " Male	101	4	97	500	33	71	54	22	14	25	281
		" " Female	91	4	87	426	23	65	43	14	16	20	245
		CAUSES OF DEATH											
001 008	1	Tuberculosis of respiratory system	1	—	1	5	—	1	1	—	—	—	3
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	1	—	1	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	1	—	1	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	1	—	—	—	—	—	—	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—
032-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	1	1	—	—	—	—	—	—	1
140-205	18	Malignant neoplasms	25	1	24	154	9	25	20	3	5	5	87
210-239	19	Benign and unspecified neoplasms	2	—	2	2	—	—	—	1	—	—	1
260	20	Diabetes mellitus	—	—	—	5	—	1	—	—	—	—	4
290-293	21	Anæmias	—	—	—	3	—	1	—	—	—	—	2
240-254, 270-289, 294-299	46.1	Other general diseases	3	—	3	6	—	1	1	—	—	—	4
330-334	22	Vascular lesions affecting central nervous system ...	25	2	23	144	8	21	17	9	3	7	79
340	23	Non-meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	4	—	4	9	—	—	2	—	2	—	5
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	4	1	3	12	2	2	—	—	—	1	7
420-422	26	Arteriosclerotic and degenerative heart disease ...	58	2	56	254	15	33	26	8	12	13	147
430-434	27	Other diseases of heart	—	—	—	6	—	2	—	—	1	1	2
440-443	28	Hypertension with heart disease	1	—	1	26	4	5	1	—	—	1	15
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
444-447	29	Hypertension without heart disease	1	—	1	13	1	3	1	—	2	—	6
450-468	46.3	Other circulatory disease	12	1	11	63	2	9	5	5	2	1	39
480-483	30	Influenza	5	—	5	2	—	—	—	—	—	—	2
490-493	31	Pneumonia (except of newborn)	5	—	5	32	1	8	2	2	1	—	18
500-502	32	Bronchitis	3	—	3	34	2	4	3	4	—	1	20
470-475, 510-527	46.4	Other respiratory diseases	1	—	1	20	2	6	2	—	—	2	8
540, 541	33	Ulcer of stomach and duodenum	1	—	1	5	1	—	1	—	—	1	2
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	1	—	1	9	1	1	1	—	—	1	5
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	1	—	1	4	—	1	1	—	—	1	1
581	37	Cirrhosis of liver	—	—	—	2	—	—	—	—	—	—	2
580, 582-586	46.5	Other diseases of liver	2	1	1	3	—	—	—	—	—	—	3
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	4	—	4	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	1	—	1	8	—	1	1	1	—	1	4
610	39	Hyperplasia of prostate	4	—	4	4	—	1	1	—	—	1	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	9	3	1	—	1	—	—	4
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	2	—	2	4	—	—	—	—	—	2	2
750-759	41	Congenital malformations	2	—	2	21	1	3	3	1	1	1	11
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	—	—	—	4	1	—	—	1	—	—	2
763	43.1	Pneumonia of newborn	—	—	—	1	—	—	1	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	1	—	—	—	—	—	—	1
769-776	44	Other diseases peculiar to early infancy	—	—	—	6	1	—	—	—	—	1	4
794	45.0	Senility	13	—	13	6	—	—	1	—	—	2	3
780-793, 795	45.1	Cause ill-defined and unknown	4	—	4	6	—	1	1	—	—	—	4
E963, E970-E979	49	Suicide	1	—	1	4	—	—	1	—	—	1	2
E810-E835	47	Motor vehicle accidents	1	—	1	12	—	3	1	—	—	—	8
E840-E845	48.0	Other road transport accidents	—	—	—	1	—	—	—	—	—	—	1
E800-802, E850E-962, E964, E965, E980-E999	48.1	Other violence (BE50)	2	—	2	23	2	2	3	—	1	1	14
		All Causes	192	8	184	926	56	136	97	36	30	45	526
		Ages at Death											
		Under 1	2	—	2	39	3	3	6	2	—	1	24
		1– 4	3	—	3	12	—	2	—	—	1	1	8
		5– 9	—	—	—	3	—	1	1	—	—	—	1
		10–14	—	—	—	3	—	1	1	—	—	—	1
		15–24	1	—	1	7	—	1	—	—	—	—	6
		25–34	2	—	2	15	1	—	2	—	—	4	8
		35–44	3	1	2	30	3	5	1	1	1	2	17
		45–54	15	1	14	76	7	11	11	2	—	4	41
		55–64	16	—	16	158	11	22	12	8	6	6	93
		65–74	42	2	40	253	13	36	26	7	13	10	148
		75–84	75	4	71	252	14	45	30	15	8	10	130
		85 and over	33	—	33	78	4	9	7	1	1	7	49
		Not stated	—	—	—	—	—	—	—	—	—	—	—
		All Ages	192	8	184	926	56	136	97	36	30	45	526

Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1956—*continued*

International Classification: Detailed List	Abbreviated List "B"		Wigtown County: Wigtown County	Newton-Stewart Burgh	Stranraer Burgh	Whithorn Burgh	Wigtown Burgh	Landward	Zetland County: Zetland County	Lerwick Burgh	Landward
		Population (Estimated), 30th June, 1956	30,257	2,049	8,675	1,008	1,341	17,184	18,582	5,619	12,963
		Total Live Births Registered (including Illegitimate)	427	4	317	12	8	86	254	198	56
		" Corr. for Mother's Resid. (") ...	527	25	162	22	19	299	257	88	169
		" " " Male ...	271	14	78	9	9	161	122	38	84
		" " " Female ...	256	11	84	13	10	138	135	50	85
		" " " Illegitimate ...	50	2	12	3	3	30	7	3	4
		Stillbirths Registered (including Illegitimate) ...	9	—	7	—	2	—	10	9	1
		" Corrected for Mother's Residence ...	16	—	7	1	3	5	10	4	6
		Marriages Registered	231	15	97	11	6	102	108	61	47
		Deaths Registered	330	20	119	8	16	167	295	150	145
		" Corrected for Residence	374	41	93	11	19	210	306	85	221
		" " Male	192	23	47	4	11	107	143	39	104
		" " Female	182	18	46	7	8	103	163	46	117
		CAUSES OF DEATH									
001-008	1	Tuberculosis of respiratory system	1	—	—	—	—	1	—	—	—
010-019	2	Tuberculosis, other forms	1	—	—	—	—	1	1	—	1
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—
056	9	Whooping cough	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	1	—	1	—	—	—	1	—	1
085	14	Measles	—	—	—	—	—	—	1	—	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	59	6	19	2	3	29	46	13	33
210-239	19	Benign and unspecified neoplasms	1	—	—	—	—	1	1	1	—
260	20	Diabetes mellitus	2	1	—	—	—	1	4	—	4
290-293	21	Anæmias	2	—	1	—	1	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	1	—	1	—	—	—	1	—	1
330-334	22	Vascular lesions affecting central nervous system ...	60	8	20	2	—	30	59	20	39
340	23	Non-meningococcal meningitis	1	—	—	—	—	1	1	1	—
300-326, 341-398	46.2	Other diseases of nervous system	4	—	—	—	1	3	4	2	2
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	9	5	1	1	—	2	4	1	3
420-422	26	Arteriosclerotic and degenerative heart disease ...	116	8	28	3	9	68	89	16	73
430-434	27	Other diseases of heart	4	1	—	—	—	3	3	2	1
440-443	28	Hypertension with heart disease	16	2	1	1	3	9	4	2	2
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)
444-447	29	Hypertension without heart disease	6	—	1	—	—	5	3	—	3
450-468	46.3	Other circulatory disease	3	—	1	—	1	1	9	2	7
480-483	30	Influenza	6	1	2	—	—	3	1	—	1
490-493	31	Pneumonia (except of newborn)	10	2	1	—	—	7	7	5	2
500-502	32	Bronchitis	13	3	1	—	1	8	3	—	3
470-475, 510-527	46.4	Other respiratory diseases	3	2	1	—	—	—	--	—	—
540, 541	33	Ulcer of stomach and duodenum	3	—	1	—	—	2	7	1	6
550-553	34	Appendicitis	—	—	—	—	—	—	2	—	2
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	—	—	3	—	3
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	1	—	1	—	—	—	1	—	1
581	37	Cirrhosis of liver	2	1	—	—	—	1	1	—	1
580, 582-586	46.5	Other diseases of liver	3	—	—	—	—	3	2	1	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	2	1	—	—	—	1	1	1	—
590-594	38	Nephritis and nephrosis	7	—	3	—	—	4	2	—	2
610	39	Hyperplasia of prostate	1	—	—	—	—	1	8	3	5
600-609, 611-637	46.7	Other diseases of genito-urinary system	3	—	—	—	—	3	1	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	1	—	—	—	—	1	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	1	—	—	—	—	1	3	1	2
750-759	41	Congenital malformations	5	—	2	—	—	3	—	—	—
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	6	—	4	—	—	2	3	2	1
763	43.1	Pneumonia of newborn	1	—	1	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	5	—	—	2	—	3	5	2	3
794	45.0	Senility	3	—	1	—	—	2	11	3	8
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	—	—	3	2	1
E963, E970-979	49	Suicide	—	—	—	—	—	—	—	—	—
E810-835	47	Motor vehicle accidents	4	—	—	—	—	4	—	—	—
E840-845	48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964-965, E980-999	48.1	Other violence (BE50)	7	—	1	—	—	6	11	4	7
		All Causes	374	41	93	11	19	210	306	85	221
		Ages at Death									
		Under 1	18	—	8	2	—	8	10	5	5
		1– 4	2	—	—	—	—	2	1	—	1
		5– 9	—	—	—	—	—	—	—	—	—
		10–14	1	—	1	—	—	—	1	1	—
		15–24	6	—	—	—	—	6	1	1	—
		25–34	3	—	2	—	—	1	5	2	3
		35–44	7	2	2	—	—	3	6	3	3
		45–54	31	4	4	—	1	22	22	6	16
		55–64	46	4	14	2	1	25	35	12	23
		65–74	107	11	31	3	8	54	66	26	40
		75–84	114	16	24	—	8	66	115	19	96
		85 and over	39	4	7	4	1	23	44	10	34
		Not stated	—	—	—	—	—	—	—	—	—
		All Ages	374	41	93	11	19	210	306	85	221

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 48.—Death-rates per Million in Scotland standardised to the Sex and Age Distribution of the Population of Great Britain in the Year of Experience with Rates for England and Wales for Comparison

International List No.	Causes of Death		1952		1953		1954		1955		1956	
			Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	England and Wales	Scotland	Eng ar Wa
	ALL CAUSES ...	M.	**15,225**	**13,748**	**14,800**	**13,858**	**15,621**	**13,937**	**15,651**	**14,355**	**15,835**	**14,**
		F.	**11,085**	**9,342**	**10,470**	**9,430**	**11,037**	**9,248**	**11,206**	**9,531**	**11,118**	**9,**
		P.	**12,868**	**11,235**	**12,335**	**11,326**	**12,991**	**11,234**	**13,117**	**11,569**	**13,143**	**11,**
001-008	Tuberculosis of respiratory system	M.	375	317	326	270	276	245	253	207	219	
		F.	212	126	163	106	149	91	116	70	90	
		P.	282	211	235	178	205	159	175	130	147	
010-019	Tuberculosis, other forms	M.	37	33	37	25	29	21	28	17	22	
		F.	41	24	35	21	16	16	20	12	13	
		P.	39	28	35	22	19	19	24	15	17	
020-029	Syphilis and its sequelæ	M.	35	57	35	52	35	50	34	50	35	
		F.	13	21	7	17	13	18	9	17	6	
		P.	22	37	20	32	21	32	20	31	19	
057	Meningococcal infections	M.	7	7	7	8	10	6	5	5	6	
		F.	8	6	6	6	4	6	3	5	4	
		P.	8	7	6	7	7	6	4	5	5	
140-205	Malignant neoplasms, including neoplasms of lymphatic and hæmatopoietic tissues	M.	2,496	2,394	2,592	2,417	2,700	2,496	2,699	2,539	2,770	2,5
		F.	1,853	1,680	1,805	1,662	1,887	1,678	1,921	1,685	1,932	1,6
		P.	2,126	1,979	2,139	1,977	2,224	2,017	2,247	2,037	2,281	2,0
260	Diabetes mellitus...	M.	67	59	64	57	64	57	72	59	65	
		F.	126	87	115	82	116	76	118	84	127	
		P.	103	75	95	72	94	68	100	73	102	
330-334	Vascular lesions affecting the central nervous system	M.	1,964	1,607	1,939	1,588	2,066	1,693	2,131	1,735	2,153	1,7
		F.	1,921	1,536	1,875	1,488	2,067	1,556	2,063	1,595	2,063	1,5
		P.	1,936	1,564	1,896	1,528	2,066	1,612	2,088	1,650	2,101	1,6
400-402	Rheumatic fever	M.	10	7	9	7	8	7	12	5	10	
		F.	10	8	8	7	10	6	10	5	6	
		P.	10	7	8	7	9	7	11	5	8	
410-434	Heart diseases	M.	5,047	4,184	4,829	4,111	5,196	4,277	5,198	4,388	5,336	4,4
		F.	3,409	2,756	3,211	2,729	3,387	2,705	3,546	2,775	3,536	2,7
		P.	4,104	3,366	3,906	3,319	4,160	3,370	4,254	3,456	4,309	3,4
440-447	Hypertensive disease	M.	385	492	391	504	419	520	466	527	460	5
		F.	352	381	355	386	399	402	413	421	408	4
		P.	367	428	369	436	407	451	437	466	430	4
480-483	Influenza	M.	69	47	66	157	38	47	50	79	55	
		F.	63	34	48	135	37	36	43	57	57	
		P.	65	40	56	145	38	41	47	66	56	
490-493, 763	Pneumonia (all forms)	M.	488	543	433	596	468	519	461	597	504	6
		F.	337	365	311	407	316	352	357	406	360	4
		P.	402	442	363	488	377	423	401	486	421	5
590-594	Nephritis and nephrosis	M.	126	155	129	145	132	141	126	131	125	1
		F.	110	116	115	105	109	101	100	93	97	8
		P.	117	133	119	122	120	118	108	109	110	1

TABLE 49.—Method of Celebration, etc. of Marriages in Scotland—1855-1955

Year	Total Marriages: Number	Total Marriages: Proportion per 1,000 of Population	Marriage according to Forms of the: Church of Scotland	Free Church	United Presbyterian Church	Roman Cath. Church	Scottish Episcopal Church	Other Forms	Form not stated	Civil Marriages†	Irregular Marriages
Decennial Averages											
1855-1860	20,645	6·840	9,586	4,747	2,872	1,846	383	1,058	135	—	19
1860-1870	22,422	7·004	9,929	5,278	3,214	2,071	464	1,324	101	—	41
1871-1880	25,355	7·172	11,549	5,649	3,305	2,286	646	1,633	25	—	263
1881-1890	25,939	6·700	11,971	5,277	3,011	2,558	732	1,728	12	—	650
1891-1900	29,866	7·054	13,497	5,638	3,292	2,934	899	2,179	0	—	1,428
				Un. Free Ch.*							
1901-1910	31,825	6·907	14,414	8,477		3,331	936	2,634	0	—	2,034
1911-1920	35,647	7·451	14,231	8,340		3,964	1,131	2,669	0	—	5,312
1921-1930	33,663	6·923	14,993	6,910		3,911	971	2,591	0	—	4,287
1931-1940	38,963	7·869		24,459		5,051	1,076	3,427	0	4,950	
1941-1950	43,489	8·472		26,364		5,685	1,383	3,487	0	6,558	12
Annual Numbers											
1941	47,620	9·284		30,017		6,282	1,705	4,214	0	5,394	8
1942	47,402	9·215		29,827		6,103	1,671	4,073	0	5,712	16
1943	38,177	7·402		23,377		4,891	1,489	3,230	0	5,176	14
1944	37,017	7·134		22,554		4,831	1,334	3,163	0	5,117	18
1945	48,642	9·432		30,107		6,025	1,745	3,913	0	6,840	12
1946	45,785	8·917		27,599		5,770	1,390	3,490	0	7,522	14
1947	44,360	8·725		26,189		5,714	1,176	3,337	0	7,930	14
1948	43,718	8·577		25,798		5,879	1,243	3,313	0	7,474	11
1949	41,708	8·161		24,590		5,694	1,065	3,177	0	7,176	6
1950	40,459	7·892		23,579		5,660	1,009	2,960	0	7,243	8
1951	41,361	8·087		24,259		6,062	1,122	2,986	0	6,928	4
1952	41,154	8·046		23,671		6,033	1,022	2,961	0	7,459	8
1953	40,902	7·992		23,597		6,284	935	2,899	0	7,180	7
1954	41,974	8·193		23,802		6,425	988	2,912	0	7,842	5
1955	43,199	8·415		24,213		6,734	1,017	2,919	0	8,302	14
Rate per hundred Marriages—Decennial											
1855-1860	100·00	—	46·42	23·01	13·92	8·94	1·85	5·12	0·65	—	0·09
1861-1870	100·00	—	44·30	23·54	14·33	9·22	2·07	5·89	0·47	—	0·18
1871-1880	100·00	—	45·56	22·28	13·02	9·02	2·55	6·42	0·11	—	1·04
1881-1890	100·00	—	46·17	20·34	11·61	9·85	2·82	6·66	0·05	—	2·51
1891-1900	100·00	—	45·20	18·91	11·04	9·81	3·00	7·29	—	—	4·78
				Un. Free Ch.*							
1901-1910	100·00	—	45·29	26·63		10·46	2·94	8·28	—	—	6·39
1911-1920	100·00	—	39·92	23·40		11·12	3·17	7·49	—	—	14·90
1921-1930	100·00	—	44·54	20·53		11·62	2·88	7·70	—	—	12·74
1931-1940	100·00	—		62·77		12·96	2·76	8·80	—	—	12·70
1941-1950	100·00	—		60·56		13·09	3·18	8·01	—	15·13	0·03
Rate per hundred Marriages—Annual											
1941	100·00	—		63·03		13·19	3·58	8·85	—	11·33	0·02
1942	100·00	—		62·92		12·88	3·53	8·59	—	12·05	0·03
1943	100·00	—		61·23		12·81	3·90	8·46	—	13·56	0·04
1944	100·00	—		60·93		13·05	3·60	8·54	—	13·82	0·05
1945	100·00	—		61·90		12·39	3·59	8·04	—	14·06	0·02
1946	100·00	—		60·28		12·60	3·04	7·62	—	16·43	0·03
1947	100·00	—		59·04		12·88	2·65	7·52	—	17·88	0·03
1948	100·00	—		59·01		13·45	2·84	7·58	—	17·10	0·03
1949	100·00	—		58·96		13·65	2·55	7·62	—	17·21	0·01
1950	100·00	—		58·28		13·99	2·49	7·32	—	17·90	0·02
1951	100·00	—		58·65		14·66	2·71	7·22	—	16·75	0·01
1952	100·00	—		57·52		14·66	2·48	7·19	—	18·12	0·02
1953	100·00	—		57·69		15·36	2·29	7·09	—	17·55	0·02
1954	100·00	—		56·71		15·31	2·35	6·94	—	18·68	0·01
1955	100·00	—		56·05		15·59	2·35	6·76	—	19·22	0·03

* The Free Church and the United Presbyterian Church were united on 31st October, 1900, under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October, 1929, under the designation of "The Church of Scotland."

† By the Marriage (Scotland) Act, 1939, which came into operation on 1st July, 1940, Irregular Marriages by declaration were abolished and Civil Marriages were substituted. The Irregular Marriages shown in the last column for 1941 onwards were registered by Decree of Declarator of the Court of Session.

TABLE 50.—Ecclesiastical, Civil and Irregular Marriages in Scotland—1955

	Total Marriages	Numbers						*Irregular Marriages	Percentage of Total Marriages						
		Ecclesiastical Marriages				Civil Marriages			Ecclesiastical Marriages				Civil Marriages		Irregular Marriages
		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence		Banns	Publication of Notice	Banns and Publication	Licence	Publication of Notice	Licence	
SCOTLAND ...	**43,199**	**25,332**	**8,283**	**1,155**	**113**	**7,989**	**313**	**14**	**58·6**	**19·2**	**2·7**	**0·3**	**18·5**	**0·7**	**0·0**
Counties of Cities	**18,757**	**8,777**	**4,412**	**468**	**55**	**4,842**	**202**	**1**	**46·8**	**23·5**	**2·5**	**0·3**	**25·8**	**1·1**	**0·0**
Large Burghs ...	**8,239**	**4,656**	**1,677**	**202**	**29**	**1,608**	**66**	**1**	**56·5**	**20·4**	**2·5**	**0·4**	**19·5**	**0·8**	**0·0**
Counties (Ex Counties of Cities and Large Burghs)	**16,203**	**11,899**	**2,194**	**485**	**29**	**1,539**	**45**	**12**	**73·4**	**13·5**	**3·0**	**0·2**	**9·5**	**0·3**	**0·1**
Counties (Ex Counties of Cities & Large Burghs)															
Aberdeen ...	973	838	43	11	5	73	3	—	86·1	4·4	1·1	0·5	7·5	0·3	—
Angus	487	408	14	14	2	46	3	—	83·8	2·9	2·9	0·4	9·4	0·6	—
Argyll	304	257	27	4	—	15	1	—	84·5	8·9	1·3	—	4·9	0·3	—
Ayr	1,818	1,408	205	64	2	133	4	2	77·4	11·3	3·5	0·1	7·3	0·2	0·1
Banff	333	293	10	8	—	22	—	—	88·0	3·0	2·4	—	6·6	—	—
Berwick ...	135	108	4	7	—	15	1	—	80·0	3·0	5·2	—	11·1	0·7	—
Bute	106	79	2	6	—	18	1	—	74·5	1·9	5·7	—	17·0	0·9	—
Caithness ...	165	136	1	2	1	24	1	—	82·4	0·6	1·2	0·6	14·5	0·6	—
Clackmannan ...	264	198	25	9	—	32	—	—	75·0	9·5	3·4	—	12·1	—	—
Dumfries... ...	576	349	9	4	—	203	2	9	60·6	1·6	0·7	—	35·2	0·3	1·6
Dunbarton ...	680	429	187	19	3	42	—	—	63·1	27·5	2·8	0·4	6·2	—	—
East Lothian ...	353	262	42	11	—	32	6	—	74·2	11·9	3·1	—	9·1	1·7	—
Fife	1,543	1,156	143	51	1	188	4	—	74·9	9·3	3·3	0·1	12·2	0·3	—
Inverness ...	192	130	42	7	1	12	—	—	67·7	21·9	3·6	0·5	6·2	—	—
Kincardine ...	178	166	—	3	1	8	—	—	93·3	—	1·7	0·6	4·5	—	—
Kinross	35	22	1	1	—	11	—	—	62·9	2·9	2·9	—	31·4	—	—
Kirkcudbright ...	215	194	4	5	1	10	1	—	90·2	1·9	2·3	0·5	4·7	0·5	—
Lanark	2,304	1,449	663	60	4	120	8	—	62·9	28·8	2·6	0·2	5·2	0·3	—
Midlothian ...	759	512	97	34	2	110	4	—	67·5	12·8	4·5	0·3	14·5	0·5	—
Moray	362	276	12	12	1	59	2	—	76·2	3·3	3·3	0·3	16·3	0·6	—
Nairn	66	64	—	1	—	1	—	—	97·0	—	1·5	—	1·5	—	—
Orkney	120	108	1	—	1	10	—	—	90·0	0·8	—	0·8	8·3	—	—
Peebles	100	78	6	3	—	12	1	—	78·0	6·0	3·0	—	12·0	1·0	—
Perth	487	412	26	17	—	31	—	1	84·6	5·3	3·5	—	6·4	—	0·2
Renfrew	912	574	231	36	2	68	1	—	62·9	25·3	3·9	0·2	7·5	0·1	—
Ross & Cromarty	280	182	74	7	—	17	—	—	65·0	26·4	2·5	—	6·1	—	—
Roxburgh ...	345	269	20	14	1	41	—	—	78·0	5·8	4·1	0·3	11·9	—	—
Selkirk	151	105	8	4	—	34	—	—	69·5	5·3	2·6	—	22·5	—	—
Stirling	886	653	156	43	1	33	—	—	73·7	17·6	4·9	0·1	3·7	—	—
Sutherland ...	54	52	—	—	—	2	—	—	96·3	—	—	—	3·7	—	—
West Lothian ...	688	461	131	23	—	71	2	—	67·0	19·0	3·3	—	10·3	0·3	—
Wigtown... ...	218	165	9	4	—	40	—	—	75·7	4·1	1·8	—	18·3	—	—
Zetland	114	106	1	1	—	6	—	—	93·0	0·9	0·9	—	5·3	—	—
Counties of Cities															
Glasgow	10,645	4,752	3,172	215	38	2,354	114	—	44·6	29·8	2·0	0·4	22·1	1·1	—
Edinburgh ...	4,514	2,109	695	174	12	1,469	55	—	46·7	15·4	3·9	0·3	32·5	1·2	—
Aberdeen ...	1,980	1,182	182	44	2	555	14	1	59·7	9·2	2·2	0·1	28·0	0·7	0·1
Dundee	1,618	734	363	35	3	464	19	—	45·4	22·4	2·2	0·2	28·7	1·2	—
Large Burghs															
Paisley	847	482	230	25	—	106	4	—	56·9	27·2	3·0	—	12·5	0·5	—
Greenock... ...	752	430	188	22	3	100	9	—	57·2	25·0	2·9	0·4	13·3	1·2	—
Motherwell & Wishaw ...	650	349	182	15	3	101	—	—	53·7	28·0	2·3	0·5	15·5	—	—
Kirkcaldy ...	478	288	38	3	3	142	4	—	60·3	7·9	0·6	0·6	29·7	0·8	—
Coatbridge ...	428	215	176	1	1	33	2	—	50·2	41·1	0·2	0·2	7·7	0·5	—
Dunfermline ...	459	198	59	16	—	178	7	1	43·1	12·9	3·5	—	38·8	1·5	0·2
Clydebank ...	358	156	131	7	2	62	—	—	43·6	36·6	2·0	0·6	17·3	—	—
Ayr	488	331	45	7	5	96	4	—	67·8	9·2	1·4	1·0	19·7	0·8	—
Kilmarnock ...	408	264	63	13	1	66	1	—	64·7	15·4	3·2	0·2	16·2	0·2	—
Perth	503	282	53	12	1	149	6	—	56·1	10·5	2·4	0·2	29·6	1·2	—
Hamilton ...	427	252	101	8	—	65	1	—	59·0	23·7	1·9	—	15·2	0·2	—
Falkirk	351	205	51	6	1	83	5	—	58·4	14·5	1·7	0·3	23·6	1·4	—
Airdrie	302	183	90	5	4	20	—	—	60·6	29·8	1·7	1·3	6·6	—	—
Inverness ...	451	262	42	20	1	114	12	—	58·1	9·3	4·4	0·2	25·3	2·7	—
Stirling	252	123	37	7	—	84	1	—	48·8	14·7	2·8	—	33·3	0·4	—
Dumfries... ...	385	227	20	11	1	121	5	—	59·0	5·2	2·9	0·3	31·4	1·3	—
Rutherglen ...	200	135	39	7	—	19	—	—	67·5	19·5	3·5	—	9·5	—	—
Dumbarton ...	155	60	70	3	1	18	3	—	38·7	45·2	1·9	0·6	11·6	1·9	—
Port Glasgow ...	173	99	51	13	2	8	—	—	57·2	29·5	7·5	1·2	4·6	—	—
Arbroath... ...	172	115	11	1	—	43	2	—	66·9	6·4	0·6	—	25·0	1·2	—

* Registered by Decree of Declarator,

TABLE 51.—Marriages in Scotland according to Church of Celebration—1955

	Total Marriages	According to Forms of						Civil and Irregular	Percentage of Total Marriages						
		Church of Scotland	United Free Church	Free Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms		Church of Scotland	United Free Church	Free Church	Roman Catholic Ch.	Scott'h Episcopal Church	Other Forms	Civil and Irregular
SCOTLAND ...	**43,199**	**24,213**	**413**	**250**	**6,734**	**1,017**	**2,256**	**8,316**	**56·0**	**1·0**	**0·6**	**15·6**	**2·4**	**5·2**	**19·3**
Counties of Cities ...	**18,757**	**8,720**	**124**	**64**	**3,291**	**483**	**1,030**	**5,045**	**46·5**	**0·7**	**0·3**	**17·5**	**2·6**	**5·5**	**26·9**
Large Burghs	**8,239**	**4,119**	**72**	**54**	**1,521**	**218**	**580**	**1,675**	**50·0**	**0·9**	**0·7**	**18·5**	**2·6**	**7·0**	**20·3**
Counties (Ex Counties of Cities and Large Burghs) ...	**16,203**	**11,374**	**217**	**132**	**1,922**	**316**	**646**	**1,596**	**70·2**	**1·3**	**0·8**	**11·9**	**2·0**	**4·0**	**9·9**
Counties (Ex Counties of Cities and Large Burghs)															
Aberdeen ...	973	793	—	—	13	33	58	76	81·5	—	—	1·3	3·4	6·0	7·8
Angus	487	404	7	—	8	13	6	49	83·0	1·4	—	1·6	2·7	1·2	10·1
Argyll	304	229	7	12	29	7	4	16	75·3	2·3	3·9	9·5	2·3	1·3	5·3
Ayr	1,818	1,350	52	—	188	11	78	139	74·3	2·9	—	10·3	0·6	4·3	7·6
Banff	333	261	1	—	19	4	26	22	78·4	0·3	—	5·7	1·2	7·8	6·6
Berwick ...	135	112	—	—	3	1	3	16	83·0	—	—	2·2	0·7	2·2	11·9
Bute	106	72	2	2	8	2	1	19	67·9	1·9	1·9	7·5	1·9	0·9	17·9
Caithness ...	165	125	—	3	1	2	9	25	75·8	—	1·8	0·6	1·2	5·5	15·2
Clackmannan	264	173	22	1	19	9	8	32	65·5	8·3	0·4	7·2	3·4	3·0	12·1
Dumfries ...	576	312	1	—	20	9	20	214	54·2	0·2	—	3·5	1·6	3·5	37·2
Dunbarton ...	680	434	8	—	173	15	8	42	63·8	1·2	—	25·4	2·2	1·2	6·2
East Lothian	353	255	—	—	43	10	7	38	72·3	—	—	12·2	2·8	2·0	10·8
Fife	1,543	1,139	18	8	117	27	42	192	73·8	1·2	0·5	7·6	1·7	2·7	12·4
Inverness ...	192	111	2	12	45	3	7	12	57·8	1·0	6·2	23·4	1·6	3·6	6·2
Kincardine ...	178	164	—	—	—	6	—	8	92·1	—	—	—	3·4	—	4·5
Kinross ...	35	23	1	—	—	—	—	11	65·7	2·9	—	—	—	—	31·4
Kirkcudbright	215	175	—	—	20	6	3	11	81·4	—	—	9·3	2·8	1·4	5·1
Lanark	2,304	1,376	23	—	603	11	163	128	59·7	1·0	—	26·2	0·5	7·1	5·6
Midlothian ...	759	517	9	—	85	20	14	114	68·1	1·2	—	11·2	2·6	1·8	15·0
Moray	362	259	7	—	16	16	3	61	71·5	1·9	—	4·4	4·4	0·8	16·9
Nairn	66	63	—	—	—	1	1	1	95·4	—	—	—	1·5	1·5	1·5
Orkney ...	120	94	2	—	—	—	14	10	78·3	1·7	—	—	—	11·7	8·3
Peebles ...	100	78	—	—	4	3	2	13	78·0	—	—	4·0	3·0	2·0	13·0
Perth	487	404	3	3	21	16	8	32	83·0	0·6	0·6	4·3	3·3	1·6	6·6
Renfrew ...	912	545	15	—	185	33	65	69	59·8	1·6	—	20·3	3·6	7·1	7·6
Ross & Cromarty	280	165	2	82	4	3	7	17	58·9	0·7	29·3	1·4	1·1	2·5	6·1
Roxburgh ...	345	263	—	—	16	17	8	41	76·2	—	—	4·6	4·9	2·3	11·9
Selkirk ...	151	93	—	—	9	10	5	34	61·6	—	—	6·0	6·6	3·3	22·5
Stirling ...	886	647	19	—	145	8	34	33	73·0	2·1	—	16·4	0·9	3·8	3·7
Sutherland ...	54	40	—	9	—	—	3	2	74·1	—	16·7	—	—	5·6	3·7
West Lothian...	688	462	10	—	115	15	13	73	67·2	1·5	—	16·7	2·2	1·9	10·6
Wigtown ...	218	148	4	—	13	2	11	40	67·9	1·8	—	6·0	0·9	5·0	18·3
Zetland ...	114	88	2	—	—	3	15	6	77·2	1·8	—	—	2·6	13·2	5·3
Counties of Cities—															
Glasgow ...	10,645	4,725	87	53	2,507	140	665	2,468	44·4	0·8	0·5	23·6	1·3	6·2	23·2
Edinburgh ...	4,514	2,209	25	8	382	192	174	1,524	48·9	0·6	0·2	8·5	4·3	3·9	33·8
Aberdeen ...	1,980	1,163	9	3	82	81	72	570	58·7	0·5	0·2	4·1	4·1	3·6	28·8
Dundee ...	1,618	623	3	—	320	70	119	483	38·5	0·2	—	19·8	4·3	7·4	29·9
Large Burghs—															
Paisley ...	847	464	—	—	188	12	73	110	54·8	—	—	22·2	1·4	8·6	13·0
Greenock ...	752	336	12	3	229	10	53	109	44·7	1·6	0·4	30·5	1·3	7·0	14·5
Motherwell & Wishaw ...	650	318	5	—	146	11	69	101	48·9	0·8	—	22·5	1·7	10·6	15·5
Kirkcaldy ...	478	258	4	3	22	7	38	146	54·0	0·8	0·6	4·6	1·5	7·9	30·5
Coatbridge ...	428	182	7	2	175	2	25	35	42·5	1·6	0·5	40·9	0·5	5·8	8·2
Dunfermline ...	459	196	3	—	22	20	32	186	42·7	0·7	—	4·8	4·4	7·0	40·5
Clydebank ...	358	136	2	—	118	2	38	62	38·0	0·6	—	33·0	0·6	10·6	17·3
Ayr	488	278	7	—	46	26	31	100	57·0	1·4	—	9·4	5·3	6·4	20·5
Kilmarnock ...	408	251	9	—	53	15	13	67	61·5	2·2	—	13·0	3·7	3·2	16·4
Perth	503	257	4	1	42	27	17	155	51·1	0·8	0·2	8·3	5·4	3·4	30·8
Hamilton ...	427	225	2	—	107	2	25	66	52·7	0·5	—	25·1	0·5	5·9	15·5
Falkirk ...	351	195	2	—	44	10	12	88	55·6	0·6	—	12·5	2·8	3·4	25·1
Airdrie ...	302	140	2	—	81	4	55	20	46·4	0·7	—	26·8	1·3	18·2	6·6
Inverness ...	451	208	—	43	18	12	44	126	46·1	—	9·5	4·0	2·7	9·8	27·9
Stirling ...	252	123	5	—	25	7	7	85	48·8	2·0	—	9·9	2·8	2·8	33·7
Dumfries ...	385	190	4	—	39	18	8	126	49·4	1·0	—	10·1	4·7	2·1	32·7
Rutherglen ...	200	138	1	—	35	2	5	19	69·0	0·5	—	17·5	1·0	2·5	9·5
Dumbarton ...	155	53	—	2	61	8	10	21	34·2	—	1·3	39·4	5·2	6·5	13·5
Port Glasgow	173	65	—	—	68	14	18	8	37·6	—	—	39·3	8·1	10·4	4·6
Arbroath ...	172	106	3	—	2	9	7	45	61·6	1·7	—	1·2	5·2	4·1	26·2

TABLE 52.—Conjugal Condition of Persons Marrying in Scotland—1955

	Total Marriages	Conjugal Condition					Percentage of Total Marriages				
		Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	* Divorced (Either Party)	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Divorced
SCOTLAND	**43,199**	**38,362**	**596**	**1,024**	**602**	**2,615**	**88·8**	**1·4**	**2·4**	**1·4**	**6·1**
Counties of Cities ...	**18,757**	**16,117**	**296**	**523**	**312**	**1,509**	**85·9**	**1·6**	**2·8**	**1·7**	**8·0**
Large Burghs	**8,239**	**7,275**	**142**	**175**	**130**	**517**	**88·3**	**1·7**	**2·1**	**1·6**	**6·3**
Counties (Ex Counties of Cities and Large Burghs)	**16,203**	**14,970**	**158**	**326**	**160**	**589**	**92·4**	**1·0**	**2·0**	**1·0**	**3·6**
Counties (Ex Counties of Cities and Large Burghs)—											
Aberdeen	973	921	7	13	5	27	94·7	0·7	1·3	0·5	2·8
Angus	487	445	4	15	6	17	91·4	0·8	3·1	1·2	3·5
Argyll	304	277	3	3	9	12	91·1	1·0	1·0	3·0	3·9
Ayr	1,818	1,678	23	28	19	70	92·3	1·3	1·5	1·0	3·9
Banff	333	317	1	5	1	9	95·2	0·3	1·5	0·3	2·7
Berwick	135	123	—	6	1	5	91·1	—	4·4	0·7	3·7
Bute	106	100	2	2	—	2	94·3	1·9	1·9	—	1·9
Caithness	165	149	2	4	1	9	90·3	1·2	2·4	0·6	5·5
Clackmannan	264	240	1	5	5	13	90·9	0·4	1·9	1·9	4·9
Dumfries	576	544	4	7	4	17	94·4	0·7	1·2	0·7	3·0
Dunbarton	680	618	5	24	8	25	90·9	0·7	3·5	1·2	3·7
East Lothian	353	324	4	5	3	17	91·8	1·1	1·4	0·8	4·8
Fife	1,543	1,415	10	26	16	76	91·7	0·6	1·7	1·0	4·9
Inverness	192	181	4	3	1	3	94·3	2·1	1·6	0·5	1·6
Kincardine	178	164	—	1	4	9	92·1	—	0·6	2·2	5·1
Kinross	35	31	—	—	2	2	88·6	—	—	5·7	5·7
Kirkcudbright	215	195	2	9	2	7	90·7	0·9	4·2	0·9	3·3
Lanark	2,304	2,160	18	48	22	56	93·7	0·8	2·1	1·0	2·4
Midlothian	759	693	13	13	3	37	91·3	1·7	1·7	0·4	4·9
Moray	362	325	3	10	5	19	89·8	0·8	2·8	1·4	5·2
Nairn...	66	64	—	—	—	2	97·0	—	—	—	3·0
Orkney	120	108	1	5	—	6	90·0	0·8	4·2	—	5·0
Peebles	100	93	2	1	1	3	93·0	2·0	1·0	1·0	3·0
Perth	487	451	5	14	6	11	92·6	1·0	2·9	1·2	2·3
Renfrew	912	832	8	26	7	39	91·2	0·9	2·9	0·8	4·3
Ross & Cromarty	280	268	1	5	—	6	95·7	0·4	1·8	—	2·1
Roxburgh	345	313	5	8	3	16	90·7	1·4	2·3	0·9	4·6
Selkirk	151	132	2	9	1	7	87·4	1·3	6·0	0·7	4·6
Stirling	886	825	10	18	13	20	93·1	1·1	2·0	1·5	2·3
Sutherland	54	49	1	1	—	3	90·7	1·9	1·9	—	5·6
West Lothian	688	631	9	9	10	29	91·7	1·3	1·3	1·5	4·2
Wigtown	218	198	5	2	1	12	90·8	2·3	0·9	0·5	5·5
Zetland	114	106	3	1	1	3	93·0	2·6	0·9	0·9	2·6
Counties of Cities—											
Glasgow	10,645	9,214	181	299	190	761	86·6	1·7	2·8	1·8	7·1
Edinburgh	4,514	3,793	76	135	64	446	84·0	1·7	3·0	1·4	9·9
Aberdeen	1,980	1,721	17	56	30	156	86·9	0·9	2·8	1·5	7·9
Dundee	1,618	1,389	22	33	28	146	85·8	1·4	2·0	1·7	9·0
Large Burghs—											
Paisley	847	755	21	10	16	45	89·1	2·5	1·2	1·9	5·3
Greenock	752	675	10	11	4	52	89·8	1·3	1·5	0·5	6·9
Motherwell & Wishaw ...	650	584	8	18	7	33	89·8	1·2	2·8	1·1	5·1
Kirkcaldy	478	398	7	11	9	53	83·3	1·5	2·3	1·9	11·1
Coatbridge	428	400	8	6	4	10	93·5	1·9	1·4	0·9	2·3
Dunfermline	459	374	12	12	12	49	81·5	2·6	2·6	2·6	10·7
Clydebank	358	312	8	10	5	23	87·2	2·2	2·8	1·4	6·4
Ayr	488	424	7	13	9	35	86·9	1·4	2·7	1·8	7·2
Kilmarnock	408	366	4	12	10	16	89·7	1·0	2·9	2·5	3·9
Perth	503	426	8	13	9	47	84·7	1·6	2·6	1·8	9·3
Hamilton	427	383	6	9	5	24	89·7	1·4	2·1	1·2	5·6
Falkirk	351	309	7	8	6	21	88·0	2·0	2·3	1·7	6·0
Airdrie	302	282	7	3	5	5	93·4	2·3	1·0	1·7	1·7
Inverness	451	407	9	6	2	27	90·2	2·0	1·3	0·4	6·0
Stirling	252	217	5	3	6	21	86·1	2·0	1·2	2·4	8·3
Dumfries	385	333	7	14	6	25	86·5	1·8	3·6	1·6	6·5
Rutherglen	200	175	2	5	8	10	87·5	1·0	2·5	4·0	5·0
Dumbarton	155	141	1	4	1	8	91·0	0·6	2·6	0·6	5·2
Port Glasgow	173	160	2	4	4	3	92·5	1·2	2·3	2·3	1·7
Arbroath	172	154	3	3	2	10	89·5	1·7	1·7	1·2	5·8

* See Tables 54A and B.

TABLE 53

Ages of Men at Marriage in Scotland—1955

TABLE 53.—Ages of Men at Marriage in Scotland—1955

	All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
SCOTLAND ...	43199	28·0	23	203	580	1083	2198	15814	12795	4804	1960	1256	812	626	416	285	200	81	52	10	1
Counties of Cities ..	18757	28·4	11	102	285	503	1001	6686	5357	2059	887	594	406	315	211	147	113	42	30	7	1
Large Burghs ...	8239	28·0	4	41	117	209	467	3084	2337	857	385	243	148	135	87	68	32	13	12	–	–
Counties (Ex Counties of Cities and Large Burghs)	16203	27·6	8	60	178	371	730	6044	5101	1888	688	419	258	176	118	70	55	26	10	3	–
Counties (Ex Counties of Cities and Large Burghs)—																					
Aberdeen	973	27·6	1	1	5	15	40	366	331	103	47	26	16	10	7	3	2	–	–	–	–
Angus	487	28·3	–	1	4	11	10	183	164	50	23	12	8	7	4	5	2	3	–	–	–
Argyll	304	30·1	–	2	1	5	5	69	125	40	22	11	10	5	4	–	3	1	1	–	–
Ayr	1818	27·1	1	6	22	38	101	733	541	204	67	34	23	18	14	10	2	4	–	–	–
Banff	333	28·2	–	–	2	3	11	110	122	46	17	6	5	4	4	3	–	–	–	–	–
Berwick	135	28·6	–	–	3	3	3	39	52	15	9	3	3	2	1	–	1	1	–	–	–
Bute	106	27·9	–	–	1	3	4	38	35	9	10	1	2	1	–	1	1	–	–	–	–
Caithness	165	28·1	–	1	2	7	6	65	38	23	10	5	2	4	1	–	1	–	–	–	–
Clackmannan ...	264	26·7	1	2	3	6	18	109	76	26	9	3	4	2	2	1	2	–	–	–	–
Dumfries	576	26·1	–	14	17	27	39	239	137	50	25	11	5	5	3	4	–	–	–	–	–
Dunbarton	680	28·4	–	4	8	13	29	252	207	73	23	35	7	8	8	2	6	2	2	1	–
East Lothian ...	353	27·2	–	–	1	9	11	147	114	39	11	8	5	4	2	–	1	–	1	–	–
Fife	1543	26·8	1	10	14	58	97	618	445	150	56	36	22	14	12	3	4	2	1	–	–
Inverness	192	31·5	–	–	1	2	1	37	63	41	22	11	6	2	2	2	2	–	–	–	–
Kincardine	178	28·4	–	–	–	4	6	66	58	21	4	9	6	–	1	1	2	–	–	–	–
Kinross	35	29·0	–	1	4	–	2	11	9	2	–	3	1	–	–	–	1	–	1	–	–
Kirkcudbright ...	215	28·2	–	–	4	3	8	79	70	22	14	5	–	1	4	3	1	–	1	–	–
Lanark	2304	27·2	1	6	32	57	95	910	709	251	107	48	36	24	11	7	4	5	–	1	–
Midlothian	759	26·5	1	2	12	20	49	309	234	74	18	13	15	4	4	3	1	–	–	–	–
Moray	362	27·3	–	–	3	8	27	131	113	45	10	11	7	3	1	3	–	–	–	–	–
Nairn...	66	26·9	–	–	1	1	3	22	29	4	3	1	2	–	–	–	–	–	–	–	–
Orkney	120	30·1	–	–	–	4	6	35	36	15	5	8	5	–	4	1	–	–	–	1	–
Peebles	100	28·3	–	–	2	0	2	32	43	10	3	2	2	2	1	1	–	–	–	–	–
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	487	29·2	1	1	2	8	9	155	157	84	25	17	8	8	5	2	3	2	–	–	–
Renfrew	912	28·2	–	2	13	16	36	312	300	125	41	23	12	15	5	3	2	5	2	–	–
Ross & Cromarty ...	280	29·4	–	2	2	2	5	71	97	60	14	13	9	2	1	1	1	–	–	–	–
Roxburgh	345	28·2	1	–	3	7	15	108	112	58	15	6	10	5	3	2	–	–	–	–	–
Selkirk	151	30·2	–	–	1	2	11	50	38	17	8	9	4	4	1	2	4	–	–	–	–
Stirling	886	27·5	–	–	7	14	37	348	296	98	29	18	15	7	8	4	5	–	–	–	–
Sutherland	54	30·1	–	–	–	1	2	8	22	12	3	3	–	1	2	–	–	–	–	–	–
West Lothian ...	688	27·1	–	4	3	17	29	282	218	74	22	16	5	9	2	3	3	–	1	–	–
Wigtown	218	26·9	–	1	4	7	12	74	73	27	11	5	2	1	–	–	1	–	–	–	–
Zetland	114	29·9	–	–	1	–	1	36	37	20	5	7	1	4	1	–	–	1	–	–	–
Counties of Cities—																					
Glasgow	10645	28·4	9	57	174	253	529	3827	3040	1205	512	330	228	186	121	73	57	21	18	5	–
Edinburgh	4514	28·7	1	21	64	146	238	1523	1311	474	224	169	116	76	54	45	38	8	5	–	1
Aberdeen	1980	28·2	–	15	22	47	128	728	569	209	75	55	37	27	25	19	10	9	3	2	–
Dundee	1618	27·7	1	9	25	57	106	608	437	171	76	40	25	26	11	10	8	4	4	–	–
Large Burghs—																					
Paisley	847	27·6	–	8	11	25	54	330	240	74	36	25	9	12	8	5	3	4	3	–	–
Greenock	752	26·7	–	5	21	22	49	307	189	89	28	19	8	6	4	4	–	–	1	–	–
Motherwell & Wishaw	650	27·7	–	5	7	9	33	250	206	60	35	11	6	12	8	4	3	–	1	–	–
Kirkcaldy	478	28·5	–	–	6	12	24	184	136	41	23	16	12	5	10	4	2	3	–	–	–
Coatbridge	428	27·5	–	1	7	9	19	162	140	41	17	10	10	4	3	4	1	–	–	–	–
Dunfermline ...	459	28·5	–	2	6	20	43	160	104	45	25	13	10	14	5	9	3	–	–	–	–
Clydebank	358	27·6	–	1	6	9	25	136	101	33	13	11	9	11	2	1	–	–	–	–	–
Ayr	488	28·7	–	3	7	11	22	184	135	47	26	15	10	7	11	5	2	1	2	–	–
Kilmarnock	408	28·3	–	–	7	9	19	151	126	46	13	8	3	13	5	4	2	2	–	–	–
Perth	503	29·4	1	–	6	12	25	164	144	64	23	17	15	10	8	9	4	–	1	–	–
Hamilton	427	27·3	1	4	8	10	25	172	114	48	7	14	11	7	2	2	–	1	1	–	–
Falkirk	351	28·5	–	2	3	9	19	130	97	36	20	8	7	8	5	4	3	–	–	–	–
Airdrie	302	27·2	–	1	2	6	12	133	83	33	16	6	2	3	1	1	2	1	–	–	–
Inverness	451	29·2	–	–	2	10	19	121	146	65	39	29	9	4	3	4	–	–	–	–	–
Stirling	252	28·1	–	1	1	11	17	91	72	18	14	11	7	4	2	1	2	–	–	–	–
Dumfries	385	28·6	1	5	6	4	21	138	107	40	23	14	10	7	2	2	2	–	3	–	–
Rutherglen	200	29·4	–	1	2	3	10	60	63	30	8	7	6	5	2	1	1	1	–	–	–
Dumbarton	155	27·2	–	1	3	6	6	67	41	16	5	3	1	2	1	2	1	–	–	–	–
Port Glasgow ...	173	26·6	–	–	4	7	13	72	45	15	7	4	1	1	3	1	–	–	–	–	–
Arbroath	172	26·7	1	1	2	5	12	72	48	16	7	2	2	–	2	1	1	–	–	–	–

TABLE 54.—Ages of Women at Marriage in Scotland—1955

	All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
SCOTLAND ...	**43199**	**25·2**	**346**	**1181**	**2635**	**4013**	**4640**	**15897**	**7693**	**2890**	**1353**	**942**	**685**	**435**	**232**	**137**	**85**	**27**	**8**	–	–
Counties of Cities...	**18757**	**25·6**	**149**	**511**	**1139**	**1718**	**2007**	**6612**	**3304**	**1341**	**644**	**462**	**354**	**247**	**128**	**69**	**46**	**19**	**7**	–	–
Large Burghs ...	**8239**	**25·2**	**72**	**227**	**510**	**791**	**879**	**3017**	**1454**	**511**	**275**	**191**	**130**	**90**	**39**	**31**	**17**	**4**	**1**	–	–
Counties (Ex Counties of Cities and Large Burghs)	**16203**	**24·7**	**125**	**443**	**986**	**1504**	**1754**	**6268**	**2935**	**1038**	**434**	**289**	**201**	**98**	**65**	**37**	**22**	**4**	–	–	–
Counties (Ex Counties of Cities and Large Burghs)—																					
Aberdeen	973	24·3	5	19	63	101	105	407	157	54	29	10	12	6	5	–	–	–	–	–	–
Angus	487	25·3	2	7	23	44	60	178	93	44	11	7	8	6	2	–	2	–	–	–	–
Argyll	304	26·2	–	9	22	16	29	105	62	24	13	10	7	5	1	1	–	–	–	–	–
Ayr	1818	22·3	12	53	120	166	192	712	345	101	46	24	29	8	4	3	3	–	–	–	–
Banff	333	24·5	2	4	20	35	44	119	70	18	10	5	3	1	1	1	–	–	–	–	–
Berwick	135	25·4	1	3	10	4	16	56	21	9	8	2	3	1	1	–	–	–	–	–	–
Bute	106	24·6	1	2	9	7	9	41	24	6	4	1	–	2	–	–	–	–	–	–	–
Caithness	165	24·9	–	11	9	14	22	49	32	14	6	5	2	–	–	–	–	1	–	–	–
Clackmannan ...	264	23·9	1	10	20	42	27	93	46	8	4	8	3	–	–	2	–	–	–	–	–
Dumfries	576	22·8	29	59	68	74	60	164	65	26	13	7	6	3	–	2	–	–	–	–	–
Dunbarton ...	680	25·3	3	16	45	39	63	286	123	42	22	13	15	5	6	1	1	–	–	–	–
East Lothian ...	353	24·7	1	5	17	37	43	146	57	20	11	8	3	2	1	1	1	–	–	–	–
Fife	1543	24·3	11	44	112	185	166	573	270	90	28	20	17	14	9	2	2	–	–	–	–
Inverness	192	27·3	–	6	7	9	20	48	53	21	13	6	5	3	1	–	–	–	–	–	–
Kincardine	178	25·1	–	3	17	12	19	68	34	9	4	6	3	2	1	–	–	–	–	–	–
Kinross	35	25·0	1	2	6	1	4	8	8	1	1	–	2	–	1	–	–	–	–	–	–
Kirkcudbright ...	215	24·9	1	10	14	23	23	78	40	11	3	2	1	4	3	1	1	–	–	–	–
Lanark	2304	24·6	15	52	115	194	245	979	406	152	62	42	22	5	4	6	4	1	–	–	–
Midlothian	759	23·9	2	18	44	98	92	299	112	53	19	15	3	2	1	–	1	–	–	–	–
Moray	362	24·3	5	11	37	29	43	122	71	20	11	5	3	2	3	–	–	–	–	–	–
Nairn...	66	24·6	–	1	4	4	6	31	11	6	1	2	–	–	–	–	–	–	–	–	–
Orkney	120	25·6	4	4	11	15	10	41	13	5	5	3	3	3	1	1	1	–	–	–	–
Peebles	100	24·6	–	–	5	11	11	40	20	7	2	2	2	–	–	–	–	–	–	–	–
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth...	487	25·8	1	12	12	31	59	180	117	31	15	10	10	1	5	2	1	–	–	–	–
Renfrew	912	25·3	6	21	35	86	86	354	193	55	24	24	13	2	3	8	2	–	–	–	–
Ross & Cromarty ...	280	25·5	3	5	11	21	28	96	58	36	15	4	3	–	–	–	–	–	–	–	–
Roxburgh	345	25·0	2	8	13	29	33	140	67	28	9	7	5	2	1	1	–	–	–	–	–
Selkirk	151	26·0	1	3	16	7	21	48	22	16	5	3	3	5	1	–	–	–	–	–	–
Stirling	886	24·6	3	13	42	72	107	389	158	48	14	15	7	6	8	2	2	–	–	–	–
Sutherland	54	26·2	–	1	2	4	4	17	15	7	1	–	–	3	–	–	–	–	–	–	–
West Lothian ...	688	24·6	8	14	34	56	78	295	116	42	15	18	5	2	–	3	1	1	–	–	–
Wigtown	218	24·2	4	12	18	27	18	70	37	21	3	3	2	1	2	–	–	–	–	–	–
Zetland	114	26·2	1	5	5	11	11	36	19	13	7	2	1	2	–	–	–	1	–	–	–
Counties of Cities—																					
Glasgow	10645	25·6	74	290	593	968	1168	3813	1853	752	379	262	189	152	77	36	27	8	4	–	–
Edinburgh	4514	25·9	42	113	300	428	417	1507	830	358	164	123	106	59	29	20	12	4	2	–	–
Aberdeen	1980	25·2	20	53	138	167	231	707	361	128	56	38	30	23	10	8	4	6	–	–	–
Dundee	1618	25·0	13	55	108	155	191	585	260	103	45	39	29	13	12	5	3	1	1	–	–
Large Burghs—																					
Paisley	847	25·1	3	19	61	86	97	311	146	55	22	14	11	8	3	7	3	–	1	–	–
Greenock	752	24·2	1	28	53	81	78	287	138	39	27	8	5	4	–	2	1	–	–	–	–
Motherwell & Wishaw	650	25·2	2	14	29	59	82	234	141	35	17	18	7	5	5	–	2	–	–	–	–
Kirkcaldy	478	25·7	8	9	18	39	53	186	87	23	12	17	12	8	2	3	1	–	–	–	–
Coatbridge	428	24·9	1	12	18	38	49	165	87	23	16	7	6	3	3	–	–	–	–	–	–
Dunfermline ...	459	25·9	7	13	34	49	50	156	62	24	19	19	8	7	3	5	2	1	–	–	–
Clydebank	358	25·2	6	9	19	36	39	136	55	22	10	9	10	3	2	1	1	–	–	–	–
Ayr	488	25·3	7	17	34	40	60	180	66	30	15	12	11	9	3	3	1	–	–	–	–
Kilmarnock	408	25·6	2	5	18	45	43	162	59	36	11	4	7	8	5	2	1	–	–	–	–
Perth	503	26·2	5	14	29	38	51	189	83	29	21	15	10	10	1	4	3	1	–	–	–
Hamilton	427	24·9	4	14	25	43	48	146	87	21	13	18	3	2	2	–	–	1	–	–	–
Falkirk	351	25·5	–	9	22	33	42	124	60	24	9	12	8	5	1	1	1	–	–	–	–
Airdrie	302	24·5	2	4	16	27	28	140	51	14	9	3	5	–	1	1	1	–	–	–	–
Inverness	451	25·6	7	10	29	41	34	135	102	51	28	7	4	3	–	–	–	–	–	–	–
Stirling	252	25·1	4	10	26	23	18	85	41	17	9	9	7	2	1	–	–	–	–	–	–
Dumfries	385	24·7	6	21	42	52	35	107	60	26	13	8	5	5	4	–	–	1	–	–	–
Rutherglen	200	26·6	1	2	5	16	18	70	48	14	12	5	4	2	1	2	–	–	–	–	–
Dumbarton	155	25·0	1	7	11	11	12	58	35	7	6	–	2	3	2	–	–	–	–	–	–
Port Glasgow ...	173	24·2	2	5	13	13	24	72	25	9	3	2	2	3	–	–	–	–	–	–	–
Arbroath	172	24·0	3	5	8	21	18	74	21	12	3	4	3	–	–	–	–	–	–	–	–

TABLE 54A.—Ages and Conditions of Persons Married in the year 1955—Scotland

Men

Age Last Birthday	Total Men	Total Bachelors	Total Widowers	Total Divorced Men	Bachelors who Married			Widowers who Married			Divorced Men who Married		
					Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women
All Ages	**43,199**	**39,948**	**1,883**	**1,368**	**38,362**	**596**	**990**	**1,024**	**602**	**257**	**929**	**160**	**279**
16	23	23	—	—	23	—	—	—	—	—	—	—	—
17	203	203	—	—	203	—	—	—	—	—	—	—	—
18	580	580	—	—	575	3	2	—	—	—	—	—	—
19	1083	1083	—	—	1081	1	1	—	—	—	—	—	—
20	2,198	2,198	—	—	2,193	1	4	—	—	—	—	—	—
Under 21	**4,087**	**4,087**	—	—	**4,075**	**5**	**7**	—	—	—	—	—	—
21	3,307	3,305	1	1	3,290	2	13	1	—	—	1	—	—
22	3,838	3,829	4	5	3,803	10	16	4	—	—	4	1	—
23	4,407	4,401	—	6	4,369	9	23	—	—	—	5	—	1
24	4,262	4,244	6	12	4,190	16	38	5	—	1	12	—	—
21–24	**15,814**	**15,779**	**11**	**24**	**15,652**	**37**	**90**	**10**	—	**1**	**22**	**1**	**1**
25	3,742	3,710	4	28	3,644	13	53	4	—	—	26	1	1
26	3,009	2,977	8	24	2,908	19	50	7	—	1	18	1	5
27	2,348	2,300	6	42	2,223	23	54	5	—	1	37	—	5
28	2,031	1,960	9	62	1,891	22	47	8	—	1	52	2	8
29	1,665	1,581	24	60	1,505	14	62	15	3	6	56	1	3
25–29	**12,795**	**12,528**	**51**	**216**	**12,171**	**91**	**266**	**39**	**3**	**9**	**189**	**5**	**22**
30	1,354	1,268	12	74	1,178	27	63	7	2	3	59	3	12
31	1,110	1,030	24	56	967	14	49	20	2	2	42	4	10
32	863	784	20	59	699	21	64	14	3	3	49	3	7
33	789	700	24	65	632	15	53	19	1	4	52	3	10
34	688	574	38	76	497	24	53	28	7	3	55	10	11
30–34	**4,804**	**4,356**	**118**	**330**	**3,973**	**101**	**282**	**88**	**15**	**15**	**257**	**23**	**50**
35	628	525	34	69	456	19	50	26	3	5	51	7	11
36	375	309	15	51	260	14	35	11	1	3	27	5	19
37	334	267	22	45	219	17	31	14	6	2	29	4	12
38	334	251	28	55	204	24	23	21	3	4	38	9	8
39	289	210	28	51	174	17	19	15	3	10	25	8	18
35–39	**1,960**	**1,562**	**127**	**271**	**1,313**	**91**	**158**	**87**	**16**	**24**	**170**	**33**	**68**
40	291	196	48	47	155	18	23	32	9	7	35	4	8
41	275	187	43	45	140	25	22	27	4	12	31	6	8
42	244	164	40	40	135	12	17	23	8	9	22	7	11
43	208	136	37	35	103	15	18	23	8	6	23	6	6
44	238	134	49	55	102	13	14	29	11	9	26	12	17
40–44	**1,256**	**817**	**217**	**222**	**635**	**88**	**94**	**134**	**40**	**43**	**137**	**35**	**50**
45	177	91	43	43	61	16	14	23	12	8	22	5	16
46	159	81	51	27	59	16	6	26	19	6	12	4	11
47	177	80	63	34	59	10	11	43	12	8	18	3	13
48	141	70	50	21	46	15	9	26	15	9	7	6	8
49	158	89	51	18	62	13	14	31	8	12	8	3	7
45–49	**812**	**411**	**258**	**143**	**287**	**70**	**54**	**149**	**66**	**43**	**67**	**21**	**55**
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
50	147	61	59	27	39	12	10	28	17	14	13	9	5
51	112	45	47	20	31	11	3	24	13	10	14	3	3
52	122	59	46	17	39	11	9	20	18	8	6	5	6
53	127	43	71	13	25	14	4	31	29	11	7	3	3
54	118	30	67	21	20	9	1	29	28	10	12	6	3
50–54	**626**	**238**	**290**	**98**	**154**	**57**	**27**	**132**	**105**	**53**	**52**	**26**	**20**
55	93	19	64	10	10	7	2	34	23	7	4	2	4
56	79	13	56	10	7	6	—	32	16	8	6	3	1
57	83	22	50	11	16	4	2	27	18	5	6	3	2
58	76	15	54	7	10	3	2	32	20	2	3	2	2
59	85	15	64	6	9	3	3	33	24	7	4	2	—
55–59	**416**	**84**	**288**	**44**	**52**	**23**	**9**	**158**	**101**	**29**	**23**	**12**	**9**
60	80	9	68	3	5	4	—	27	36	5	1	—	2
61	60	7	51	2	2	4	1	20	23	8	1	—	1
62	48	14	31	3	5	9	—	17	11	3	3	—	—
63	54	14	37	3	11	3	—	13	16	8	1	1	1
64	43	8	33	2	5	3	—	11	16	6	2	—	—
60–64	**285**	**52**	**220**	**13**	**28**	**23**	**1**	**88**	**102**	**30**	**8**	**1**	**4**
65	54	8	45	1	6	2	—	23	19	3	1	—	—
66	53	5	46	2	3	1	1	20	22	4	2	—	—
67	33	5	27	1	2	2	1	16	10	1	—	1	—
68	34	5	28	1	3	2	—	12	16	—	—	1	—
69	26	2	23	1	—	2	—	12	11	—	—	1	—
65–69	**200**	**25**	**169**	**6**	**14**	**9**	**2**	**83**	**78**	**8**	**3**	**3**	—
70	17	1	16	—	—	1	—	4	12	—	—	—	—
71	20	—	19	1	—	—	—	11	7	1	1	—	—
72	17	—	17	—	—	—	—	5	11	1	—	—	—
73	11	3	8	—	3	—	—	3	5	—	—	—	—
74	16	1	15	—	1	—	—	4	11	—	—	—	—
70–74	**81**	**5**	**75**	**1**	**4**	**1**	—	**27**	**46**	**2**	**1**	—	—
75	14	1	13	—	1	—	—	4	9	—	—	—	—
76	20	1	19	—	1	—	—	8	11	—	—	—	—
77	8	1	7	—	1	—	—	4	3	—	—	—	—
78	6	1	5	—	1	—	—	3	2	—	—	—	—
79	4	—	4	—	—	—	—	3	1	—	—	—	—
75–79	**52**	**4**	**48**	—	**4**	—	—	**22**	**26**	—	—	—	—
80	6	—	6	—	—	—	—	3	3	—	—	—	—
81	—	—	—	—	—	—	—	—	—	—	—	—	—
82	3	—	3	—	—	—	—	2	1	—	—	—	—
83	1	—	1	—	—	—	—	1	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	1	—	1	—	—	—	—	1	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80–89	**11**	—	**11**	—	—	—	—	**7**	**4**	—	—	—	—
90 and over	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 54B—Ages and Conditions of Persons Married in the Year 1955—Scotland
Women

Age last Birthday	Total Women	Total Spinsters	Total Widows	Total Divorced Women	Spinsters who Married			Widows who Married			Divorced Women who Married		
					Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men	Bachelors	Widowers	Divorced Men
All Ages	**43,199**	**40,315**	**1,358**	**1,526**	**38,362**	**1,024**	**929**	**596**	**602**	**160**	**990**	**257**	**279**
16	346	346	—	—	342	1	3	—	—	—	—	—	—
17	1,181	1,181	—	—	1,172	4	5	—	—	—	—	—	—
18	2,635	2,635	—	—	2,613	10	12	—	—	—	—	—	—
19	4,013	4,012	—	1	3,974	10	28	—	—	—	1	—	—
20	4,640	4,636	1	3	4,583	16	37	1	—	—	3	—	—
Under 21	**12,815**	**12,810**	**1**	**4**	**12,684**	**41**	**85**	**1**	—	—	**4**	—	—
21	4,906	4,889	7	10	4,830	18	41	6	—	1	10	—	—
22	4,195	4,178	2	15	4,117	22	39	2	—	—	11	1	3
23	3,720	3,690	4	26	3,616	24	50	3	—	1	22	3	1
24	3,076	3,024	15	37	2,940	18	66	13	1	1	29	3	5
21–24	**15,897**	**15,781**	**28**	**88**	**15,503**	**82**	**196**	**24**	**1**	**3**	**72**	**7**	**9**
25	2,361	2,294	15	52	2,215	23	56	13	1	1	46	2	4
26	1,808	1,732	17	59	1,676	11	45	15	1	1	57	—	2
27	1,392	1,309	21	62	1,227	31	51	19	—	2	52	3	7
28	1,177	1,073	18	86	1,012	18	43	12	2	4	65	8	13
29	955	846	25	84	771	24	51	20	1	4	70	2	12
25–29	**7,693**	**7,254**	**96**	**343**	**6,901**	**107**	**246**	**79**	**5**	**12**	**290**	**15**	**38**
30	737	647	23	67	596	21	30	17	2	4	52	6	9
31	640	539	28	73	462	26	51	18	6	4	50	5	18
32	573	450	28	95	390	28	32	23	3	2	73	9	13
33	498	378	33	87	314	26	38	22	6	5	56	14	17
34	442	324	36	82	260	36	28	28	5	3	55	12	15
30–34	**2,890**	**2,338**	**148**	**404**	**2,022**	**137**	**179**	**108**	**22**	**18**	**286**	**46**	**72**
35	394	272	43	79	214	24	34	22	10	11	46	13	20
36	272	179	39	54	141	21	17	21	8	10	38	5	11
37	238	150	31	57	112	17	21	20	8	3	34	14	9
38	237	138	44	55	96	26	16	20	14	10	27	12	16
39	212	129	38	45	94	19	16	24	9	5	26	4	15
35–39	**1,353**	**863**	**195**	**290**	**657**	**107**	**104**	**107**	**49**	**39**	**171**	**48**	**71**
40	206	122	41	43	78	28	16	19	13	9	21	11	11
41	187	110	34	43	64	34	12	14	14	6	18	10	15
42	216	119	48	49	77	31	11	20	20	8	23	12	14
43	172	93	45	34	54	30	9	24	15	6	12	16	6
44	161	87	45	29	49	28	10	15	19	11	13	10	6
40–44	**942**	**531**	**213**	**198**	**322**	**151**	**58**	**92**	**81**	**40**	**87**	**59**	**52**
45	154	78	47	29	40	29	9	18	20	9	13	9	7
46	138	73	40	25	33	30	10	15	18	7	9	12	4
47	154	85	47	22	36	39	10	16	24	7	9	6	7
48	118	63	42	13	24	36	3	16	24	2	5	5	3
49	121	63	42	16	22	35	6	13	20	4	4	6	6
45–49	**685**	**362**	**218**	**105**	**155**	**169**	**38**	**83**	**106**	**29**	**40**	**38**	**27**
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
50	121	50	47	24	19	28	3	11	31	5	13	9	2
51	85	40	34	11	18	16	6	11	22	1	3	5	3
52	90	42	35	13	11	29	2	8	26	1	4	6	3
53	64	28	28	8	10	14	4	10	16	2	3	5	—
54	75	35	31	9	10	24	1	12	18	1	4	5	—
50–54	**435**	**195**	**175**	**65**	**68**	**111**	**16**	**52**	**113**	**10**	**27**	**30**	**8**
55	62	24	31	7	7	16	1	7	22	2	4	2	1
56	58	28	28	2	10	6	2	4	24	—	1	1	—
57	37	16	19	2	4	11	1	2	17	—	2	—	—
58	38	10	20	8	3	6	1	5	15	—	4	4	—
59	37	16	16	5	4	12	—	5	10	1	—	5	—
55–59	**232**	**94**	**114**	**24**	**28**	**61**	**5**	**23**	**88**	**3**	**11**	**12**	**1**
60	45	23	22	—	5	17	1	5	15	2	—	—	—
61	32	12	20	—	5	7	—	3	16	1	—	—	—
62	24	8	15	1	3	5	—	2	11	2	—	1	—
63	20	4	16	—	2	2	—	2	13	1	—	—	—
64	16	3	12	1	1	2	—	2	10	—	—	—	1
60–64	**137**	**50**	**85**	**2**	**16**	**33**	**1**	**14**	**65**	**6**	**—**	**1**	**1**
65	28	9	17	2	1	8	—	6	11	—	1	1	—
66	22	6	16	—	1	4	1	2	14	—	—	—	—
67	17	6	11	—	—	6	—	1	10	—	—	—	—
68	12	3	8	1	2	1	—	—	8	—	1	—	—
69	6	3	3	—	—	3	—	—	3	—	—	—	—
65–69	**85**	**27**	**55**	**3**	**4**	**22**	**1**	**9**	**46**	**—**	**2**	**1**	**—**
70	11	2	9	—	1	1	—	2	7	—	—	—	—
71	2	—	2	—	—	—	—	—	2	—	—	—	—
72	4	—	4	—	—	—	—	1	3	—	—	—	—
73	7	1	6	—	—	1	—	1	5	—	—	—	—
74	3	1	2	—	—	1	—	—	2	—	—	—	—
70–74	**27**	**4**	**23**	**—**	**1**	**3**	**—**	**4**	**19**	**—**	**—**	**—**	**—**
75	1	—	1	—	—	—	—	—	1	—	—	—	—
76	2	—	2	—	—	—	—	—	2	—	—	—	—
77	3	—	3	—	—	—	—	—	3	—	—	—	—
78	1	1	—	—	1	—	—	—	—	—	—	—	—
79	1	—	1	—	—	—	—	—	1	—	—	—	—
75–79	**8**	**1**	**7**	**—**	**1**	**—**	**—**	**—**	**7**	**—**	**—**	**—**	**—**
80	—	—	—	—	—	—	—	—	—	—	—	—	—
81	—	—	—	—	—	—	—	—	—	—	—	—	—
82	—	—	—	—	—	—	—	—	—	—	—	—	—
83	—	—	—	—	—	—	—	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—	—	—	—	—
86	—	—	—	—	—	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—	—	—	—	—
80–89	—	—	—	—	—	—	—	—	—	—	—	—	—
90 and over	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 55.—Ages in Combination of MEN and WOMEN at Marriage in Scotland—1955

Ages of HUSBANDS	Ages of WIVES: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of HUSBANDS
16	5	10	3	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23	16
17	34	64	60	18	20	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	203	17
18	43	128	170	113	62	59	4	–	–	–	1	–	–	–	–	–	–	–	–	–	580	18
19	41	146	244	299	188	152	11	2	–	–	–	–	–	–	–	–	–	–	–	–	1,083	19
20	39	173	439	468	488	537	48	5	1	–	–	–	–	–	–	–	–	–	–	–	2,198	20
21–	132	514	1,314	2,287	2,737	7,485	1,249	85	10	–	–	1	–	–	–	–	–	–	–	–	15,814	21–
25–	44	116	339	702	978	6,083	3,744	654	103	24	6	2	–	–	–	–	–	–	–	–	12,795	25–
30–	5	24	54	98	126	1,229	1,835	1,065	281	67	16	2	2	–	–	–	–	–	–	–	4,804	30–
35–	2	4	9	15	31	234	516	589	345	149	56	8	2	–	–	–	–	–	–	–	1,960	35–
40–	1	2	2	7	7	75	190	294	317	231	98	22	6	2	2	–	–	–	–	–	1,256	40–
45–	–	–	1	2	–	27	59	124	157	200	175	47	17	3	–	–	–	–	–	–	812	45–
50–	–	–	–	–	–	6	24	49	87	145	146	117	37	14	–	1	–	–	–	–	626	50–
55–	–	–	–	–	1	–	5	15	34	71	96	111	57	20	6	–	–	–	–	–	416	55–
60–	–	–	–	–	1	2	5	6	15	28	51	68	55	31	20	2	1	–	–	–	285	60–
65–	–	–	–	–	1	2	1	1	3	15	28	41	34	43	23	8	–	–	–	–	200	65–
70–	–	–	–	–	–	–	–	1	–	9	6	9	16	12	20	7	1	–	–	–	81	70–
75–	–	–	–	–	–	–	–	–	–	3	5	6	5	12	11	6	4	–	–	–	52	75–
80–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	3	2	2	–	–	–	10	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	346	1181	2,635	4,013	4,640	15,897	7,693	2,890	1,353	942	685	435	232	137	85	27	8	–	–	–	43,199	Ttl. Husbands and Wives

Average age—Husbands, 28·0; Wives 25·2

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at Marriage. Thus, of 4,013 Wives aged 19, 4 Married Husbands aged 16, 18 married Husbands aged 17, etc.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives at Marriage. Thus, of 1,083 Husbands aged 19, 41 married Wives aged 16, 146 married Wives aged 17, etc.

TABLE 56.—Ages in Combination of BACHELORS and SPINSTERS at Marriage in Scotland—1955

Ages of Bachelors	Ages of Spinsters: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Bachelors	Ages of Bachelors
16	5	10	3	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23	16
17	34	64	60	18	20	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	203	17
18	43	128	170	113	62	56	3	–	–	–	–	–	–	–	–	–	–	–	–	–	575	18
19	41	146	244	299	188	152	10	1	–	–	–	–	–	–	–	–	–	–	–	–	1,081	19
20	39	173	439	468	488	535	46	5	–	–	–	–	–	–	–	–	–	–	–	–	2,193	20
21–	132	511	1,309	2,281	2,732	7,430	1,183	70	4	–	–	–	–	–	–	–	–	–	–	–	15,652	21–
25–	41	111	333	688	963	5,950	3,499	515	60	9	1	1	–	–	–	–	–	–	–	–	12,171	25–
30–	4	23	50	86	103	1,116	1,599	798	162	26	5	1	–	–	–	–	–	–	–	–	3,973	30–
35–	2	4	4	10	22	191	403	410	185	65	15	–	2	–	–	–	–	–	–	–	1,313	35–
40–	1	2	1	5	5	51	125	163	154	92	30	3	1	2	–	–	–	–	–	–	635	40–
45–	–	–	–	2	–	14	26	44	68	72	44	14	3	–	–	–	–	–	–	–	287	45–
50–	–	–	–	–	–	2	5	16	19	44	38	24	4	2	–	–	–	–	–	–	154	50–
55–	–	–	–	–	–	–	–	–	5	8	14	15	6	4	–	–	–	–	–	–	52	55–
60–	–	–	–	–	–	–	–	–	–	3	7	2	10	3	2	–	1	–	–	–	28	60–
65–	–	–	–	–	–	–	–	–	–	1	1	5	2	4	1	–	–	–	–	–	14	65–
70–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	4	70–
75–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	4	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	342	1172	2,613	3,974	4,583	15,503	6,901	2,022	657	322	155	68	28	16	4	1	1	–	–	–	38,362	Ttl. Bachelors and Spinsters

Average age—Husbands, 26·1; Wives, 23·5

TABLE 57.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland—1955

Ages of Bachelors	Ages of Widows: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Bachelors	Ages of Bachelors
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	18
19	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	19
20	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	20
21–	–	–	–	–	–	12	14	7	3	–	–	1	–	–	–	–	–	–	–	–	37	21–
25–	–	–	–	–	1	7	31	27	13	9	2	1	–	–	–	–	–	–	–	–	91	25–
30–	–	–	–	–	–	1	23	32	24	15	5	–	1	–	–	–	–	–	–	–	101	30–
35–	–	–	–	–	–	1	5	21	28	21	13	2	–	–	–	–	–	–	–	–	91	35–
40–	–	–	–	–	–	1	2	12	22	22	20	5	2	–	2	–	–	–	–	–	88	40–
45–	–	–	–	–	–	–	2	3	12	13	25	6	7	2	–	–	–	–	–	–	70	45–
50–	–	–	–	–	–	–	–	4	3	8	11	24	5	2	–	–	–	–	–	–	57	50–
55–	–	–	–	–	–	–	–	–	1	2	4	7	4	5	–	–	–	–	–	–	23	55–
60–	–	–	–	–	–	–	–	1	1	1	3	5	4	4	3	1	–	–	–	–	23	60–
65–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	3	–	–	–	–	9	65-
70–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	70-
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75-
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80-
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85- and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	–	–	1	24	79	108	107	92	83	52	23	14	9	4	–	–	–	–	596	Ttl. Bachelors and Widows

Average age—Husbands, 39·7; Wives, 40·2

TABLE 58.—Ages in Combination of WIDOWERS and SPINSTERS at Marriage in Scotland—1955

Ages of Widowers	Ages of Spinsters: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Widowers	Ages of Widowers
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21–	–	1	3	–	–	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	10	21–
25–	1	2	2	2	–	13	11	7	1	–	–	–	–	–	–	–	–	–	–	–	39	25–
30–	–	1	3	5	7	26	24	17	4	1	–	–	–	–	–	–	–	–	–	–	88	30–
35–	–	–	1	2	6	14	17	24	16	4	3	–	–	–	–	–	–	–	–	–	87	35–
40–	–	–	–	1	–	12	18	35	29	26	10	2	1	–	–	–	–	–	–	–	134	40–
45–	–	–	1	–	–	7	15	28	18	36	39	4	1	–	–	–	–	–	–	–	149	45–
50–	–	–	–	–	–	1	11	10	17	31	36	20	4	2	–	–	–	–	–	–	132	50–
55–	–	–	–	–	1	–	5	10	12	27	43	39	16	3	2	–	–	–	–	–	158	55–
60–	–	–	–	–	1	2	4	4	7	9	16	22	14	5	4	–	–	–	–	–	88	60–
65–	–	–	–	–	1	2	1	1	3	9	13	18	15	15	5	–	–	–	–	–	83	65–
70–	–	–	–	–	–	–	–	1	–	5	4	3	6	2	6	–	–	–	–	–	27	70–
75–	–	–	–	–	–	–	–	–	–	3	4	2	3	6	3	1	–	–	–	–	22	75–
80–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	1	–	–	–	–	6	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	1	4	10	10	16	82	107	137	107	151	169	111	61	33	22	3	–	–	–	–	1,024	Ttl. Widowers and Spinsters

Average age—Husbands, 50·3; Wives, 40·6

TABLE 59.—Ages in Combination of WIDOWERS and WIDOWS at Marriage in Scotland—1955

Ages of Widowers	Ages of Widows: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Widowers	Ages of Widowers
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21–
25–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	3	25–
30–	–	–	–	–	–	1	–	6	7	–	1	–	–	–	–	–	–	–	–	–	15	30–
35–	–	–	–	–	–	–	2	5	3	3	3	–	–	–	–	–	–	–	–	–	16	35–
40–	–	–	–	–	–	–	–	3	11	12	11	1	2	–	–	–	–	–	–	–	40	40–
45–	–	–	–	–	–	–	1	5	6	21	20	10	2	1	–	–	–	–	–	–	66	45–
50–	–	–	–	–	–	–	–	3	14	19	30	23	12	3	–	1	–	–	–	–	105	50–
55–	–	–	–	–	–	–	–	–	4	13	21	31	22	8	2	–	–	–	–	–	101	55–
60–	–	–	–	–	–	–	–	–	3	9	12	28	22	17	10	1	–	–	–	–	102	60–
65–	–	–	–	–	–	–	–	–	–	2	6	14	17	21	13	5	–	–	–	–	78	65–
70–	–	–	–	–	–	–	–	–	–	2	1	3	9	10	13	7	1	–	–	–	46	70–
75–	–	–	–	–	–	–	–	–	–	–	1	3	2	5	7	4	4	–	–	–	26	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	4	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	–	–	–	1	5	22	49	81	106	113	88	65	46	19	7	–	–	–	602	Ttl. Widowers and Widows

Average age—Husbands, 57·5; Wives, 51·8

TABLE 59A.—Ages in Combination of DIVORCED MEN and of WOMEN (all conjugal conditions) at Marriage in Scotland, 1955

Ages of Divorced Men	Ages of Women: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of Divorced Men
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20
21–	–	2	2	5	4	10	–	1	–	–	–	–	–	–	–	–	–	–	–	–	24	21–
25–	2	3	4	12	13	82	72	19	7	1	1	–	–	–	–	–	–	–	–	–	216	25–
30–	1	–	1	7	16	73	106	83	30	9	3	1	–	–	–	–	–	–	–	–	330	30–
35–	–	–	4	3	3	26	62	76	58	26	10	3	–	–	–	–	–	–	–	–	271	35–
40–	–	–	1	1	1	9	36	51	54	46	17	6	–	–	–	–	–	–	–	–	222	40–
45–	–	–	–	–	–	5	12	28	36	33	25	4	–	–	–	–	–	–	–	–	143	45–
50–	–	–	–	–	–	3	7	9	20	21	18	11	4	5	–	–	–	–	–	–	98	50–
55–	–	–	–	–	–	–	–	2	8	13	11	6	4	–	–	–	–	–	–	–	44	55–
60–	–	–	–	–	–	–	1	–	1	–	5	2	1	2	1	–	–	–	–	–	13	60–
65–	–	–	–	–	–	–	–	–	–	1	4	–	–	1	–	–	–	–	–	–	6	65–
70–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	3	5	12	28	37	208	296	269	214	150	94	34	9	8	1	–	–	–	–	–	1,368	Ttl. Husbands and Wives

Average age—Husbands 38·4 Wives, 32·9

TABLE 59B.—Ages in Combination of MEN (all conjugal conditions) and of DIVORCED WOMEN at Marriage in Scotland, 1955

Ages of MEN	Ages of DIVORCED WOMEN: 16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of MEN
16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16
17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17
18	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	18
19	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	19
20	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	4	20
21–	–	–	–	1	1	29	51	7	3	–	–	–	–	–	–	–	–	–	–	–	92	21–
25–	–	–	–	–	1	36	141	89	22	6	2	–	–	–	–	–	–	–	–	–	297	25–
30–	–	–	–	–	–	13	95	152	65	17	3	1	1	–	–	–	–	–	–	–	347	30–
35–	–	–	–	–	–	2	35	77	77	42	13	4	–	–	–	–	–	–	–	–	250	35–
40–	–	–	–	–	1	3	12	40	58	49	17	7	–	–	–	–	–	–	–	–	187	40–
45–	–	–	–	–	–	2	5	25	33	40	32	11	4	–	–	–	–	–	–	–	152	45–
50–	–	–	–	–	–	–	2	10	19	27	17	16	9	–	–	–	–	–	–	–	100	50–
55–	–	–	–	–	–	–	–	3	8	10	5	14	5	–	2	–	–	–	–	–	47	55–
60–	–	–	–	–	–	–	–	1	4	6	10	9	4	1	–	–	–	–	–	–	35	60–
65–	–	–	–	–	–	–	–	–	–	1	4	3	–	1	1	–	–	–	–	–	10	65–
70–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	–	–	–	1	3	88	343	404	290	198	105	65	24	2	3	–	–	–	–	–	1,526	Ttl. Husbands and Wives

Average age—Husbands, 37·4; Wives 35·4

NOTE.—The summation of the totals in Tables 56 to 59B exceeds by 279 the total shown in Table 55. This difference represents the number of marriages between Divorced Men and Divorced Women. The former, with their wives, are included in Table 59A, and the latter, with their husbands, in Table 59B, each marriage thus appearing twice

TABLE 60.—Parliamentary Electors—Scotland

Parliamentary Electors on the February 1956 Register

Parliamentary Constituencies	Parliamentary Electors				
	Total	Ordinary Residence Qualification		Service Voters' Qualification	
		Total	Names marked "Y" (included in col. 3)*	Total	Names marked "Y" (included in col. 5) *
1	2	3	4*	5	6*
SCOTLAND	*3,410,718*	*3,378,310*	*24,807*	*32,408*	*2,144*
County Constituencies ...	*1,787,758*	*1,770,986*	*13,759*	*16,772*	*1,177*
Burgh Constituencies ...	*1,622,960*	*1,607,324*	*11,048*	*15,636*	*967*
ABERDEENSHIRE:					
County Constituencies ...	*92,754*	*91,745*	*598*	*1,009*	*74*
East Aberdeenshire ...	45,477	45,032	309	445	31
West Aberdeenshire ...	47,277	46,713	289	564	43
Burgh Constituencies ...	*125,159*	*123,843*	*1,029*	*1,316*	*79*
Aberdeen North	67,209	66,485	455	724	52
Aberdeen South	57,950	57,358	574	592	27
ANGUS AND KINCARDINE:					
County Constituencies ...	*82,414*	*81,463*	*641*	*951*	*54*
North Angus and Mearns	37,358	36,888	287	470	23
South Angus	45,056	44,575	354	481	31
Burgh Constituencies ...	*121,241*	*119,797*	*1,307*	*1,444*	*60*
Dundee East	58,958	58,291	578	667	25
Dundee West	62,283	61,506	729	777	35
ARGYLL:					
County Constituency					
Argyll	41,112	40,766	171	346	20
AYRSHIRE AND BUTE:					
County Constituencies ...	*231,038*	*229,256*	*1,846*	*1,782*	*135*
Ayr	44,489	44,097	327	392	29
Bute and North Ayrshire	43,930	43,543	270	387	21
Central Ayrshire ...	47,723	47,337	385	386	28
Kilmarnock	48,186	47,891	387	295	26
South Ayrshire	46,710	46,388	477	322	31
BANFFSHIRE:					
County Constituency					
Banff	35,828	35,461	251	367	30
BERWICKSHIRE AND EAST LOTHIAN:					
County Constituency					
Berwick and East Lothian	50,919	50,407	327	512	51
CAITHNESS AND SUTHERLAND:					
County Constituency					
Caithness and Sutherland	26,494	26,253	182	241	6
DUMFRIESSHIRE:					
County Constituency					
Dumfries	54,523	53,894	460	629	61

* "Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 15th June, and who is entitled to vote only at elections held after 1st October.

TABLE 60.—Parliamentary Electors—Scotland—*continued*

1	2	3	4 *	5	6 *
DUNBARTONSHIRE:					
County Constituencies ...	*112,199*	*111,370*	*775*	*829*	*42*
East Dunbartonshire ...	62,141	61,706	440	435	20
West Dunbartonshire ...	50,058	49,664	335	394	22
FIFE:					
County Constituencies ...	*104,995*	*103,810*	*736*	*1,185*	*80*
East Fife	50,742	50,109	331	633	36
West Fife	54,253	53,701	405	552	44
Burgh Constituencies ...	*101,872*	*100,592*	*923*	*1,280*	*69*
Dunfermline Burghs ...	47,512	46,841	424	671	29
Kirkcaldy Burghs ...	54,360	53,751	499	609	40
INVERNESS-SHIRE AND ROSS AND CROMARTY:					
County Constituencies ...	*100,835*	*99,894*	*492*	*941*	*33*
Inverness	50,764	50,195	253	569	26
Ross and Cromarty ...	25,001	24,719	106	282	4
Western Isles	25,070	24,980	133	90	3
KIRKCUDBRIGHTSHIRE AND WIGTOWNSHIRE:					
County Constituency					
Galloway	33,717	33,207	267	510	31
LANARKSHIRE:					
County Constituencies ...	*296,127*	*293,916*	*3,207*	*2,211*	*171*
Bothwell	55,270	54,900	579	370	22
Hamilton	51,871	51,428	655	443	33
Lanark	52,301	51,899	491	402	39
Motherwell	49,701	49,313	482	388	32
North Lanarkshire ...	43,401	43,114	546	287	21
Rutherglen	43,583	43,262	454	321	24
Burgh Constituencies ...	*768,048*	*762,076*	*4,854*	*5,972*	*419*
Coatbridge and Airdrie ...	51,595	51,230	674	365	29
Glasgow, Bridgeton ...	52,904	52,581	235	323	25
Cathcart ...	49,120	48,851	293	269	14
Central	41,200	40,880	255	320	15
Craigton ...	48,284	47,812	357	472	36
Gorbals ...	54,660	54,303	219	357	27
Govan	54,733	54,385	260	348	22
Hillhead ...	40,423	40,143	153	280	18
Kelvingrove ...	38,401	38,134	234	267	17
Maryhill ...	48,409	47,843	362	566	53
Pollok	51,870	51,431	344	439	35
Provan ...	43,581	43,254	283	327	23
Scotstoun ...	51,512	51,098	373	414	18
Shettleston ...	53,112	52,704	308	408	28
Springburn ...	40,354	39,908	273	446	39
Woodside ...	47,890	47,519	231	371	20
MIDLOTHIAN:					
County Constituency					
Midlothian	56,600	56,014	414	586	43
Burgh Constituencies ...	*340,466*	*336,270*	*1,832*	*4,196*	*244*
Edinburgh, Central ...	46,233	45,676	285	557	36
East	53,573	52,832	284	741	44
Leith	41,969	41,502	168	467	25
North... ...	44,823	44,293	183	530	29
Pentlands ...	52,524	51,778	296	746	38
South... ...	48,089	47,590	306	499	26
West	53,255	52,599	310	656	46

* "Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 15th June, and who is entitled to vote only at elections held after 1st October.

TABLE 60.—Parliamentary Electors—Scotland—*continued*

1	2	3	4 *	5	6 *
MORAY AND NAIRNSHIRE:					
County Constituency					
Moray and Nairn ...	35,703	34,965	163	738	48
ORKNEY AND ZETLAND:					
County Constituency					
Orkney and Zetland ...	27,645	27,496	179	149	15
PERTHSHIRE AND KINROSS-SHIRE:					
County Constituencies ...	*89,499*	*88,332*	*649*	*1,167*	*74*
Kinross and West Perthshire	34,294	33,882	204	412	26
Perth and East Perthshire	55,205	54,450	445	755	48
RENFREWSHIRE:					
County Constituencies ...	*106,254*	*105,527*	*898*	*727*	*40*
East Renfrewshire ...	59,369	59,014	518	355	13
West Renfrewshire ...	46,885	46,513	380	372	27
Burgh Constituencies ...	*111,671*	*110,831*	*728*	*840*	*50*
Greenock	48,567	48,204	241	363	21
Paisley	63,104	62,627	487	477	29
ROXBURGHSHIRE SELKIRKSHIRE AND PEEBLESHIRE:					
County Constituency					
Roxburgh, Selkirk and Peebles	56,885	56,345	276	540	66
STIRLINGSHIRE AND CLACKMANNAN-SHIRE:					
County Constituencies ...	*94,556*	*93,765*	*812*	*791*	*75*
Clackmannan and East Stirlingshire	51,094	50,703	437	391	38
West Stirlingshire ...	43,462	43,062	375	400	37
Burgh Constituency					
Stirling and Falkirk Burghs	54,503	53,915	375	588	46
WEST LOTHIAN:					
County Constituency					
West Lothian	57,661	57,100	415	561	28

* "Y" indicates an elector who is not 21 on the qualifying date but who becomes 21 on or before 15th June, and who is entitled to vote only at elections held after 1st October.

TABLE 61.—Local Government Electors and Analysis of Local Elections on the 1956 Register

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SCOTLAND	**3,427,157**	**378**	**533**	**1,934,484**	**733,773**	**37·9**
Counties of Cities	**1,295,979**	**12**	**74**	**1,153,617**	**376,485**	**32·6**
Large Burghs ...	**559,175**	**32**	**124**	**452,842**	**193,753**	**42·8**
Small Burghs	**586,089**	**334**	**335**	**328,025**	**163,535**	**49·9**
Landward Areas	**985,914**	—	—	—	—	—
Districts	**980,515**	—	—	—	—	—
ABERDEEN COUNTY:						
County of City:						
Aberdeen	125,046	6	6	66,162	12,978	19·6
Small Burghs	**28,365**	**24**	**15**	**16,345**	**6,421**	**39·3**
Ballater	944	—	4	944	433	45·9
Ellon	1,095	4	—	—	—	—
Fraserburgh	6,944	—	6	6,944	2,426	34·9
Huntly	2,913	4	—	—	—	—
Inverurie	3,734	4	—	—	—	—
Kintore	639	1	—	—	—	—
Oldmeldrum	814	4	—	—	—	—
Peterhead	8,457	—	5	8,457	3,562	42·1
Rosehearty	813	4	—	—	—	—
Turriff	2,012	3	—	—	—	—
Landward	**65,373**	—	—	—	—	—
Districts	**65,373**	—	—	—	—	—
Aberdeen	17,639	—	—	—	—	—
Alford	6,189	—	—	—	—	—
Deer	14,223	—	—	—	—	—
Deeside	5,878	—	—	—	—	—
Ellon	6,969	—	—	—	—	—
Garioch	5,543	—	—	—	—	—
Huntly	3,599	—	—	—	—	—
Turriff	5,333	—	—	—	—	—
ANGUS COUNTY:						
County of City:						
Dundee	121,341	3	9	95,392	42,513	44·6
Other Large Burgh						
Arbroath	13,135	—	6	13,135	6,354	48·4
Small Burghs	**30,046**	**9**	**15**	**20,488**	**7,557**	**36·9**
Brechin	5,357	—	5	5,357	2,041	38·1
Carnoustie	4,155	3	—	—	—	—
Forfar	7,233	—	6	7,233	3,176	43·9
Kirriemuir	2,741	3	—	—	—	—
Monifieth	2,662	3	—	—	—	—
Montrose	7,898	—	4	7,898	2,340	29·6
Landward	**21,779**	—	—	—	—	—
Districts	**21,779**	—	—	—	—	—
Brechin	3,149	—	—	—	—	—
Carnoustie	3,149	—	—	—	—	—
Forfar	4,852	—	—	—	—	—
Kirriemuir	3,049	—	—	—	—	—
Monifieth	4,439	—	—	—	—	—
Montrose	3,141	—	—	—	—	—
ARGYLL COUNTY:						
Small Burghs	**17,563**	**17**	**10**	**8,621**	**4,695**	**54·5**
Campbeltown	4,568	—	7	4,568	2,515	55·1

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Argyll County—*continued*						
Dunoon	6,842	3	1	2,216	1,217	54·9
Inveraray	402	2	—	—	—	—
Lochgilphead	885	5	—	—	—	—
Oban	4,346	2	2	1,837	963	52·4
Tobermory	520	5	—	—	—	—
Landward	**24,430**	—	—	—	—	—
Districts	**24,430**	—	—	—	—	—
Ardnamurchan	1,114	—	—	—	—	—
Cowal	5,537	—	—	—	—	—
Islay	2,734	—	—	—	—	—
Jura and Colonsay ...	326	—	—	—	—	—
Kintyre	3,659	—	—	—	—	—
Lorn, North	2,685	—	—	—	—	—
South	2,828	—	—	—	—	—
Mid-Argyll	3,266	—	—	—	—	—
Mull	1,297	—	—	—	—	—
Tiree and Coll	984	—	—	—	—	—
AYR COUNTY:						
Large Burghs	**60,074**	**1**	**29**	**56,166**	**27,062**	**48·2**
Ayr	30,071	1	5	26,163	10,195	39·0
Kilmarnock	30,003	—	24	30,003	16,867	56·2
Small Burghs	**79,336**	**24**	**32**	**52,479**	**27,778**	**52·9**
Ardrossan	6,054	—	3	6,054	3,157	52·1
Cumnock and Holmhead ...	3,377	3	—	—	—	—
Darvel	2,499	—	4	2,499	1,374	55·0
Galston	3,102	3	—	—	—	—
Girvan	4,088	—	4	4,088	2,370	58·0
Irvine	10,523	3	3	5,177	2,953	57·0
Kilwinning	4,529	—	3	4,529	2,506	55·3
Largs	6,319	2	1	2,166	1,285	59·3
Maybole	3,225	5	—	—	—	—
Newmilns and Greenholm ...	2,884	2	1	2,884	411	14·3
Prestwick	8,287	—	4	8,287	4,423	53·4
Saltcoats	8,823	—	4	8,823	5,481	62·1
Stevenston	6,231	—	4	6,231	2,831	45·4
Stewarton	2,292	3	—	—	—	—
Troon	7,103	3	1	1,741	987	56·7
Landward	**80,344**	—	—	—	—	—
Districts	**80,344**	—	—	—	—	—
Ayr	7,703	—	—	—	—	—
Cumnock	21,130	—	—	—	—	—
Dalmellington	7,987	—	—	—	—	—
Girvan	3,464	—	—	—	—	—
Irvine	5,829	—	—	—	—	—
Kilbirnie	14,452	—	—	—	—	—
Kilmarnock	10,018	—	—	—	—	—
Maybole	3,743	—	—	—	—	—
Newmilns	1,101	—	—	—	—	—
Saltcoats	4,917	—	—	—	—	—
BANFF COUNTY:						
Small Burghs	**21,028**	**19**	**18**	**14,074**	**6,660**	**47·3**
Aberchirder	525	3	—	—	—	—
Aberlour	594	2	—	—	—	—
Banff	2,392	—	3	2,392	1,277	53·4

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Banff County—*continued*						
Buckie	6,254	—	4	6,254	2, 93	47·9
Cullen	1,122	—	4	1,122	533	47·5
Dufftown	1,079	4	—	—	—	—
Findochty	1,100	5	—	—	—	—
Keith...	3,155	—	4	3,155	1,350	42·8
Macduff	2,623	4	—	—	—	—
Portknockie	1,033	1	—	—	—	—
Portsoy	1,151	—	3	1,151	507	44·0
Landward	**14,951**	—	—	—	—	—
Districts	**14,951**	—	—	—	—	—
Aberchirder	1,794	—	—	—	—	—
Banff	3,666	—	—	—	—	—
Buckie	1,926	—	—	—	—	—
Cullen	1,606	—	—	—	—	—
Dufftown	3,072	—	—	—	—	—
Keith...	2,887	—	—	—	—	—
BERWICK COUNTY:						
Small Burghs	**4,522**	**3**	**10**	**3,035**	**1,304**	**43·0**
Coldstream	942	—	3	942	492	52·2
Duns	1,487	3	—	—	—	—
Eyemouth	1,618	—	4	1,618	587	36·3
Lauder	475	—	3	475	225	47·4
Landward	**12,722**	—	—	—	—	—
Districts	**12,722**	—	—	—	—	—
East	4,996	—	—	—	—	—
Middle	4,278	—	—	—	—	—
West	3,448	—	—	—	—	—
BUTE COUNTY:						
Small Burghs	**7,435**	**4**	**6**	**4,714**	**2,437**	**51·7**
Millport	1,541	—	3	1,541	670	43·5
Rothesay	5,894	4	3	3,173	1,767	55·7
Landward	**4,469**	—	—	—	—	—
Districts	**4,469**	—	—	—	—	—
Arran	2,884	—	—	—	—	—
Bute	1,550	—	—	—	—	—
Cumbrae	35	—	—	—	—	—
CAITHNESS COUNTY:						
Small Burghs	**7,510**	**5**	**3**	**3,181**	**1,206**	**37·9**
Thurso	2,600	3	—	—	—	—
Wick	4,910	2	3	3,181	1,206	37·9
Landward	**8,805**	—	—	—	—	—
Districts	**8,805**	—	—	—	—	—
Central	1,342	—	—	—	—	—
Eastern	2,362	—	—	—	—	—
Northern	1,263	—	—	—	—	—
Southern	1,894	—	—	—	—	—
Western	1,944	—	—	—	—	—
CLACKMANNAN COUNTY:						
Small Burghs	**15,538**	**5**	**11**	**12,155**	**6,747**	**55·5**
Alloa	9,179	1	4	6,881	4,105	59·7
Alva	2,703	—	4	2,703	1,473	54·5

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Clackmannan County—*cont.*						
Dollar	1,085	4	—	—	—	—
Tillicoultry	2,571	—	3	2,571	1,169	45·5
Landward	**9,807**	—	—	—	—	—
Districts	**9,807**	—	—	—	—	—
Alloa	7,803	—	—	—	—	—
Hillfoots	2,004	—	—	—	—	—
DUMFRIES COUNTY:						
Large Burgh						
Dumfries	15,860	7	2	4,014	1,994	49·7
Small Burghs	**11,274**	**6**	**13**	**7,885**	**3,606**	**45·7**
Annan	3,522	—	4	3,522	945	26·8
Langholm	1,796	3	—	—	—	—
Lochmaben	845	—	3	845	622	73·6
Lockerbie	2,015	—	3	2,015	1,311	65·1
Moffat	1,503	—	3	1,503	728	48·4
Sanquhar	1,593	3	—	—	—	—
Landward	**27,994**	—	—	—	—	—
Districts	**27,994**	—	—	—	—	—
Annan	3,242	—	—	—	—	—
Dumfries	7,175	—	—	—	—	—
Gretna	3,716	—	—	—	—	—
Langholm	1,655	—	—	—	—	—
Lockerbie	2,815	—	—	—	—	—
Moffat	1,094	—	—	—	—	—
Sanquhar	3,513	—	—	—	—	—
Thornhill	4,784	—	—	—	—	—
DUNBARTON COUNTY:						
Large Burghs	**47,800**	**7**	**4**	**13,731**	**6,511**	**47·4**
Clydebank	31,289	5	—	—	—	—
Dumbarton	16,511	2	4	13,731	6,511	47·4
Small Burghs	**22,935**	**3**	**13**	**18,591**	**10,180**	**54·8**
Cove and Kilcreggan ...	746	—	5	746	427	57·2
Helensburgh...	6,469	3	1	2,125	974	45·8
Kirkintilloch	9,941	—	4	9,941	5,809	58·4
Milngavie	5,779	—	3	5,779	2,970	51·4
Landward	**41,405**	—	—	—	—	—
Districts	**41,405**	—	—	—	—	—
Cumbernauld	3,371	—	—	—	—	—
Helensburgh...	4,359	—	—	—	—	—
Kirkintilloch	2,324	—	—	—	—	—
New Kilpatrick	9,454	—	—	—	—	—
Old Kilpatrick	5,933	—	—	—	—	—
Vale of Leven	15,964	—	—	—	—	—
EAST LOTHIAN COUNTY:						
Small Burghs	**17,875**	**8**	**20**	**11,712**	**6,165**	**52·6**
Cockenzie and Port Seton ...	2,369	—	4	2,369	1,381	58·3
Dunbar	2,971	4	—	—	—	—
East Linton	759	—	4	759	461	60·7
Haddington	3,192	4	—	—	—	—
North Berwick	2,928	—	3	2,928	1,681	57·4
Prestonpans	1,925	—	4	1,925	1,032	53·6
Tranent	3,731	—	5	3,731	1,610	43·2

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
East Lothian County—*contd.*						
Landward	**16,648**	—	—	—	—	—
Districts	**16,648**	—	—	—	—	—
Dunbar	2,364	—	—	—	—	—
Haddington	2,906	—	—	—	—	—
North Berwick	3,453	—	—	—	—	—
Prestonpans	3,678	—	—	—	—	—
Tranent	4,247	—	—	—	—	—
FIFE COUNTY:						
Large Burghs	**64,101**	**1**	**18**	**60,608**	**24,046**	**39·7**
Dunfermline	29,680	1	7	26,187	11,079	42·3
Kirkcaldy	34,421	—	11	34,421	12,967	37·7
Small Burghs	**73,848**	**56**	**34**	**24,915**	**13,710**	**55·0**
Auchtermuchty	983	4	—	—	—	—
Buckhaven and Methil ...	13,873	4	—	—	—	—
Burntisland	4,339	—	6	4,339	3,025	69·7
Cowdenbeath	8,930	2	2	5,018	1,996	39·8
Crail	897	4	—	—	—	—
Culross	404	—	4	404	236	58·4
Cupar	4,006	4	—	—	—	—
Elie and Earlsferry ...	871	3	—	—	—	—
Falkland	792	4	—	—	—	—
Inverkeithing	2,661	—	5	2,661	1,378	51·8
Kilrenny, Anstruther Easter and Anstruther Wester ...	2,258	5	—	—	—	—
Kinghorn	1,627	—	4	1,627	1,061	65·2
Ladybank	927	—	4	927	251	27·1
Leslie...	2,019	—	3	2,019	1,210	59·9
Leven	6,131	—	3	6,131	3,951	64·4
Lochgelly	6,187	5	—	—	—	—
Markinch	1,789	—	3	1,789	602	33·7
Newburgh	1,716	3	—	—	—	—
Newport-on-Tay	2,557	3	—	—	—	—
Pittenweem	1,170	4	—	—	—	—
St. Andrews	6,264	4	—	—	—	—
St. Monance...	1,084	3	—	—	—	—
Tayport	2,363	4	—	—	—	—
Landward	**69,976**	—	—	—	—	—
Districts	**69,976**	—	—	—	—	—
Anstruther	3,723	—	—	—	—	—
Cupar	8,808	—	—	—	—	—
Dunfermline	15,470	—	—	—	—	—
Kirkcaldy	9,371	—	—	—	—	—
Lochgelly	20,498	—	—	—	—	—
St. Andrews	3,948	—	—	—	—	—
Wemyss	8,158	—	—	—	—	—
INVERNESS COUNTY:						
Large Burgh						
Inverness	19,412	3	4	10,769	4,579	42·5
Small Burghs	**2,922**	**2**	**3**	**2,122**	**999**	**47·1**
Fort William	2,122	—	3	2,122	999	47·1
Kingussie	800	2	—	—	—	—
Landward	**37,501**	—	—	—	—	—
Districts	**37,501**	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Inverness County—*continued*						
Aird	5,517	—	—	—	—	—
Badenoch	4,106	—	—	—	—	—
Barra...	1,485	—	—	—	—	—
Harris	3,085	—	—	—	—	—
Inverness	5,280	—	—	—	—	—
Lochaber	7,155	—	—	—	—	—
North Uist	1,403	—	—	—	—	—
Skye	6,804	—	—	—	—	—
South Uist	2,666	—	—	—	—	—
KINCARDINE COUNTY:						
Small Burghs	**6,640**	**12**	—	—	—	—
Banchory	1,462	2	—	—	—	—
Inverbervie	734	3	—	—	—	—
Laurencekirk	1,102	3	—	—	—	—
Stonehaven	3,342	4	—	—	—	—
Landward	**11,699**	—	—	—	—	—
Districts	**11,699**	—	—	—	—	—
Laurencekirk	2,722	—	—	—	—	—
Lower Deeside	2,033	—	—	—	—	—
St. Cyrus	2,421	—	—	—	—	—
Stonehaven	2,597	—	—	—	—	—
Upper Deeside	1,926	—	—	—	—	—
KINROSS COUNTY:						
Small Burgh:						
Kinross	1,704	—	3	1,704	734	43·1
Landward	**2,961**	—	—	—	—	—
Districts—None	—	—	—	—	—	—
KIRKCUDBRIGHT COUNTY:						
Small Burghs	**6,651**	**10**	**12**	**3,825**	**2,203**	**57·6**
Castle Douglas	2,213	—	3	2,213	1,075	48·6
Dalbeattie	2 042	3	—	—	—	—
Gatehouse of Fleet	541	2	—	—	—	—
Kirkcudbright	1,612	—	9	1,612	1,128	70·0
New Galloway	243	5	—	—	—	—
Landward	**11,440**	—	—	—	—	—
Districts	**11,440**	—	—	—	—	—
Castle Douglas	1,805	—	—	—	—	—
Creetown	1,811	—	—	—	—	—
Dalbeattie	2,302	—	—	—	—	—
Eastern	1,698	—	—	—	—	—
Glenkens	1,578	—	—	—	—	—
Kirkcudbright	2,246	—	—	—	—	—
LANARK COUNTY:						
County of City						
Glasgow	719,707	1	38	688,831	221,248	32·1
Other Large Burghs ...	**141,467**	**2**	**29**	**135,705**	**60,126**	**44·3**
Airdrie	20,078	1	4	16,987	7,856	46·2
Coatbridge	31,171	—	6	31,171	15,846	50·8
Hamilton	26,093	—	5	26,093	9,410	36·1
Motherwell and Wishaw ...	46,490	—	9	46,490	20,038	43·1
Rutherglen	17,635	1	5	14,964	6,976	46·6

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Lanark County—*continued*						
Small Burghs	**6,647**	**5**	**4**	**1,120**	**476**	**42·5**
Biggar	1,120	—	4	1,120	476	42·5
Lanark	5,527	5	—	—	—	—
Landward	**199,758**	—	—	—	—	—
Districts	**199,758**	—	—	—	—	—
No. 1	5,047	—	—	—	—	—
No. 2	9,705	—	—	—	—	—
No. 3	14,061	—	—	—	—	—
No. 4	22,589	—	—	—	—	—
No. 5	20,408	—	—	—	—	—
No. 6	38,770	—	—	—	—	—
No. 7	22,679	—	—	—	—	—
No. 8	26,102	—	—	—	—	—
No. 9	40,397	—	—	—	—	—
MIDLOTHIAN COUNTY:						
County of City						
Edinburgh	329,885	2	21	303,232	99,746	32·9
Small Burghs	**30,232**	**10**	**7**	**16,849**	**9,726**	**57.7**
Bonnyrigg and Lasswade ...	3,976	3	—	—	—	—
Dalkeith	6,016	4	—	—	—	—
Loanhead	3,391	3	—	—	—	—
Musselburgh	12,805	—	4	12,805	8,013	62·6
Penicuik	4,044	—	3	4,044	1,713	42·4
Landward	**39,457**	—	—	—	—	—
Districts	**39,457**	—	—	—	—	—
Currie	4,512	—	—	—	—	—
East Calder	4,126	—	—	—	—	—
Gala Water	7,809	—	—	—	—	—
Lasswade	3,548	—	—	—	—	—
Musselburgh	4,603	—	—	—	—	—
Newbattle	6,416	—	—	—	—	—
Penicuik	3,648	—	—	—	—	—
West Calder	4,795	—	—	—	—	—
MORAY COUNTY:						
Small Burghs	**16,917**	**20**	**5**	**827**	**342**	**41·4**
Burghead	878	4	—	—	—	—
Elgin	7,512	6	—	—	—	—
Forres	3,295	6	—	—	—	—
Grantown-on-Spey	1,067	1	—	—	—	—
Lossiemouth & Branderburgh	3,338	3	—	—	—	—
Rothes	827	—	5	827	342	41·4
Landward	**13,327**	—	—	—	—	—
Districts	**13,327**	—	—	—	—	—
Cromdale	726	—	—	—	—	—
Duffus and Drainie ...	1,926	—	—	—	—	—
Elgin	3,800	—	—	—	—	—
Fochabers	2,647	—	—	—	—	—
Forres	3,117	—	—	—	—	—
Rothes and Knockando ...	1,111	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
NAIRN COUNTY:						
Small Burgh						
Nairn...	3,392	—	7	3,392	1,213	35·8
Landward	**2,438**	—	—	—	—	—
Districts—None	—	—	—	—	—	—
ORKNEY COUNTY:						
Small Burghs	**4,112**	—	7	4,112	1,488	36·2
Kirkwall	2,957	—	4	2,957	1,017	34·4
Stromness	1,155	—	3	1,155	471	40·8
Landward	**10,156**	—	—	—	—	—
Districts	**10.156**	—	—	—	—	—
Eday	170	—	—	—	—	—
Hoy and Walls	807	—	—	—	—	—
Mainland	5,675	—	—	—	—	—
North Ronaldsay	151	—	—	—	—	—
Rousay	282	—	—	—	—	—
Sanday	557	—	—	—	—	—
Shapinsay	341	—	—	—	—	—
South Ronaldsay	988	—	—	—	—	—
Stronsay	390	—	—	—	—	—
Westray	795	—	—	—	—	—
PEEBLES COUNTY:						
Small Burghs	**5,951**	—	7	5,951	2,768	46·5
Innerleithen	1,746	—	3	1,746	777	44·5
Peebles	4,205	—	4	4,205	1,991	47·3
Landward	**4,265**	—	—	—	—	—
Districts	**4,265**	—	—	—	—	—
Broughton	820	—	—	—	—	—
Innerleithen	1,167	—	—	—	—	—
Linton	1,343	—	—	—	—	—
Peebles	935	—	—	—	—	—
PERTH COUNTY:						
Large Burgh						
Perth...	27,823	4	4	15,292	5,462	35·7
Small Burghs	**19,428**	**19**	**18**	**8,529**	**4,062**	**47·6**
Aberfeldy	1,138	—	3	1,138	735	64·6
Abernethy	492	—	3	492	239	48·6
Alyth...	1,398	—	3	1,398	551	39·4
Auchterarder	1,746	3	—	—	—	—
Blairgowrie and Rattray ...	3,665	4	—	—	—	—
Callander	1,220	3	—	—	—	—
Coupar Angus	1,556	2	—	—	—	—
Crieff	3,872	—	5	3,872	1,733	44·8
Doune	627	4	—	—	—	—
Dunblane	2,085	3	—	—	—	—
Pitlochry	1,629	—	4	1,629	804	49·4
Landward	**38,204**	—	—	—	—	—
Districts	**38,204**	—	—	—	—	—
Central	6,204	—	—	—	—	—
Eastern	6,069	—	—	—	—	—
Highland	5,874	—	—	—	—	—
Perth	14,413	—	—	—	—	—
Western	5,644	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
RENFREW COUNTY:						
Large Burghs	**125,717**	**1**	**22**	**122,564**	**48,802**	**39·8**
Greenock	48,925	—	11	48,925	21,134	43·2
Paisley	63,450	—	8	63,450	22,555	35·5
Port Glasgow	13,342	1	3	10,189	5,113	50·2
Small Burghs	**38,028**	**3**	**12**	**29,087**	**16,075**	**55·3**
Barrhead	9,165	2	2	4,842	2,480	51·2
Gourock	7,016	—	3	7,016	3,851	54·9
Johnstone	9,929	1	3	5,311	3,318	62·5
Renfrew	11,918	—	4	11,918	6,426	53·9
Landward	**55,347**	—	—	—	—	—
Districts	**55,347**	—	—	—	—	—
No. 1	29,098	—	—	—	—	—
No. 2	9,397	—	—	—	—	—
No. 3	3,527	—	—	—	—	—
No. 4	9,780	—	—	—	—	—
No. 5	3,545	—	—	—	—	—
ROSS AND CROMARTY COUNTY:						
Small Burghs	**9,054**	**22**	**6**	**1,088**	**611**	**56·2**
Cromarty	522	3	—	—	—	—
Dingwall	2,351	6	—	—	—	—
Fortrose	661	5	—	—	—	—
Invergordon	1,088	—	6	1,088	611	56·2
Stornoway	3,315	3	—	—	—	—
Tain	1,117	5	—	—	—	—
Landward	**32,498**	—	—	—	—	—
Districts	**32,498**	—	—	—	—	—
Avoch	2,032	—	—	—	—	—
Dingwall	2,493	—	—	—	—	—
Fearn	1,857	—	—	—	—	—
Fortrose	742	—	—	—	—	—
Gairloch	1,364	—	—	—	—	—
Invergordon	2,325	—	—	—	—	—
Lewis...	13,028	—	—	—	—	—
Lochbroom	1,124	—	—	—	—	—
Lochcarron	1,173	—	—	—	—	—
Muir-of-Ord	3,411	—	—	—	—	—
South-West	1,533	—	—	—	—	—
Tain	1,416	—	—	—	—	—
ROXBURGH COUNTY:						
Small Burghs	**19,791**	**13**	**3**	**6,964**	**2,256**	**32·4**
Hawick	12,410	2	3	6,964	2,256	32·4
Jedburgh	2,862	3	—	—	—	—
Kelso	3,127	5	—	—	—	—
Melrose	1,392	3	—	—	—	—
Landward	**12,584**	—	—	—	—	—
Districts	**12,584**	—	—	—	—	—
Hawick	3,028	—	—	—	—	—
Jedburgh	2,584	—	—	—	—	—
Kelso	3,106	—	—	—	—	—
Melrose	3,866	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SELKIRK COUNTY:						
Small Burghs	**13,393**	**7**	**1**	**2,216**	**1,336**	**60·3**
Galashiels	9,062	4	1	2,216	1,336	60·3
Selkirk	4,331	3	—	—	—	—
Landward	**2,082**	—	—	—	—	—
Districts	**2,082**	—	—	—	—	—
North	1,249	—	—	—	—	—
South	833	—	—	—	—	—
STIRLING COUNTY:						
Large Burghs	**43,786**	**6**	**6**	**20,858**	**8,817**	**42·3**
Falkirk	25,782	3	2	10,586	4,861	45·9
Stirling	18,004	3	4	10,272	3,956	38·5
Small Burghs	**24,786**	**7**	**8**	**15,797**	**7,790**	**49·3**
Bridge of Allan	2,429	3	—	—	—	—
Denny and Dunipace ...	4,738	—	3	4,738	2,804	59·2
Grangemouth	11,059	—	5	11,059	4,986	45·1
Kilsyth	6,560	4	—	—	—	—
Landward	**55,766**	—	—	—	—	—
Districts	**55,766**	—	—	—	—	—
Central No. 1	10,351	—	—	—	—	—
No. 2	8,977	—	—	—	—	—
Eastern No. 1	11,945	—	—	—	—	—
No. 2	8,781	—	—	—	—	—
No. 3	5,042	—	—	—	—	—
Western No. 1	1,139	—	—	—	—	—
No. 2	4,565	—	—	—	—	—
No. 3	4,966	—	—	—	—	—
SUTHERLAND COUNTY:						
Small Burgh	**597**	—	**3**	**597**	**482**	**80·7**
Dornoch	597	—	3	597	482	80·7
Landward	**9,485**	—	—	—	—	—
Districts	**9,485**	—	—	—	—	—
Assynt	652	—	—	—	—	—
Dornoch and Creich ...	1,716	—	—	—	—	—
Edrachillis and Durness ...	880	—	—	—	—	—
Golspie, Rogart and Lairg ...	2,260	—	—	—	—	—
Kildonan, Loth and Clyne	2,319	—	—	—	—	—
Tongue and Farr	1,658	—	—	—	—	—
WEST LOTHIAN COUNTY:						
Small Burghs	**27,236**	**9**	**17**	**20,212**	**9,840**	**48·7**
Armadale	3,972	3	—	—	—	—
Bathgate	7,978	—	5	7,978	4,404	55·2
Bo'ness	6,993	—	5	6,993	3,600	51·5
Linlithgow	3,052	6	—	—	—	—
Queensferry	1,919	—	4	1,919	748	39·0
Whitburn	3,322	—	3	3,322	1,088	32·8
Landward	**30,524**	—	—	—	—	—
Districts	**30,524**	—	—	—	—	—
Bo'ness	2,398	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
West Lothian Co.—*continued*						
Linlithgow	1,923	—	—	—	—	—
Kirkliston and Winchburgh	3,928	—	—	—	—	—
Torphichen and Bathgate ...	3,975	—	—	—	—	—
Uphall	7,893	—	—	—	—	—
Whitburn and Livingston ...	10,407	—	—	—	—	—
WIGTOWN COUNTY:						
Small Burghs	**7,448**	**7**	**12**	**5,438**	**2,668**	**49·1**
Newton-Stewart	1,437	3	—	—	—	—
Stranraer	4,652	—	6	4,652	2,149	46·2
Whithorn	573	4	—	—	—	—
Wigtown	786	—	6	786	519	66·0
Landward	**8,231**	—	—	—	—	—
Districts	**8,231**	—	—	—	—	—
Machars	3,447	—	—	—	—	—
Rhins	4,784	—	—	—	—	—
ZETLAND COUNTY:						
Small Burgh:	**3,885**	**5**	—	—	—	—
Lerwick	3,885	5	—	—	—	—
Landward	**9,488**	—	—	—	—	—
Districts	**9,488**	—	—	—	—	—
Bressay	248	—	—	—	—	—
Delting	604	—	—	—	—	—
Dunrossness	1,673	—	—	—	—	—
Fetlar	111	—	—	—	—	—
Lerwick (Landward) ...	770	—	—	—	—	—
Nesting	408	—	—	—	—	—
Northmaven...	673	—	—	—	—	—
Sandsting & Aithsting ...	839	—	—	—	—	—
Tingwall	1,166	—	—	—	—	—
Unst	691	—	—	—	—	—
Walls	617	—	—	—	—	—
Whalsay	656	—	—	—	—	—
Yell	1,032	—	—	—	—	—

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1952 to 1956

	1939	1952	1953	1954	1955	1956
SCOTLAND	**1,294,872**	**1,458,101**	**1,481,266**	**1,507,986**	**1,531,751**	**1,551,196**
Counties of Cities ...	**507,110**	**553,806**	**560,199**	**568,502**	**577,350**	**585,098**
Large Burghs	**199,651**	**233,116**	**237,975**	**244,300**	**248,902**	**252,792**
Small Burghs	**213,511**	**252,812**	**257,967**	**263,399**	**267,710**	**271,101**
Landward Areas ...	**374,600**	**418,367**	**425,125**	**431,785**	**437,789**	**442,205**
ABERDEEN COUNTY	**83,224**	**92,043**	**93,256**	**94,416**	**95,613**	**96,504**
Aberdeen County of City	**46,516**	**52,268**	**53,218**	**54,057**	**54,914**	**55,695**
Small Burghs	**10,386**	**11,711**	**11,898**	**12,085**	**12,308**	**12,435**
Ballater...	394	436	441	447	469	464
Ellon	389	463	472	476	476	469
Fraserburgh	2,410	2,733	2,793	2,836	2,907	2,939
Huntly	1,106	1,192	1,208	1,212	1,233	1,245
Inverurie	1,306	1,509	1,539	1,585	1,629	1,673
Kintore	231	265	266	263	262	274
Oldmeldrum	293	343	355	355	362	368
Peterhead	3,177	3,493	3,526	3,608	3,670	3,709
Rosehearty	308	367	378	384	376	375
Turriff	772	910	920	919	924	919
Landward	**26,322**	**28,064**	**28,140**	**28,274**	**28,391**	**28,374**
ANGUS COUNTY ...	**78,121**	**86,335**	**87,670**	**88,871**	**90,243**	**91,657**
Dundee County of City	**49,416**	**55,043**	**55,979**	**56,768**	**57,977**	**59,262**
Large Burgh	**5,806**	**6,600**	**6,685**	**6,836**	**6,882**	**6,914**
Arbroath	5,806	6,600	6,685	6,836	6,882	6,914
Small Burghs	**12,612**	**14,232**	**14,463**	**14,650**	**14,798**	**14,930**
Brechin	2,161	2,572	2,585	2,637	2,644	2,664
Carnoustie	1,603	1,906	1,963	2,001	1,994	2,004
Forfar	3,156	3,494	3,527	3,518	3,588	3,663
Kirriemuir	1,187	1,312	1,329	1,352	1,376	1,389
Monifieth	1,038	1,209	1,235	1,287	1,285	1,283
Montrose	3,467	3,739	3,824	3,855	3,911	3,927
Landward	**10,287**	**10,460**	**10,543**	**10,617**	**10,586**	**10,551**
ARGYLL COUNTY ...	**18,889**	**20,193**	**20,262**	**20,425**	**20,478**	**20,656**
Small Burghs	**7,487**	**8,195**	**8,270**	**8,384**	**8,412**	**8,564**
Campbeltown	1,745	2,057	2,117	2,186	2,163	2,146
Dunoon	3,501	3,636	3,638	3,663	3,693	3,721
Inveraray	153	147	149	146	153	167
Lochgilphead	370	414	414	416	419	421
Oban	1,472	1,679	1,690	1,707	1,719	1,847
Tobermory	246	262	262	266	265	262
Landward	**11,402**	**11,998**	**11,992**	**12,041**	**12,066**	**12,092**
AYR COUNTY	**75,984**	**89,358**	**91,705**	**93,647**	**96,172**	**98,179**
Large Burghs	**20,424**	**23,787**	**24,454**	**25,233**	**26,021**	**26,653**
Ayr	9,981	11,511	11,883	12,234	12,540	12,755
Kilmarnock	10,443	12,276	12,571	12,999	13,481	13,898
Small Burghs	**25,787**	**33,203**	**33,948**	**34,536**	**35,500**	**36,330**
Ardrossan	1,951	2,359	2,466	2,527	2,601	2,668
Cumnock and Holmhead	1,089	1,280	1,366	1,434	1,488	1,566
Darvel	1,003	1,099	1,141	1,154	1,177	1,224
Galston	1,247	1,413	1,417	1,424	1,443	1,451
Girvan	1,634	1,772	1,795	1,804	1,829	1,860
Irvine	3,074	4,177	4,201	4,272	4,539	4,646
Kilwinning	1,320	1,827	1,917	1,912	1,962	2,026
Largs	2,882	3,119	3,137	3,231	3,257	3,321

Note—The figures in the above table are not strictly comparable between one year and another, because the boundaries of cities and burghs have, in a number of instances, been altered since 1939.

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1952 to 1956—*cont.*

	1939	1952	1953	1954	1955	1956
Ayr County—*continued*						
Maybole	1,202	1,391	1,393	1,425	1,504	1,449
Newmilns & Greenholm	1,237	1,393	1,398	1,400	1,398	1,392
Prestwick	2,934	3,394	3,516	3,596	3,623	3,681
Saltcoats	2,980	3,665	3,748	3,817	3,899	4,125
*Stevenston	—	2,428	2,509	2,542	2,657	2,724
Stewarton	795	982	991	1,004	1,048	1,084
Troon	2,439	2,904	2,953	2,994	3,075	3,113
Landward	**29,773**	**32,368**	**33,303**	**33,878**	**34,651**	**35,196**
BANFF COUNTY ...	**13,217**	**13,947**	**14,226**	**14,471**	**14,781**	**15,096**
Small Burghs	**7,545**	**7,980**	**8,223**	**8,410**	**8,685**	**8,924**
Aberchirder	259	268	268	268	268	269
Aberlour	229	249	251	259	270	271
Banff	932	1,040	1,082	1,121	1,148	1,154
Buckie	1,912	1,867	1,967	2,038	2,175	2,255
Cullen	479	512	512	529	531	552
Dufftown	425	447	456	461	462	471
Findochty	371	407	427	427	435	451
Keith	1,144	1,219	1,245	1,273	1,284	1,312
Macduff...	896	1,007	1,035	1,035	1,113	1,170
Portknockie	407	423	437	445	445	455
Portsoy	491	541	543	554	554	564
Landward	**5,672**	**5,967**	**6,003**	**6,061**	**6,096**	**6,172**
BERWICK COUNTY ...	**7,856**	**7,731**	**7,992**	**7,992**	**7,891**	**7,801**
Small Burghs	**1,862**	**2,064**	**2,092**	**2,094**	**2,135**	**2,107**
Coldstream	417	453	465	468	465	449
Duns	606	671	679	683	690	693
Eyemouth	624	715	720	717	743	731
Lauder	215	225	228	226	237	234
Landward	**5,994**	**5,667**	**5,900**	**5,898**	**5,756**	**5,694**
BUTE COUNTY ...	**7,338**	**7,716**	**7,756**	**7,844**	**7,848**	**7,878**
Small Burghs	**4,470**	**4,777**	**4,817**	**4,877**	**4,878**	**4,898**
Millport	1,207	1,215	1,219	1,261	1,261	1,261
Rothesay	3,263	3,562	3,598	3,616	3,617	3,637
Landward	**2,868**	**2,939**	**2,939**	**2,967**	**2,970**	**2,980**
CAITHNESS COUNTY	**7,211**	**7,927**	**8,068**	**8,258**	**8,342**	**8,493**
Small Burghs	**2,846**	**3,382**	**3,463**	**3,564**	**3,623**	**3,763**
Thurso	852	1,038	1,073	1,134	1,167	1,288
Wick	1,994	2,344	2,390	2,430	2,456	2,475
Landward	**4,365**	**4,545**	**4,605**	**4,694**	**4,719**	**4,730**
CLACKMANNAN CO.	**9,025**	**11,132**	**11,400**	**11,813**	**11,939**	**12,083**
Small Burghs	**6,094**	**7,032**	**7,013**	**7,266**	**7,433**	**7,465**
Alloa	3,423	3,937	3,911	4,167	4,248	4,259
Alva	1,198	1,345	1,341	1,330	1,321	1,310
Dollar	456	492	507	522	558	552
Tillicoultry	1,017	1,258	1,254	1,247	1,306	1,344
Landward	**2,931**	**4,100**	**4,387**	**4,547**	**4,506**	**4,618**
DUMFRIES COUNTY	**21,490**	**24,735**	**25,301**	**25,644**	**26,477**	**26,778**
Large Burgh	**6,381**	**7,657**	**7,880**	**8,009**	**8,241**	**8,319**
Dumfries	6,381	7,657	7,880	8,009	8,241	8,319
Small Burghs	**4,002**	**4,962**	**5,054**	**5,214**	**5,221**	**5,265**
Annan	1,057	1,443	1,492	1,518	1,555	1,604
Langholm	784	903	901	905	900	906
Lochmaben	292	352	370	375	371	380
Lockerbie	760	863	867	942	900	905
Moffat	611	689	696	718	721	722
Sanquhar	498	712	728	756	774	748
Landward	**11,107**	**12,116**	**12,367**	**12,421**	**13,015**	**13,194**

* Formation of new burgh, 1952.

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1952 to 1956—*cont.*

	1939	1952	1953	1954	1955	1956
DUNBARTON COUNTY	**39,258**	**46,058**	**47,091**	**48,430**	**49,987**	**50,993**
Large Burghs	**16,977**	**19,174**	**19,793**	**20,575**	**21,275**	**21,875**
Clydebank	11,572	12,563	12,780	13,232	13,631	14,137
Dumbarton	5,405	6,611	7,013	7,343	7,644	7,738
Small Burghs	**7,732**	**9,551**	**9,724**	**9,813**	**10,152**	**10,237**
Cove and Kilcreggan ...	351	384	380	375	374	375
Helensburgh	2,405	2,750	2,762	2,792	2,833	2,845
Kirkintilloch	3,242	3,883	4,060	4,119	4,360	4,380
Milngavie	1,734	2,534	2,522	2,527	2,585	2,637
Landward	**14,549**	**17,333**	**17,574**	**18,042**	**18,560**	**18,881**
EAST LOTHIAN CO....	**12,767**	**14,778**	**15,145**	**15,374**	**15,529**	**15,801**
Small Burghs	**6,301**	**7,545**	**7,741**	**7,911**	**8,078**	**8,250**
Cockenzie & Port Seton	738	1,019	1,025	1,049	1,083	1,114
Dunbar	1,163	1,313	1,356	1,401	1,376	1,384
East Linton	284	364	363	357	357	356
Haddington	1,168	1,281	1,345	1,390	1,431	1,445
North Berwick... ...	1,005	1,289	1,327	1,343	1,373	1,371
Prestonpans	672	812	807	844	855	848
Tranent...	1,271	1,467	1,518	1,527	1,603	1,732
Landward	**6,466**	**7,233**	**7,404**	**7,463**	**7,451**	**7,551**
FIFE COUNTY... ...	**75,928**	**90,044**	**91,849**	**94,023**	**95,218**	**96,276**
Large Burghs	**22,997**	**27,682**	**28,554**	**29,510**	**29,996**	**30,542**
Dunfermline	10,309	12,822	13,074	13,272	13,671	14,004
Kirkcaldy	12,688	14,860	15,480	16,238	16,325	16,538
Small Burghs	**27,768**	**32,675**	**33,112**	**33,796**	**34,137**	**34,284**
Auchtermuchty ...	414	463	452	465	478	468
Buckhaven and Methil	4,516	5,796	5,900	6,121	6,163	6,319
Burntisland	1,621	1,774	1,778	1,875	1,970	1,983
Cowdenbeath	3,108	3,930	4,003	3,997	4,008	3,952
Crail	397	451	446	467	466	457
Culross	134	167	167	167	168	170
Cupar	1,558	1,792	1,804	1,816	1,875	1,838
Elie and Earlsferry ...	485	518	518	517	521	520
Falkland	294	359	361	368	389	377
Inverkeithing	881	1,080	1,110	1,116	1,138	1,221
Kilrenny, Anstruther Easter & Anstruther Wester	1,119	1,128	1,141	1,145	1,135	1,128
Kinghorn	698	778	782	814	811	797
Ladybank	391	424	440	454	467	452
Leslie	782	873	910	943	954	1,011
Leven	2,345	2,769	2,802	2,826	2,844	2,834
Lochgelly	2,118	2,594	2,628	2,652	2,649	2,630
Markinch	652	750	752	792	823	837
Newburgh	770	810	822	829	831	821
Newport-on-Tay ...	1,009	1,158	1,197	1,199	1,218	1,193
Pittenweem	534	575	588	593	591	601
St. Andrews	2,379	2,787	2,809	2,882	2,891	2,918
St. Monance	561	594	601	606	599	594
Tayport	1,002	1,105	1,101	1,152	1,148	1,163
Landward	**25,163**	**29,687**	**30,183**	**30,717**	**31,085**	**31,450**
INVERNESS COUNTY	**20,773**	**23,627**	**24,002**	**24,215**	**24,505**	**24,670**
Large Burgh	**6,089**	**7,702**	**7,894**	**7,946**	**8,083**	**8,278**
Inverness	6,089	7,702	7,894	7,946	8,083	8,278
Small Burghs	**944**	**1,065**	**1,065**	**1,091**	**1,093**	**1,120**
Fort William	636	720	720	743	745	774
Kingussie	308	345	345	348	348	346
Landward	**13,740**	**14,860**	**15,043**	**15,178**	**15,329**	**15,272**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1952 to 1956—*cont.*

	1939	1952	1953	1954	1955	1956
KINCARDINE COUNTY	**7,119**	**7,797**	**7,924**	**8,039**	**8,123**	**8,144**
Small Burghs	**2,553**	**2,851**	**2,954**	**3,029**	**3,061**	**3,068**
Banchory	514	591	612	616	612	614
Inverbervie	268	280	289	294	307	305
Laurencekirk	468	505	526	535	533	531
Stonehaven	1,303	1,475	1,527	1,584	1,609	1,618
Landward	**4,566**	**4,946**	**4,970**	**5,010**	**5,062**	**5,076**
KINROSS COUNTY ...	**2,057**	**2,219**	**2,250**	**2,271**	**2,272**	**2,253**
Small Burgh	**716**	**778**	**787**	**806**	**809**	**806**
Kinross	716	778	787	806	809	806
Landward	**1,341**	**1,441**	**1,463**	**1,465**	**1,463**	**1,447**
KIRKCUDBRIGHT CO.	**8,315**	**8,785**	**9,029**	**9,231**	**9,257**	**9,490**
Small Burghs	**2,801**	**3,043**	**3,134**	**3,153**	**3,225**	**3,262**
Castle Douglas ...	876	986	1,032	1,013	1,061	1,063
Dalbeattie	868	904	939	954	946	962
Gatehouse of Fleet ...	252	299	309	308	315	311
Kirkcudbright	663	728	730	742	766	787
New Galloway	142	126	124	136	137	139
Landward	**5,514**	**5,742**	**5,895**	**6,078**	**6,032**	**6,228**
LANARK COUNTY ...	**400,057**	**443,640**	**449,987**	**458,456**	**466,770**	**473,082**
Glasgow County of City	**283,011**	**304,352**	**307,783**	**312,323**	**317,894**	**321,368**
Large Burghs	**47,604**	**57,178**	**58,545**	**60,358**	**61,337**	**62,159**
Airdrie	6,276	8,080	8,300	8,380	8,544	8,671
Coatbridge	10,082	12,477	12,766	13,282	13,459	13,767
Hamilton	8,639	10,371	10,554	10,890	11,031	11,234
Motherwell & Wishaw	15,925	18,849	19,448	20,112	20,528	20,682
Rutherglen	6,682	7,401	7,477	7,694	7,775	7,805
Small Burghs	**1,988**	**2,757**	**2,830**	**2,898**	**2,942**	**3,043**
Biggar	415	509	523	523	524	524
Lanark	1,573	2,248	2,307	2,375	2,418	2,519
Landward	**67,454**	**79,353**	**80,829**	**82,877**	**84,597**	**86,512**
MIDLOTHIAN COUNTY	**150,274**	**169,990**	**171,684**	**175,282**	**177,577**	**180,210**
Edinburgh County of City	**128,167**	**142,143**	**143,219**	**145,354**	**146,565**	**148,773**
Small Burghs	**9,949**	**11,954**	**12,302**	**13,096**	**13,388**	**13,491**
Bonnyrigg and Lasswade	1,453	1,617	1,639	1,719	1,764	1,848
Dalkeith	1,901	2,521	2,499	2,542	2,600	2,617
Loanhead	959	1,293	1,336	1,398	1,480	1,477
Musselburgh	4,399	4,951	5,062	5,507	5,622	5,638
Penicuik	1,237	1,572	1,766	1,930	1,922	1,911
Landward	**12,158**	**15,893**	**16,163**	**16,832**	**17,624**	**17,946**
MORAY COUNTY ...	**11,031**	**12,755**	**13,048**	**13,352**	**13,406**	**13,459**
Small Burghs	**5,787**	**6,990**	**7,194**	**7,398**	**7,487**	**7,580**
Burghead	378	390	394	379	394	393
Elgin	2,474	3,197	3,193	3,291	3,354	3,456
Forres	1,148	1,317	1,356	1,417	1,428	1,426
Grantown-on-Spey ...	418	458	474	496	504	507
Lossiemouth and Branderburgh ...	1,033	1,286	1,398	1,437	1,431	1,429
Rothes	336	342	379	378	376	369
Landward	**5,244**	**5,765**	**5,854**	**5,954**	**5,919**	**5,879**
NAIRN COUNTY ..	**2,281**	**2,518**	**2,597**	**2,563**	**2,582**	**2,581**
Small Burgh	**1,239**	**1,437**	**1,493**	**1,493**	**1,518**	**1,514**
Nairn	1,239	1,437	1,493	1,493	1,518	1,514
Landward	**1,042**	**1,081**	**1,104**	**1,070**	**1,064**	**1,067**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1952 to 1956—*cont.*

	1939	1952	1953	1954	1955	1956
ORKNEY COUNTY ...	**6,087**	**6,333**	**6,346**	**6,306**	**6,271**	**6,242**
Small Burghs	**1,487**	**1,734**	**1,766**	**1,748**	**1,753**	**1,766**
Kirkwall	1,044	1,245	1,251	1,228	1,235	1,251
Stromness	443	489	515	520	518	515
Landward	**4,600**	**4,599**	**4,580**	**4,558**	**4,518**	**4,476**
PEEBLES COUNTY ...	**4,318**	**4,840**	**4,880**	**4,885**	**4,892**	**4,868**
Small Burghs	**2,475**	**2,824**	**2,846**	**2,838**	**2,869**	**2,873**
Innerleithen	697	811	830	821	836	863
Peebles	1,778	2,013	2,016	2,017	2,033	2,010
Landward	**1,843**	**2,016**	**2,034**	**2,047**	**2,023**	**1,995**
PERTH COUNTY ...	**34,217**	**38,737**	**39,375**	**39,546**	**39,860**	**40,014**
Large Burgh	**10,286**	**12,405**	**12,603**	**12,784**	**12,825**	**12,882**
Perth	10,286	12,405	12,603	12,784	12,825	12,882
Small Burghs	**7,128**	**8,628**	**8,761**	**8,836**	**9,000**	**9,019**
Aberfeldy	437	494	496	504	538	531
Abernethy	199	238	237	239	236	240
Alyth	601	649	659	655	656	658
Auchterarder	680	782	827	831	833	845
Blairgowrie and Rattray	1,519	1,704	1,710	1,733	1,774	1,791
Callander	447	554	556	580	582	579
Coupar Angus	601	700	710	700	699	699
Crieff	1,559	1,704	1,760	1,755	1,758	1,758
Doune	253	269	266	275	274	274
Dunblane	832	891	886	888	939	921
Pitlochry	Burgh constituted 1947	643	654	676	711	723
Landward	**16,803**	**17,704**	**18,011**	**17,926**	**18,035**	**18,113**
RENFREW COUNTY ...	**81,383**	**92,194**	**93,426**	**95,339**	**97,349**	**98,618**
Large Burghs	**46,882**	**53,183**	**53,613**	**54,608**	**55,606**	**56,331**
Greenock	18,239	19,961	20,198	20,478	20,739	20,996
Paisley	24,284	27,435	27,743	28,355	28,971	29,415
Port Glasgow	4,359	5,787	5,672	5,775	5,896	5,920
Small Burghs	**13,408**	**15,816**	**16,203**	**16,552**	**16,913**	**16,974**
Barrhead	3,014	3,738	3,916	4,077	4,216	4,212
Gourock	2,693	3,055	3,154	3,198	3,191	3,191
Johnstone	3,373	4,077	4,098	4,126	4,230	4,253
Renfrew	4,328	4,946	5,035	5,151	5,276	5,318
Landward	**21,093**	**23,195**	**23,610**	**24,179**	**24,830**	**25,313**
ROSS AND CROMARTY COUNTY	**15,993**	**16,973**	**17,212**	**17,460**	**17,630**	**17,649**
Small Burghs	**3,197**	**3,819**	**3,888**	**3,908**	**4,011**	**4,058**
Cromarty	268	279	269	267	267	262
Dingwall	714	914	930	942	952	977
Fortrose	285	329	333	332	338	337
Invergordon	424	477	498	497	535	537
Stornoway	1,084	1,298	1,340	1,338	1,379	1,412
Tain	422	522	518	532	540	533
Landward	**12,796**	**13,154**	**13,324**	**13,552**	**13,619**	**13,591**
ROXBURGH COUNTY	**12,972**	**14,385**	**14,671**	**14,847**	**14,917**	**14,932**
Small Burghs	**7,512**	**8,742**	**8,899**	**9,115**	**9,216**	**9,218**
Hawick	4,978	5,562	5,666	5,781	5,801	5,832
Jedburgh	1,041	1,359	1,383	1,386	1,383	1,365
Kelso	1,120	1,288	1,312	1,389	1,472	1,448
Melrose	473	533	538	559	560	573
Landward	**5,360**	**5,643**	**5,772**	**5,732**	**5,701**	**5,714**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1952 to 1956—*cont.*

	1939	1952	1953	1954	1955	1956
SELKIRK COUNTY ...	**6,666**	**7,166**	**7,211**	**7,223**	**7,304**	**7,299**
Small Burghs	**5,697**	**6,258**	**6,330**	**6,387**	**6,438**	**6,441**
Galashiels	3,985	4,237	4,263	4,327	4,375	4,371
Selkirk	1,712	2,021	2,067	2,060	2,063	2,070
Landward	**969**	**908**	**881**	**836**	**866**	**858**
STIRLING COUNTY ...	**43,522**	**50,518**	**51,456**	**52,769**	**53,470**	**54,050**
Large Burghs	**16,205**	**17,748**	**17,954**	**18,441**	**18,636**	**18,839**
Falkirk	9,490	10,449	10,611	10,923	10,975	11,024
Stirling	6,715	7,299	7,343	7,518	7,661	7,81
Small Burghs	**8,112**	**10,002**	**10,330**	**10,616**	**10,828**	**11,062**
Bridge of Allan ...	787	929	960	1,002	1,016	1,033
Denny and Dunipace ...	1,443	1,846	1,979	2,031	2,038	2,091
Grangemouth	3,690	4,433	4,594	4,736	4,901	5,051
Kilsyth	2,192	2,794	2,797	2,847	2,873	2,887
Landward	**19,205**	**22,768**	**23,172**	**23,712**	**24,006**	**24,149**
SUTHERLAND COUNTY	**4,725**	**4,858**	**4,790**	**4,620**	**4,697**	**4,738**
Small Burgh	**225**	**268**	**265**	**261**	**267**	**269**
Dornoch	225	268	265	261	267	269
Landward	**4,500**	**4,590**	**4,525**	**4,359**	**4,430**	**4,469**
WEST LOTHIAN CO.	**19,476**	**24,121**	**24,900**	**25,422**	**25,635**	**25,927**
Small Burghs	**8,867**	**11,223**	**11,750**	**12,123**	**12,000**	**12,531**
Armadale	1,281	1,701	1,728	1,798	1,712	1,859
Bathgate	2,569	3,235	3,442	3,591	3,470	3,688
Bo'ness	2,538	2,923	2,985	3,011	2,978	3,083
Linlithgow	959	1,240	1,370	1,368	1,445	1,399
Queensferry	542	730	787	842	870	861
Whitburn	978	1,394	1,438	1,513	1,525	1,641
Landward	**10,609**	**12,898**	**13,150**	**13,299**	**13,635**	**13,396**
WIGTOWN COUNTY	**7,599**	**8,671**	**8,720**	**8,890**	**9,003**	**9,013**
Small Burghs	**2,973**	**3,690**	**3,705**	**3,766**	**3,854**	**3,853**
Newton-Stewart ...	561	662	666	668	666	654
Stranraer	1,769	2,333	2,344	2,388	2,475	2,488
Whithorn	291	306	310	319	322	337
Wigtown	352	389	385	391	391	374
Landward	**4,626**	**4,981**	**5,015**	**5,124**	**5,149**	**5,160**
ZETLAND COUNTY ...	**5,699**	**5,977**	**6,037**	**6,062**	**5,713**	**5,762**
Small Burgh	**1,461**	**1,624**	**1,647**	**1,685**	**1,678**	**1,701**
Lerwick...	1,461	1,624	1,647	1,685	1,678	1,701
Landward	**4,238**	**4,353**	**4,390**	**4,377**	**4,035**	**4,061**

TABLE 63.—Meteorology of Scotland for 1956; also the Number of Births, Stillbirths, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1956

	Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean of Maximum Temperature ...	53·0°	41·3°	40·2°	48·0°	51·4°	59·6°	61·5°	64·0°	59·9°	60·5°	53·7°	48·7°	46·8°
Mean of Minimum Temperature ...	41·1°	32·5°	29·5°	36·2°	36·0°	44·5°	46·4°	51·6°	47·1°	49·8°	43·1°	38·3°	38·7°
Mean Temperature	47·0°	36·9°	34·8°	42·1°	43·7°	52·0°	54·0°	57·8°	53·5°	55·1°	48·4°	43·5°	42·7°
Absolute Maximum	81°	56°	55°	65°	65°	78°	81°	79°	72°	76°	70°	60°	58°
Absolute Minimum	—2°	2°	—2°	17°	18°	24°	26°	31°	30°	26°	21°	16°	18°
Rainfall (Normal 100)	102	106	70	58	70	95	117	160	151	131	90	59	119
Births (Living Children only) ...	95,313	8,223	7,627	8,744	8,242	8,730	7,917	7,862	7,693	7,099	8,129	7,222	7,825
Stillbirths	2,329	208	213	196	215	195	203	179	178	179	203	168	192
Deaths	61,792	6,400	6,935	5,824	5,189	4,939	4,431	4,325	4,486	4,277	4,729	4,937	5,270
Deaths under 1	2,727	272	227	265	237	245	174	187	201	214	233	232	240
Marriages	43,971	2,618	3,024	6,102	5,132	1,193	3,520	4,908	3,775	4,277	3,495	2,124	3,803
Rates per 1,000 of Estimated Population: Births	18·5	18·9	18·7	20·1	19·5	20·0	18·8	18·0	17·7	16·8	18·7	17·1	18·0
Stillbirths†	24	25	27	22	25	22	25	22	23	25	24	23	24
Deaths	12·0	14·7	17·0	13·4	12·3	11·3	10·5	9·9	10·3	10·1	10·9	11·8	12·1
Infant Mortality* ...	29	33	30	30	29	28	22	24	26	30	29	32	31
Marriages	8·5	6·0	7·4	14·0	12·2	2·7	8·3	11·3	8·7	10·1	8·0	5·0	8·7

* Rate per 1,000 live births. † Rate per 1,000 births (including stillbirths).

TABLE 64.—Deaths, Temperature and Rainfall in Seventeen Large Burghs of Scotland during each Week of 1956

No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature Max. °	Temperature Min. °	Temperature Mean °	Rain in inches	No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature Max. °	Temperature Min. °	Temperature Mean °	Rain in inches
1	January 7 ...	727	14·6	55	31	42·9	0·09	27	July 7 ...	524	10·6	73	45	58·8	1·41
2	14 ...	756	15·2	44	18	32·4	0·51	28	14 ...	458	9·2	71	41	56·5	0·41
3	21 ...	786	15·8	49	25	37·6	0·73	29	21 ...	486	9·8	74	43	59·8	0·24
4	28 ...	795	16·0	47	17	33·7	1·10	30	28 ...	482	9·7	76	44	58·4	1·23
5	February 4 ...	825	16·6	50	—2	30·7	0·89	31	August 4 ...	477	9·6	66	41	54·1	2·31
6	11 ...	976	19·7	52	22	39·6	0·13	32	11 ...	475	9·6	69	40	55·6	1·04
7	18 ...	809	16·3	47	20	33·5	0·12	33	18 ...	519	10·5	68	44	53·9	1·87
8	25 ...	793	16·0	48	22	33·0	0·28	34	25 ...	533	10·7	69	38	52·8	1·07
9	March 3 ...	832	16·8	55	25	41·4	1·46	35	September 1 ...	511	10·3	65	35	51·6	0·54
10	10 ...	665	13·4	56	27	41·2	0·39	36	8 ...	512	10·3	68	44	55·2	2·28
11	17 ...	655	13·2	57	27	38·8	0·11	37	15 ...	527	10·6	69	35	54·5	0·56
12	24 ...	665	13·4	60	31	42·7	0·51	38	22 ...	532	10·7	71	39	56·0	0·50
13	31 ...	607	12·2	62	28	44·2	0·11	39	29 ...	538	10·8	71	42	55·7	1·13
14	April 7 ...	627	12·6	65	28	43·9	0·22	40	October 6 ...	499	10·1	61	36	48·3	0·53
15	14 ...	580	11·7	57	26	44·0	0·51	41	13 ...	546	11·0	63	35	51·5	0·08
16	21 ...	622	12·5	62	25	43·3	0·07	42	20 ...	531	10·7	62	36	51·1	1·11
17	28 ...	592	11·9	60	27	44·4	0·22	43	27 ...	525	10·6	61	26	47·0	0·93
18	May 5 ...	579	11·7	66	32	50·0	0·27	44	November 3 ...	569	11·5	55	25	41·8	0·09
19	12 ...	577	11·6	68	40	52·7	0·98	45	10 ...	624	12·6	57	34	47·7	0·28
20	19 ...	556	11·2	66	32	48·4	0·22	46	17 ...	597	12·0	55	29	44·7	0·26
21	26 ...	573	11·6	69	34	52·0	0·36	47	24 ...	571	11·5	55	23	40·3	0·28
22	June 2 ...	506	10·2	77	43	56·2	0·07	48	December 1 ...	585	11·8	57	27	40·9	0·64
23	9 ...	545	11·0	65	35	50·2	1·16	49	8 ...	593	12·0	56	37	49·6	0·86
24	16 ...	517	10·4	77	34	52·4	0·70	50	15 ...	529	10·7	53	33	43·8	2·27
25	23 ...	520	10·5	81	36	57·5	0·[illegible]6	51	22 ...	629	12·7	48	30	40·7	0·39
26	30 ..	515	10·4	76	36	56·2	0·37	52	29 ...	606	12·2	47	25	36·4	0·99

METEOROLOGICAL TABLES, 1956

TABLE 1.—District Values of Air Temperature, Rainfall and Sunshine

District	1956	Air Temperature: Highest	Air Temperature: Lowest	Air Temperature: Deviation from Average Daily Mean	Rainfall: Percentage of Normal	Rainfall: Number of Days Deviation from Normal	Sunshine: Percentage of Average Duration	Normal Values: Daily Mean Temperature	Normal Values: Total Rainfall	Normal Values: Number of Days	Normal Values: Daily Sunshine
		°F.	°F.	°F.	%		%	°F.	Ins.		Hours
North Scotland	Jan.	55	3	−2·7	120	+ 2	109	39·1	5·79	23	0·90
	Feb.	53	5	−2·8	66	− 2	107	39·2	4·57	21	1·89
	Mar.	65	17	+0·5	62	−10	121	41·0	4·41	23	3·16
	April	61	20	−2·0	94	− 1	123	43·7	3·23	19	4·39
	May	78	24	+1·6	119	+ 2	89	47·9	2·80	19	5·49
	June	77	26	−1·4	131	+ 3	107	52·3	2·72	16	5·37
	July	77	33	−1·1	173	− 2	103	55·8	3·35	19	4·22
	Aug.	69	31	−3·5	123	− 2	94	55·6	4·18	21	4·06
	Sept.	76	27	+0·8	115	− 3	74	52·4	3·78	19	3·36
	Oct.	68	22	−0·1	120	0	93	47·5	5·00	22	2·33
	Nov.	58	19	+1·4	92	− 1	58	42·8	5·63	23	1·31
	Dec.	58	23	+1·9	133	+ 1	71	40·4	6·18	24	0·59
	Year	**78**	**3**	**−0·6**	**113**	**−12**	**98**	**46·5**	**51·64**	**249**	**3·09**
East Scotland	Jan.	56	2	−1·5	113	0	118	37·7	2·57	17	1·58
	Feb.	55	− 2	−4·2	102	+ 4	76	38·3	2·24	16	2·54
	Mar.	64	17	−0·2	56	− 7	104	41·0	2·48	19	3·54
	April	65	18	−1·7	75	− 2	125	44·2	1·85	16	4·61
	May	77	24	+3·1	35	− 3	117	48·7	2·24	16	5·49
	June	81	28	−1·3	129	+ 3	97	54·4	2·13	14	6·15
	July	76	31	−1·0	171	0	106	58·0	2·87	17	4·94
	Aug.	72	31	−4·2	199	+ 4	87	57·1	3·15	18	4·60
	Sept.	75	26	+0·8	179	+ 1	73	53·5	2·24	15	5·06
	Oct.	70	21	+0·3	71	− 4	118	47·7	3·27	19	3·02
	Nov.	60	16	+1·2	46	− 6	78	42·1	3·11	19	1·96
	Dec.	58	19	+2·6	117	0	79	39·1	3·11	19	1·28
	Year	**81**	**− 2**	**−0·5**	**110**	**−10**	**100**	**46·8**	**31·26**	**205**	**3·65**
West Scotland	Jan.	54	12	−1·6	89	+ 3	131	38·8	4·57	20	1·15
	Feb.	54	7	−3·5	39	− 4	96	39·1	3·94	18	2·12
	Mar.	63	18	+1·3	62	− 4	117	41·4	3·58	19	3·28
	April	64	21	−0·9	53	− 4	124	44·7	2·76	16	4·77
	May	77	24	+1·1	98	+ 3	99	49·5	2·91	16	6·06
	June	81	28	−0·9	104	+ 1	102	54·5	2·87	15	6·24
	July	79	33	−0·3	152	+ 2	92	57·5	3·46	17	4·84
	Aug.	69	30	−3·8	157	+ 2	95	57·0	4·41	18	4·51
	Sept.	76	30	+1·6	152	+ 3	73	53·4	3·66	16	3·72
	Oct.	66	21	−1·1	80	− 3	113	48·2	4·69	19	2·58
	Nov.	58	18	1·1	46	− 6	99	42·6	5·16	19	1·70
	Dec.	57	18	+2·9	116	+ 5	33	40·1	5·63	22	1·02
	Year	**81**	**7**	**−0·3**	**95**	**− 3**	**99**	**47·2**	**47·64**	**215**	**3·51**

TABLE II.—Summary Table of Mean Values of Air Temperature at the Principal Stations (Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Prestwick and Inverness), together with extremes of Temperature for Scotland as a whole, and generalised figures for the United Kingdom

1956	AIR TEMPERATURES								RAINFALL		
	Means of		Mean of A and B	Difference of Mean from Normal	Daily Range		Absolute Extremes		Percentage of Normal		
	Maximum A	Minimum B			Mean A—B	Difference from Normal	Highest	Lowest	Scotland	England and Wales	Northern Ireland
January ...	41·3	32·5	36·9	—1·5	8·8	—0·3	56	2	106	167	111
February ...	40·2	29·5	34·8	—4·1	10·7	+0·9	55	—2	70	44	52
March ...	48·0	36·2	42·1	+0·3	11·8	—0·1	65	17	58	46	64
April ...	51·4	36·0	43·7	—1·4	15·4	+2·0	65	18	70	75	56
May ...	59·6	44·5	52·0	+2·1	15·1	±0·0	78	24	95	41	56
June ...	61·5	46·4	54·0	—1·3	15·1	—0·5	81	26	117	109	119
July ...	64·0	51·6	57·8	—1·1	12·4	—1·6	79	31	160	137	132
August ...	59·9	47·1	53·5	—4·3	12·8	—0·8	72	30	151	167	179
September	60·5	49·8	55·1	+1·0	10·7	—2·4	76	26	131	146	122
October ...	53·7	43·1	48·4	+0·1	10·6	—0·7	70	21	90	57	91
November...	48·7	38·3	43·5	+1·1	10·4	+0·3	60	16	59	37	76
December ...	46·8	38·7	42·7	+3·0	8·1	—0·7	58	18	119	106	124
Means and Extremes	53·0	41·1	47·0	—0·5	11·8	—0·3	81	—2	102	97	100

TABLE III.—Number of Hours Bright Sunshine

1956	No. of Hours												Yearly Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
North Scotland													
Shetland													
Lerwick	19	65	59	150	162	189	103	124	53	47	21	11	1003
Orkney													
Grimsetter ...	28	56	95	179	173	157	143	124	79	77	25	15	1151
Caithness													
Wick	37	55	97	186	171	170	146	146	79	97	30	22	1236
Sutherland													
Strathy	30	42	146	145	142	152	192	104	96	74	30	17	1170
Ross and Cromarty													
Fortrose	47	52	131	164	157	181	127	123	103	98	44	33	1260
Stornoway ...	38	56	147	156	146	205	179	131	78	71	21	19	1247
Inverness													
Dalwhinnie ...	24	46	110	154	148	140	131	85	76	63	17	6	1000
Fort William ...	17	55	139	173	123	151	134	107	80	47	13	2	1041
Inverness ...	39	47	133	152	160	168	126	102	88	94	39	27	1175
Onich	31	68	133	186	151	165	132	116	86	66	29	6	1169
Skye, Duntulm.	34	63	157	159	117	181	174	157	91	55	20	15	1223
East Scotland													
Nairn													
Nairn	49	59	136	168	162	177	142	124	104	95	42	35	1293
Moray													
Elgin	53	64	141	161	171	187	185	145	113	120	48	37	1425
Forres	52	63	145	159	173	178	180	146	114	117	48	41	1416
Gordon Castle ...	46	51	136	152	176	195	182	130	113	110	43	35	1369
Kinloss	48	58	138	171	172	183	176	148	103	102	44	38	1381
Banff													
Banff	50	53	104	165	183	204	176	134	96	109	39	32	1345
Glenlivet ...	51	54	142	130	180	153	185	97	112	107	42	31	1284
Aberdeen													
Braemar ...	34	47	110	131	155	133	149	79	83	85	27	8	1041
Craibstone ...	69	64	86	153	211	191	195	127	88	130	46	34	1394
Dyce	69	65	86	161	212	197	190	128	82	130	48	34	1402
Kincardine													
Stonehaven ...	61	57	59	163	191	174	180	115	83	117	44	23	1267
Angus													
Arbroath... ...	69	61	101	185	214	192	209	147	91	143	47	18	1477
Carnoustie ...	68	60	120	192	215	195	198	160	89	133	52	16	1498
Dundee	57	52	111	170	183	162	159	124	67	109	43	23	1260
Perth													
Perth	47	52	105	151	203	184	174	118	61	113	56	11	1275
Fife ...													
Kirkcaldy ...	43	49	104	177	206	167	167	140	88	125	57	28	1351
Leuchars ...	64	58	113	180	217	192	184	137	77	116	59	24	1421
St. Andrews ...	63	54	112	181	230	211	177	142	90	113	54	28	1455

TABLE III.—Number of Hours Bright Sunshine—*continued*

1956	No. of Hours												Yearly Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
Midlothian													
Edinburgh (R.O.)	57	50	122	189	226	187	155	127	87	115	59	37	1411
Edinburgh (B.G.)	49	34	105	183	213	181	156	125	79	102	54	28	1309
Penicuik ...	27	39	107	168	207	166	127	107	72	95	40	14	1169
Turnhouse ...	48	44	110	184	205	183	143	119	79	105	60	33	1313
East Lothian ...													
North Berwick ...	46	43	108	181	211	193	169	133	89	107	52	31	1363
Berwick													
Marchmont ...	56	48	112	182	215	180	157	128	93	99	53	27	1350
West Scotland													
Argyll													
Lephinmore ...	45	67	132	206	185	189	145	129	93	68	42	9	1310
Tiree	50	56	117	213	178	224	163	194	89	91	25	9	1409
Dumbarton													
Helensburgh ...	31	56	99	193	179	170	134	121	77	62	47	4	1173
Renfrew ...													
Greenock ...	25	55	105	193	205	203	142	131	77	70	45	4	1255
Paisley	35	40	98	160	186	195	135	105	71	71	53	8	1157
Renfrew	40	46	105	166	198	207	143	112	71	80	56	9	1233
Lanark													
Glasgow ...	38	42	111	166	186	191	144	108	68	83	54	5	1196
Thorntonhall ...	25	41	121	159	195	173	136	103	75	81	49	10	1168
Ayr													
Auchincruive ...	44	68	129	184	183	183	135	126	88	99	54	20	1313
Kilmarnock ...	47	57	141	178	191	183	157	132	88	90	58	17	1339
Prestwick ...	50	81	154	210	201	201	160	147	92	106	58	21	1481
Dumfries													
Dumfries... ...	48	65	127	153	191	173	128	127	82	104	59	14	1271
Eskdalemuir ...	50	71	129	160	167	148	119	102	81	96	63	10	1196
Ruthwell... ...	48	70	147	173	205	191	138	135	83	102	65	22	1379
Kirkudbright													
Castle Douglas ...	48	75	143	190	202	191	140	153	110	111	62	12	1437

TABLE IV.—Monthly and Annual Amounts of Rainfall and Number of Days of Rain at Selected Stations

1956	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	·04″ or more
North Scotland															
Shetland															
Lerwick	5·21	1·32	2·30	1·66	2·60	2·45	3·85	2·37	2·39	4·89	3·61	5·37	38·02	233	171
Orkney															
Grimsetter	6·42	1·69	2·19	1·27	2·10	2·74	3·68	2·87	2·74	4·07	3·57	6·40	39·74	253	171
Caithness															
Wick	5·44	1·84	1·63	1·69	1·43	2·39	3·62	2·76	1·89	2·73	3·67	3·43	32·52	225	159
Sutherland															
Cape Wrath	5·10	2·74	1·25	2·32	3.43	2·32	6·91	4·99	1·93	5·69	4·75	5·35	46·78	234	187
Strathy	5·27	2·29	1·40	2·40	1·77	2·59	7·45	5·34	2·05	3·77	3·89	3·80	42·02	248	190
Ross and Cromarty															
Achnashellach	10·50	6·76	3·54	4·74	7·40	3·05	6·87	6·76	6·01	10·14	11·74	16·26	93·77	269	219
Fortrose	1·76	1·63	·96	2·20	1·34	2·13	4·65	5·26	4·25	2·96	1·71	2·80	31·63	190	130
Stornoway	5·24	2·56	1·43	2·51	2·51	2·07	5·20	3·59	3·23	4·56	4·65	5·03	42·58	241	180
Inverness															
Benbecula	4·32	3·38	1·76	2·07	4·54	2·90	4·34	4·75	5·01	5·76	5·20	6·28	50·31	248	192
Dalwhinnie	4·10	3·18	2·99	2·35	4·02	4·19	4·74	5·34	6·95	4·92	3·48	10·68	56·94	242	200
Duntulm	4·25	2·94	1·63	2·93	4·64	3·10	6·26	4·55	4·33	5·59	5·58	6·37	52·17	255	212
Fort William	7·15	4·28	3·94	3·89	7·68	3·41	5·57	4·05	7·79	9·19	7·96	16·38	81·29	230	199
Inverness	1·61	1·91	·98	2·17	1·63	3·08	7·07	6·38	4·33	3·30	1·76	4·02	38·24	221	150
Onich	6·89	3·80	5·02	3·33	6·89	4·05	6·29	5·09	7·18	8·08	9·00	14·96	80·58	239	219
East Scotland															
Nairn															
Nairn	1·41	1·42	·81	2·11	·98	2·36	4·64	4·37	2·90	2·55	1·32	2·38	27·25	192	116
Moray															
Forres	1·96	1·71	·62	1·84	·81	2·01	5·03	4·19	2·76	2·58	1·32	2·34	27·17	176	121
Gordon Castle	3·27	2·28	·67	1·72	·42	2·47	5·30	3·63	2·26	2·42	1·82	2·98	29·24	201	137
Kinloss	2·36	1·85	·60	1·79	·90	2·39	5·09	3·85	2·82	3·11	1·50	2·49	28·75	181	118
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
BANFF															
Banff	4·68	1·50	·97	1·57	·66	3·32	3·60	2·90	2·07	3·70	2·14	3·91	31·02	207	141
Glenlivet	2·86	2·79	2·60	2·10	·93	3·31	5·99	7·33	3·39	4·09	1·53	4·68	41·60	220	160
ABERDEEN															
Balmoral	3·52	2·11	1·68	1·67	·80	2·46	3·81	4·89	4·52	2·95	1·42	5·09	34·92	217	148
Braemar	3·79	2·27	2·34	1·58	1·22	2·21	2·99	6·64	4·36	2·51	1·22	5·55	36·68	222	157
Craibstone	3·59	1·78	1·59	1·55	·52	1·79	5·76	3·31	4·79	2·90	1·78	4·47	33·83	199	128
Dyce	3·90	1·95	1·75	1·55	·60	1·96	5·49	3·25	4·70	3·13	1·66	4·19	34·13	201	129
KINCARDINE															
Stonehaven	3·92	1·63	1·02	1·52	·47	1·38	4·50	3·73	4·85	1·90	1·71	3·20	29·83	177	125
ANGUS															
Arbroath	2·24	1·11	·67	1·26	·55	3·12	3·50	3·79	4.63	1·37	·68	2·34	25·26	165	112
Buddonness	2·66	1·14	1·17	1·17	·59	2·84	3·64	4·47	4·54	1·20	·64	2·94	27·00	179	112
Dundee	2·70	1·25	1·62	1·09	·82	3·01	4·41	5·15	4·48	1·15	·90	3·60	30·18	175	120
Montrose	3·40	1·64	1·17	1·24	·44	2·52	3·64	4·80	4·35	1·87	·90	3·37	29·34	189	131
PERTH	3·13	1·16	1·88	·80	·96	2·48	4·03	4·84	4·35	2·10	·55	3·83	30·11	193	131
FIFE															
Kirkcaldy	2·75	1·54	1·33	·91	·83	3·60	5·58	7·57	3·30	1·39	·53	2·54	31·87	189	121
Leuchars	2·27	1·13	1·04	·74	·63	2·81	3·91	5·46	4·19	1·15	·76	2·92	27·01	166	104
St. Andrews	1·95	1·19	1·26	·86	·63	2·83	3·65	5·00	3·62	·99	·69	3·19	25·86	130	115
MIDLOTHIAN															
Bush House	1·92	2·26	1·52	·81	1·21	2·56	5·12	8·03	3·82	2·04	1·02	3·30	33·61	193	131
Edinburgh	1·44	1·86	1·07	·55	·57	2·29	5·21	6·79	3·83	1·54	·65	2·37	28·17	178	120
Midcalder	1·59	1·69	1·75	·53	1·12	2·54	4·52	5·99	3·45	2·36	·85	3·37	29·76	185	128
Penicuik	2·03	2·13	1·68	·81	1·43	2·71	4·89	8·72	3·50	2·34	·93	3·81	34·98	198	136
Turnhouse	1·45	1·62	1·00	·52	·75	2·94	4·29	5·73	3·92	1·81	·63	2·67	27·33	173	119
EAST LOTHIAN															
North Berwick	2·13	1·86	·80	·44	·52	2·20	4·87	6·17	3·49	1·32	·61	1·69	26·10	174	104
BERWICK															
Marchmont	2·42	3·30	·79	·72	·65	2·59	3·54	10·86	3·42	1·98	·89	2·37	33·53	202	142
PEEBLES															
Peebles	1·94	1·59	1·92	·75	1·09	1·98	4·38	6·16	1·68	2·21	·94	5·00	29·64	176	138

TABLE IV.—Monthly and Annual Amounts of Rainfall and Number of Days of Rain at Selected Stations—*continued*

1956	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	·04″ or more
Roxburgh															
Kelso	2·22	2·93	·59	·73	·93	2·56	3·68	8·71	2·46	1·20	·73	2·49	29·23	198	136
West Scotland															
Argyll															
Colonsay	4·53	2·23	2·12	2·23	2·67	2·73	4·54	5·33	5·18	4·81	3·42	5·60	45·39	280	193
Dunoon (Benmore)	6·75	2·70	4·84	2·91	5·66	5·05	8·44	7·70	6·69	7·05	5·47	14·73	77·99	233	197
Dunoon	7·00	2·48	4·67	3·03	4·98	4·10	7·84	7·10	5·71	6·57	4·92	13·22	71·62	233	189
Glenbranter	7·98	3·11	5·30	3·92	5·66	6·43	7·74	5·85	8·48	6·77	6·44	17·89	85·57	211	189
Tiree	3·79	2·16	1·42	2·36	2·99	2·47	4·12	7·59	4·22	4·03	3·64	6·39	45·18	238	172
Bute															
Rothesay	3·89	1·38	3·10	1·78	4·01	2·97	4·45	5·91	5·30	2·61	2·22	5·51	43·13	208	177
Dumbarton															
Helensburgh	4·51	1·88	3·20	2·06	3·03	2·69	5·37	5·80	5·19	4·45	2·77	7·49	48·44	213	177
Stirling															
Falkirk	2·20	1·18	1·80	·87	1·94	3·31	4·36	4·90	4·56	2·83	·79	4·93	33·67	187	136
Stirling	2·75	1·36	2·48	·61	1·73	3·56	4·88	5·76	5·29	4·65	·57	4·81	38·45	201	139
Renfrew															
Greenock	4·08	1·87	3·14	1·97	3·68	3·13	4·89	5·40	4·75	3·70	2·65	8·60	47·86	218	167
Paisley	2·77	1·21	2·19	1·29	2·66	2·72	4·47	4·97	4·90	3·22	1·54	5·10	37·04	208	151
Renfrew	2·50	1·11	2·07	·87	1·88	2·41	4·09	4·59	4·63	2·88	1·33	4·55	32·91	193	141
Ayr															
Auchincruive	2·55	·95	1·42	·84	1·76	2·19	5·12	6·35	3·44	3·32	1·19	4·23	33·36	186	148
Colmonell	2·82	·92	1·42	1·13	2·06	2·35	3·86	5·99	3·51	3·11	2·19	5·13	34·49	193	145
Kilmarnock	2·83	1·60	1·94	1·03	2·02	2·31	4·64	6·36	3·65	3·42	1·71	5·78	37·29	196	150
Largs	3·40	1·66	3·17	1·21	2·82	3·23	4·41	5·13	4·22	3·24	2·35	5·79	40·63	203	159
Prestwick	2·50	·90	1·23	·90	1·46	1·94	4·05	6·27	3·58	3·30	1·30	3·64	31·07	191	143
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
DUMFRIES															
Dumfries	3·53	·66	1·56	·97	1·94	2·59	5·95	7·80	5·10	2·99	1·02	5·01	39·12	204	145
Eskdalemuir	4·69	2·07	2·63	·95	3·98	3·52	6·82	9·00	4·79	5·14	2·80	8·62	55·01	233	177
Ruthwell	3·43	·73	1·24	·80	1·62	2·23	5·52	8·14	3·08	2·54	1·18	3·67	34·18	208	139
KIRKCUDBRIGHT															
Castle Douglas	2·95	·66	1·99	1·19	1·89	2·59	6·39	8·38	4·85	3·22	1·86	5·69	41·66	190	149
Glenlochar Barrage	3·25	·74	2·07	·98	2·36	2·57	6·53	8·05	5·73	3·41	1·49	6·02	43·20	189	144
Glenlee	4·72	1·06	3·52	1·37	2·33	3·49	6·21	9·75	6·04	4·69	2·93	7·83	53·94	196	160

Printed in Great Britain under the authority of Her Majesty's Stationary Office
by the Herald Printing Works, York. Wt.70798. K4

WELLCOME LIBRARY INSTITUTE

M. N.